

# HANFORD SITE

ENVIRONMENTAL SURVEILLANCE DATA REPORT

*for Calendar Year 2007*



## DISCLAIMER

This report was prepared as an account of work sponsored by an agency of the United States Government. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof, or Battelle Memorial Institute. This report is a summary of major or significant activities occurring at the Hanford Site only, and is not a full disclosure of all details associated with Hanford-related activities, nor a substitute for legally required information subject to reporting requirements regarding releases, violations, etc.

PACIFIC NORTHWEST NATIONAL LABORATORY

*operated by*

BATTELLE

*for the*

UNITED STATES DEPARTMENT OF ENERGY

*under Contract DE-AC05-76RL01830*

Printed in the United States of America

May be available to DOE and DOE contractors from the  
Office of Scientific and Technical Information,

P.O. Box 62, Oak Ridge, TN 37831-0062;

ph: (865) 576-8401

fax: (865) 576-5728

email: [reports@adonis.osti.gov](mailto:reports@adonis.osti.gov)

Available to the public from the National Technical Information Service,  
U.S. Department of Commerce, 5285 Port Royal Rd., Springfield, VA 22161

ph: (800) 553-6847

fax: (703) 605-6900

email: [orders@ntis.fedworld.gov](mailto:orders@ntis.fedworld.gov)

online ordering: <http://www.ntis.gov/ordering.htm>

The cover photo shows a late summer weather system passing over a shrub-steppe ecosystem that surrounds the Hanford Site. The photo was taken by AE Rakowski, Pacific Northwest National Laboratory, Richland, Washington. The cover design is by SB Colson, Pacific Northwest National Laboratory, Richland, Washington.



This document was printed on recycled paper.



# **Hanford Site Environmental Surveillance Data Report for Calendar Year 2007**

LE Bisping

September 2008

Prepared for  
the U.S. Department of Energy  
under Contract DE-AC05-76RL01830

Pacific Northwest National Laboratory  
Richland, Washington 99352



## Summary

Environmental surveillance on and around the Hanford Site, located in southeastern Washington State, is conducted by the Pacific Northwest National Laboratory, which is operated by Battelle for the U.S. Department of Energy. The environmental surveillance data collected provide a historical record of radionuclide and radiation levels attributable to natural causes, worldwide fallout, and Hanford Site operations. Data were also collected to monitor several chemicals and metals in Columbia River water, sediment, and wildlife. For more information regarding the 2007 sampling schedule for the Surface Environmental Surveillance Project and Drinking Water Monitoring Project, refer to *Hanford Site Environmental Surveillance Master Sampling Schedule for Calendar Year 2007* (PNNL-16369).

Pacific Northwest National Laboratory publishes an annual environmental report for the Hanford Site each calendar year. The *Hanford Site Environmental Report for Calendar Year 2007* (PNNL-17603) describes the Hanford Site mission and activities, general environmental features, radiological and chemical releases from operations, status of compliance with environmental regulations, status of programs to accomplish compliance, Hanford Site cleanup and remediation efforts, and environmental monitoring activities and results. Sections of the annual environmental report include tables and summaries of offsite and onsite environmental surveillance data collected by the Laboratory during 2007; this data report contains the actual raw data used to create those tables and summaries. In addition to providing raw data collected during routine sampling efforts in 2007, this report also includes data from special studies performed by the Laboratory during 2007 with the support by the Surface Environmental Surveillance Project. In some cases, analytical results may not have been received in time to include in this report or changes may have occurred to the data following publication.

For further information regarding 2007 Hanford Site environmental management, cleanup activities, and compliance issues, refer to *Hanford Site Environmental Report for Calendar Year 2007* (PNNL-17603), available online at <http://hanford-site.pnl.gov/envreport>, or contact T. M. Poston, Pacific Northwest National Laboratory, P.O. Box 999, MS K6-75, Richland, Washington, 99352 ([ted.poston@pnl.gov](mailto:ted.poston@pnl.gov)).



## Acronyms

CFS	cubic feet per second
CRDL	contract required detection limit
DOE	U.S. Department of Energy
DOH	Department of Health (Washington State)
ERA	Environmental Resource Associates
HEIS	Hanford Environmental Information System
HRM	Hanford river marker
IDL	instrument detection limit
LCS	laboratory control sample
MAPEP	Mixed Analyte Performance Evaluation Program
MDA	minimum detectable activity
MDL	method detection limit
PCB	polychlorinated biphenyl
PQL	practical quantitation limit
QC	quality control
RDL	required detection limit
SESP	Surface Environmental Surveillance Project
STL	Severn Trent Laboratories
TOC	total organic carbon
USGS	United States Geological Survey
VOA	volatile organic compounds



# Contents

Summary .....	iii
Acronyms .....	v
Introduction .....	ix
Air	
Beta/Alpha .....	1
Gamma .....	33
Composites and H-3 .....	51
Water	
Columbia River Composites .....	65
River Flow .....	69
Columbia River Transects .....	71
Columbia River Filter/Resin .....	123
Columbia River Shoreline Springs .....	131
Irrigation .....	151
Onsite Ponds .....	153
Table W-1. United States Geological Survey (USGS) Columbia River Water Quality Data for the Vernita Bridge Near Priest Rapids Dam, Washington .....	155
Table W-2. United States Geological Survey (USGS) Columbia River Water Quality Data for Richland, Washington Near the Richland Pump House .....	156
Drinking Water .....	159
Biota	
Foodstuffs .....	163
Wildlife .....	171
Sediment .....	193

## Quality Assurance

Table Q-1. TestAmerica Laboratories, Inc., Richland, Washington, Performance Data on Blind-Spiked Samples for the Surface Environmental Surveillance Project (SESP), 2007 .....	213
Table Q-2. TestAmerica Laboratories, Inc., Richland, Washington, Performance Data on Performance Evaluation Program Water Samples (pCi/L) Provided by the Environmental Resource Associates (ERA) Proficiency Testing Program, 2007 .....	214
Table Q-3. TestAmerica Laboratories, Inc., Richland, Washington, Performance Data on Performance Evaluation Program Samples Provided by the DOE Mixed Analyte Performance Evaluation Program (MAPEP), 2007 .....	215
Table Q-4. Battelle's Marine Sciences Laboratory, Sequim, Washington, Performance Data on NSI Solutions, Inc. Proficiency Testing Program Samples, 2007.....	216
Table Q-5. Field Duplicate Biota Sample Results for Samples Submitted to TestAmerica Laboratories, Inc., Richland, Washington, for the Surface Environmental Surveillance Project (SESP), 2007 .....	219
Table Q-6. Field Duplicate Water Sample Results for Samples Submitted to TestAmerica Laboratories, Inc., Richland, Washington, for the Surface Environmental Surveillance Project (SESP), 2007 .....	220
Table Q-7. Duplicate Air (H-3) Sample Results for Samples Submitted to TestAmerica Laboratories, Inc., Richland, Washington, for the Surface Environmental Surveillance Project (SESP), 2007.....	221
Table Q-8. Washington State Department of Health (DOH) and PNNL Gross Beta Results for Air Filters Collocated at Battelle Complex, 2007 .....	222
Table Q-9. Washington State Department of Health (DOH) and PNNL Gross Beta Results for Air Filters Collocated at Wye Barricade, 2007 .....	223
Table Q-10. Washington State Department of Health (DOH) and PNNL Gross Beta Results for Air Filters Collocated at Prosser Barricade, 2007 .....	224
Table Q-11. Washington State Department of Health (DOH) and PNNL Gross Beta Results for Air Filters Collocated at Yakima Barricade, 2007.....	225



## Introduction

The following sections provide tables of raw data used to develop the Pacific Northwest National Laboratory's environmental surveillance summary information in the *Hanford Site Environmental Report for Calendar Year 2007* (PNNL-17603). Information that may help the reader to understand these data tables is provided in these introductory pages.

Unless otherwise noted in the tables, Severn Trent Laboratories (STL) of Richland, Washington and St. Louis, Missouri performed the radiological, anions, total organic carbon (TOC) and volatile organic compounds (VOA) analyses. During the calendar year, STL was acquired by TestAmerica Laboratories. In addition to wine samples being analyzed at TestAmerica, split wine samples were also sent to GEL Laboratories, located in Richland, Washington and Charleston, South Carolina. To distinguish wine results received from these two laboratories within the Biota Foodstuffs section, the GEL wine results had an OWNER\_ID of SESPSPEC, and TestAmerica had an OWNER\_ID of SESPMNT. The Battelle Marine Sciences Laboratory in Sequim, Washington, performed trace metals and mercury analyses for water, biota, and sediment.

### General Information

Some degree of inherent uncertainty is associated with any analytical measurement. The 2-sigma counting error captures the uncertainty associated with the counting of radiological emissions and sample counting geometry. For samples prepared or manipulated in the laboratory prior to counting, the total analytical error includes both the counting error and the uncertainties connected with sample preparation and chemical separations. For samples that are not manipulated in the laboratory before counting, the total analytical error only accounts for the uncertainties associated with counting the sample and weighing the sample. The uncertainty associated with samples that are analyzed but not counted includes only the sample preparation and chemical-separations uncertainties.

### Column Headings and Heading Definitions

With the exception of Tables W-1, W-2, Q-1 through Q-4 and Q-8 through Q-11, the data tables in this document were retrieved from the Hanford Environmental Information System (HEIS 1989) database, a repository for data gathered during environmental surveillance activities at the Hanford Site. Excluding the non-HEIS columns "Relative % Difference" and "Replicate ID," which appears in Tables Q-5 through Q-7, the column headings are presented as they appear in the HEIS database. The following are definitions for these column headings.

<b>COLUMN HEADING</b>	<b>DEFINITION</b>
ANAL UNITS RPTD	Analytical units reported are the units in which the value reported was originally reported.
COLL MTHD	Collection method used to denote the type of method used for surface water collections:  <div> <div>FILTER</div> <div>Filter material of cloth or paper.</div> </div> <div> <div>RESIN</div> <div>Resin material for collecting cations and anions from water.</div> </div>
CON SHORT NAME	Constituent short name for the specific radiological or chemical compound, or physical parameter.
COUNTING ERROR	The 2-sigma counting error for radioanalytical results only.
DIST CLASS	Distance classification is the location of the sampling site relative to the Hanford Site (Onsite [site-wide], Offsite, Community, Distant, Perimeter, River_Shoreline).
FILTERED FLAG	Filtered flag is only applicable to surface-water samples. The field is set to “Y” (Yes) if the sample was filtered at the time of collection, and “N” (No) if the sample was not filtered at the time of collection.
FLOW RATE	Columbia River daily average flow below Priest Rapids Dam.
FLOW RATE UNITS	Columbia River flow in cubic feet per second (CFS).
LAB QUALIFIER	Laboratory qualifier identifies issues that could impact the quality of the value reported. Qualifiers that apply to the 2007 data include the following:  <div> <div>B</div> <div>For inorganics, the analyte was detected at a value less than the contract required detection limit (RDL), but greater than or equal to the instrument detection limit (IDL) or method detection limit (MDL). For organics, the analyte was detected in both the associated quality control (QC) blank and in the sample.</div> </div> <div> <div>BCX</div> <div>Characteristics from “B,” “C,” and “X” qualifiers all exist.</div> </div> <div> <div>BN</div> <div>Characteristics from “B” and “N” qualifiers both exist.</div> </div> <div> <div>BX</div> <div>Characteristics from “B” and “X” qualifiers both exist.</div> </div> <div> <div>C</div> <div>For inorganics, the analyte was detected in both the sample and the associated QC blank.</div> </div>



COLUMN HEADING	DEFINITION
LAB QUALIFIER	<p>CD Characteristics from “C” and “D” qualifiers both exist.</p> <p>CDN Characteristics from “C”, “D,” and “N” qualifiers all exist.</p> <p>CN Characteristics from “C” and “N” qualifiers both exist.</p> <p>CX Characteristics from “C” and “X” qualifiers both exist.</p> <p>D Analyte was reported at a secondary dilution factor, typically DF&gt;1 (i.e., the primary preparation required dilution to either bring the analyte within the calibration range or to minimize interference). Required for organics/wet chemistry if the sample has been diluted.</p> <p>DN Characteristics from “D” and “N” qualifiers both exist.</p> <p>J For organics, reported value is estimated because it was detected at a level less than the RDL or practical quantitation limit (PQL) and greater than or equal to the MDL.</p> <p>JB Characteristics from “J” and “B” qualifiers both exist.</p> <p>N Spike and/or spike duplicate sample recovery is outside of the control limits.</p> <p>U Indicates constituent was analyzed for but not detected above limiting criteria that may be any of the following: value reported &lt;0; value reported &lt; counting error; value reported &lt; total analytical error; value reported &lt;= contract MDL, IDL, minimum detectable activity (MDA), or PQL. When another qualifier accompanies a “U” qualifier, the result is always considered non-detected.</p> <p>UN Characteristics from “U” and “N” qualifiers both exist.</p> <p>UX Characteristics from “U” and “X” qualifiers both exist.</p> <p>X Specific information associated with the reported value is provided in the hard copy data report and/or case narrative provided by the analytical laboratory and retained by the respective project. Additional information may also be found in the RESULT COMMENT field.</p> <p>YX Characteristics from “X” qualifier exist; see case narrative, confirmed by second analysis.</p>

<b>COLUMN HEADING</b>	<b>DEFINITION</b>
MEDIA	<p>Categorizes samples into logical media groups or subject areas:</p> <p>AT    Air</p> <p>BI    Biota (foodstuffs, wildlife)</p> <p>SO    Soil/sediment</p> <p>SW    Surface water (also represents water collected from rivers, ponds and springs, and drinking water).</p>
MIN DETECTABLE ACTIVITY	MDA is assumed to be a sample-dependent estimate, typically dependent on the background counts measured by the analytical instrument and sample yield, reported in the same units as the value reported.
OWNER ID	Owner ID identifies the owner of the data (SESPMNT = Pacific Northwest National Laboratory SESP routine collection, SESPSPEC = Pacific Northwest National Laboratory SESP special study).
RELATIVE % DIFFERENCE	<p>The relative percent difference between the value reported and the value reported for the replicate sample. The formula is as follows:</p> $100 * (\text{VALUE RPTD} - \text{REPLICATE VALUE}) / ([\text{VALUE RPTD} + \text{REPLICATE VALUE}] / 2)$
REPLICATE ID	Replicate identification identifies the primary (routine) sample number.
RESULT COMMENT	Result comment contains pertinent information about a result.
SAMP COMMENT	Sample comment contains pertinent information about a sample.
SAMP DATE	Sample date is the date the sample was collected (may also be referred to as SAMP DATE TIME).
SAMP DATE TIME ON	The sample is collected over an interval of time. This is the date and time that the sample collection was started.
SAMP FROM	Sample from identifies the media-dependent entity that was sampled (e.g., COW, WINE, WHITEFISH, etc.).
SAMP ITEM	Sample item identifies the media-dependent item (e.g., MILK, RED WINE, MUSCLE, etc.) that was sampled from the entity identified in the SAMP FROM column.
SAMP NUM	Sample number is a unique identifier for a sample.
SAMP SITE NAME	Sample site name is the name describing the sampling site and appears exactly as it is identified in the HEIS database.

COLUMN HEADING	DEFINITION
TAG ID	<p>Tag identification is a unique identifier used to group the different tissues collected from a single biota sample. For example, a single-tag identification would be used to group the muscle and liver samples collected from a single fish.</p> <p>The tag identification is computer generated, incorporating the sample year, type of sample planned for collection along with a consecutive number (i.e., 2007WHITEFISH1, 2007WHITEFISH2, etc.). If the planned sample is unavailable, an approved substitution may be collected (i.e., sucker). Because the tag identification is computer generated based on what was planned for collection, it is not modified to reflect what was actually collected. Refer to the SAMP FROM field to locate the type of sample actually collected.</p>
TOTAL ANAL ERROR	The 2-sigma total analytical error may be reported for any result.
VALUE RPTD	Value reported is the concentration reported by the analytical laboratory or field parameters obtained during the collection of the sample.

## References

HEIS. 1989. *Hanford Environmental Information System*. Environmental Information Systems Department, Fluor Hanford, Inc., Richland, Washington.

PNNL-16369. 2007. *Hanford Site Environmental Surveillance Master Sampling Schedule for Calendar Year 2007*. LE Bisping, Pacific Northwest National Laboratory, Richland, Washington

PNNL-17603. 2008. *Hanford Site Environmental Report for Calendar Year 2007*. TM Poston, JP Duncan, and RL Dirkes (eds.), Pacific Northwest National Laboratory, Richland, Washington.

**Air**



## ENVIRONMENTAL SURVEILLANCE DATA CY07

## AIR - BETA/ALPHA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1LVK0	100 D AREA	ONSITE	AT	15-Jan-07	ALPHA	0.000627	pCi/m3	0.00039	0.00048			
SESPMNT	B1LVK1	100 D AREA	ONSITE	AT	30-Jan-07	ALPHA	0.00161	pCi/m3	0.00057	0.00071			
SESPMNT	B1LVK2	100 D AREA	ONSITE	AT	13-Feb-07	ALPHA	0.00102	pCi/m3	0.00052	0.00061			
SESPMNT	B1LVK3	100 D AREA	ONSITE	AT	26-Feb-07	ALPHA	0.000247	pCi/m3	0.00033	0.0004	U		
SESPMNT	B1LVK4	100 D AREA	ONSITE	AT	12-Mar-07	ALPHA	0.000319	pCi/m3	0.00034	0.00041	U		
SESPMNT	B1LVK5	100 D AREA	ONSITE	AT	28-Mar-07	ALPHA	0.000381	pCi/m3	0.00034	0.00041	U		
SESPMNT	B1MY60	100 D AREA	ONSITE	AT	10-Apr-07	ALPHA	0.000795	pCi/m3	0.00043	0.00052			
SESPMNT	B1MY61	100 D AREA	ONSITE	AT	20-Apr-07	ALPHA	0.000428	pCi/m3	0.00038	0.00047	U		
SESPMNT	B1MY62	100 D AREA	ONSITE	AT	08-May-07	ALPHA	0.000174	pCi/m3	0.00023	0.00027	U		
SESPMNT	B1MY63	100 D AREA	ONSITE	AT	22-May-07	ALPHA	0.000777	pCi/m3	0.0004	0.00048			
SESPMNT	B1MY64	100 D AREA	ONSITE	AT	06-Jun-07	ALPHA	0.000346	pCi/m3	0.00031	0.00037	U		
SESPMNT	B1MY65	100 D AREA	ONSITE	AT	19-Jun-07	ALPHA	0.000395	pCi/m3	0.00032	0.00039			
SESPMNT	B1MY66	100 D AREA	ONSITE	AT	02-Jul-07	ALPHA	0.000658	pCi/m3	0.00038	0.00046			
SESPMNT	B1P206	100 D AREA	ONSITE	AT	17-Jul-07	ALPHA	0.000763	pCi/m3	0.00038	0.00046			
SESPMNT	B1P207	100 D AREA	ONSITE	AT	27-Jul-07	ALPHA	0.000278	pCi/m3	0.00044	0.0005	U		
SESPMNT	B1P208	100 D AREA	ONSITE	AT	13-Aug-07	ALPHA	0.000362	pCi/m3	0.00026	0.00031			
SESPMNT	B1P209	100 D AREA	ONSITE	AT	24-Aug-07	ALPHA	0.000962	pCi/m3	0.0005	0.00061			
SESPMNT	B1P210	100 D AREA	ONSITE	AT	10-Sep-07	ALPHA	0.000709	pCi/m3	0.00035	0.00042			
SESPMNT	B1P211	100 D AREA	ONSITE	AT	25-Sep-07	ALPHA	0.00145	pCi/m3	0.00044	0.00058			
SESPMNT	B1PRB6	100 D AREA	ONSITE	AT	09-Oct-07	ALPHA	0.000902	pCi/m3	0.00037	0.00046			
SESPMNT	B1PRB7	100 D AREA	ONSITE	AT	24-Oct-07	ALPHA	0.000721	pCi/m3	0.00036	0.00043			
SESPMNT	B1PRB8	100 D AREA	ONSITE	AT	05-Nov-07	ALPHA	0.000838	pCi/m3	0.00046	0.00054			
SESPMNT	B1PRB9	100 D AREA	ONSITE	AT	19-Nov-07	ALPHA	0.000738	pCi/m3	0.00037	0.00045			
SESPMNT	B1PRC0	100 D AREA	ONSITE	AT	03-Dec-07	ALPHA	0.000855	pCi/m3	0.00048	0.00057			
SESPMNT	B1PRC1	100 D AREA	ONSITE	AT	20-Dec-07	ALPHA	0.00161	pCi/m3	0.00053	0.00067			
SESPMNT	B1PRC2	100 D AREA	ONSITE	AT	02-Jan-08	ALPHA	0.000373	pCi/m3	0.00038	0.00046	U		
SESPMNT	B1LWL4	100 F MET TOWER	ONSITE	AT	15-Jan-07	ALPHA	0.00074	pCi/m3	0.00041	0.0005			
SESPMNT	B1LWL5	100 F MET TOWER	ONSITE	AT	30-Jan-07	ALPHA	0.0012	pCi/m3	0.00055	0.00065			
SESPMNT	B1LWL6	100 F MET TOWER	ONSITE	AT	13-Feb-07	ALPHA	0.00133	pCi/m3	0.00053	0.00064			
SESPMNT	B1LWL7	100 F MET TOWER	ONSITE	AT	26-Feb-07	ALPHA	0.00039	pCi/m3	0.00033	0.00041	U		
SESPMNT	B1LWL8	100 F MET TOWER	ONSITE	AT	12-Mar-07	ALPHA	0.000366	pCi/m3	0.00033	0.00039	U		
SESPMNT	B1LWL9	100 F MET TOWER	ONSITE	AT	28-Mar-07	ALPHA	0.000295	pCi/m3	0.00027	0.00033	U		
SESPMNT	B1N029	100 F MET TOWER	ONSITE	AT	10-Apr-07	ALPHA	0.000883	pCi/m3	0.00043	0.00052			
SESPMNT	B1N030	100 F MET TOWER	ONSITE	AT	20-Apr-07	ALPHA	0.000965	pCi/m3	0.0005	0.00061			
SESPMNT	B1N031	100 F MET TOWER	ONSITE	AT	08-May-07	ALPHA	0.000462	pCi/m3	0.00029	0.00035			
SESPMNT	B1N032	100 F MET TOWER	ONSITE	AT	22-May-07	ALPHA	0.0013	pCi/m3	0.00047	0.00059			
SESPMNT	B1N033	100 F MET TOWER	ONSITE	AT	06-Jun-07	ALPHA	0.000362	pCi/m3	0.00035	0.00041	U		
SESPMNT	B1N034	100 F MET TOWER	ONSITE	AT	19-Jun-07	ALPHA						NO SAMPLE. SAVE FOR COMPOSITE, RESET GFCl.	
SESPMNT	B1N035	100 F MET TOWER	ONSITE	AT	02-Jul-07	ALPHA	0.000648	pCi/m3	0.00039	0.00047			
SESPMNT	B1P2W8	100 F MET TOWER	ONSITE	AT	17-Jul-07	ALPHA	0.00113	pCi/m3	0.00043	0.00053			
SESPMNT	B1P2W9	100 F MET TOWER	ONSITE	AT	27-Jul-07	ALPHA	0.000557	pCi/m3	0.00041	0.00049			
SESPMNT	B1P2X0	100 F MET TOWER	ONSITE	AT	13-Aug-07	ALPHA	0.000462	pCi/m3	0.00027	0.00033			
SESPMNT	B1P2X1	100 F MET TOWER	ONSITE	AT	24-Aug-07	ALPHA	0.00106	pCi/m3	0.00051	0.00062			
SESPMNT	B1P2X2	100 F MET TOWER	ONSITE	AT	10-Sep-07	ALPHA	0.000303	pCi/m3	0.00028	0.00033	U		
SESPMNT	B1P2X3	100 F MET TOWER	ONSITE	AT	25-Sep-07	ALPHA	0.0013	pCi/m3	0.00047	0.00058			
SESPMNT	B1PT92	100 F MET TOWER	ONSITE	AT	09-Oct-07	ALPHA						NO SAMPLE. DO NOT SAVE FOR COMPOSITE. RESET GFCl.	
SESPMNT	B1PT93	100 F MET TOWER	ONSITE	AT	24-Oct-07	ALPHA						NO SAMPLE. SAVE FOR COMPOSITE, RESET GFCl.	
SESPMNT	B1PT94	100 F MET TOWER	ONSITE	AT	05-Nov-07	ALPHA	0.000917	pCi/m3	0.00053	0.00063			
SESPMNT	B1PT95	100 F MET TOWER	ONSITE	AT	19-Nov-07	ALPHA						NO SAMPLE. SAVE FOR COMPOSITE, RESET GFCl.	
SESPMNT	B1PT96	100 F MET TOWER	ONSITE	AT	03-Dec-07	ALPHA	0.00185	pCi/m3	0.00079	0.00095		RESET GFCl.	
SESPMNT	B1PT97	100 F MET TOWER	ONSITE	AT	20-Dec-07	ALPHA	0.00102	pCi/m3	0.00044	0.00054			
SESPMNT	B1PT98	100 F MET TOWER	ONSITE	AT	02-Jan-08	ALPHA	0.00053	pCi/m3	0.00042	0.00051			
SESPMNT	B1LVH8	100 K AREA	ONSITE	AT	15-Jan-07	ALPHA	0.000927	pCi/m3	0.00055	0.00067			
SESPMNT	B1LVH9	100 K AREA	ONSITE	AT	30-Jan-07	ALPHA	0.00187	pCi/m3	0.00079	0.00094		PUMP REPLACED.	
SESPMNT	B1LVJ0	100 K AREA	ONSITE	AT	13-Feb-07	ALPHA	0.0015	pCi/m3	0.00051	0.00063			
SESPMNT	B1LVJ1	100 K AREA	ONSITE	AT	26-Feb-07	ALPHA	0.000275	pCi/m3	0.00026	0.00031	U		
SESPMNT	B1LVJ2	100 K AREA	ONSITE	AT	12-Mar-07	ALPHA	0.0000984	pCi/m3	0.00022	0.00027	U		
SESPMNT	B1LVJ3	100 K AREA	ONSITE	AT	28-Mar-07	ALPHA	0.000355	pCi/m3	0.00028	0.00033			
SESPMNT	B1MY46	100 K AREA	ONSITE	AT	10-Apr-07	ALPHA	0.000831	pCi/m3	0.00041	0.0005			
SESPMNT	B1MY47	100 K AREA	ONSITE	AT	20-Apr-07	ALPHA	0.0000692	pCi/m3	0.00029	0.00039	U		
SESPMNT	B1MY48	100 K AREA	ONSITE	AT	08-May-07	ALPHA	0.000533	pCi/m3	0.00029	0.00035			
SESPMNT	B1MY49	100 K AREA	ONSITE	AT	22-May-07	ALPHA	0.0006	pCi/m3	0.00034	0.00041			
SESPMNT	B1MY50	100 K AREA	ONSITE	AT	06-Jun-07	ALPHA	0.000649	pCi/m3	0.00035	0.00042			
SESPMNT	B1MY51	100 K AREA	ONSITE	AT	19-Jun-07	ALPHA	0.000555	pCi/m3	0.00035	0.00042			
SESPMNT	B1MY52	100 K AREA	ONSITE	AT	02-Jul-07	ALPHA	0.00021	pCi/m3	0.00029	0.00035	U		
SESPMNT	B1P1Y4	100 K AREA	ONSITE	AT	17-Jul-07	ALPHA	0.000767	pCi/m3	0.00037	0.00045			
SESPMNT	B1P1Y5	100 K AREA	ONSITE	AT	27-Jul-07	ALPHA	0.000978	pCi/m3	0.00048	0.00059			

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## AIR - BETA/ALPHA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1P1Y6	100 K AREA	ONSITE	AT	13-Aug-07	ALPHA	0.000228	pCi/m3	0.00024	0.00028	U		
SESPMNT	B1P1Y7	100 K AREA	ONSITE	AT	24-Aug-07	ALPHA	0.00111	pCi/m3	0.00048	0.00059			
SESPMNT	B1P1Y8	100 K AREA	ONSITE	AT	10-Sep-07	ALPHA	0.000398	pCi/m3	0.00028	0.00033			
SESPMNT	B1P1Y9	100 K AREA	ONSITE	AT	25-Sep-07	ALPHA	0.000907	pCi/m3	0.00039	0.00047			
SESPMNT	B1PR92	100 K AREA	ONSITE	AT	09-Oct-07	ALPHA	0.000629	pCi/m3	0.00036	0.00043			
SESPMNT	B1PR93	100 K AREA	ONSITE	AT	24-Oct-07	ALPHA	0.000846	pCi/m3	0.00039	0.00048			
SESPMNT	B1PR94	100 K AREA	ONSITE	AT	05-Nov-07	ALPHA	0.000667	pCi/m3	0.00045	0.00053			
SESPMNT	B1PR95	100 K AREA	ONSITE	AT	19-Nov-07	ALPHA	0.00111	pCi/m3	0.00046	0.00057			
SESPMNT	B1PR96	100 K AREA	ONSITE	AT	03-Dec-07	ALPHA	0.00104	pCi/m3	0.00051	0.00061			
SESPMNT	B1PR97	100 K AREA	ONSITE	AT	20-Dec-07	ALPHA	0.00136	pCi/m3	0.00049	0.00061			
SESPMNT	B1PR98	100 K AREA	ONSITE	AT	02-Jan-08	ALPHA	0.00107	pCi/m3	0.00049	0.00061			
SESPMNT	B1LVJ4	100 N-1325 CRIB	ONSITE	AT	15-Jan-07	ALPHA	0.000437	pCi/m3	0.00034	0.00041			
SESPMNT	B1LVJ5	100 N-1325 CRIB	ONSITE	AT	30-Jan-07	ALPHA	0.000716	pCi/m3	0.00045	0.00051			
SESPMNT	B1LVJ6	100 N-1325 CRIB	ONSITE	AT	13-Feb-07	ALPHA	0.00111	pCi/m3	0.00047	0.00056			
SESPMNT	B1LVJ7	100 N-1325 CRIB	ONSITE	AT	26-Feb-07	ALPHA	0.000755	pCi/m3	0.00038	0.00047			
SESPMNT	B1LVJ8	100 N-1325 CRIB	ONSITE	AT	12-Mar-07	ALPHA	0.000719	pCi/m3	0.00037	0.00045			
SESPMNT	B1LVJ9	100 N-1325 CRIB	ONSITE	AT	28-Mar-07	ALPHA	0.000465	pCi/m3	0.00029	0.00035			
SESPMNT	B1MY53	100 N-1325 CRIB	ONSITE	AT	10-Apr-07	ALPHA	0.000454	pCi/m3	0.00036	0.00043			
SESPMNT	B1MY54	100 N-1325 CRIB	ONSITE	AT	20-Apr-07	ALPHA	0.000183	pCi/m3	0.00033	0.00043	U		
SESPMNT	B1MY55	100 N-1325 CRIB	ONSITE	AT	08-May-07	ALPHA	0.000348	pCi/m3	0.00025	0.0003			
SESPMNT	B1MY56	100 N-1325 CRIB	ONSITE	AT	22-May-07	ALPHA	0.000511	pCi/m3	0.00034	0.0004			
SESPMNT	B1MY57	100 N-1325 CRIB	ONSITE	AT	06-Jun-07	ALPHA	0.000959	pCi/m3	0.00039	0.00048			
SESPMNT	B1MY58	100 N-1325 CRIB	ONSITE	AT	19-Jun-07	ALPHA	0.000146	pCi/m3	0.00025	0.00032	U		
SESPMNT	B1MY59	100 N-1325 CRIB	ONSITE	AT	02-Jul-07	ALPHA	0.000308	pCi/m3	0.00031	0.00037	U		
SESPMNT	B1P200	100 N-1325 CRIB	ONSITE	AT	17-Jul-07	ALPHA	0.000416	pCi/m3	0.00029	0.00035			
SESPMNT	B1P201	100 N-1325 CRIB	ONSITE	AT	27-Jul-07	ALPHA	0.000543	pCi/m3	0.00047	0.00054	U		
SESPMNT	B1P202	100 N-1325 CRIB	ONSITE	AT	13-Aug-07	ALPHA	0.0008	pCi/m3	0.00032	0.0004			
SESPMNT	B1P203	100 N-1325 CRIB	ONSITE	AT	24-Aug-07	ALPHA	0.000382	pCi/m3	0.00036	0.00044	U		
SESPMNT	B1P204	100 N-1325 CRIB	ONSITE	AT	10-Sep-07	ALPHA	0.000788	pCi/m3	0.00033	0.00041			
SESPMNT	B1P205	100 N-1325 CRIB	ONSITE	AT	25-Sep-07	ALPHA	0.00169	pCi/m3	0.00047	0.00063			
SESPMNT	B1PR99	100 N-1325 CRIB	ONSITE	AT	09-Oct-07	ALPHA	0.000975	pCi/m3	0.00039	0.00049			
SESPMNT	B1PRB0	100 N-1325 CRIB	ONSITE	AT	24-Oct-07	ALPHA	0.00066	pCi/m3	0.00037	0.00043			
SESPMNT	B1PRB1	100 N-1325 CRIB	ONSITE	AT	05-Nov-07	ALPHA	0.000961	pCi/m3	0.00048	0.00057			
SESPMNT	B1PRB2	100 N-1325 CRIB	ONSITE	AT	19-Nov-07	ALPHA	0.000742	pCi/m3	0.00039	0.00047			
SESPMNT	B1PRB3	100 N-1325 CRIB	ONSITE	AT	03-Dec-07	ALPHA	0.000586	pCi/m3	0.0004	0.00047			
SESPMNT	B1PRB4	100 N-1325 CRIB	ONSITE	AT	20-Dec-07	ALPHA	0.001	pCi/m3	0.00044	0.00053			
SESPMNT	B1PRB5	100 N-1325 CRIB	ONSITE	AT	02-Jan-08	ALPHA	0.000832	pCi/m3	0.00038	0.00047			
SESPMNT	B1LVK7	200 ESE	ONSITE	AT	09-Jan-07	ALPHA	0.000292	pCi/m3	0.00033	0.0004	U		
SESPMNT	B1LVK8	200 ESE	ONSITE	AT	24-Jan-07	ALPHA	0.00107	pCi/m3	0.00047	0.00056			
SESPMNT	B1LVK9	200 ESE	ONSITE	AT	06-Feb-07	ALPHA	0.00114	pCi/m3	0.00053	0.00063			
SESPMNT	B1LVL0	200 ESE	ONSITE	AT	19-Feb-07	ALPHA	0.000837	pCi/m3	0.00043	0.00052			
SESPMNT	B1LVL1	200 ESE	ONSITE	AT	06-Mar-07	ALPHA	0.000322	pCi/m3	0.00029	0.00035	U		
SESPMNT	B1LVL2	200 ESE	ONSITE	AT	19-Mar-07	ALPHA	0.000539	pCi/m3	0.00038	0.00045			
SESPMNT	B1LVL3	200 ESE	ONSITE	AT	04-Apr-07	ALPHA	0.000725	pCi/m3	0.00034	0.00042			
SESPMNT	B1MY68	200 ESE	ONSITE	AT	17-Apr-07	ALPHA	0.000261	pCi/m3	0.00032	0.00039	U		
SESPMNT	B1MY69	200 ESE	ONSITE	AT	01-May-07	ALPHA	0.000241	pCi/m3	0.00027	0.00033	U		
SESPMNT	B1MY70	200 ESE	ONSITE	AT	15-May-07	ALPHA	0.00127	pCi/m3	0.00044	0.00055			
SESPMNT	B1MY71	200 ESE	ONSITE	AT	29-May-07	ALPHA	0.000452	pCi/m3	0.00032	0.00038			
SESPMNT	B1MY72	200 ESE	ONSITE	AT	12-Jun-07	ALPHA	0.000174	pCi/m3	0.00022	0.00026	U		
SESPMNT	B1MY73	200 ESE	ONSITE	AT	25-Jun-07	ALPHA	0.00106	pCi/m3	0.00054	0.00065			
SESPMNT	B1P213	200 ESE	ONSITE	AT	09-Jul-07	ALPHA	0.000501	pCi/m3	0.00033	0.00039			
SESPMNT	B1P214	200 ESE	ONSITE	AT	23-Jul-07	ALPHA	0.000643	pCi/m3	0.00036	0.00043			
SESPMNT	B1P215	200 ESE	ONSITE	AT	08-Aug-07	ALPHA	0.000427	pCi/m3	0.00028	0.00033			
SESPMNT	B1P216	200 ESE	ONSITE	AT	21-Aug-07	ALPHA	0.000349	pCi/m3	0.0003	0.00036	U		
SESPMNT	B1P217	200 ESE	ONSITE	AT	04-Sep-07	ALPHA	0.000189	pCi/m3	0.00028	0.00034	U		
SESPMNT	B1P218	200 ESE	ONSITE	AT	18-Sep-07	ALPHA	0.000655	pCi/m3	0.00034	0.0004			
SESPMNT	B1P219	200 ESE	ONSITE	AT	02-Oct-07	ALPHA	0.000329	pCi/m3	0.00027	0.00033	U		
SESPMNT	B1PRC4	200 ESE	ONSITE	AT	16-Oct-07	ALPHA	0.00029	pCi/m3	0.00028	0.00033	U		
SESPMNT	B1PRC5	200 ESE	ONSITE	AT	31-Oct-07	ALPHA	0.000697	pCi/m3	0.00035	0.00042			
SESPMNT	B1PRC6	200 ESE	ONSITE	AT	09-Nov-07	ALPHA	0.00112	pCi/m3	0.00058	0.00069			
SESPMNT	B1PRC7	200 ESE	ONSITE	AT	26-Nov-07	ALPHA	0.00103	pCi/m3	0.00037	0.00044			
SESPMNT	B1PRC8	200 ESE	ONSITE	AT	10-Dec-07	ALPHA	0.000667	pCi/m3	0.00037	0.00044			
SESPMNT	B1PRC9	200 ESE	ONSITE	AT	26-Dec-07	ALPHA	0.00106	pCi/m3	0.0004	0.0005			
SESPMNT	B1LVN7	200 TEL. EXCHANGE	ONSITE	AT	09-Jan-07	ALPHA	0.000942	pCi/m3	0.00043	0.00053			
SESPMNT	B1LVN8	200 TEL. EXCHANGE	ONSITE	AT	24-Jan-07	ALPHA						NO SAMPLE. PUMP REPLACED.	
SESPMNT	B1LVN9	200 TEL. EXCHANGE	ONSITE	AT	06-Feb-07	ALPHA	0.000888	pCi/m3	0.00046	0.00053			
SESPMNT	B1LVP0	200 TEL. EXCHANGE	ONSITE	AT	19-Feb-07	ALPHA	0.000964	pCi/m3	0.0004	0.00049			

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## AIR - BETA/ALPHA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1LVP1	200 TEL. EXCHANGE	ONSITE	AT	06-Mar-07	ALPHA	0.000368	pCi/m3	0.00027	0.00033			
SESPMNT	B1LVP2	200 TEL. EXCHANGE	ONSITE	AT	19-Mar-07	ALPHA	0.000702	pCi/m3	0.00035	0.00043			
SESPMNT	B1LVP3	200 TEL. EXCHANGE	ONSITE	AT	04-Apr-07	ALPHA	0.000592	pCi/m3	0.00029	0.00035			
SESPMNT	B1MY94	200 TEL. EXCHANGE	ONSITE	AT	17-Apr-07	ALPHA	0.000527	pCi/m3	0.00032	0.00039			
SESPMNT	B1MY95	200 TEL. EXCHANGE	ONSITE	AT	01-May-07	ALPHA	0.000451	pCi/m3	0.00028	0.00034			
SESPMNT	B1MY96	200 TEL. EXCHANGE	ONSITE	AT	15-May-07	ALPHA	0.000414	pCi/m3	0.00028	0.00034			
SESPMNT	B1MY97	200 TEL. EXCHANGE	ONSITE	AT	29-May-07	ALPHA	0.000364	pCi/m3	0.00028	0.00033			
SESPMNT	B1MY98	200 TEL. EXCHANGE	ONSITE	AT	12-Jun-07	ALPHA	0.000445	pCi/m3	0.00028	0.00034			
SESPMNT	B1MY99	200 TEL. EXCHANGE	ONSITE	AT	25-Jun-07	ALPHA	0.000467	pCi/m3	0.0003	0.00036			
SESPMNT	B1P243	200 TEL. EXCHANGE	ONSITE	AT	09-Jul-07	ALPHA	0.000332	pCi/m3	0.00027	0.00032			
SESPMNT	B1P244	200 TEL. EXCHANGE	ONSITE	AT	23-Jul-07	ALPHA	0.000393	pCi/m3	0.00029	0.00035			
SESPMNT	B1P245	200 TEL. EXCHANGE	ONSITE	AT	08-Aug-07	ALPHA	0.000593	pCi/m3	0.00032	0.00038			
SESPMNT	B1P246	200 TEL. EXCHANGE	ONSITE	AT	21-Aug-07	ALPHA	0.000569	pCi/m3	0.00036	0.00043			
SESPMNT	B1P247	200 TEL. EXCHANGE	ONSITE	AT	04-Sep-07	ALPHA	0.000424	pCi/m3	0.00032	0.00038			
SESPMNT	B1P248	200 TEL. EXCHANGE	ONSITE	AT	18-Sep-07	ALPHA	0.000552	pCi/m3	0.00032	0.00039			
SESPMNT	B1P249	200 TEL. EXCHANGE	ONSITE	AT	02-Oct-07	ALPHA	-0.0000986	pCi/m3	0.00016	0.00024	U		
SESPMNT	B1PRH4	200 TEL. EXCHANGE	ONSITE	AT	16-Oct-07	ALPHA	0.00101	pCi/m3	0.00039	0.00048			
SESPMNT	B1PRH5	200 TEL. EXCHANGE	ONSITE	AT	31-Oct-07	ALPHA	0.00045	pCi/m3	0.00028	0.00035			
SESPMNT	B1PRH6	200 TEL. EXCHANGE	ONSITE	AT	09-Nov-07	ALPHA	-0.0000224	pCi/m3	0.00026	0.00038	U		
SESPMNT	B1PRH7	200 TEL. EXCHANGE	ONSITE	AT	26-Nov-07	ALPHA						NO SAMPLE. NO FLOW, HOSE DISCONNECTED. DO NOT SAVE FOR COMPOSITE.	
SESPMNT	B1PRH8	200 TEL. EXCHANGE	ONSITE	AT	10-Dec-07	ALPHA	0.000257	pCi/m3	0.0002	0.00023			
SESPMNT	B1PRH9	200 TEL. EXCHANGE	ONSITE	AT	26-Dec-07	ALPHA						COULD NOT OBTAIN PROPER FLOW, UNABLE TO RESTART OR RESOLVE PROBLEM, CHANGED FLOW TOTATLIZER (NEW TOTALIZER VOLUME 9851), FLOW REGULATOR AND TRIED NEW PUMP. NO SAMPLE. SAVE FOR COMPOSITE. NEW TOTALIZER INSTALLED 12/15/07, STARTED ON 12/20/07 AT 1110, VOLUME 4673.	
SESPMNT	B1LVR2	200 W SE	ONSITE	AT	09-Jan-07	ALPHA	0.000415	pCi/m3	0.00037	0.00044	U		
SESPMNT	B1LVR3	200 W SE	ONSITE	AT	24-Jan-07	ALPHA	0.00164	pCi/m3	0.00057	0.00072			
SESPMNT	B1LVR4	200 W SE	ONSITE	AT	06-Feb-07	ALPHA	0.00119	pCi/m3	0.00059	0.00069			
SESPMNT	B1LVR5	200 W SE	ONSITE	AT	19-Feb-07	ALPHA	0.000799	pCi/m3	0.00045	0.00054			
SESPMNT	B1LVR6	200 W SE	ONSITE	AT	06-Mar-07	ALPHA	0.000402	pCi/m3	0.00032	0.00039			
SESPMNT	B1LVR7	200 W SE	ONSITE	AT	19-Mar-07	ALPHA	0.000495	pCi/m3	0.00034	0.00041			
SESPMNT	B1LVR8	200 W SE	ONSITE	AT	04-Apr-07	ALPHA	0.000577	pCi/m3	0.0003	0.00037			
SESPMNT	B1MYB7	200 W SE	ONSITE	AT	17-Apr-07	ALPHA	0.000516	pCi/m3	0.00034	0.00041			
SESPMNT	B1MYB8	200 W SE	ONSITE	AT	01-May-07	ALPHA	0.000278	pCi/m3	0.00028	0.00034	U		
SESPMNT	B1MYB9	200 W SE	ONSITE	AT	15-May-07	ALPHA	0.00064	pCi/m3	0.00035	0.00042			
SESPMNT	B1MYC0	200 W SE	ONSITE	AT	29-May-07	ALPHA	0.000239	pCi/m3	0.00029	0.00035	U		
SESPMNT	B1MYC1	200 W SE	ONSITE	AT	12-Jun-07	ALPHA	0.000963	pCi/m3	0.00044	0.00053			
SESPMNT	B1MYC2	200 W SE	ONSITE	AT	25-Jun-07	ALPHA	0.000606	pCi/m3	0.00036	0.00044			
SESPMNT	B1P258	200 W SE	ONSITE	AT	09-Jul-07	ALPHA						NO SAMPLE. DO NOT SAVE FOR COMPOSITE. CLEANED FLOW METER AND PUT BACK IN SERVICE.	
SESPMNT	B1P259	200 W SE	ONSITE	AT	23-Jul-07	ALPHA	0.000712	pCi/m3	0.00033	0.0004			
SESPMNT	B1P260	200 W SE	ONSITE	AT	08-Aug-07	ALPHA	0.000498	pCi/m3	0.00028	0.00033			
SESPMNT	B1P261	200 W SE	ONSITE	AT	21-Aug-07	ALPHA	0.00052	pCi/m3	0.00033	0.00039			
SESPMNT	B1P262	200 W SE	ONSITE	AT	04-Sep-07	ALPHA	0.000478	pCi/m3	0.00028	0.00034			
SESPMNT	B1P263	200 W SE	ONSITE	AT	18-Sep-07	ALPHA	0.00054	pCi/m3	0.0003	0.00036			
SESPMNT	B1P264	200 W SE	ONSITE	AT	02-Oct-07	ALPHA	0.000515	pCi/m3	0.00029	0.00035			
SESPMNT	B1PRJ9	200 W SE	ONSITE	AT	16-Oct-07	ALPHA	0.00083	pCi/m3	0.00037	0.00045			
SESPMNT	B1PRK0	200 W SE	ONSITE	AT	31-Oct-07	ALPHA	0.000531	pCi/m3	0.00031	0.00037			
SESPMNT	B1PRK1	200 W SE	ONSITE	AT	09-Nov-07	ALPHA	0.000894	pCi/m3	0.00051	0.00061			
SESPMNT	B1PRK2	200 W SE	ONSITE	AT	26-Nov-07	ALPHA	0.00146	pCi/m3	0.00041	0.00052			
SESPMNT	B1PRK3	200 W SE	ONSITE	AT	10-Dec-07	ALPHA	0.00036	pCi/m3	0.00031	0.00036	U		
SESPMNT	B1PRK4	200 W SE	ONSITE	AT	26-Dec-07	ALPHA	0.000861	pCi/m3	0.00037	0.00045			
SESPMNT	B1LV29	300 NE	ONSITE	AT	17-Jan-07	ALPHA	0.000466	pCi/m3	0.00039	0.00046			
SESPMNT	B1LV30	300 NE	ONSITE	AT	31-Jan-07	ALPHA	0.00102	pCi/m3	0.00056	0.00064			
SESPMNT	B1LV31	300 NE	ONSITE	AT	14-Feb-07	ALPHA	0.000859	pCi/m3	0.0005	0.00058			
SESPMNT	B1LV32	300 NE	ONSITE	AT	01-Mar-07	ALPHA	0.000299	pCi/m3	0.00029	0.00036	U		
SESPMNT	B1LV33	300 NE	ONSITE	AT	14-Mar-07	ALPHA	0.000516	pCi/m3	0.0004	0.00048			
SESPMNT	B1LV34	300 NE	ONSITE	AT	29-Mar-07	ALPHA	0.000775	pCi/m3	0.00039	0.00048			
SESPMNT	B1MXN6	300 NE	ONSITE	AT	11-Apr-07	ALPHA	0.000999	pCi/m3	0.00045	0.00055			
SESPMNT	B1MXN7	300 NE	ONSITE	AT	24-Apr-07	ALPHA	0.00012	pCi/m3	0.00031	0.00039	U		
SESPMNT	B1MXN8	300 NE	ONSITE	AT	09-May-07	ALPHA	0.000558	pCi/m3	0.0003	0.00036			
SESPMNT	B1MXN9	300 NE	ONSITE	AT	23-May-07	ALPHA	0.000724	pCi/m3	0.00043	0.00051			
SESPMNT	B1MXP0	300 NE	ONSITE	AT	07-Jun-07	ALPHA	0.000638	pCi/m3	0.00033	0.0004			
SESPMNT	B1MXP1	300 NE	ONSITE	AT	20-Jun-07	ALPHA	0.000157	pCi/m3	0.00025	0.00031	U		
SESPMNT	B1MXP2	300 NE	ONSITE	AT	06-Jul-07	ALPHA	0.00042	pCi/m3	0.00027	0.00033			
SESPMNT	B1P1K8	300 NE	ONSITE	AT	18-Jul-07	ALPHA	0.00068	pCi/m3	0.00039	0.00047			

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## AIR - BETA/ALPHA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1P1K9	300 NE	ONSITE	AT	07-Aug-07	ALPHA	0.000453	pCi/m3	0.00025	0.0003			
SESPMNT	B1P1L0	300 NE	ONSITE	AT	14-Aug-07	ALPHA						NO SAMPLE. SAVE FOR COMPOSITE.	
SESPMNT	B1P1L1	300 NE	ONSITE	AT	30-Aug-07	ALPHA	0.000226	pCi/m3	0.00027	0.00032	U		
SESPMNT	B1P1L2	300 NE	ONSITE	AT	12-Sep-07	ALPHA	0.000726	pCi/m3	0.0004	0.00048			
SESPMNT	B1P1L3	300 NE	ONSITE	AT	26-Sep-07	ALPHA	0.000932	pCi/m3	0.00041	0.0005			
SESPMNT	B1PR16	300 NE	ONSITE	AT	10-Oct-07	ALPHA	0.000615	pCi/m3	0.00038	0.00045			
SESPMNT	B1PR17	300 NE	ONSITE	AT	25-Oct-07	ALPHA	0.000504	pCi/m3	0.00035	0.00042			
SESPMNT	B1PR18	300 NE	ONSITE	AT	06-Nov-07	ALPHA	0.00137	pCi/m3	0.00057	0.0007			
SESPMNT	B1PR19	300 NE	ONSITE	AT	20-Nov-07	ALPHA	0.00111	pCi/m3	0.00049	0.0006			
SESPMNT	B1PR20	300 NE	ONSITE	AT	04-Dec-07	ALPHA	0.00112	pCi/m3	0.0005	0.0006			
SESPMNT	B1PR21	300 NE	ONSITE	AT	19-Dec-07	ALPHA	0.00158	pCi/m3	0.00056	0.0007			
SESPMNT	B1PR22	300 NE	ONSITE	AT	03-Jan-08	ALPHA	0.000431	pCi/m3	0.00035	0.00042			
SESPMNT	B1LV16	300 SOUTH GATE	ONSITE	AT	17-Jan-07	ALPHA	0.000569	pCi/m3	0.0004	0.00047			
SESPMNT	B1LV17	300 SOUTH GATE	ONSITE	AT	31-Jan-07	ALPHA	0.000902	pCi/m3	0.00049	0.00057			
SESPMNT	B1LV18	300 SOUTH GATE	ONSITE	AT	14-Feb-07	ALPHA	0.00131	pCi/m3	0.00052	0.00063			
SESPMNT	B1LV19	300 SOUTH GATE	ONSITE	AT	01-Mar-07	ALPHA	0.000572	pCi/m3	0.00035	0.00043			
SESPMNT	B1LVV0	300 SOUTH GATE	ONSITE	AT	14-Mar-07	ALPHA	0.000734	pCi/m3	0.0004	0.00048			
SESPMNT	B1LVV1	300 SOUTH GATE	ONSITE	AT	29-Mar-07	ALPHA	0.00046	pCi/m3	0.00032	0.00038			
SESPMNT	B1MYD1	300 SOUTH GATE	ONSITE	AT	11-Apr-07	ALPHA	0.000574	pCi/m3	0.00037	0.00044			
SESPMNT	B1MYD2	300 SOUTH GATE	ONSITE	AT	24-Apr-07	ALPHA	0.000157	pCi/m3	0.00023	0.00029	U		
SESPMNT	B1MYD3	300 SOUTH GATE	ONSITE	AT	09-May-07	ALPHA	0.000454	pCi/m3	0.00028	0.00034			
SESPMNT	B1MYD4	300 SOUTH GATE	ONSITE	AT	23-May-07	ALPHA	0.000796	pCi/m3	0.00034	0.00042			
SESPMNT	B1MYD5	300 SOUTH GATE	ONSITE	AT	07-Jun-07	ALPHA	0.000627	pCi/m3	0.00034	0.00041			
SESPMNT	B1MYD6	300 SOUTH GATE	ONSITE	AT	20-Jun-07	ALPHA	0.000365	pCi/m3	0.00029	0.00035			
SESPMNT	B1MYD7	300 SOUTH GATE	ONSITE	AT	06-Jul-07	ALPHA	0.000356	pCi/m3	0.00026	0.00031			
SESPMNT	B1P272	300 SOUTH GATE	ONSITE	AT	18-Jul-07	ALPHA	0.00069	pCi/m3	0.00047	0.00056			
SESPMNT	B1P273	300 SOUTH GATE	ONSITE	AT	07-Aug-07	ALPHA	0.000171	pCi/m3	0.00021	0.00024	U		
SESPMNT	B1P274	300 SOUTH GATE	ONSITE	AT	14-Aug-07	ALPHA	0.000255	pCi/m3	0.00047	0.00058	U		
SESPMNT	B1P275	300 SOUTH GATE	ONSITE	AT	30-Aug-07	ALPHA	0.000687	pCi/m3	0.00032	0.00039			
SESPMNT	B1P276	300 SOUTH GATE	ONSITE	AT	12-Sep-07	ALPHA	0.000852	pCi/m3	0.00042	0.00051			
SESPMNT	B1P277	300 SOUTH GATE	ONSITE	AT	26-Sep-07	ALPHA	0.000712	pCi/m3	0.00039	0.00047			
SESPMNT	B1PRL4	300 SOUTH GATE	ONSITE	AT	10-Oct-07	ALPHA	0.000912	pCi/m3	0.00041	0.00051			
SESPMNT	B1PRL5	300 SOUTH GATE	ONSITE	AT	25-Oct-07	ALPHA	0.000341	pCi/m3	0.00033	0.00039	U		
SESPMNT	B1PRL6	300 SOUTH GATE	ONSITE	AT	06-Nov-07	ALPHA	0.00116	pCi/m3	0.00058	0.00069			
SESPMNT	B1PRL7	300 SOUTH GATE	ONSITE	AT	20-Nov-07	ALPHA	0.0014	pCi/m3	0.00052	0.00064			
SESPMNT	B1PRL8	300 SOUTH GATE	ONSITE	AT	04-Dec-07	ALPHA	0.000626	pCi/m3	0.00042	0.00049			
SESPMNT	B1PRL9	300 SOUTH GATE	ONSITE	AT	19-Dec-07	ALPHA	0.00173	pCi/m3	0.00056	0.00071			
SESPMNT	B1PRM0	300 SOUTH GATE	ONSITE	AT	03-Jan-08	ALPHA	0.000318	pCi/m3	0.00031	0.00038	U		
SESPMNT	B1LVV2	300 SOUTH WEST	ONSITE	AT	17-Jan-07	ALPHA	0.000781	pCi/m3	0.00042	0.0005			
SESPMNT	B1LVV3	300 SOUTH WEST	ONSITE	AT	31-Jan-07	ALPHA	0.00123	pCi/m3	0.00054	0.00065			
SESPMNT	B1LVV4	300 SOUTH WEST	ONSITE	AT	14-Feb-07	ALPHA	0.000887	pCi/m3	0.00049	0.00057			
SESPMNT	B1LVV5	300 SOUTH WEST	ONSITE	AT	01-Mar-07	ALPHA	0.000364	pCi/m3	0.00031	0.00038	U		
SESPMNT	B1LVV6	300 SOUTH WEST	ONSITE	AT	14-Mar-07	ALPHA	0.000626	pCi/m3	0.00043	0.00051			
SESPMNT	B1LVV7	300 SOUTH WEST	ONSITE	AT	29-Mar-07	ALPHA	0.000329	pCi/m3	0.00033	0.0004	U		
SESPMNT	B1MYD8	300 SOUTH WEST	ONSITE	AT	11-Apr-07	ALPHA	0.00133	pCi/m3	0.00053	0.00065			
SESPMNT	B1MYD9	300 SOUTH WEST	ONSITE	AT	24-Apr-07	ALPHA	0.00018	pCi/m3	0.00031	0.00039	U		
SESPMNT	B1MYF0	300 SOUTH WEST	ONSITE	AT	09-May-07	ALPHA	0.000564	pCi/m3	0.00037	0.00044			
SESPMNT	B1MYF1	300 SOUTH WEST	ONSITE	AT	23-May-07	ALPHA	0.000716	pCi/m3	0.00044	0.00052			
SESPMNT	B1MYF2	300 SOUTH WEST	ONSITE	AT	07-Jun-07	ALPHA	0.00084	pCi/m3	0.00042	0.00051			
SESPMNT	B1MYF3	300 SOUTH WEST	ONSITE	AT	20-Jun-07	ALPHA	0.000813	pCi/m3	0.00044	0.00054			
SESPMNT	B1MYF4	300 SOUTH WEST	ONSITE	AT	06-Jul-07	ALPHA	0.000591	pCi/m3	0.00036	0.00044			
SESPMNT	B1P278	300 SOUTH WEST	ONSITE	AT	18-Jul-07	ALPHA	0.000617	pCi/m3	0.00047	0.00056			
SESPMNT	B1P279	300 SOUTH WEST	ONSITE	AT	07-Aug-07	ALPHA	0.000573	pCi/m3	0.00026	0.00031			
SESPMNT	B1P280	300 SOUTH WEST	ONSITE	AT	14-Aug-07	ALPHA						NO SAMPLE. SAVE FOR COMPOSITE.	
SESPMNT	B1P281	300 SOUTH WEST	ONSITE	AT	30-Aug-07	ALPHA	0.000389	pCi/m3	0.00029	0.00034			
SESPMNT	B1P282	300 SOUTH WEST	ONSITE	AT	12-Sep-07	ALPHA	0.000825	pCi/m3	0.00042	0.0005			
SESPMNT	B1P283	300 SOUTH WEST	ONSITE	AT	26-Sep-07	ALPHA	0.000993	pCi/m3	0.00042	0.00051			
SESPMNT	B1PRM1	300 SOUTH WEST	ONSITE	AT	10-Oct-07	ALPHA	0.000711	pCi/m3	0.00038	0.00046			
SESPMNT	B1PRM2	300 SOUTH WEST	ONSITE	AT	25-Oct-07	ALPHA	0.000526	pCi/m3	0.00037	0.00043			
SESPMNT	B1PRM3	300 SOUTH WEST	ONSITE	AT	06-Nov-07	ALPHA	0.00116	pCi/m3	0.00056	0.00067			
SESPMNT	B1PRM4	300 SOUTH WEST	ONSITE	AT	20-Nov-07	ALPHA	0.00107	pCi/m3	0.00049	0.00059			
SESPMNT	B1PRM5	300 SOUTH WEST	ONSITE	AT	04-Dec-07	ALPHA	0.00129	pCi/m3	0.00054	0.00066			
SESPMNT	B1PRM6	300 SOUTH WEST	ONSITE	AT	19-Dec-07	ALPHA	0.00217	pCi/m3	0.00063	0.00083			
SESPMNT	B1PRM7	300 SOUTH WEST	ONSITE	AT	03-Jan-08	ALPHA	0.000391	pCi/m3	0.00035	0.00043	U		
SESPMNT	B1LV36	300 TRENCH	ONSITE	AT	17-Jan-07	ALPHA	0.000973	pCi/m3	0.00037	0.00047			
SESPMNT	B1LV37	300 TRENCH	ONSITE	AT	31-Jan-07	ALPHA	0.000756	pCi/m3	0.00048	0.00054			
SESPMNT	B1LV38	300 TRENCH	ONSITE	AT	14-Feb-07	ALPHA	0.00115	pCi/m3	0.00048	0.00058			



## ENVIRONMENTAL SURVEILLANCE DATA CY07

## AIR - BETA/ALPHA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1LV39	300 TRENCH	ONSITE	AT	01-Mar-07	ALPHA	0.000137	pCi/m3	0.00024	0.00029	U		
SESPMNT	B1LV40	300 TRENCH	ONSITE	AT	14-Mar-07	ALPHA	0.000781	pCi/m3	0.0004	0.00048			
SESPMNT	B1LV41	300 TRENCH	ONSITE	AT	29-Mar-07	ALPHA	0.000394	pCi/m3	0.00029	0.00035			
SESPMNT	B1MXP4	300 TRENCH	ONSITE	AT	11-Apr-07	ALPHA	0.000434	pCi/m3	0.00034	0.00041			
SESPMNT	B1MXP5	300 TRENCH	ONSITE	AT	24-Apr-07	ALPHA	0.000298	pCi/m3	0.0003	0.00037	U		
SESPMNT	B1MXP6	300 TRENCH	ONSITE	AT	09-May-07	ALPHA	0.000398	pCi/m3	0.00031	0.00037			
SESPMNT	B1MXP7	300 TRENCH	ONSITE	AT	23-May-07	ALPHA	0.00085	pCi/m3	0.00039	0.00048			
SESPMNT	B1MXP8	300 TRENCH	ONSITE	AT	07-Jun-07	ALPHA	0.00062	pCi/m3	0.00044	0.00053			
SESPMNT	B1MXP9	300 TRENCH	ONSITE	AT	20-Jun-07	ALPHA	0.000461	pCi/m3	0.00027	0.00033			
SESPMNT	B1MXR0	300 TRENCH	ONSITE	AT	06-Jul-07	ALPHA	0.000426	pCi/m3	0.00026	0.00031			
SESPMNT	B1P1L5	300 TRENCH	ONSITE	AT	18-Jul-07	ALPHA	0.000543	pCi/m3	0.00033	0.00039			
SESPMNT	B1P1L6	300 TRENCH	ONSITE	AT	07-Aug-07	ALPHA	0.000528	pCi/m3	0.00023	0.00028			
SESPMNT	B1P1L7	300 TRENCH	ONSITE	AT	14-Aug-07	ALPHA						NO SAMPLE. SAVE FOR COMPOSITE.	
SESPMNT	B1P1L8	300 TRENCH	ONSITE	AT	30-Aug-07	ALPHA	0.000329	pCi/m3	0.00025	0.0003			
SESPMNT	B1P1L9	300 TRENCH	ONSITE	AT	12-Sep-07	ALPHA	0.000537	pCi/m3	0.00033	0.00039			
SESPMNT	B1P1M0	300 TRENCH	ONSITE	AT	26-Sep-07	ALPHA	0.000602	pCi/m3	0.00031	0.00038			
SESPMNT	B1PR24	300 TRENCH	ONSITE	AT	10-Oct-07	ALPHA	0.000787	pCi/m3	0.00035	0.00043			
SESPMNT	B1PR25	300 TRENCH	ONSITE	AT	25-Oct-07	ALPHA	0.000692	pCi/m3	0.00032	0.00039			
SESPMNT	B1PR26	300 TRENCH	ONSITE	AT	06-Nov-07	ALPHA	0.000944	pCi/m3	0.00042	0.00051			
SESPMNT	B1PR27	300 TRENCH	ONSITE	AT	20-Nov-07	ALPHA	0.000666	pCi/m3	0.00033	0.0004			
SESPMNT	B1PR28	300 TRENCH	ONSITE	AT	04-Dec-07	ALPHA	0.00126	pCi/m3	0.00045	0.00056			
SESPMNT	B1PR29	300 TRENCH	ONSITE	AT	19-Dec-07	ALPHA	0.000903	pCi/m3	0.00038	0.00046			
SESPMNT	B1PR30	300 TRENCH	ONSITE	AT	03-Jan-08	ALPHA	0.000303	pCi/m3	0.00025	0.0003			
SESPMNT	B1LV70	300 WATER INTAKE	ONSITE	AT	17-Jan-07	ALPHA	0.000637	pCi/m3	0.00038	0.00046			
SESPMNT	B1LV71	300 WATER INTAKE	ONSITE	AT	31-Jan-07	ALPHA	0.000594	pCi/m3	0.00044	0.00049			
SESPMNT	B1LV72	300 WATER INTAKE	ONSITE	AT	14-Feb-07	ALPHA	0.00107	pCi/m3	0.0005	0.00059			
SESPMNT	B1LV73	300 WATER INTAKE	ONSITE	AT	01-Mar-07	ALPHA	0.000137	pCi/m3	0.00023	0.00029	U		
SESPMNT	B1LV74	300 WATER INTAKE	ONSITE	AT	14-Mar-07	ALPHA	0.000669	pCi/m3	0.0004	0.00048		PUMP REPLACED.	
SESPMNT	B1LV75	300 WATER INTAKE	ONSITE	AT	29-Mar-07	ALPHA	0.000446	pCi/m3	0.00032	0.00038			
SESPMNT	B1MYC4	300 WATER INTAKE	ONSITE	AT	11-Apr-07	ALPHA	0.000413	pCi/m3	0.00031	0.00038			
SESPMNT	B1MYC5	300 WATER INTAKE	ONSITE	AT	24-Apr-07	ALPHA	0.000544	pCi/m3	0.00034	0.00042			
SESPMNT	B1MYC6	300 WATER INTAKE	ONSITE	AT	09-May-07	ALPHA	0.000297	pCi/m3	0.00029	0.00034	U		
SESPMNT	B1MYC7	300 WATER INTAKE	ONSITE	AT	23-May-07	ALPHA	0.000641	pCi/m3	0.00034	0.00041			
SESPMNT	B1MYC8	300 WATER INTAKE	ONSITE	AT	07-Jun-07	ALPHA	0.000597	pCi/m3	0.00033	0.0004			
SESPMNT	B1MYC9	300 WATER INTAKE	ONSITE	AT	20-Jun-07	ALPHA	0.000214	pCi/m3	0.00035	0.00044	U	EXCAVATING NEAR 337 BLDG. RESULTING IN POWER OUTAGE FROM 6/14 -6/18, WHICH PROBABLY IMPACTED SAMPLER.	
SESPMNT	B1MYD0	300 WATER INTAKE	ONSITE	AT	06-Jul-07	ALPHA	0.000271	pCi/m3	0.00024	0.00029	U		
SESPMNT	B1P266	300 WATER INTAKE	ONSITE	AT	18-Jul-07	ALPHA	0.000546	pCi/m3	0.00037	0.00044			
SESPMNT	B1P267	300 WATER INTAKE	ONSITE	AT	07-Aug-07	ALPHA	0.000347	pCi/m3	0.00022	0.00026			
SESPMNT	B1P268	300 WATER INTAKE	ONSITE	AT	14-Aug-07	ALPHA						NO SAMPLE. SAVE FOR COMPOSITE. REPLACED KINKED HOSE ON VACUUM SYSTEM.	
SESPMNT	B1P269	300 WATER INTAKE	ONSITE	AT	30-Aug-07	ALPHA	0.000498	pCi/m3	0.00029	0.00034			
SESPMNT	B1P270	300 WATER INTAKE	ONSITE	AT	12-Sep-07	ALPHA	0.000526	pCi/m3	0.00032	0.00039			
SESPMNT	B1P271	300 WATER INTAKE	ONSITE	AT	26-Sep-07	ALPHA	0.000738	pCi/m3	0.00033	0.0004			
SESPMNT	B1PRK7	300 WATER INTAKE	ONSITE	AT	10-Oct-07	ALPHA	0.000559	pCi/m3	0.00035	0.00042			
SESPMNT	B1PRK8	300 WATER INTAKE	ONSITE	AT	25-Oct-07	ALPHA	0.000769	pCi/m3	0.00037	0.00045			
SESPMNT	B1PRK9	300 WATER INTAKE	ONSITE	AT	06-Nov-07	ALPHA	0.00176	pCi/m3	0.00058	0.00074			
SESPMNT	B1PRL0	300 WATER INTAKE	ONSITE	AT	20-Nov-07	ALPHA	0.000839	pCi/m3	0.00044	0.00053			
SESPMNT	B1PRL1	300 WATER INTAKE	ONSITE	AT	04-Dec-07	ALPHA	0.00123	pCi/m3	0.00048	0.00059			
SESPMNT	B1PRL2	300 WATER INTAKE	ONSITE	AT	19-Dec-07	ALPHA	0.00076	pCi/m3	0.0004	0.00047			
SESPMNT	B1PRL3	300 WATER INTAKE	ONSITE	AT	03-Jan-08	ALPHA	0.000563	pCi/m3	0.00032	0.00039			
SESPMNT	B1LVV9	400 E	ONSITE	AT	15-Jan-07	ALPHA	0.000334	pCi/m3	0.00034	0.0004	U		
SESPMNT	B1LVW0	400 E	ONSITE	AT	30-Jan-07	ALPHA	0.000985	pCi/m3	0.00048	0.00055			
SESPMNT	B1LVW1	400 E	ONSITE	AT	13-Feb-07	ALPHA	0.000882	pCi/m3	0.00046	0.00054			
SESPMNT	B1LVW2	400 E	ONSITE	AT	26-Feb-07	ALPHA	0.000436	pCi/m3	0.00032	0.00039			
SESPMNT	B1LVW3	400 E	ONSITE	AT	12-Mar-07	ALPHA	0.000635	pCi/m3	0.00036	0.00043			
SESPMNT	B1LVW4	400 E	ONSITE	AT	28-Mar-07	ALPHA	0.00061	pCi/m3	0.00032	0.00039			
SESPMNT	B1MYF6	400 E	ONSITE	AT	10-Apr-07	ALPHA	0.000624	pCi/m3	0.00035	0.00042			
SESPMNT	B1MYF7	400 E	ONSITE	AT	20-Apr-07	ALPHA	0.000244	pCi/m3	0.00031	0.00039	U		
SESPMNT	B1MYF8	400 E	ONSITE	AT	08-May-07	ALPHA	0.000376	pCi/m3	0.00024	0.00029			
SESPMNT	B1MYF9	400 E	ONSITE	AT	22-May-07	ALPHA	0.0013	pCi/m3	0.00048	0.0006		PUMP CHANGED OUT.	
SESPMNT	B1MYH0	400 E	ONSITE	AT	06-Jun-07	ALPHA	0.000528	pCi/m3	0.0003	0.00036			
SESPMNT	B1MYH1	400 E	ONSITE	AT	19-Jun-07	ALPHA	0.000237	pCi/m3	0.00024	0.00029	U		
SESPMNT	B1MYH2	400 E	ONSITE	AT	02-Jul-07	ALPHA	0.000179	pCi/m3	0.00023	0.00029	U		
SESPMNT	B1P285	400 E	ONSITE	AT	17-Jul-07	ALPHA	0.000675	pCi/m3	0.0003	0.00036			
SESPMNT	B1P286	400 E	ONSITE	AT	27-Jul-07	ALPHA	0.000356	pCi/m3	0.00032	0.00039	U		
SESPMNT	B1P287	400 E	ONSITE	AT	13-Aug-07	ALPHA	0.000366	pCi/m3	0.00023	0.00028			

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## AIR - BETA/ALPHA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1P288	400 E	ONSITE	AT	24-Aug-07	ALPHA	0.00083	pCi/m3	0.00045	0.00054			
SESPMNT	B1P289	400 E	ONSITE	AT	10-Sep-07	ALPHA	0.000453	pCi/m3	0.00025	0.0003			
SESPMNT	B1P290	400 E	ONSITE	AT	25-Sep-07	ALPHA	0.000641	pCi/m3	0.0003	0.00036			
SESPMNT	B1PRM9	400 E	ONSITE	AT	09-Oct-07	ALPHA	0.000508	pCi/m3	0.00029	0.00035			
SESPMNT	B1PRN0	400 E	ONSITE	AT	24-Oct-07	ALPHA	0.000695	pCi/m3	0.00033	0.0004			
SESPMNT	B1PRN1	400 E	ONSITE	AT	05-Nov-07	ALPHA	0.0011	pCi/m3	0.00047	0.00057			
SESPMNT	B1PRN2	400 E	ONSITE	AT	19-Nov-07	ALPHA	0.00104	pCi/m3	0.0004	0.0005			
SESPMNT	B1PRN3	400 E	ONSITE	AT	03-Dec-07	ALPHA	0.000822	pCi/m3	0.00043	0.0005			
SESPMNT	B1PRN4	400 E	ONSITE	AT	20-Dec-07	ALPHA	0.00188	pCi/m3	0.00047	0.00065			
SESPMNT	B1PRN5	400 E	ONSITE	AT	02-Jan-08	ALPHA	0.00073	pCi/m3	0.00038	0.00046			
SESPMNT	B1LVX7	400 N	ONSITE	AT	15-Jan-07	ALPHA	0.00107	pCi/m3	0.00043	0.00055			
SESPMNT	B1LVX8	400 N	ONSITE	AT	30-Jan-07	ALPHA	0.000971	pCi/m3	0.00053	0.00061			
SESPMNT	B1LVX9	400 N	ONSITE	AT	13-Feb-07	ALPHA	0.00112	pCi/m3	0.00053	0.00062			
SESPMNT	B1LVY0	400 N	ONSITE	AT	26-Feb-07	ALPHA	0.000356	pCi/m3	0.00034	0.00042	U		
SESPMNT	B1LVY1	400 N	ONSITE	AT	12-Mar-07	ALPHA	0.000655	pCi/m3	0.0004	0.00048			
SESPMNT	B1LVY2	400 N	ONSITE	AT	28-Mar-07	ALPHA	0.000502	pCi/m3	0.00033	0.00039			
SESPMNT	B1MYJ7	400 N	ONSITE	AT	10-Apr-07	ALPHA	0.000693	pCi/m3	0.00043	0.00051			
SESPMNT	B1MYJ8	400 N	ONSITE	AT	20-Apr-07	ALPHA	-0.0000498	pCi/m3	0.00026	0.00036	U		
SESPMNT	B1MYJ9	400 N	ONSITE	AT	08-May-07	ALPHA	0.000755	pCi/m3	0.00033	0.0004			
SESPMNT	B1MYK0	400 N	ONSITE	AT	22-May-07	ALPHA	0.00069	pCi/m3	0.00036	0.00043			
SESPMNT	B1MYK1	400 N	ONSITE	AT	06-Jun-07	ALPHA	0.000658	pCi/m3	0.00035	0.00042			
SESPMNT	B1MYK2	400 N	ONSITE	AT	19-Jun-07	ALPHA	0.000324	pCi/m3	0.0003	0.00037	U		
SESPMNT	B1MYK3	400 N	ONSITE	AT	02-Jul-07	ALPHA	0.000418	pCi/m3	0.00033	0.0004			
SESPMNT	B1P2B3	400 N	ONSITE	AT	17-Jul-07	ALPHA	0.000822	pCi/m3	0.00038	0.00046			
SESPMNT	B1P2B4	400 N	ONSITE	AT	27-Jul-07	ALPHA	0.000293	pCi/m3	0.00039	0.00048	U		
SESPMNT	B1P2B5	400 N	ONSITE	AT	13-Aug-07	ALPHA	0.000281	pCi/m3	0.00031	0.00038	U		
SESPMNT	B1P2B6	400 N	ONSITE	AT	24-Aug-07	ALPHA	0.000463	pCi/m3	0.00041	0.00049	U		
SESPMNT	B1P2B7	400 N	ONSITE	AT	10-Sep-07	ALPHA	0.000386	pCi/m3	0.0003	0.00035			
SESPMNT	B1P2B8	400 N	ONSITE	AT	25-Sep-07	ALPHA	0.000727	pCi/m3	0.00038	0.00045			
SESPMNT	B1PRR0	400 N	ONSITE	AT	09-Oct-07	ALPHA	0.000725	pCi/m3	0.00039	0.00047			
SESPMNT	B1PRR1	400 N	ONSITE	AT	24-Oct-07	ALPHA	0.00101	pCi/m3	0.00043	0.00053			
SESPMNT	B1PRR2	400 N	ONSITE	AT	05-Nov-07	ALPHA	0.000409	pCi/m3	0.00038	0.00045	U		
SESPMNT	B1PRR3	400 N	ONSITE	AT	19-Nov-07	ALPHA	0.000854	pCi/m3	0.00041	0.00049			
SESPMNT	B1PRR4	400 N	ONSITE	AT	03-Dec-07	ALPHA	0.001143	pCi/m3	0.00054	0.00066			
SESPMNT	B1PRR5	400 N	ONSITE	AT	20-Dec-07	ALPHA	0.00216	pCi/m3	0.00054	0.00075			
SESPMNT	B1PRR6	400 N	ONSITE	AT	02-Jan-08	ALPHA	0.000454	pCi/m3	0.00036	0.00044			
SESPMNT	B1LVX1	400 S	ONSITE	AT	15-Jan-07	ALPHA	0.000413	pCi/m3	0.00033	0.0004			
SESPMNT	B1LVX2	400 S	ONSITE	AT	30-Jan-07	ALPHA	0.00123	pCi/m3	0.00056	0.00065			
SESPMNT	B1LVX3	400 S	ONSITE	AT	13-Feb-07	ALPHA	0.00128	pCi/m3	0.00054	0.00065			
SESPMNT	B1LVX4	400 S	ONSITE	AT	26-Feb-07	ALPHA	0.000693	pCi/m3	0.0004	0.00048			
SESPMNT	B1LVX5	400 S	ONSITE	AT	12-Mar-07	ALPHA	0.000363	pCi/m3	0.00034	0.0004	U		
SESPMNT	B1LVX6	400 S	ONSITE	AT	28-Mar-07	ALPHA	0.00041	pCi/m3	0.0003	0.00037			
SESPMNT	B1MYJ0	400 S	ONSITE	AT	10-Apr-07	ALPHA	0.000461	pCi/m3	0.0004	0.00047	U		
SESPMNT	B1MYJ1	400 S	ONSITE	AT	20-Apr-07	ALPHA	0.000264	pCi/m3	0.00035	0.00045	U		
SESPMNT	B1MYJ2	400 S	ONSITE	AT	08-May-07	ALPHA	0.000334	pCi/m3	0.00025	0.00029			
SESPMNT	B1MYJ3	400 S	ONSITE	AT	22-May-07	ALPHA	0.00133	pCi/m3	0.00043	0.00056			
SESPMNT	B1MYJ4	400 S	ONSITE	AT	06-Jun-07	ALPHA	0.000759	pCi/m3	0.00035	0.00042			
SESPMNT	B1MYJ5	400 S	ONSITE	AT	19-Jun-07	ALPHA	0.000362	pCi/m3	0.00029	0.00036			
SESPMNT	B1MYJ6	400 S	ONSITE	AT	02-Jul-07	ALPHA	0.000496	pCi/m3	0.00033	0.0004			
SESPMNT	B1P297	400 S	ONSITE	AT	17-Jul-07	ALPHA	0.000798	pCi/m3	0.00035	0.00043			
SESPMNT	B1P298	400 S	ONSITE	AT	27-Jul-07	ALPHA	0.000516	pCi/m3	0.00043	0.00052	U		
SESPMNT	B1P299	400 S	ONSITE	AT	13-Aug-07	ALPHA	0.000533	pCi/m3	0.00029	0.00035			
SESPMNT	B1P2B0	400 S	ONSITE	AT	24-Aug-07	ALPHA	0.000588	pCi/m3	0.00041	0.00049			
SESPMNT	B1P2B1	400 S	ONSITE	AT	10-Sep-07	ALPHA	0.000796	pCi/m3	0.00034	0.00042			
SESPMNT	B1P2B2	400 S	ONSITE	AT	25-Sep-07	ALPHA	0.000868	pCi/m3	0.00039	0.00047			
SESPMNT	B1PRP3	400 S	ONSITE	AT	09-Oct-07	ALPHA	0.00159	pCi/m3	0.00049	0.00064			
SESPMNT	B1PRP4	400 S	ONSITE	AT	24-Oct-07	ALPHA	0.00084	pCi/m3	0.00039	0.00048			
SESPMNT	B1PRP5	400 S	ONSITE	AT	05-Nov-07	ALPHA	0.00173	pCi/m3	0.00061	0.00076			
SESPMNT	B1PRP6	400 S	ONSITE	AT	19-Nov-07	ALPHA	0.000943	pCi/m3	0.00044	0.00053			
SESPMNT	B1PRP7	400 S	ONSITE	AT	03-Dec-07	ALPHA						NO SAMPLE. SAVE FOR COMPOSITE.	
SESPMNT	B1PRP8	400 S	ONSITE	AT	20-Dec-07	ALPHA						NO SAMPLE. DO NOT SAVE FOR COMPOSITE, CHANGED PUMP.	
SESPMNT	B1PRP9	400 S	ONSITE	AT	02-Jan-08	ALPHA						NO SAMPLE. INSUFFICIENT VOLUME.	
SESPMNT	B1LVW5	400 W	ONSITE	AT	15-Jan-07	ALPHA	0.000962	pCi/m3	0.00044	0.00054			
SESPMNT	B1LVW6	400 W	ONSITE	AT	30-Jan-07	ALPHA	0.000794	pCi/m3	0.00049	0.00055			
SESPMNT	B1LVW7	400 W	ONSITE	AT	13-Feb-07	ALPHA	0.00103	pCi/m3	0.00047	0.00056			
SESPMNT	B1LVW8	400 W	ONSITE	AT	26-Feb-07	ALPHA	0.000614	pCi/m3	0.00036	0.00044			
SESPMNT	B1LVW9	400 W	ONSITE	AT	12-Mar-07	ALPHA	0.000163	pCi/m3	0.00027	0.00033	U		

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## AIR - BETA/ALPHA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1LVX0	400 W	ONSITE	AT	28-Mar-07	ALPHA	0.00038	pCi/m3	0.00028	0.00034			
SESPMNT	B1MYH3	400 W	ONSITE	AT	10-Apr-07	ALPHA	0.000395	pCi/m3	0.00034	0.0004	U		
SESPMNT	B1MYH4	400 W	ONSITE	AT	20-Apr-07	ALPHA	0.000132	pCi/m3	0.0003	0.0004	U		
SESPMNT	B1MYH5	400 W	ONSITE	AT	08-May-07	ALPHA	0.000544	pCi/m3	0.00028	0.00034			
SESPMNT	B1MYH6	400 W	ONSITE	AT	22-May-07	ALPHA	0.000584	pCi/m3	0.00034	0.00041			
SESPMNT	B1MYH7	400 W	ONSITE	AT	06-Jun-07	ALPHA	0.000679	pCi/m3	0.00034	0.00041			
SESPMNT	B1MYH8	400 W	ONSITE	AT	19-Jun-07	ALPHA	0.000254	pCi/m3	0.00027	0.00034	U		
SESPMNT	B1MYH9	400 W	ONSITE	AT	02-Jul-07	ALPHA	0.000246	pCi/m3	0.00028	0.00034	U		
SESPMNT	B1P291	400 W	ONSITE	AT	17-Jul-07	ALPHA	0.000723	pCi/m3	0.00034	0.00041			
SESPMNT	B1P292	400 W	ONSITE	AT	27-Jul-07	ALPHA	0.000476	pCi/m3	0.0004	0.00048	U		
SESPMNT	B1P293	400 W	ONSITE	AT	13-Aug-07	ALPHA	0.000643	pCi/m3	0.0003	0.00036			
SESPMNT	B1P294	400 W	ONSITE	AT	24-Aug-07	ALPHA	0.000759	pCi/m3	0.00043	0.00052			
SESPMNT	B1P295	400 W	ONSITE	AT	10-Sep-07	ALPHA	0.000647	pCi/m3	0.00031	0.00038			
SESPMNT	B1P296	400 W	ONSITE	AT	25-Sep-07	ALPHA	0.00101	pCi/m3	0.00041	0.0005			
SESPMNT	B1PRN6	400 W	ONSITE	AT	09-Oct-07	ALPHA	0.001	pCi/m3	0.00041	0.00051			
SESPMNT	B1PRN7	400 W	ONSITE	AT	24-Oct-07	ALPHA	0.000782	pCi/m3	0.00039	0.00047			
SESPMNT	B1PRN8	400 W	ONSITE	AT	05-Nov-07	ALPHA	0.00117	pCi/m3	0.00054	0.00065			
SESPMNT	B1PRN9	400 W	ONSITE	AT	19-Nov-07	ALPHA	0.000695	pCi/m3	0.00041	0.00048			
SESPMNT	B1PRP0	400 W	ONSITE	AT	03-Dec-07	ALPHA	0.000904	pCi/m3	0.00048	0.00056			
SESPMNT	B1PRP1	400 W	ONSITE	AT	20-Dec-07	ALPHA	0.00122	pCi/m3	0.00045	0.00056			
SESPMNT	B1PRP2	400 W	ONSITE	AT	02-Jan-08	ALPHA	0.000356	pCi/m3	0.00035	0.00043	U		
SESPMNT	B1LVN0	ARMY LOOP CAMP	ONSITE	AT	09-Jan-07	ALPHA	0.000359	pCi/m3	0.00039	0.00046	U		
SESPMNT	B1LVN1	ARMY LOOP CAMP	ONSITE	AT	24-Jan-07	ALPHA	0.00207	pCi/m3	0.00056	0.00077			
SESPMNT	B1LVN2	ARMY LOOP CAMP	ONSITE	AT	06-Feb-07	ALPHA	0.00107	pCi/m3	0.00058	0.00067			
SESPMNT	B1LVN3	ARMY LOOP CAMP	ONSITE	AT	19-Feb-07	ALPHA	0.000731	pCi/m3	0.00044	0.00053			
SESPMNT	B1LVN4	ARMY LOOP CAMP	ONSITE	AT	06-Mar-07	ALPHA	-0.0000134	pCi/m3	0.00027	0.00034	U		
SESPMNT	B1LVN5	ARMY LOOP CAMP	ONSITE	AT	19-Mar-07	ALPHA	0.000115	pCi/m3	0.0003	0.00037	U		
SESPMNT	B1LVN6	ARMY LOOP CAMP	ONSITE	AT	04-Apr-07	ALPHA	0.000727	pCi/m3	0.00036	0.00043			
SESPMNT	B1MY88	ARMY LOOP CAMP	ONSITE	AT	17-Apr-07	ALPHA	0.000389	pCi/m3	0.00032	0.00039			
SESPMNT	B1MY89	ARMY LOOP CAMP	ONSITE	AT	01-May-07	ALPHA	0.000421	pCi/m3	0.00032	0.00038			
SESPMNT	B1MY90	ARMY LOOP CAMP	ONSITE	AT	15-May-07	ALPHA	0.001	pCi/m3	0.00041	0.00051			
SESPMNT	B1MY91	ARMY LOOP CAMP	ONSITE	AT	29-May-07	ALPHA	0.000933	pCi/m3	0.00041	0.0005			
SESPMNT	B1MY92	ARMY LOOP CAMP	ONSITE	AT	12-Jun-07	ALPHA	0.000913	pCi/m3	0.0004	0.00049			
SESPMNT	B1MY93	ARMY LOOP CAMP	ONSITE	AT	25-Jun-07	ALPHA	0.00036	pCi/m3	0.00032	0.00038	U		
SESPMNT	B1P236	ARMY LOOP CAMP	ONSITE	AT	09-Jul-07	ALPHA	0.00021	pCi/m3	0.00029	0.00035	U		
SESPMNT	B1P237	ARMY LOOP CAMP	ONSITE	AT	23-Jul-07	ALPHA	0.000869	pCi/m3	0.0004	0.00048			
SESPMNT	B1P238	ARMY LOOP CAMP	ONSITE	AT	08-Aug-07	ALPHA	0.000716	pCi/m3	0.00033	0.0004			
SESPMNT	B1P239	ARMY LOOP CAMP	ONSITE	AT	21-Aug-07	ALPHA	0.000683	pCi/m3	0.00039	0.00047			
SESPMNT	B1P240	ARMY LOOP CAMP	ONSITE	AT	04-Sep-07	ALPHA	0.000671	pCi/m3	0.00036	0.00043			
SESPMNT	B1P241	ARMY LOOP CAMP	ONSITE	AT	18-Sep-07	ALPHA	0.000748	pCi/m3	0.00037	0.00045			
SESPMNT	B1P242	ARMY LOOP CAMP	ONSITE	AT	02-Oct-07	ALPHA	0.000105	pCi/m3	0.00025	0.00031	U		
SESPMNT	B1PRF7	ARMY LOOP CAMP	ONSITE	AT	16-Oct-07	ALPHA	0.000832	pCi/m3	0.00041	0.00049			
SESPMNT	B1PRF8	ARMY LOOP CAMP	ONSITE	AT	31-Oct-07	ALPHA	0.000955	pCi/m3	0.00042	0.00051			
SESPMNT	B1PRF9	ARMY LOOP CAMP	ONSITE	AT	09-Nov-07	ALPHA	0.00122	pCi/m3	0.00063	0.00076			
SESPMNT	B1PRH0	ARMY LOOP CAMP	ONSITE	AT	26-Nov-07	ALPHA	0.00101	pCi/m3	0.00039	0.00045			
SESPMNT	B1PRH1	ARMY LOOP CAMP	ONSITE	AT	10-Dec-07	ALPHA	0.000935	pCi/m3	0.00044	0.00053			
SESPMNT	B1PRH2	ARMY LOOP CAMP	ONSITE	AT	26-Dec-07	ALPHA	0.00083	pCi/m3	0.00041	0.00049			
SESPMNT	B1LVM2	B POND	ONSITE	AT	09-Jan-07	ALPHA						NO SAMPLE. SAVE FOR COMPOSITE.	
SESPMNT	B1LVM3	B POND	ONSITE	AT	24-Jan-07	ALPHA	0.00166	pCi/m3	0.00053	0.00068			
SESPMNT	B1LVM4	B POND	ONSITE	AT	06-Feb-07	ALPHA	0.00112	pCi/m3	0.00052	0.00062			
SESPMNT	B1LVM5	B POND	ONSITE	AT	19-Feb-07	ALPHA	0.00115	pCi/m3	0.00045	0.00056			
SESPMNT	B1LVM6	B POND	ONSITE	AT	06-Mar-07	ALPHA	0.000181	pCi/m3	0.00026	0.00031	U		
SESPMNT	B1LVM7	B POND	ONSITE	AT	19-Mar-07	ALPHA	0.000552	pCi/m3	0.00034	0.00041			
SESPMNT	B1LVM8	B POND	ONSITE	AT	04-Apr-07	ALPHA	0.000288	pCi/m3	0.00024	0.00029	U		
SESPMNT	B1MY81	B POND	ONSITE	AT	17-Apr-07	ALPHA	0.000638	pCi/m3	0.00035	0.00043			
SESPMNT	B1MY82	B POND	ONSITE	AT	01-May-07	ALPHA	0.000471	pCi/m3	0.0003	0.00036			
SESPMNT	B1MY83	B POND	ONSITE	AT	15-May-07	ALPHA	0.000783	pCi/m3	0.00036	0.00044			
SESPMNT	B1MY84	B POND	ONSITE	AT	29-May-07	ALPHA	0.000896	pCi/m3	0.00037	0.00046			
SESPMNT	B1MY85	B POND	ONSITE	AT	12-Jun-07	ALPHA	0.000728	pCi/m3	0.00035	0.00043			
SESPMNT	B1MY86	B POND	ONSITE	AT	25-Jun-07	ALPHA	0.000292	pCi/m3	0.00028	0.00034	U		
SESPMNT	B1P228	B POND	ONSITE	AT	09-Jul-07	ALPHA	0.000378	pCi/m3	0.0003	0.00036			
SESPMNT	B1P229	B POND	ONSITE	AT	23-Jul-07	ALPHA	0.000722	pCi/m3	0.00036	0.00043			
SESPMNT	B1P230	B POND	ONSITE	AT	08-Aug-07	ALPHA	0.000723	pCi/m3	0.0003	0.00037			
SESPMNT	B1P231	B POND	ONSITE	AT	21-Aug-07	ALPHA	0.000639	pCi/m3	0.00035	0.00042			
SESPMNT	B1P232	B POND	ONSITE	AT	04-Sep-07	ALPHA	0.000747	pCi/m3	0.00051	0.00061			
SESPMNT	B1P233	B POND	ONSITE	AT	18-Sep-07	ALPHA	0.00109	pCi/m3	0.0004	0.00051			
SESPMNT	B1P234	B POND	ONSITE	AT	02-Oct-07	ALPHA	0.000246	pCi/m3	0.00027	0.00032	U		

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## AIR - BETA/ALPHA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1PRD9	B POND	ONSITE	AT	16-Oct-07	ALPHA	0.000514	pCi/m3	0.00034	0.0004			
SESPMNT	B1PRF0	B POND	ONSITE	AT	31-Oct-07	ALPHA	0.000882	pCi/m3	0.00037	0.00046			
SESPMNT	B1PRF1	B POND	ONSITE	AT	09-Nov-07	ALPHA	0.00131	pCi/m3	0.00062	0.00074			
SESPMNT	B1PRF2	B POND	ONSITE	AT	26-Nov-07	ALPHA	0.000899	pCi/m3	0.00034	0.00039			
SESPMNT	B1PRF3	B POND	ONSITE	AT	10-Dec-07	ALPHA	0.000758	pCi/m3	0.00029	0.00036		ADJUSTED FLOW FROM 2.8 CFM TO 1.5 CFM.	
SESPMNT	B1PRF4	B POND	ONSITE	AT	26-Dec-07	ALPHA	0.000869	pCi/m3	0.00035	0.00043			
SESPMNT	B1LW96	BASIN CITY SCHOOL	COMMUNITY	AT	11-Jan-07	ALPHA	0.000587	pCi/m3	0.00038	0.00046			
SESPMNT	B1LW97	BASIN CITY SCHOOL	COMMUNITY	AT	26-Jan-07	ALPHA	0.0013	pCi/m3	0.00051	0.00061			
SESPMNT	B1LW98	BASIN CITY SCHOOL	COMMUNITY	AT	08-Feb-07	ALPHA	0.00131	pCi/m3	0.00055	0.00066			
SESPMNT	B1LW99	BASIN CITY SCHOOL	COMMUNITY	AT	22-Feb-07	ALPHA	0.000391	pCi/m3	0.00033	0.00039	U		
SESPMNT	B1LWB0	BASIN CITY SCHOOL	COMMUNITY	AT	08-Mar-07	ALPHA	0.000438	pCi/m3	0.00033	0.00039			
SESPMNT	B1LWB1	BASIN CITY SCHOOL	COMMUNITY	AT	22-Mar-07	ALPHA	0.000227	pCi/m3	0.00027	0.00033	U		
SESPMNT	B1LWB2	BASIN CITY SCHOOL	COMMUNITY	AT	06-Apr-07	ALPHA	0.000636	pCi/m3	0.00036	0.00043			
SESPMNT	B1MYY5	BASIN CITY SCHOOL	COMMUNITY	AT	19-Apr-07	ALPHA	0.000435	pCi/m3	0.00031	0.00038			
SESPMNT	B1MYY6	BASIN CITY SCHOOL	COMMUNITY	AT	03-May-07	ALPHA	0.00032	pCi/m3	0.00029	0.00035	U		
SESPMNT	B1MYY7	BASIN CITY SCHOOL	COMMUNITY	AT	17-May-07	ALPHA	0.000691	pCi/m3	0.00035	0.00042			
SESPMNT	B1MYY8	BASIN CITY SCHOOL	COMMUNITY	AT	31-May-07	ALPHA	0.000735	pCi/m3	0.00036	0.00044			
SESPMNT	B1MYY9	BASIN CITY SCHOOL	COMMUNITY	AT	14-Jun-07	ALPHA	0.000603	pCi/m3	0.00034	0.00042			
SESPMNT	B1N000	BASIN CITY SCHOOL	COMMUNITY	AT	28-Jun-07	ALPHA	0.000603	pCi/m3	0.00033	0.0004			
SESPMNT	B1P2R2	BASIN CITY SCHOOL	COMMUNITY	AT	13-Jul-07	ALPHA	0.000727	pCi/m3	0.00033	0.0004			
SESPMNT	B1P2R3	BASIN CITY SCHOOL	COMMUNITY	AT	24-Jul-07	ALPHA	0.000448	pCi/m3	0.00037	0.00044			
SESPMNT	B1P2R4	BASIN CITY SCHOOL	COMMUNITY	AT	10-Aug-07	ALPHA	0.000477	pCi/m3	0.00028	0.00034			
SESPMNT	B1P2R5	BASIN CITY SCHOOL	COMMUNITY	AT	23-Aug-07	ALPHA	0.000856	pCi/m3	0.00041	0.0005			
SESPMNT	B1P2R6	BASIN CITY SCHOOL	COMMUNITY	AT	06-Sep-07	ALPHA	0.000593	pCi/m3	0.00036	0.00043			
SESPMNT	B1P2R7	BASIN CITY SCHOOL	COMMUNITY	AT	21-Sep-07	ALPHA	0.000764	pCi/m3	0.00032	0.00039			
SESPMNT	B1P2R8	BASIN CITY SCHOOL	COMMUNITY	AT	04-Oct-07	ALPHA	0.000155	pCi/m3	0.00031	0.00038	U		
SESPMNT	B1PT56	BASIN CITY SCHOOL	COMMUNITY	AT	19-Oct-07	ALPHA	0.000545	pCi/m3	0.00038	0.00045			
SESPMNT	B1PT57	BASIN CITY SCHOOL	COMMUNITY	AT	02-Nov-07	ALPHA	0.00093	pCi/m3	0.0004	0.00049			
SESPMNT	B1PT58	BASIN CITY SCHOOL	COMMUNITY	AT	14-Nov-07	ALPHA	0.000771	pCi/m3	0.00048	0.00057			
SESPMNT	B1PT59	BASIN CITY SCHOOL	COMMUNITY	AT	29-Nov-07	ALPHA	0.00155	pCi/m3	0.00047	0.00058			
SESPMNT	B1PT60	BASIN CITY SCHOOL	COMMUNITY	AT	12-Dec-07	ALPHA	0.000577	pCi/m3	0.00038	0.00045			
SESPMNT	B1PT61	BASIN CITY SCHOOL	COMMUNITY	AT	28-Dec-07	ALPHA	0.000397	pCi/m3	0.00031	0.00036			
SESPMNT	B1LV71	BATTELLE COMPLEX	PERIMETER	AT	17-Jan-07	ALPHA	0.000672	pCi/m3	0.00038	0.00045			
SESPMNT	B1LV72	BATTELLE COMPLEX	PERIMETER	AT	31-Jan-07	ALPHA	0.00102	pCi/m3	0.0005	0.00058			
SESPMNT	B1LV73	BATTELLE COMPLEX	PERIMETER	AT	14-Feb-07	ALPHA	0.000556	pCi/m3	0.0004	0.00046			
SESPMNT	B1LV74	BATTELLE COMPLEX	PERIMETER	AT	01-Mar-07	ALPHA	0.000411	pCi/m3	0.00029	0.00035			
SESPMNT	B1LV75	BATTELLE COMPLEX	PERIMETER	AT	14-Mar-07	ALPHA	0.000855	pCi/m3	0.00042	0.00051			
SESPMNT	B1LV76	BATTELLE COMPLEX	PERIMETER	AT	29-Mar-07	ALPHA	0.000639	pCi/m3	0.00035	0.00042			
SESPMNT	B1MXW2	BATTELLE COMPLEX	PERIMETER	AT	11-Apr-07	ALPHA	0.000852	pCi/m3	0.00044	0.00053			
SESPMNT	B1MXW3	BATTELLE COMPLEX	PERIMETER	AT	24-Apr-07	ALPHA	0.000227	pCi/m3	0.00027	0.00033	U		
SESPMNT	B1MXW4	BATTELLE COMPLEX	PERIMETER	AT	09-May-07	ALPHA	0.000444	pCi/m3	0.0003	0.00036			
SESPMNT	B1MXW5	BATTELLE COMPLEX	PERIMETER	AT	23-May-07	ALPHA	0.001	pCi/m3	0.0004	0.0005			
SESPMNT	B1MXW6	BATTELLE COMPLEX	PERIMETER	AT	07-Jun-07	ALPHA	0.000672	pCi/m3	0.00034	0.00041			
SESPMNT	B1MXW7	BATTELLE COMPLEX	PERIMETER	AT	20-Jun-07	ALPHA	0.000414	pCi/m3	0.00032	0.00039			
SESPMNT	B1MXW8	BATTELLE COMPLEX	PERIMETER	AT	06-Jul-07	ALPHA	0.000669	pCi/m3	0.00033	0.0004			
SESPMNT	B1P1R0	BATTELLE COMPLEX	PERIMETER	AT	18-Jul-07	ALPHA	0.000707	pCi/m3	0.00043	0.00051			
SESPMNT	B1P1R1	BATTELLE COMPLEX	PERIMETER	AT	07-Aug-07	ALPHA	0.000552	pCi/m3	0.00027	0.00032			
SESPMNT	B1P1R2	BATTELLE COMPLEX	PERIMETER	AT	14-Aug-07	ALPHA	0.000699	pCi/m3	0.00057	0.00069			
SESPMNT	B1P1R3	BATTELLE COMPLEX	PERIMETER	AT	30-Aug-07	ALPHA	0.000361	pCi/m3	0.00028	0.00033			
SESPMNT	B1P1R4	BATTELLE COMPLEX	PERIMETER	AT	12-Sep-07	ALPHA	0.000577	pCi/m3	0.00037	0.00044			
SESPMNT	B1P1R5	BATTELLE COMPLEX	PERIMETER	AT	26-Sep-07	ALPHA	0.00106	pCi/m3	0.00042	0.00052			
SESPMNT	B1PR32	BATTELLE COMPLEX	PERIMETER	AT	10-Oct-07	ALPHA	0.000576	pCi/m3	0.00034	0.00041			
SESPMNT	B1PR33	BATTELLE COMPLEX	PERIMETER	AT	25-Oct-07	ALPHA	0.000644	pCi/m3	0.00035	0.00042			
SESPMNT	B1PR34	BATTELLE COMPLEX	PERIMETER	AT	06-Nov-07	ALPHA	0.00114	pCi/m3	0.0005	0.00061			
SESPMNT	B1PR35	BATTELLE COMPLEX	PERIMETER	AT	20-Nov-07	ALPHA	0.000649	pCi/m3	0.00041	0.00048			
SESPMNT	B1PR36	BATTELLE COMPLEX	PERIMETER	AT	04-Dec-07	ALPHA	0.0011	pCi/m3	0.00048	0.00057			
SESPMNT	B1PR37	BATTELLE COMPLEX	PERIMETER	AT	19-Dec-07	ALPHA	0.0011	pCi/m3	0.00045	0.00055			
SESPMNT	B1PR38	BATTELLE COMPLEX	PERIMETER	AT	03-Jan-08	ALPHA	0.000292	pCi/m3	0.00029	0.00035	U		
SESPMNT	B1LW25	BYERS LANDING	PERIMETER	AT	11-Jan-07	ALPHA	0.000981	pCi/m3	0.00042	0.00053			
SESPMNT	B1LW26	BYERS LANDING	PERIMETER	AT	26-Jan-07	ALPHA	0.00145	pCi/m3	0.00056	0.00068			
SESPMNT	B1LW27	BYERS LANDING	PERIMETER	AT	08-Feb-07	ALPHA	0.000729	pCi/m3	0.00051	0.00058		PUMP REPLACED.	
SESPMNT	B1LW28	BYERS LANDING	PERIMETER	AT	22-Feb-07	ALPHA	0.000568	pCi/m3	0.00035	0.00042			
SESPMNT	B1LW29	BYERS LANDING	PERIMETER	AT	08-Mar-07	ALPHA	0.000573	pCi/m3	0.00036	0.00043			
SESPMNT	B1LW30	BYERS LANDING	PERIMETER	AT	22-Mar-07	ALPHA	0.000464	pCi/m3	0.00033	0.0004			
SESPMNT	B1LW31	BYERS LANDING	PERIMETER	AT	06-Apr-07	ALPHA	0.000635	pCi/m3	0.00034	0.00041			
SESPMNT	B1MYN4	BYERS LANDING	PERIMETER	AT	19-Apr-07	ALPHA	0.000233	pCi/m3	0.00027	0.00034	U		
SESPMNT	B1MYN5	BYERS LANDING	PERIMETER	AT	03-May-07	ALPHA	0.000617	pCi/m3	0.00036	0.00044			

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## AIR - BETA/ALPHA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1MYN6	BYERS LANDING	PERIMETER	AT	17-May-07	ALPHA	0.000778	pCi/m3	0.00039	0.00047			
SESPMNT	B1MYN7	BYERS LANDING	PERIMETER	AT	31-May-07	ALPHA	0.000561	pCi/m3	0.00034	0.00041			
SESPMNT	B1MYN8	BYERS LANDING	PERIMETER	AT	14-Jun-07	ALPHA	0.000642	pCi/m3	0.00037	0.00045			
SESPMNT	B1MYN9	BYERS LANDING	PERIMETER	AT	28-Jun-07	ALPHA	0.0006	pCi/m3	0.00033	0.0004			
SESPMNT	B1P2H1	BYERS LANDING	PERIMETER	AT	13-Jul-07	ALPHA	0.000892	pCi/m3	0.00036	0.00045			
SESPMNT	B1P2H2	BYERS LANDING	PERIMETER	AT	24-Jul-07	ALPHA	0.000453	pCi/m3	0.00039	0.00046	U		
SESPMNT	B1P2H3	BYERS LANDING	PERIMETER	AT	10-Aug-07	ALPHA	0.000573	pCi/m3	0.00029	0.00035			
SESPMNT	B1P2H4	BYERS LANDING	PERIMETER	AT	23-Aug-07	ALPHA	0.000584	pCi/m3	0.00036	0.00043			
SESPMNT	B1P2H5	BYERS LANDING	PERIMETER	AT	06-Sep-07	ALPHA	0.000895	pCi/m3	0.0004	0.00049			
SESPMNT	B1P2H6	BYERS LANDING	PERIMETER	AT	21-Sep-07	ALPHA	0.00137	pCi/m3	0.00044	0.00057			
SESPMNT	B1P2H7	BYERS LANDING	PERIMETER	AT	04-Oct-07	ALPHA	0.00057	pCi/m3	0.00035	0.00043			
SESPMNT	B1PRX0	BYERS LANDING	PERIMETER	AT	19-Oct-07	ALPHA	0.000856	pCi/m3	0.00039	0.00047			
SESPMNT	B1PRX1	BYERS LANDING	PERIMETER	AT	02-Nov-07	ALPHA	0.00106	pCi/m3	0.00045	0.00055			
SESPMNT	B1PRX2	BYERS LANDING	PERIMETER	AT	14-Nov-07	ALPHA	0.00145	pCi/m3	0.00055	0.00068			
SESPMNT	B1PRX3	BYERS LANDING	PERIMETER	AT	29-Nov-07	ALPHA	0.00118	pCi/m3	0.00045	0.00052			
SESPMNT	B1PRX4	BYERS LANDING	PERIMETER	AT	12-Dec-07	ALPHA	0.000713	pCi/m3	0.00043	0.00051			
SESPMNT	B1PRX5	BYERS LANDING	PERIMETER	AT	28-Dec-07	ALPHA	0.000667	pCi/m3	0.00037	0.00044			
SESPMNT	B1LW17	DOGWOOD MET TOWER	PERIMETER	AT	11-Jan-07	ALPHA	0.000604	pCi/m3	0.00037	0.00045			
SESPMNT	B1LW18	DOGWOOD MET TOWER	PERIMETER	AT	26-Jan-07	ALPHA	0.000834	pCi/m3	0.00043	0.0005			
SESPMNT	B1LW19	DOGWOOD MET TOWER	PERIMETER	AT	08-Feb-07	ALPHA	0.00131	pCi/m3	0.00055	0.00066			
SESPMNT	B1LW20	DOGWOOD MET TOWER	PERIMETER	AT	22-Feb-07	ALPHA	0.000562	pCi/m3	0.00034	0.00042			
SESPMNT	B1LW21	DOGWOOD MET TOWER	PERIMETER	AT	08-Mar-07	ALPHA	-0.0000082	pCi/m3	0.00024	0.0003	U		
SESPMNT	B1LW22	DOGWOOD MET TOWER	PERIMETER	AT	22-Mar-07	ALPHA	0.000442	pCi/m3	0.00053	0.00066	U	REPLACED PUMP AND REGULATOR.	
SESPMNT	B1LW23	DOGWOOD MET TOWER	PERIMETER	AT	06-Apr-07	ALPHA	0.000486	pCi/m3	0.00026	0.00032			
SESPMNT	B1MYM7	DOGWOOD MET TOWER	PERIMETER	AT	19-Apr-07	ALPHA	0.000371	pCi/m3	0.0003	0.00037			
SESPMNT	B1MYM8	DOGWOOD MET TOWER	PERIMETER	AT	03-May-07	ALPHA	0.000519	pCi/m3	0.00033	0.0004			
SESPMNT	B1MYM9	DOGWOOD MET TOWER	PERIMETER	AT	17-May-07	ALPHA	0.000637	pCi/m3	0.00033	0.00039			
SESPMNT	B1MYN0	DOGWOOD MET TOWER	PERIMETER	AT	31-May-07	ALPHA	0.000569	pCi/m3	0.00031	0.00037			
SESPMNT	B1MYN1	DOGWOOD MET TOWER	PERIMETER	AT	14-Jun-07	ALPHA	0.00059	pCi/m3	0.00032	0.00039			
SESPMNT	B1MYN2	DOGWOOD MET TOWER	PERIMETER	AT	28-Jun-07	ALPHA	0.000663	pCi/m3	0.00033	0.0004			
SESPMNT	B1P2F3	DOGWOOD MET TOWER	PERIMETER	AT	13-Jul-07	ALPHA	0.000534	pCi/m3	0.00029	0.00035			
SESPMNT	B1P2F4	DOGWOOD MET TOWER	PERIMETER	AT	24-Jul-07	ALPHA	0.000633	pCi/m3	0.00038	0.00046			
SESPMNT	B1P2F5	DOGWOOD MET TOWER	PERIMETER	AT	10-Aug-07	ALPHA	0.00053	pCi/m3	0.00027	0.00033			
SESPMNT	B1P2F6	DOGWOOD MET TOWER	PERIMETER	AT	23-Aug-07	ALPHA	0.000583	pCi/m3	0.00035	0.00042			
SESPMNT	B1P2F7	DOGWOOD MET TOWER	PERIMETER	AT	06-Sep-07	ALPHA	0.000718	pCi/m3	0.00037	0.00044			
SESPMNT	B1P2F8	DOGWOOD MET TOWER	PERIMETER	AT	21-Sep-07	ALPHA	0.00107	pCi/m3	0.00038	0.00048			
SESPMNT	B1P2F9	DOGWOOD MET TOWER	PERIMETER	AT	04-Oct-07	ALPHA	0.000494	pCi/m3	0.00033	0.0004			
SESPMNT	B1PRW2	DOGWOOD MET TOWER	PERIMETER	AT	19-Oct-07	ALPHA	0.000794	pCi/m3	0.00045	0.00054			
SESPMNT	B1PRW3	DOGWOOD MET TOWER	PERIMETER	AT	02-Nov-07	ALPHA	0.00048	pCi/m3	0.00029	0.00035			
SESPMNT	B1PRW4	DOGWOOD MET TOWER	PERIMETER	AT	14-Nov-07	ALPHA	0.000793	pCi/m3	0.00044	0.00053			
SESPMNT	B1PRW5	DOGWOOD MET TOWER	PERIMETER	AT	29-Nov-07	ALPHA	0.00103	pCi/m3	0.00039	0.00045			
SESPMNT	B1PRW6	DOGWOOD MET TOWER	PERIMETER	AT	12-Dec-07	ALPHA	0.000739	pCi/m3	0.00041	0.00049			
SESPMNT	B1PRW7	DOGWOOD MET TOWER	PERIMETER	AT	28-Dec-07	ALPHA	0.000373	pCi/m3	0.0003	0.00036			
SESPMNT	B1LWR1	GABLE MOUNTAIN	ONSITE	AT	09-Jan-07	ALPHA	0.000369	pCi/m3	0.00034	0.0004	U		
SESPMNT	B1LWR2	GABLE MOUNTAIN	ONSITE	AT	24-Jan-07	ALPHA	0.00107	pCi/m3	0.00046	0.00055			
SESPMNT	B1LWR3	GABLE MOUNTAIN	ONSITE	AT	06-Feb-07	ALPHA	0.0011	pCi/m3	0.00052	0.00061			
SESPMNT	B1LWR4	GABLE MOUNTAIN	ONSITE	AT	19-Feb-07	ALPHA	0.00122	pCi/m3	0.00048	0.00059			
SESPMNT	B1LWR5	GABLE MOUNTAIN	ONSITE	AT	06-Mar-07	ALPHA	0.000509	pCi/m3	0.00032	0.00039			
SESPMNT	B1LWR6	GABLE MOUNTAIN	ONSITE	AT	19-Mar-07	ALPHA	0.000398	pCi/m3	0.00034	0.00041	U		
SESPMNT	B1LWR7	GABLE MOUNTAIN	ONSITE	AT	04-Apr-07	ALPHA	0.000601	pCi/m3	0.00032	0.00039			
SESPMNT	B1N072	GABLE MOUNTAIN	ONSITE	AT	17-Apr-07	ALPHA	0.000376	pCi/m3	0.00034	0.00041	U		
SESPMNT	B1N073	GABLE MOUNTAIN	ONSITE	AT	01-May-07	ALPHA	0.0004	pCi/m3	0.00033	0.00039			
SESPMNT	B1N074	GABLE MOUNTAIN	ONSITE	AT	15-May-07	ALPHA	0.000748	pCi/m3	0.0004	0.00049			
SESPMNT	B1N075	GABLE MOUNTAIN	ONSITE	AT	29-May-07	ALPHA	0.000811	pCi/m3	0.00039	0.00047			
SESPMNT	B1N076	GABLE MOUNTAIN	ONSITE	AT	12-Jun-07	ALPHA	0.000503	pCi/m3	0.00034	0.00041			
SESPMNT	B1N077	GABLE MOUNTAIN	ONSITE	AT	25-Jun-07	ALPHA	0.000484	pCi/m3	0.00034	0.00042			
SESPMNT	B1P315	GABLE MOUNTAIN	ONSITE	AT	09-Jul-07	ALPHA	0.000393	pCi/m3	0.00033	0.00039			
SESPMNT	B1P316	GABLE MOUNTAIN	ONSITE	AT	23-Jul-07	ALPHA	0.000376	pCi/m3	0.00025	0.0003		END FLOW AT 2 CFM, RESET START FLOW TO 1.5 CFM.	
SESPMNT	B1P317	GABLE MOUNTAIN	ONSITE	AT	08-Aug-07	ALPHA	0.000486	pCi/m3	0.00031	0.00037			
SESPMNT	B1P318	GABLE MOUNTAIN	ONSITE	AT	21-Aug-07	ALPHA	0.000758	pCi/m3	0.0004	0.00048			
SESPMNT	B1P319	GABLE MOUNTAIN	ONSITE	AT	04-Sep-07	ALPHA	0.000661	pCi/m3	0.00038	0.00046			
SESPMNT	B1P320	GABLE MOUNTAIN	ONSITE	AT	18-Sep-07	ALPHA	0.00104	pCi/m3	0.00044	0.00054			
SESPMNT	B1P321	GABLE MOUNTAIN	ONSITE	AT	02-Oct-07	ALPHA	0.000452	pCi/m3	0.00033	0.0004			
SESPMNT	B1PTF5	GABLE MOUNTAIN	ONSITE	AT	16-Oct-07	ALPHA	0.00061	pCi/m3	0.00037	0.00044			
SESPMNT	B1PTF6	GABLE MOUNTAIN	ONSITE	AT	31-Oct-07	ALPHA	0.000733	pCi/m3	0.00037	0.00045			
SESPMNT	B1PTF7	GABLE MOUNTAIN	ONSITE	AT	09-Nov-07	ALPHA	0.000742	pCi/m3	0.00055	0.00066			
SESPMNT	B1PTF8	GABLE MOUNTAIN	ONSITE	AT	26-Nov-07	ALPHA	0.000952	pCi/m3	0.00041	0.00046			

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## AIR - BETA/ALPHA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1PTF9	GABLE MOUNTAIN	ONSITE	AT	10-Dec-07	ALPHA	0.000795	pCi/m3	0.00042	0.00051			
SESPMNT	B1PTH0	GABLE MOUNTAIN	ONSITE	AT	26-Dec-07	ALPHA	0.000863	pCi/m3	0.00041	0.00049			
SESPMNT	B1LWM0	HANFORD TOWNSITE	ONSITE	AT	15-Jan-07	ALPHA	0.000822	pCi/m3	0.0004	0.0005			
SESPMNT	B1LWM1	HANFORD TOWNSITE	ONSITE	AT	30-Jan-07	ALPHA	0.00174	pCi/m3	0.00059	0.00074			
SESPMNT	B1LWM2	HANFORD TOWNSITE	ONSITE	AT	13-Feb-07	ALPHA	0.00106	pCi/m3	0.0005	0.0006			
SESPMNT	B1LWM3	HANFORD TOWNSITE	ONSITE	AT	26-Feb-07	ALPHA	0.000792	pCi/m3	0.00043	0.00052			
SESPMNT	B1LWM4	HANFORD TOWNSITE	ONSITE	AT	12-Mar-07	ALPHA	0.000359	pCi/m3	0.00034	0.00041	U		
SESPMNT	B1LWM5	HANFORD TOWNSITE	ONSITE	AT	28-Mar-07	ALPHA	0.000213	pCi/m3	0.00028	0.00034	U		
SESPMNT	B1N036	HANFORD TOWNSITE	ONSITE	AT	10-Apr-07	ALPHA	0.000851	pCi/m3	0.00039	0.00047			
SESPMNT	B1N037	HANFORD TOWNSITE	ONSITE	AT	20-Apr-07	ALPHA						NO SAMPLE. DO NOT SAVE FOR COMPOSITE. PUMP REPLACED.	
SESPMNT	B1N038	HANFORD TOWNSITE	ONSITE	AT	08-May-07	ALPHA	0.000519	pCi/m3	0.0003	0.00036			
SESPMNT	B1N039	HANFORD TOWNSITE	ONSITE	AT	22-May-07	ALPHA	0.000715	pCi/m3	0.00037	0.00044			
SESPMNT	B1N040	HANFORD TOWNSITE	ONSITE	AT	06-Jun-07	ALPHA	0.0007	pCi/m3	0.00035	0.00042			
SESPMNT	B1N041	HANFORD TOWNSITE	ONSITE	AT	19-Jun-07	ALPHA	0.0000628	pCi/m3	0.00023	0.0003	U		
SESPMNT	B1N042	HANFORD TOWNSITE	ONSITE	AT	02-Jul-07	ALPHA	0.000418	pCi/m3	0.00032	0.00038			
SESPMNT	B1P2X4	HANFORD TOWNSITE	ONSITE	AT	17-Jul-07	ALPHA	0.00114	pCi/m3	0.0004	0.00051			
SESPMNT	B1P2X5	HANFORD TOWNSITE	ONSITE	AT	27-Jul-07	ALPHA	0.00112	pCi/m3	0.00052	0.00063			
SESPMNT	B1P2X6	HANFORD TOWNSITE	ONSITE	AT	13-Aug-07	ALPHA	0.000385	pCi/m3	0.00027	0.00032			
SESPMNT	B1P2X7	HANFORD TOWNSITE	ONSITE	AT	24-Aug-07	ALPHA	0.00051	pCi/m3	0.00039	0.00047			
SESPMNT	B1P2X8	HANFORD TOWNSITE	ONSITE	AT	10-Sep-07	ALPHA	0.000729	pCi/m3	0.00033	0.0004			
SESPMNT	B1P2X9	HANFORD TOWNSITE	ONSITE	AT	25-Sep-07	ALPHA	0.0012	pCi/m3	0.00043	0.00054			
SESPMNT	B1PT99	HANFORD TOWNSITE	ONSITE	AT	09-Oct-07	ALPHA	0.00122	pCi/m3	0.00048	0.0006			
SESPMNT	B1PTB0	HANFORD TOWNSITE	ONSITE	AT	24-Oct-07	ALPHA	0.000922	pCi/m3	0.00039	0.00048			
SESPMNT	B1PTB1	HANFORD TOWNSITE	ONSITE	AT	05-Nov-07	ALPHA	0.0011	pCi/m3	0.00053	0.00063			
SESPMNT	B1PTB2	HANFORD TOWNSITE	ONSITE	AT	19-Nov-07	ALPHA	0.000812	pCi/m3	0.00043	0.00051			
SESPMNT	B1PTB3	HANFORD TOWNSITE	ONSITE	AT	03-Dec-07	ALPHA	0.00112	pCi/m3	0.00051	0.00061			
SESPMNT	B1PTB4	HANFORD TOWNSITE	ONSITE	AT	20-Dec-07	ALPHA	0.00103	pCi/m3	0.00044	0.00053			
SESPMNT	B1PTB5	HANFORD TOWNSITE	ONSITE	AT	02-Jan-08	ALPHA	0.000656	pCi/m3	0.00042	0.0005			
SESPMNT	B1LW33	HORN RAPIDS SUBSTA	PERIMETER	AT	18-Jan-07	ALPHA	0.00133	pCi/m3	0.00047	0.00061			
SESPMNT	B1LW34	HORN RAPIDS SUBSTA	PERIMETER	AT	02-Feb-07	ALPHA	0.00204	pCi/m3	0.00062	0.0008			
SESPMNT	B1LW35	HORN RAPIDS SUBSTA	PERIMETER	AT	16-Feb-07	ALPHA	0.000843	pCi/m3	0.00048	0.00056			
SESPMNT	B1LW36	HORN RAPIDS SUBSTA	PERIMETER	AT	02-Mar-07	ALPHA	0.000234	pCi/m3	0.00029	0.00036	U		
SESPMNT	B1LW37	HORN RAPIDS SUBSTA	PERIMETER	AT	16-Mar-07	ALPHA	0.000623	pCi/m3	0.00037	0.00045			
SESPMNT	B1LW38	HORN RAPIDS SUBSTA	PERIMETER	AT	03-Apr-07	ALPHA	0.000638	pCi/m3	0.00032	0.00038			
SESPMNT	B1MYP1	HORN RAPIDS SUBSTA	PERIMETER	AT	12-Apr-07	ALPHA	0.000729	pCi/m3	0.00052	0.00063			
SESPMNT	B1MYP2	HORN RAPIDS SUBSTA	PERIMETER	AT	27-Apr-07	ALPHA	0.000186	pCi/m3	0.0003	0.00037	U		
SESPMNT	B1MYP3	HORN RAPIDS SUBSTA	PERIMETER	AT	11-May-07	ALPHA	0.000695	pCi/m3	0.00036	0.00044			
SESPMNT	B1MYP4	HORN RAPIDS SUBSTA	PERIMETER	AT	24-May-07	ALPHA	0.000914	pCi/m3	0.00042	0.00052			
SESPMNT	B1MYP5	HORN RAPIDS SUBSTA	PERIMETER	AT	08-Jun-07	ALPHA	0.000569	pCi/m3	0.00035	0.00042			
SESPMNT	B1MYP6	HORN RAPIDS SUBSTA	PERIMETER	AT	21-Jun-07	ALPHA	0.000758	pCi/m3	0.0004	0.00048			
SESPMNT	B1MYP7	HORN RAPIDS SUBSTA	PERIMETER	AT	03-Jul-07	ALPHA	0.000841	pCi/m3	0.00042	0.00052			
SESPMNT	B1P2H9	HORN RAPIDS SUBSTA	PERIMETER	AT	19-Jul-07	ALPHA	0.000578	pCi/m3	0.00034	0.00041			
SESPMNT	B1P2J0	HORN RAPIDS SUBSTA	PERIMETER	AT	06-Aug-07	ALPHA	0.00146	pCi/m3	0.00043	0.00056			
SESPMNT	B1P2J1	HORN RAPIDS SUBSTA	PERIMETER	AT	16-Aug-07	ALPHA	0.00238	pCi/m3	0.00074	0.00096			
SESPMNT	B1P2J2	HORN RAPIDS SUBSTA	PERIMETER	AT	31-Aug-07	ALPHA	0.000791	pCi/m3	0.00038	0.00046			
SESPMNT	B1P2J3	HORN RAPIDS SUBSTA	PERIMETER	AT	13-Sep-07	ALPHA	0.000563	pCi/m3	0.00039	0.00046			
SESPMNT	B1P2J4	HORN RAPIDS SUBSTA	PERIMETER	AT	27-Sep-07	ALPHA	0.00103	pCi/m3	0.00043	0.00053			
SESPMNT	B1PRX8	HORN RAPIDS SUBSTA	PERIMETER	AT	11-Oct-07	ALPHA	0.000669	pCi/m3	0.00038	0.00045			
SESPMNT	B1PRX9	HORN RAPIDS SUBSTA	PERIMETER	AT	26-Oct-07	ALPHA	0.00035	pCi/m3	0.00033	0.00039	U		
SESPMNT	B1PRY0	HORN RAPIDS SUBSTA	PERIMETER	AT	07-Nov-07	ALPHA	0.00114	pCi/m3	0.00053	0.00064			
SESPMNT	B1PRY1	HORN RAPIDS SUBSTA	PERIMETER	AT	21-Nov-07	ALPHA	0.000934	pCi/m3	0.00046	0.00055			
SESPMNT	B1PRY2	HORN RAPIDS SUBSTA	PERIMETER	AT	07-Dec-07	ALPHA	0.00178	pCi/m3	0.00055	0.00071			
SESPMNT	B1PRY3	HORN RAPIDS SUBSTA	PERIMETER	AT	21-Dec-07	ALPHA	0.00141	pCi/m3	0.00056	0.00069			
SESPMNT	B1PRY4	HORN RAPIDS SUBSTA	PERIMETER	AT	04-Jan-08	ALPHA	0.000581	pCi/m3	0.0004	0.00048			
SESPMNT	B1LW81	KENNEWICK-ELY STREET	COMMUNITY	AT	11-Jan-07	ALPHA	0.000407	pCi/m3	0.00033	0.00039		LEAK IN SYSTEM HAS BEEN FIXED. TOTAL SAMPLE VOLUME ADJUSTED TO 800 M3 BASED ON 1.5 CFM SAMPLE FLOW RATE. TOTALIZER WAS REPLACED 1/12/07 AT 10:23 A.M. WITH A READING OF 4396 M3, ADD 100 TO END FLOW FOR FINAL TOTAL FLOW OF 965.	
SESPMNT	B1LW82	KENNEWICK-ELY STREET	COMMUNITY	AT	26-Jan-07	ALPHA	0.00149	pCi/m3	0.00048	0.00061			
SESPMNT	B1LW83	KENNEWICK-ELY STREET	COMMUNITY	AT	08-Feb-07	ALPHA	0.00116	pCi/m3	0.0005	0.0006			
SESPMNT	B1LW84	KENNEWICK-ELY STREET	COMMUNITY	AT	22-Feb-07	ALPHA	0.00021	pCi/m3	0.00025	0.00031	U		
SESPMNT	B1LW85	KENNEWICK-ELY STREET	COMMUNITY	AT	08-Mar-07	ALPHA	0.000155	pCi/m3	0.00027	0.00032	U		
SESPMNT	B1LW86	KENNEWICK-ELY STREET	COMMUNITY	AT	22-Mar-07	ALPHA	0.000375	pCi/m3	0.00029	0.00035			
SESPMNT	B1LW87	KENNEWICK-ELY STREET	COMMUNITY	AT	06-Apr-07	ALPHA	0.000599	pCi/m3	0.00032	0.00039			
SESPMNT	B1MYX0	KENNEWICK-ELY STREET	COMMUNITY	AT	19-Apr-07	ALPHA	0.000241	pCi/m3	0.00028	0.00034	U		
SESPMNT	B1MYX1	KENNEWICK-ELY STREET	COMMUNITY	AT	03-May-07	ALPHA	0.000255	pCi/m3	0.00029	0.00035	U		
SESPMNT	B1MYX2	KENNEWICK-ELY STREET	COMMUNITY	AT	17-May-07	ALPHA	0.000585	pCi/m3	0.0003	0.00037			
SESPMNT	B1MYX3	KENNEWICK-ELY STREET	COMMUNITY	AT	31-May-07	ALPHA	0.000184	pCi/m3	0.00024	0.00029	U		

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## AIR - BETA/ALPHA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1MYX4	KENNEWICK-ELY STREET	COMMUNITY	AT	14-Jun-07	ALPHA	0.000328	pCi/m3	0.00028	0.00033	U		
SESPMNT	B1MYX5	KENNEWICK-ELY STREET	COMMUNITY	AT	28-Jun-07	ALPHA	0.00052	pCi/m3	0.00029	0.00036			
SESPMNT	B1P2N7	KENNEWICK-ELY STREET	COMMUNITY	AT	13-Jul-07	ALPHA	0.000349	pCi/m3	0.00026	0.00031			
SESPMNT	B1P2N8	KENNEWICK-ELY STREET	COMMUNITY	AT	24-Jul-07	ALPHA	0.000246	pCi/m3	0.00032	0.00038	U		
SESPMNT	B1P2N9	KENNEWICK-ELY STREET	COMMUNITY	AT	10-Aug-07	ALPHA	0.000589	pCi/m3	0.00028	0.00034			
SESPMNT	B1P2P0	KENNEWICK-ELY STREET	COMMUNITY	AT	23-Aug-07	ALPHA	0.000783	pCi/m3	0.00037	0.00046			
SESPMNT	B1P2P1	KENNEWICK-ELY STREET	COMMUNITY	AT	06-Sep-07	ALPHA	0.000607	pCi/m3	0.0003	0.00036			
SESPMNT	B1P2P2	KENNEWICK-ELY STREET	COMMUNITY	AT	21-Sep-07	ALPHA	0.000956	pCi/m3	0.00034	0.00042			
SESPMNT	B1P2P3	KENNEWICK-ELY STREET	COMMUNITY	AT	04-Oct-07	ALPHA	0.000448	pCi/m3	0.00029	0.00035			
SESPMNT	B1PT40	KENNEWICK-ELY STREET	COMMUNITY	AT	19-Oct-07	ALPHA	0.000729	pCi/m3	0.00032	0.00039			
SESPMNT	B1PT41	KENNEWICK-ELY STREET	COMMUNITY	AT	02-Nov-07	ALPHA	0.000165	pCi/m3	0.0002	0.00024	U	END FLOW ADJUSTED FROM 2.0 TO 1.5 CFM.	
SESPMNT	B1PT42	KENNEWICK-ELY STREET	COMMUNITY	AT	14-Nov-07	ALPHA	0.000886	pCi/m3	0.00045	0.00054			
SESPMNT	B1PT43	KENNEWICK-ELY STREET	COMMUNITY	AT	29-Nov-07	ALPHA	0.00101	pCi/m3	0.00034	0.00041			
SESPMNT	B1PT44	KENNEWICK-ELY STREET	COMMUNITY	AT	12-Dec-07	ALPHA	0.00042	pCi/m3	0.00029	0.00035			
SESPMNT	B1PT45	KENNEWICK-ELY STREET	COMMUNITY	AT	28-Dec-07	ALPHA	0.000567	pCi/m3	0.00028	0.00034			
SESPMNT	B1LWB4	LESLIE GROVES-RCHLND	COMMUNITY	AT	10-Jan-07	ALPHA	0.000364	pCi/m3	0.00035	0.00042	U		
SESPMNT	B1LWB5	LESLIE GROVES-RCHLND	COMMUNITY	AT	25-Jan-07	ALPHA	0.00264	pCi/m3	0.00058	0.00087			
SESPMNT	B1LWB6	LESLIE GROVES-RCHLND	COMMUNITY	AT	07-Feb-07	ALPHA	0.00156	pCi/m3	0.0006	0.00073			
SESPMNT	B1LWB7	LESLIE GROVES-RCHLND	COMMUNITY	AT	21-Feb-07	ALPHA	0.000253	pCi/m3	0.00029	0.00035	U		
SESPMNT	B1LWB8	LESLIE GROVES-RCHLND	COMMUNITY	AT	07-Mar-07	ALPHA	0.000468	pCi/m3	0.00033	0.00039			
SESPMNT	B1LWB9	LESLIE GROVES-RCHLND	COMMUNITY	AT	20-Mar-07	ALPHA	0.000326	pCi/m3	0.00034	0.00041	U		
SESPMNT	B1LWC0	LESLIE GROVES-RCHLND	COMMUNITY	AT	05-Apr-07	ALPHA	0.000597	pCi/m3	0.00033	0.0004			
SESPMNT	B1N002	LESLIE GROVES-RCHLND	COMMUNITY	AT	18-Apr-07	ALPHA						NO SAMPLE. SAVE FOR COMPOSITE, PUMP REPLACED.	
SESPMNT	B1N003	LESLIE GROVES-RCHLND	COMMUNITY	AT	02-May-07	ALPHA	0.000568	pCi/m3	0.00032	0.00039			
SESPMNT	B1N004	LESLIE GROVES-RCHLND	COMMUNITY	AT	16-May-07	ALPHA	0.000711	pCi/m3	0.00036	0.00043			
SESPMNT	B1N005	LESLIE GROVES-RCHLND	COMMUNITY	AT	30-May-07	ALPHA	0.000656	pCi/m3	0.00035	0.00042			
SESPMNT	B1N006	LESLIE GROVES-RCHLND	COMMUNITY	AT	13-Jun-07	ALPHA	0.00078	pCi/m3	0.00032	0.00039			
SESPMNT	B1N007	LESLIE GROVES-RCHLND	COMMUNITY	AT	27-Jun-07	ALPHA	0.000969	pCi/m3	0.00047	0.00057			
SESPMNT	B1P2T0	LESLIE GROVES-RCHLND	COMMUNITY	AT	10-Jul-07	ALPHA	0.000493	pCi/m3	0.00036	0.00042			
SESPMNT	B1P2T1	LESLIE GROVES-RCHLND	COMMUNITY	AT	27-Jul-07	ALPHA	0.000315	pCi/m3	0.00025	0.00029			
SESPMNT	B1P2T2	LESLIE GROVES-RCHLND	COMMUNITY	AT	09-Aug-07	ALPHA	0.00249	pCi/m3	0.00074	0.00097		CHANGED OUT VACUUM PUMP (SILICA GEL TIMER HAD ONLY RUN 192.6 HOURS).	
SESPMNT	B1P2T3	LESLIE GROVES-RCHLND	COMMUNITY	AT	22-Aug-07	ALPHA	0.00137	pCi/m3	0.0005	0.00063			
SESPMNT	B1P2T4	LESLIE GROVES-RCHLND	COMMUNITY	AT	05-Sep-07	ALPHA	0.000812	pCi/m3	0.0004	0.00048			
SESPMNT	B1P2T5	LESLIE GROVES-RCHLND	COMMUNITY	AT	19-Sep-07	ALPHA	0.000757	pCi/m3	0.0004	0.00048			
SESPMNT	B1P2T6	LESLIE GROVES-RCHLND	COMMUNITY	AT	03-Oct-07	ALPHA	0.000503	pCi/m3	0.00034	0.00041			
SESPMNT	B1PT64	LESLIE GROVES-RCHLND	COMMUNITY	AT	18-Oct-07	ALPHA	0.000488	pCi/m3	0.00035	0.00041			
SESPMNT	B1PT65	LESLIE GROVES-RCHLND	COMMUNITY	AT	01-Nov-07	ALPHA	0.000794	pCi/m3	0.00046	0.00054			
SESPMNT	B1PT66	LESLIE GROVES-RCHLND	COMMUNITY	AT	13-Nov-07	ALPHA	0.00107	pCi/m3	0.0005	0.00061			
SESPMNT	B1PT67	LESLIE GROVES-RCHLND	COMMUNITY	AT	27-Nov-07	ALPHA	0.00139	pCi/m3	0.00051	0.00059			
SESPMNT	B1PT68	LESLIE GROVES-RCHLND	COMMUNITY	AT	11-Dec-07	ALPHA	0.000578	pCi/m3	0.0004	0.00046			
SESPMNT	B1PT69	LESLIE GROVES-RCHLND	COMMUNITY	AT	27-Dec-07	ALPHA	0.00117	pCi/m3	0.00047	0.00057			
SESPMNT	B1LV89	MATTAWA	COMMUNITY	AT	07-Mar-07	ALPHA	0.000874	pCi/m3	0.0004	0.00049			
SESPMNT	B1LV97	OTHELLO	COMMUNITY	AT	07-Mar-07	ALPHA	0.000544	pCi/m3	0.00036	0.00043			
SESPMNT	B1LW39	PROSSER BARRICADE	PERIMETER	AT	18-Jan-07	ALPHA	0.00109	pCi/m3	0.00045	0.00055			
SESPMNT	B1LW40	PROSSER BARRICADE	PERIMETER	AT	02-Feb-07	ALPHA	0.00161	pCi/m3	0.00055	0.00068			
SESPMNT	B1LW41	PROSSER BARRICADE	PERIMETER	AT	16-Feb-07	ALPHA	0.000947	pCi/m3	0.00043	0.00051			
SESPMNT	B1LW42	PROSSER BARRICADE	PERIMETER	AT	02-Mar-07	ALPHA	0.000503	pCi/m3	0.00033	0.0004			
SESPMNT	B1LW43	PROSSER BARRICADE	PERIMETER	AT	16-Mar-07	ALPHA	0.000693	pCi/m3	0.00038	0.00045			
SESPMNT	B1LW44	PROSSER BARRICADE	PERIMETER	AT	03-Apr-07	ALPHA	0.000477	pCi/m3	0.00028	0.00034			
SESPMNT	B1MYP8	PROSSER BARRICADE	PERIMETER	AT	12-Apr-07	ALPHA	0.000851	pCi/m3	0.00047	0.00057			
SESPMNT	B1MYP9	PROSSER BARRICADE	PERIMETER	AT	27-Apr-07	ALPHA	0.000457	pCi/m3	0.00021	0.00027	U		
SESPMNT	B1MYR0	PROSSER BARRICADE	PERIMETER	AT	11-May-07	ALPHA	0.000747	pCi/m3	0.00037	0.00045			
SESPMNT	B1MYR1	PROSSER BARRICADE	PERIMETER	AT	24-May-07	ALPHA	0.000747	pCi/m3	0.0004	0.00048			
SESPMNT	B1MYR2	PROSSER BARRICADE	PERIMETER	AT	08-Jun-07	ALPHA	0.000507	pCi/m3	0.00034	0.0004			
SESPMNT	B1MYR3	PROSSER BARRICADE	PERIMETER	AT	21-Jun-07	ALPHA	0.0005	pCi/m3	0.00035	0.00042			
SESPMNT	B1MYR4	PROSSER BARRICADE	PERIMETER	AT	03-Jul-07	ALPHA	0.000667	pCi/m3	0.0004	0.00049			
SESPMNT	B1P2J5	PROSSER BARRICADE	PERIMETER	AT	19-Jul-07	ALPHA	0.000714	pCi/m3	0.00036	0.00043			
SESPMNT	B1P2J6	PROSSER BARRICADE	PERIMETER	AT	06-Aug-07	ALPHA	0.00076	pCi/m3	0.00033	0.00041			
SESPMNT	B1P2J7	PROSSER BARRICADE	PERIMETER	AT	16-Aug-07	ALPHA	0.00184	pCi/m3	0.00066	0.00083			
SESPMNT	B1P2J8	PROSSER BARRICADE	PERIMETER	AT	31-Aug-07	ALPHA	0.000787	pCi/m3	0.00037	0.00045			
SESPMNT	B1P2J9	PROSSER BARRICADE	PERIMETER	AT	13-Sep-07	ALPHA	0.000416	pCi/m3	0.00033	0.00039			
SESPMNT	B1P2K0	PROSSER BARRICADE	PERIMETER	AT	27-Sep-07	ALPHA	0.000707	pCi/m3	0.00035	0.00042			
SESPMNT	B1PRY5	PROSSER BARRICADE	PERIMETER	AT	11-Oct-07	ALPHA	0.000729	pCi/m3	0.00036	0.00043			
SESPMNT	B1PRY6	PROSSER BARRICADE	PERIMETER	AT	26-Oct-07	ALPHA	0.00078	pCi/m3	0.00035	0.00043			
SESPMNT	B1PRY7	PROSSER BARRICADE	PERIMETER	AT	07-Nov-07	ALPHA	0.00166	pCi/m3	0.00056	0.0007			
SESPMNT	B1PRY8	PROSSER BARRICADE	PERIMETER	AT	21-Nov-07	ALPHA	0.0011	pCi/m3	0.00044	0.00054			



## ENVIRONMENTAL SURVEILLANCE DATA CY07

## AIR - BETA/ALPHA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1PRY9	PROSSER BARRICADE	PERIMETER	AT	07-Dec-07	ALPHA	0.00128	pCi/m3	0.00049	0.0006			
SESPMNT	B1PT00	PROSSER BARRICADE	PERIMETER	AT	21-Dec-07	ALPHA	0.00102	pCi/m3	0.00045	0.00054			
SESPMNT	B1PT01	PROSSER BARRICADE	PERIMETER	AT	04-Jan-08	ALPHA	0.0000866	pCi/m3	0.00026	0.00032	U		
SESPMNT	B1LW52	RATTLESNAKE SPRINGS	PERIMETER	AT	18-Jan-07	ALPHA	0.000714	pCi/m3	0.00039	0.00047			
SESPMNT	B1LW53	RATTLESNAKE SPRINGS	PERIMETER	AT	02-Feb-07	ALPHA	0.00123	pCi/m3	0.00047	0.00058			
SESPMNT	B1LW54	RATTLESNAKE SPRINGS	PERIMETER	AT	16-Feb-07	ALPHA	0.00141	pCi/m3	0.00051	0.00063			
SESPMNT	B1LW55	RATTLESNAKE SPRINGS	PERIMETER	AT	02-Mar-07	ALPHA	0.000504	pCi/m3	0.00034	0.00041			
SESPMNT	B1LW56	RATTLESNAKE SPRINGS	PERIMETER	AT	16-Mar-07	ALPHA	0.000626	pCi/m3	0.00038	0.00046			
SESPMNT	B1LW57	RATTLESNAKE SPRINGS	PERIMETER	AT	03-Apr-07	ALPHA	0.000317	pCi/m3	0.00031	0.00037	U	REPLACED PUMP.	
SESPMNT	B1MYT3	RATTLESNAKE SPRINGS	PERIMETER	AT	12-Apr-07	ALPHA	0.000785	pCi/m3	0.00047	0.00057			
SESPMNT	B1MYT4	RATTLESNAKE SPRINGS	PERIMETER	AT	27-Apr-07	ALPHA	0.0000262	pCi/m3	0.00019	0.00024	U		
SESPMNT	B1MYT5	RATTLESNAKE SPRINGS	PERIMETER	AT	11-May-07	ALPHA	0.000471	pCi/m3	0.00029	0.00035			
SESPMNT	B1MYT6	RATTLESNAKE SPRINGS	PERIMETER	AT	24-May-07	ALPHA	0.000737	pCi/m3	0.00037	0.00044			
SESPMNT	B1MYT7	RATTLESNAKE SPRINGS	PERIMETER	AT	08-Jun-07	ALPHA	0.0004	pCi/m3	0.00031	0.00036			
SESPMNT	B1MYT8	RATTLESNAKE SPRINGS	PERIMETER	AT	21-Jun-07	ALPHA	0.000728	pCi/m3	0.00036	0.00044			
SESPMNT	B1MYT9	RATTLESNAKE SPRINGS	PERIMETER	AT	03-Jul-07	ALPHA	0.000815	pCi/m3	0.0004	0.00049			
SESPMNT	B1P2K8	RATTLESNAKE SPRINGS	PERIMETER	AT	19-Jul-07	ALPHA	0.00061	pCi/m3	0.00033	0.00039			
SESPMNT	B1P2K9	RATTLESNAKE SPRINGS	PERIMETER	AT	06-Aug-07	ALPHA	0.000464	pCi/m3	0.00028	0.00033			
SESPMNT	B1P2L0	RATTLESNAKE SPRINGS	PERIMETER	AT	16-Aug-07	ALPHA	0.00131	pCi/m3	0.00056	0.0007			
SESPMNT	B1P2L1	RATTLESNAKE SPRINGS	PERIMETER	AT	31-Aug-07	ALPHA	0.000859	pCi/m3	0.00035	0.00044			
SESPMNT	B1P2L2	RATTLESNAKE SPRINGS	PERIMETER	AT	13-Sep-07	ALPHA	0.000645	pCi/m3	0.00036	0.00043			
SESPMNT	B1P2L3	RATTLESNAKE SPRINGS	PERIMETER	AT	27-Sep-07	ALPHA	0.000679	pCi/m3	0.00035	0.00042			
SESPMNT	B1PT10	RATTLESNAKE SPRINGS	PERIMETER	AT	11-Oct-07	ALPHA	0.00118	pCi/m3	0.00044	0.00055			
SESPMNT	B1PT11	RATTLESNAKE SPRINGS	PERIMETER	AT	26-Oct-07	ALPHA	0.000349	pCi/m3	0.00032	0.00038	U		
SESPMNT	B1PT12	RATTLESNAKE SPRINGS	PERIMETER	AT	07-Nov-07	ALPHA	0.00149	pCi/m3	0.00054	0.00068			
SESPMNT	B1PT13	RATTLESNAKE SPRINGS	PERIMETER	AT	21-Nov-07	ALPHA	0.000817	pCi/m3	0.00038	0.00046			
SESPMNT	B1PT14	RATTLESNAKE SPRINGS	PERIMETER	AT	07-Dec-07	ALPHA	0.0015	pCi/m3	0.00049	0.00063			
SESPMNT	B1PT15	RATTLESNAKE SPRINGS	PERIMETER	AT	21-Dec-07	ALPHA	0.000773	pCi/m3	0.00044	0.00053			
SESPMNT	B1PT16	RATTLESNAKE SPRINGS	PERIMETER	AT	04-Jan-08	ALPHA	0.000821	pCi/m3	0.00042	0.00052			
SESPMNT	B1LW09	RINGOLD MET TOWER	PERIMETER	AT	11-Jan-07	ALPHA	0.000591	pCi/m3	0.0004	0.00047			
SESPMNT	B1LW10	RINGOLD MET TOWER	PERIMETER	AT	26-Jan-07	ALPHA	0.0017	pCi/m3	0.00059	0.00074			
SESPMNT	B1LW11	RINGOLD MET TOWER	PERIMETER	AT	08-Feb-07	ALPHA	0.00132	pCi/m3	0.0006	0.00071			
SESPMNT	B1LW12	RINGOLD MET TOWER	PERIMETER	AT	22-Feb-07	ALPHA	0.000657	pCi/m3	0.00037	0.00045			
SESPMNT	B1LW13	RINGOLD MET TOWER	PERIMETER	AT	08-Mar-07	ALPHA	0.000257	pCi/m3	0.00032	0.00038	U		
SESPMNT	B1LW14	RINGOLD MET TOWER	PERIMETER	AT	22-Mar-07	ALPHA	0.000469	pCi/m3	0.00035	0.00042			
SESPMNT	B1LW15	RINGOLD MET TOWER	PERIMETER	AT	06-Apr-07	ALPHA	0.000333	pCi/m3	0.00031	0.00037	U		
SESPMNT	B1MYM0	RINGOLD MET TOWER	PERIMETER	AT	19-Apr-07	ALPHA	0.000263	pCi/m3	0.00032	0.00039	U		
SESPMNT	B1MYM1	RINGOLD MET TOWER	PERIMETER	AT	03-May-07	ALPHA	0.000502	pCi/m3	0.00034	0.00041			
SESPMNT	B1MYM2	RINGOLD MET TOWER	PERIMETER	AT	17-May-07	ALPHA	0.000638	pCi/m3	0.00036	0.00043			
SESPMNT	B1MYM3	RINGOLD MET TOWER	PERIMETER	AT	31-May-07	ALPHA	0.00052	pCi/m3	0.00036	0.00043		REPLACED PUMP.	
SESPMNT	B1MYM4	RINGOLD MET TOWER	PERIMETER	AT	14-Jun-07	ALPHA	0.000627	pCi/m3	0.00032	0.00039			
SESPMNT	B1MYM5	RINGOLD MET TOWER	PERIMETER	AT	28-Jun-07	ALPHA	0.00027	pCi/m3	0.00024	0.0003	U		
SESPMNT	B1P2D5	RINGOLD MET TOWER	PERIMETER	AT	13-Jul-07	ALPHA	0.000496	pCi/m3	0.00028	0.00034			
SESPMNT	B1P2D6	RINGOLD MET TOWER	PERIMETER	AT	24-Jul-07	ALPHA	0.000227	pCi/m3	0.0003	0.00037	U		
SESPMNT	B1P2D7	RINGOLD MET TOWER	PERIMETER	AT	10-Aug-07	ALPHA	0.000654	pCi/m3	0.0003	0.00036			
SESPMNT	B1P2D8	RINGOLD MET TOWER	PERIMETER	AT	23-Aug-07	ALPHA	0.000526	pCi/m3	0.00035	0.00041			
SESPMNT	B1P2D9	RINGOLD MET TOWER	PERIMETER	AT	06-Sep-07	ALPHA	0.000865	pCi/m3	0.00038	0.00047			
SESPMNT	B1P2F0	RINGOLD MET TOWER	PERIMETER	AT	21-Sep-07	ALPHA	0.000528	pCi/m3	0.00032	0.00038			
SESPMNT	B1P2F1	RINGOLD MET TOWER	PERIMETER	AT	04-Oct-07	ALPHA	0.000239	pCi/m3	0.00029	0.00035	U		
SESPMNT	B1PRV4	RINGOLD MET TOWER	PERIMETER	AT	19-Oct-07	ALPHA	0.000557	pCi/m3	0.00034	0.00041			
SESPMNT	B1PRV5	RINGOLD MET TOWER	PERIMETER	AT	02-Nov-07	ALPHA	0.000906	pCi/m3	0.00042	0.0005			
SESPMNT	B1PRV6	RINGOLD MET TOWER	PERIMETER	AT	14-Nov-07	ALPHA	0.000818	pCi/m3	0.00044	0.00053			
SESPMNT	B1PRV7	RINGOLD MET TOWER	PERIMETER	AT	29-Nov-07	ALPHA	0.00107	pCi/m3	0.00044	0.0005			
SESPMNT	B1PRV8	RINGOLD MET TOWER	PERIMETER	AT	12-Dec-07	ALPHA	0.00115	pCi/m3	0.00048	0.00059			
SESPMNT	B1PRV9	RINGOLD MET TOWER	PERIMETER	AT	28-Dec-07	ALPHA	0.000648	pCi/m3	0.00036	0.00043			
SESPMNT	B1LW66	S END VERNITA BRIDGE	PERIMETER	AT	10-Jan-07	ALPHA	0.000477	pCi/m3	0.00038	0.00045			
SESPMNT	B1LW67	S END VERNITA BRIDGE	PERIMETER	AT	25-Jan-07	ALPHA	0.000745	pCi/m3	0.00043	0.0005			
SESPMNT	B1LW68	S END VERNITA BRIDGE	PERIMETER	AT	07-Feb-07	ALPHA	0.00132	pCi/m3	0.00058	0.00069			
SESPMNT	B1LW69	S END VERNITA BRIDGE	PERIMETER	AT	21-Feb-07	ALPHA	0.000696	pCi/m3	0.00038	0.00046			
SESPMNT	B1LW70	S END VERNITA BRIDGE	PERIMETER	AT	07-Mar-07	ALPHA	0.000716	pCi/m3	0.0004	0.00048			
SESPMNT	B1LW71	S END VERNITA BRIDGE	PERIMETER	AT	20-Mar-07	ALPHA	0.000615	pCi/m3	0.0004	0.00048			
SESPMNT	B1LW72	S END VERNITA BRIDGE	PERIMETER	AT	05-Apr-07	ALPHA	0.000454	pCi/m3	0.00029	0.00035			
SESPMNT	B1MYV7	S END VERNITA BRIDGE	PERIMETER	AT	18-Apr-07	ALPHA	0.000553	pCi/m3	0.00034	0.00042			
SESPMNT	B1MYV8	S END VERNITA BRIDGE	PERIMETER	AT	02-May-07	ALPHA	0.000436	pCi/m3	0.00032	0.00038			
SESPMNT	B1MYV9	S END VERNITA BRIDGE	PERIMETER	AT	16-May-07	ALPHA	0.000646	pCi/m3	0.00037	0.00044			
SESPMNT	B1MYW0	S END VERNITA BRIDGE	PERIMETER	AT	30-May-07	ALPHA	0.000307	pCi/m3	0.0003	0.00036	U		
SESPMNT	B1MYW1	S END VERNITA BRIDGE	PERIMETER	AT	13-Jun-07	ALPHA	0.000705	pCi/m3	0.00037	0.00044			

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## AIR - BETA/ALPHA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1MYW2	S END VERNITA BRIDGE	PERIMETER	AT	27-Jun-07	ALPHA	0.000622	pCi/m3	0.00035	0.00042			
SESPMNT	B1P2M2	S END VERNITA BRIDGE	PERIMETER	AT	10-Jul-07	ALPHA	0.00066	pCi/m3	0.00037	0.00045			
SESPMNT	B1P2M3	S END VERNITA BRIDGE	PERIMETER	AT	27-Jul-07	ALPHA	0.00108	pCi/m3	0.00069	0.0008			
SESPMNT	B1P2M4	S END VERNITA BRIDGE	PERIMETER	AT	09-Aug-07	ALPHA						CHANGED OUT VACUUM PUMP. NO SAMPLE. SAVE FOR COMPOSITE. CHANGED OUT VACUUM PUMP. FLEX HOSE HAD COLLAPSED CAUSING VACUUM PUMP TO BURN OUT, NO FLOW AT TIME OF CHANGE OUT.	
SESPMNT	B1P2M5	S END VERNITA BRIDGE	PERIMETER	AT	22-Aug-07	ALPHA	0.000852	pCi/m3	0.00042	0.00051			
SESPMNT	B1P2M6	S END VERNITA BRIDGE	PERIMETER	AT	05-Sep-07	ALPHA	0.000332	pCi/m3	0.00029	0.00035	U		
SESPMNT	B1P2M7	S END VERNITA BRIDGE	PERIMETER	AT	19-Sep-07	ALPHA	0.000761	pCi/m3	0.00036	0.00044			
SESPMNT	B1P2M8	S END VERNITA BRIDGE	PERIMETER	AT	03-Oct-07	ALPHA	0.000163	pCi/m3	0.00024	0.0003	U		
SESPMNT	B1PT25	S END VERNITA BRIDGE	PERIMETER	AT	18-Oct-07	ALPHA						NO SAMPLE. SAVE FOR COMPOSITE. PUMP REPLACED.	
SESPMNT	B1PT26	S END VERNITA BRIDGE	PERIMETER	AT	01-Nov-07	ALPHA	0.000483	pCi/m3	0.00031	0.00037			
SESPMNT	B1PT27	S END VERNITA BRIDGE	PERIMETER	AT	13-Nov-07	ALPHA	0.000716	pCi/m3	0.0004	0.00047			
SESPMNT	B1PT28	S END VERNITA BRIDGE	PERIMETER	AT	27-Nov-07	ALPHA	0.0013	pCi/m3	0.0005	0.00058			
SESPMNT	B1PT29	S END VERNITA BRIDGE	PERIMETER	AT	11-Dec-07	ALPHA	0.000298	pCi/m3	0.00025	0.0003	U		
SESPMNT	B1PT30	S END VERNITA BRIDGE	PERIMETER	AT	27-Dec-07	ALPHA	0.000547	pCi/m3	0.00032	0.00038			
SESPMNT	B1LVL4	S OF 200 E	ONSITE	AT	09-Jan-07	ALPHA	0.000741	pCi/m3	0.00041	0.00049			
SESPMNT	B1LVL5	S OF 200 E	ONSITE	AT	24-Jan-07	ALPHA	0.00297	pCi/m3	0.00062	0.00095			
SESPMNT	B1LVL6	S OF 200 E	ONSITE	AT	06-Feb-07	ALPHA	0.000982	pCi/m3	0.00056	0.00065			
SESPMNT	B1LVL7	S OF 200 E	ONSITE	AT	19-Feb-07	ALPHA	0.00178	pCi/m3	0.00054	0.00071			
SESPMNT	B1LVL8	S OF 200 E	ONSITE	AT	06-Mar-07	ALPHA	0.000286	pCi/m3	0.00029	0.00035	U		
SESPMNT	B1LVL9	S OF 200 E	ONSITE	AT	19-Mar-07	ALPHA	0.000773	pCi/m3	0.00043	0.00052			
SESPMNT	B1LVM0	S OF 200 E	ONSITE	AT	04-Apr-07	ALPHA	0.000252	pCi/m3	0.00027	0.00033	U		
SESPMNT	B1MY74	S OF 200 E	ONSITE	AT	17-Apr-07	ALPHA	0.000528	pCi/m3	0.00035	0.00042			
SESPMNT	B1MY75	S OF 200 E	ONSITE	AT	01-May-07	ALPHA	0.000634	pCi/m3	0.00036	0.00044			
SESPMNT	B1MY76	S OF 200 E	ONSITE	AT	15-May-07	ALPHA	0.00127	pCi/m3	0.00047	0.00059			
SESPMNT	B1MY77	S OF 200 E	ONSITE	AT	29-May-07	ALPHA	0.000617	pCi/m3	0.00037	0.00045			
SESPMNT	B1MY78	S OF 200 E	ONSITE	AT	12-Jun-07	ALPHA	0.000459	pCi/m3	0.00022	0.00027			
SESPMNT	B1MY79	S OF 200 E	ONSITE	AT	25-Jun-07	ALPHA						NO SAMPLE. DO NOT SAVE FOR COMPOSITE, NO FLOW, PUMP REPLACED.	
SESPMNT	B1P220	S OF 200 E	ONSITE	AT	09-Jul-07	ALPHA	0.000472	pCi/m3	0.00037	0.00045			
SESPMNT	B1P221	S OF 200 E	ONSITE	AT	23-Jul-07	ALPHA	0.000509	pCi/m3	0.00031	0.00037			
SESPMNT	B1P222	S OF 200 E	ONSITE	AT	08-Aug-07	ALPHA	0.000814	pCi/m3	0.00033	0.00041			
SESPMNT	B1P223	S OF 200 E	ONSITE	AT	21-Aug-07	ALPHA	0.000492	pCi/m3	0.00034	0.0004			
SESPMNT	B1P224	S OF 200 E	ONSITE	AT	04-Sep-07	ALPHA	0.000506	pCi/m3	0.00033	0.00039			
SESPMNT	B1P225	S OF 200 E	ONSITE	AT	18-Sep-07	ALPHA	0.000955	pCi/m3	0.00041	0.0005			
SESPMNT	B1P226	S OF 200 E	ONSITE	AT	02-Oct-07	ALPHA	0.000507	pCi/m3	0.00032	0.00039			
SESPMNT	B1PRD1	S OF 200 E	ONSITE	AT	16-Oct-07	ALPHA	0.000933	pCi/m3	0.0004	0.00049			
SESPMNT	B1PRD2	S OF 200 E	ONSITE	AT	31-Oct-07	ALPHA						NO SAMPLE. FILTER MISSING AND FILTER HEAD APPEARED DAMAGED.	
SESPMNT	B1PRD3	S OF 200 E	ONSITE	AT	09-Nov-07	ALPHA						NO SAMPLE. FILTER MISSING.	
SESPMNT	B1PRD4	S OF 200 E	ONSITE	AT	26-Nov-07	ALPHA	0.000901	pCi/m3	0.00038	0.00043			
SESPMNT	B1PRD5	S OF 200 E	ONSITE	AT	10-Dec-07	ALPHA	0.000867	pCi/m3	0.00044	0.00053			
SESPMNT	B1PRD6	S OF 200 E	ONSITE	AT	26-Dec-07	ALPHA	0.001	pCi/m3	0.00045	0.00054			
SESPMNT	B1LVP4	SW OF B/C CRIBS	ONSITE	AT	09-Jan-07	ALPHA	0.000362	pCi/m3	0.00035	0.00042	U		
SESPMNT	B1LVP5	SW OF B/C CRIBS	ONSITE	AT	24-Jan-07	ALPHA	0.00195	pCi/m3	0.00058	0.00076			
SESPMNT	B1LVP6	SW OF B/C CRIBS	ONSITE	AT	06-Feb-07	ALPHA	0.00119	pCi/m3	0.00056	0.00066			
SESPMNT	B1LVP7	SW OF B/C CRIBS	ONSITE	AT	19-Feb-07	ALPHA	0.000335	pCi/m3	0.00037	0.00044	U		
SESPMNT	B1LVP8	SW OF B/C CRIBS	ONSITE	AT	06-Mar-07	ALPHA	0.000279	pCi/m3	0.0003	0.00036	U		
SESPMNT	B1LVP9	SW OF B/C CRIBS	ONSITE	AT	19-Mar-07	ALPHA	0.000543	pCi/m3	0.00039	0.00047			
SESPMNT	B1LVR0	SW OF B/C CRIBS	ONSITE	AT	04-Apr-07	ALPHA	0.000647	pCi/m3	0.00035	0.00042			
SESPMNT	B1MYB0	SW OF B/C CRIBS	ONSITE	AT	17-Apr-07	ALPHA	0.000186	pCi/m3	0.00029	0.00035	U		
SESPMNT	B1MYB1	SW OF B/C CRIBS	ONSITE	AT	01-May-07	ALPHA	0.000225	pCi/m3	0.00027	0.00033	U		
SESPMNT	B1MYB2	SW OF B/C CRIBS	ONSITE	AT	15-May-07	ALPHA	0.000899	pCi/m3	0.0004	0.00049			
SESPMNT	B1MYB3	SW OF B/C CRIBS	ONSITE	AT	29-May-07	ALPHA	0.000547	pCi/m3	0.00035	0.00042			
SESPMNT	B1MYB4	SW OF B/C CRIBS	ONSITE	AT	12-Jun-07	ALPHA	0.000512	pCi/m3	0.00035	0.00042			
SESPMNT	B1MYB5	SW OF B/C CRIBS	ONSITE	AT	25-Jun-07	ALPHA	0.000432	pCi/m3	0.0003	0.00037			
SESPMNT	B1P250	SW OF B/C CRIBS	ONSITE	AT	09-Jul-07	ALPHA	0.000483	pCi/m3	0.00031	0.00037			
SESPMNT	B1P251	SW OF B/C CRIBS	ONSITE	AT	23-Jul-07	ALPHA	0.000513	pCi/m3	0.00032	0.00039			
SESPMNT	B1P252	SW OF B/C CRIBS	ONSITE	AT	08-Aug-07	ALPHA	0.000556	pCi/m3	0.0003	0.00036			
SESPMNT	B1P253	SW OF B/C CRIBS	ONSITE	AT	21-Aug-07	ALPHA	0.000746	pCi/m3	0.00038	0.00046			
SESPMNT	B1P254	SW OF B/C CRIBS	ONSITE	AT	04-Sep-07	ALPHA	0.000418	pCi/m3	0.00031	0.00037			
SESPMNT	B1P255	SW OF B/C CRIBS	ONSITE	AT	18-Sep-07	ALPHA	0.000656	pCi/m3	0.00039	0.00046			
SESPMNT	B1P256	SW OF B/C CRIBS	ONSITE	AT	02-Oct-07	ALPHA	0.000437	pCi/m3	0.00031	0.00037			
SESPMNT	B1PRJ1	SW OF B/C CRIBS	ONSITE	AT	16-Oct-07	ALPHA	0.000523	pCi/m3	0.00034	0.0004			
SESPMNT	B1PRJ2	SW OF B/C CRIBS	ONSITE	AT	31-Oct-07	ALPHA	0.000401	pCi/m3	0.0003	0.00036			
SESPMNT	B1PRJ3	SW OF B/C CRIBS	ONSITE	AT	09-Nov-07	ALPHA	0.001	pCi/m3	0.00059	0.0007			
SESPMNT	B1PRJ4	SW OF B/C CRIBS	ONSITE	AT	26-Nov-07	ALPHA	0.000619	pCi/m3	0.00034	0.00037			
SESPMNT	B1PRJ5	SW OF B/C CRIBS	ONSITE	AT	10-Dec-07	ALPHA	0.000414	pCi/m3	0.00037	0.00043	U		

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## AIR - BETA/ALPHA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1PRJ6	SW OF B/C CRIBS	ONSITE	AT	26-Dec-07	ALPHA	0.00112	pCi/m3	0.00045	0.00056			
SESPMNT	B1LW01	W END OF FIR ROAD	PERIMETER	AT	11-Jan-07	ALPHA	0.00111	pCi/m3	0.00045	0.00056			
SESPMNT	B1LW02	W END OF FIR ROAD	PERIMETER	AT	26-Jan-07	ALPHA	0.00184	pCi/m3	0.00058	0.00074			
SESPMNT	B1LW03	W END OF FIR ROAD	PERIMETER	AT	08-Feb-07	ALPHA	0.00102	pCi/m3	0.00051	0.0006			
SESPMNT	B1LW04	W END OF FIR ROAD	PERIMETER	AT	22-Feb-07	ALPHA	0.000604	pCi/m3	0.00036	0.00043			
SESPMNT	B1LW05	W END OF FIR ROAD	PERIMETER	AT	08-Mar-07	ALPHA	0.000175	pCi/m3	0.00029	0.00035	U		
SESPMNT	B1LW06	W END OF FIR ROAD	PERIMETER	AT	22-Mar-07	ALPHA	0.000443	pCi/m3	0.00032	0.00039			
SESPMNT	B1LW07	W END OF FIR ROAD	PERIMETER	AT	06-Apr-07	ALPHA	0.000998	pCi/m3	0.0004	0.0005			
SESPMNT	B1MYL3	W END OF FIR ROAD	PERIMETER	AT	19-Apr-07	ALPHA	0.00053	pCi/m3	0.00035	0.00043			
SESPMNT	B1MYL4	W END OF FIR ROAD	PERIMETER	AT	03-May-07	ALPHA	0.000469	pCi/m3	0.00034	0.00041			
SESPMNT	B1MYL5	W END OF FIR ROAD	PERIMETER	AT	17-May-07	ALPHA	0.00037	pCi/m3	0.00034	0.0004	U		
SESPMNT	B1MYL6	W END OF FIR ROAD	PERIMETER	AT	31-May-07	ALPHA	0.000787	pCi/m3	0.0004	0.00049			
SESPMNT	B1MYL7	W END OF FIR ROAD	PERIMETER	AT	14-Jun-07	ALPHA	0.00114	pCi/m3	0.00047	0.00058			
SESPMNT	B1MYL8	W END OF FIR ROAD	PERIMETER	AT	28-Jun-07	ALPHA	0.000496	pCi/m3	0.00031	0.00037			
SESPMNT	B1P2C7	W END OF FIR ROAD	PERIMETER	AT	13-Jul-07	ALPHA	0.000615	pCi/m3	0.00032	0.00039			
SESPMNT	B1P2C8	W END OF FIR ROAD	PERIMETER	AT	24-Jul-07	ALPHA	0.000756	pCi/m3	0.00045	0.00054			
SESPMNT	B1P2C9	W END OF FIR ROAD	PERIMETER	AT	10-Aug-07	ALPHA	0.00065	pCi/m3	0.00032	0.00038			
SESPMNT	B1P2D0	W END OF FIR ROAD	PERIMETER	AT	23-Aug-07	ALPHA						NO SAMPLE. SAVE FOR COMPOSITE.	
SESPMNT	B1P2D1	W END OF FIR ROAD	PERIMETER	AT	06-Sep-07	ALPHA	0.000382	pCi/m3	0.00031	0.00037			
SESPMNT	B1P2D2	W END OF FIR ROAD	PERIMETER	AT	21-Sep-07	ALPHA	0.000797	pCi/m3	0.00037	0.00045			
SESPMNT	B1P2D3	W END OF FIR ROAD	PERIMETER	AT	04-Oct-07	ALPHA	0.000492	pCi/m3	0.00035	0.00042			
SESPMNT	B1PR16	W END OF FIR ROAD	PERIMETER	AT	19-Oct-07	ALPHA	0.000671	pCi/m3	0.00035	0.00042			
SESPMNT	B1PR17	W END OF FIR ROAD	PERIMETER	AT	02-Nov-07	ALPHA	0.000793	pCi/m3	0.00041	0.00049			
SESPMNT	B1PR18	W END OF FIR ROAD	PERIMETER	AT	14-Nov-07	ALPHA	0.000967	pCi/m3	0.0005	0.00059			
SESPMNT	B1PR19	W END OF FIR ROAD	PERIMETER	AT	29-Nov-07	ALPHA	0.00118	pCi/m3	0.00045	0.00052			
SESPMNT	B1PRV0	W END OF FIR ROAD	PERIMETER	AT	12-Dec-07	ALPHA	0.000271	pCi/m3	0.00031	0.00036	U		
SESPMNT	B1PRV1	W END OF FIR ROAD	PERIMETER	AT	28-Dec-07	ALPHA	0.0000845	pCi/m3	0.00029	0.00036	U		
SESPMNT	B1LW59	WAHLUKE SLOPE	PERIMETER	AT	10-Jan-07	ALPHA	0.000289	pCi/m3	0.00033	0.00039	U		
SESPMNT	B1LW60	WAHLUKE SLOPE	PERIMETER	AT	25-Jan-07	ALPHA	0.00049	pCi/m3	0.00036	0.00041			
SESPMNT	B1LW61	WAHLUKE SLOPE	PERIMETER	AT	07-Feb-07	ALPHA	0.000926	pCi/m3	0.00051	0.00059			
SESPMNT	B1LW62	WAHLUKE SLOPE	PERIMETER	AT	21-Feb-07	ALPHA	0.000284	pCi/m3	0.00028	0.00034	U		
SESPMNT	B1LW63	WAHLUKE SLOPE	PERIMETER	AT	07-Mar-07	ALPHA	0.00074	pCi/m3	0.00037	0.00044			
SESPMNT	B1LW64	WAHLUKE SLOPE	PERIMETER	AT	20-Mar-07	ALPHA	0.000454	pCi/m3	0.00033	0.0004			
SESPMNT	B1LW65	WAHLUKE SLOPE	PERIMETER	AT	05-Apr-07	ALPHA	0.000405	pCi/m3	0.00027	0.00033			
SESPMNT	B1MYV1	WAHLUKE SLOPE	PERIMETER	AT	18-Apr-07	ALPHA	0.000177	pCi/m3	0.00027	0.00033	U		
SESPMNT	B1MYV2	WAHLUKE SLOPE	PERIMETER	AT	02-May-07	ALPHA	0.000435	pCi/m3	0.00032	0.00039			
SESPMNT	B1MYV3	WAHLUKE SLOPE	PERIMETER	AT	16-May-07	ALPHA	0.00107	pCi/m3	0.00042	0.00052			
SESPMNT	B1MYV4	WAHLUKE SLOPE	PERIMETER	AT	30-May-07	ALPHA	0.000851	pCi/m3	0.00038	0.00047			
SESPMNT	B1MYV5	WAHLUKE SLOPE	PERIMETER	AT	13-Jun-07	ALPHA	0.000581	pCi/m3	0.00036	0.00043			
SESPMNT	B1MYV6	WAHLUKE SLOPE	PERIMETER	AT	27-Jun-07	ALPHA	0.000599	pCi/m3	0.00031	0.00038			
SESPMNT	B1P2L5	WAHLUKE SLOPE	PERIMETER	AT	10-Jul-07	ALPHA	0.000179	pCi/m3	0.00027	0.00033	U		
SESPMNT	B1P2L6	WAHLUKE SLOPE	PERIMETER	AT	27-Jul-07	ALPHA	0.000435	pCi/m3	0.00028	0.00033			
SESPMNT	B1P2L7	WAHLUKE SLOPE	PERIMETER	AT	09-Aug-07	ALPHA	0.00114	pCi/m3	0.00044	0.00054			
SESPMNT	B1P2L8	WAHLUKE SLOPE	PERIMETER	AT	22-Aug-07	ALPHA	0.000344	pCi/m3	0.00031	0.00038	U		
SESPMNT	B1P2L9	WAHLUKE SLOPE	PERIMETER	AT	05-Sep-07	ALPHA	0.000315	pCi/m3	0.00029	0.00035	U		
SESPMNT	B1P2M0	WAHLUKE SLOPE	PERIMETER	AT	19-Sep-07	ALPHA	0.000429	pCi/m3	0.00032	0.00038			
SESPMNT	B1P2M1	WAHLUKE SLOPE	PERIMETER	AT	03-Oct-07	ALPHA	0.0000935	pCi/m3	0.00024	0.0003	U		
SESPMNT	B1PT18	WAHLUKE SLOPE	PERIMETER	AT	18-Oct-07	ALPHA	0.00042	pCi/m3	0.00032	0.00038			
SESPMNT	B1PT19	WAHLUKE SLOPE	PERIMETER	AT	01-Nov-07	ALPHA	0.000793	pCi/m3	0.0004	0.00047			
SESPMNT	B1PT20	WAHLUKE SLOPE	PERIMETER	AT	13-Nov-07	ALPHA	0.00085	pCi/m3	0.00047	0.00056			
SESPMNT	B1PT21	WAHLUKE SLOPE	PERIMETER	AT	27-Nov-07	ALPHA	0.00144	pCi/m3	0.00048	0.00058			
SESPMNT	B1PT22	WAHLUKE SLOPE	PERIMETER	AT	11-Dec-07	ALPHA	0.000626	pCi/m3	0.00038	0.00045			
SESPMNT	B1PT23	WAHLUKE SLOPE	PERIMETER	AT	27-Dec-07	ALPHA	0.000853	pCi/m3	0.00038	0.00046			
SESPMNT	B1LVY4	WYE BARRICADE	ONSITE	AT	15-Jan-07	ALPHA	0.00106	pCi/m3	0.00039	0.0005			
SESPMNT	B1LVY5	WYE BARRICADE	ONSITE	AT	30-Jan-07	ALPHA	0.00108	pCi/m3	0.00044	0.00053			
SESPMNT	B1LVY6	WYE BARRICADE	ONSITE	AT	13-Feb-07	ALPHA	0.0013	pCi/m3	0.00048	0.00059			
SESPMNT	B1LVY7	WYE BARRICADE	ONSITE	AT	26-Feb-07	ALPHA	0.000616	pCi/m3	0.00032	0.0004			
SESPMNT	B1LVY8	WYE BARRICADE	ONSITE	AT	12-Mar-07	ALPHA	0.000451	pCi/m3	0.0003	0.00035			
SESPMNT	B1LVY9	WYE BARRICADE	ONSITE	AT	28-Mar-07	ALPHA	0.000284	pCi/m3	0.00025	0.00029	U		
SESPMNT	B1MYK5	WYE BARRICADE	ONSITE	AT	10-Apr-07	ALPHA	0.000374	pCi/m3	0.00032	0.00037			
SESPMNT	B1MYK6	WYE BARRICADE	ONSITE	AT	20-Apr-07	ALPHA	-0.000182	pCi/m3	0.0002	0.00031	U		
SESPMNT	B1MYK7	WYE BARRICADE	ONSITE	AT	08-May-07	ALPHA	0.000609	pCi/m3	0.00026	0.00031			
SESPMNT	B1MYK8	WYE BARRICADE	ONSITE	AT	22-May-07	ALPHA	0.000596	pCi/m3	0.00029	0.00036			
SESPMNT	B1MYK9	WYE BARRICADE	ONSITE	AT	06-Jun-07	ALPHA	0.000362	pCi/m3	0.00026	0.00031			
SESPMNT	B1MYL0	WYE BARRICADE	ONSITE	AT	19-Jun-07	ALPHA						NO SAMPLE. SAVE FOR COMPOSITE, CHANGED OUT PUMP.	
SESPMNT	B1MYL1	WYE BARRICADE	ONSITE	AT	02-Jul-07	ALPHA	0.000485	pCi/m3	0.00029	0.00035			
SESPMNT	B1P2C0	WYE BARRICADE	ONSITE	AT	17-Jul-07	ALPHA	0.000663	pCi/m3	0.0003	0.00036			

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## AIR - BETA/ALPHA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1P2C1	WYE BARRICADE	ONSITE	AT	27-Jul-07	ALPHA	0.000409	pCi/m3	0.00033	0.0004			
SESPMNT	B1P2C2	WYE BARRICADE	ONSITE	AT	13-Aug-07	ALPHA	0.000457	pCi/m3	0.00024	0.00029			
SESPMNT	B1P2C3	WYE BARRICADE	ONSITE	AT	24-Aug-07	ALPHA	0.000554	pCi/m3	0.00035	0.00042			
SESPMNT	B1P2C4	WYE BARRICADE	ONSITE	AT	10-Sep-07	ALPHA	0.000531	pCi/m3	0.00023	0.00028		LOOSE FITTING.	
SESPMNT	B1P2C5	WYE BARRICADE	ONSITE	AT	25-Sep-07	ALPHA	0.00092	pCi/m3	0.0003	0.00038		REPLACED FLOW METER.	
SESPMNT	B1PRR8	WYE BARRICADE	ONSITE	AT	09-Oct-07	ALPHA	0.000685	pCi/m3	0.00033	0.0004			
SESPMNT	B1PRR9	WYE BARRICADE	ONSITE	AT	24-Oct-07	ALPHA	0.00111	pCi/m3	0.00039	0.00049			
SESPMNT	B1PRT0	WYE BARRICADE	ONSITE	AT	05-Nov-07	ALPHA	0.000711	pCi/m3	0.00046	0.00055			
SESPMNT	B1PRT1	WYE BARRICADE	ONSITE	AT	19-Nov-07	ALPHA	0.00118	pCi/m3	0.00051	0.00063			
SESPMNT	B1PRT2	WYE BARRICADE	ONSITE	AT	03-Dec-07	ALPHA	0.000857	pCi/m3	0.00045	0.00053			
SESPMNT	B1PRT3	WYE BARRICADE	ONSITE	AT	20-Dec-07	ALPHA	0.000686	pCi/m3	0.0003	0.00036			
SESPMNT	B1PRT4	WYE BARRICADE	ONSITE	AT	02-Jan-08	ALPHA	0.001	pCi/m3	0.00038	0.00048			
SESPMNT	B1LW89	YAKIMA	DISTANT	AT	18-Jan-07	ALPHA	0.000615	pCi/m3	0.00039	0.00046			
SESPMNT	B1LW90	YAKIMA	DISTANT	AT	02-Feb-07	ALPHA	0.00106	pCi/m3	0.00047	0.00056			
SESPMNT	B1LW91	YAKIMA	DISTANT	AT	16-Feb-07	ALPHA	0.0015	pCi/m3	0.00052	0.00065			
SESPMNT	B1LW92	YAKIMA	DISTANT	AT	02-Mar-07	ALPHA	0.000458	pCi/m3	0.00032	0.00039			
SESPMNT	B1LW93	YAKIMA	DISTANT	AT	16-Mar-07	ALPHA	0.000367	pCi/m3	0.00032	0.00038	U		
SESPMNT	B1LW94	YAKIMA	DISTANT	AT	03-Apr-07	ALPHA	0.000504	pCi/m3	0.00029	0.00035			
SESPMNT	B1MYX7	YAKIMA	DISTANT	AT	12-Apr-07	ALPHA	0.000252	pCi/m3	0.0004	0.00049	U		
SESPMNT	B1MYX8	YAKIMA	DISTANT	AT	27-Apr-07	ALPHA	0.00016	pCi/m3	0.00023	0.00029	U		
SESPMNT	B1MYX9	YAKIMA	DISTANT	AT	11-May-07	ALPHA	0.000775	pCi/m3	0.0004	0.00048			
SESPMNT	B1MYY0	YAKIMA	DISTANT	AT	24-May-07	ALPHA	0.000622	pCi/m3	0.00033	0.0004			
SESPMNT	B1MYY1	YAKIMA	DISTANT	AT	08-Jun-07	ALPHA	0.00095	pCi/m3	0.00038	0.00047			
SESPMNT	B1MYY2	YAKIMA	DISTANT	AT	21-Jun-07	ALPHA	0.000425	pCi/m3	0.00031	0.00038			
SESPMNT	B1MYY3	YAKIMA	DISTANT	AT	03-Jul-07	ALPHA	0.000234	pCi/m3	0.0003	0.00037	U		
SESPMNT	B1P2P5	YAKIMA	DISTANT	AT	19-Jul-07	ALPHA	0.000291	pCi/m3	0.00026	0.00031	U		
SESPMNT	B1P2P6	YAKIMA	DISTANT	AT	06-Aug-07	ALPHA						NO SAMPLE. SAVE FOR COMPOSITE, PUMP REPLACED.	
SESPMNT	B1P2P7	YAKIMA	DISTANT	AT	16-Aug-07	ALPHA	0.000847	pCi/m3	0.00043	0.00053			
SESPMNT	B1P2P8	YAKIMA	DISTANT	AT	31-Aug-07	ALPHA	0.000507	pCi/m3	0.00029	0.00035			
SESPMNT	B1P2P9	YAKIMA	DISTANT	AT	13-Sep-07	ALPHA	0.000774	pCi/m3	0.0004	0.00048			
SESPMNT	B1P2R0	YAKIMA	DISTANT	AT	27-Sep-07	ALPHA	0.000535	pCi/m3	0.00033	0.00039			
SESPMNT	B1PT48	YAKIMA	DISTANT	AT	11-Oct-07	ALPHA	0.000278	pCi/m3	0.00029	0.00035	U		
SESPMNT	B1PT49	YAKIMA	DISTANT	AT	26-Oct-07	ALPHA	0.000608	pCi/m3	0.00033	0.0004			
SESPMNT	B1PT50	YAKIMA	DISTANT	AT	07-Nov-07	ALPHA	0.000816	pCi/m3	0.00045	0.00053			
SESPMNT	B1PT51	YAKIMA	DISTANT	AT	21-Nov-07	ALPHA	0.000816	pCi/m3	0.0004	0.00049			
SESPMNT	B1PT52	YAKIMA	DISTANT	AT	07-Dec-07	ALPHA	0.000993	pCi/m3	0.00044	0.00053			
SESPMNT	B1PT53	YAKIMA	DISTANT	AT	21-Dec-07	ALPHA	0.000583	pCi/m3	0.0003	0.00035			
SESPMNT	B1PT54	YAKIMA	DISTANT	AT	04-Jan-08	ALPHA						NO SAMPLE. SAVE FOR COMPOSITE.	
SESPMNT	B1LW46	YAKIMA BARRICADE	PERIMETER	AT	18-Jan-07	ALPHA	0.00121	pCi/m3	0.00042	0.00054			
SESPMNT	B1LW47	YAKIMA BARRICADE	PERIMETER	AT	02-Feb-07	ALPHA	0.00123	pCi/m3	0.00047	0.00058			
SESPMNT	B1LW48	YAKIMA BARRICADE	PERIMETER	AT	16-Feb-07	ALPHA	0.0007	pCi/m3	0.00043	0.0005			
SESPMNT	B1LW49	YAKIMA BARRICADE	PERIMETER	AT	02-Mar-07	ALPHA	0.000322	pCi/m3	0.0003	0.00036	U		
SESPMNT	B1LW50	YAKIMA BARRICADE	PERIMETER	AT	16-Mar-07	ALPHA	0.000166	pCi/m3	0.00028	0.00034	U		
SESPMNT	B1LW51	YAKIMA BARRICADE	PERIMETER	AT	03-Apr-07	ALPHA	0.000285	pCi/m3	0.00023	0.00028			
SESPMNT	B1MYR6	YAKIMA BARRICADE	PERIMETER	AT	12-Apr-07	ALPHA	0.00053	pCi/m3	0.00046	0.00055	U		
SESPMNT	B1MYR7	YAKIMA BARRICADE	PERIMETER	AT	27-Apr-07	ALPHA	0.000236	pCi/m3	0.00024	0.0003	U		
SESPMNT	B1MYR8	YAKIMA BARRICADE	PERIMETER	AT	11-May-07	ALPHA	0.000678	pCi/m3	0.00034	0.00042			
SESPMNT	B1MYR9	YAKIMA BARRICADE	PERIMETER	AT	24-May-07	ALPHA	0.00102	pCi/m3	0.0005	0.00061			
SESPMNT	B1MYT0	YAKIMA BARRICADE	PERIMETER	AT	08-Jun-07	ALPHA	0.000991	pCi/m3	0.00037	0.00046			
SESPMNT	B1MYT1	YAKIMA BARRICADE	PERIMETER	AT	21-Jun-07	ALPHA	0.000624	pCi/m3	0.00033	0.00041			
SESPMNT	B1MYT2	YAKIMA BARRICADE	PERIMETER	AT	03-Jul-07	ALPHA	0.000557	pCi/m3	0.00034	0.00041			
SESPMNT	B1P2K2	YAKIMA BARRICADE	PERIMETER	AT	19-Jul-07	ALPHA	0.000427	pCi/m3	0.00028	0.00034			
SESPMNT	B1P2K3	YAKIMA BARRICADE	PERIMETER	AT	06-Aug-07	ALPHA	0.000614	pCi/m3	0.00029	0.00035			
SESPMNT	B1P2K4	YAKIMA BARRICADE	PERIMETER	AT	16-Aug-07	ALPHA	0.00071	pCi/m3	0.00045	0.00054			
SESPMNT	B1P2K5	YAKIMA BARRICADE	PERIMETER	AT	31-Aug-07	ALPHA						NO SAMPLE. DO NOT SAVE FOR COMPOSITE. REPLACED PUMP.	
SESPMNT	B1P2K6	YAKIMA BARRICADE	PERIMETER	AT	13-Sep-07	ALPHA	0.000403	pCi/m3	0.00031	0.00037			
SESPMNT	B1P2K7	YAKIMA BARRICADE	PERIMETER	AT	27-Sep-07	ALPHA	0.000635	pCi/m3	0.00033	0.0004			
SESPMNT	B1PT03	YAKIMA BARRICADE	PERIMETER	AT	11-Oct-07	ALPHA	0.000737	pCi/m3	0.00034	0.00042			
SESPMNT	B1PT04	YAKIMA BARRICADE	PERIMETER	AT	26-Oct-07	ALPHA	0.000343	pCi/m3	0.00029	0.00034			
SESPMNT	B1PT05	YAKIMA BARRICADE	PERIMETER	AT	07-Nov-07	ALPHA	0.00124	pCi/m3	0.00049	0.00061			
SESPMNT	B1PT06	YAKIMA BARRICADE	PERIMETER	AT	21-Nov-07	ALPHA	0.00102	pCi/m3	0.0004	0.0005			
SESPMNT	B1PT07	YAKIMA BARRICADE	PERIMETER	AT	07-Dec-07	ALPHA	0.00108	pCi/m3	0.00043	0.00053			
SESPMNT	B1PT08	YAKIMA BARRICADE	PERIMETER	AT	21-Dec-07	ALPHA	0.000958	pCi/m3	0.00046	0.00055			
SESPMNT	B1PT09	YAKIMA BARRICADE	PERIMETER	AT	04-Jan-08	ALPHA	0.000433	pCi/m3	0.00034	0.00041			
SESPMNT	B1LVK0	100 D AREA	ONSITE	AT	15-Jan-07	BETA	0.0134	pCi/m3	0.0014	0.0027			
SESPMNT	B1LVK1	100 D AREA	ONSITE	AT	30-Jan-07	BETA	0.056	pCi/m3	0.0023	0.0094			
SESPMNT	B1LVK2	100 D AREA	ONSITE	AT	13-Feb-07	BETA	0.0443	pCi/m3	0.0021	0.0075			

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## AIR - BETA/ALPHA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1LVK3	100 D AREA	ONSITE	AT	26-Feb-07	BETA	0.00804	pCi/m3	0.0012	0.002			
SESPMNT	B1LVK4	100 D AREA	ONSITE	AT	12-Mar-07	BETA	0.0137	pCi/m3	0.0013	0.0028			
SESPMNT	B1LVK5	100 D AREA	ONSITE	AT	28-Mar-07	BETA	0.00941	pCi/m3	0.0012	0.0021			
SESPMNT	B1MY60	100 D AREA	ONSITE	AT	10-Apr-07	BETA	0.0132	pCi/m3	0.0013	0.0027			
SESPMNT	B1MY61	100 D AREA	ONSITE	AT	20-Apr-07	BETA	0.0057	pCi/m3	0.0011	0.0017			
SESPMNT	B1MY62	100 D AREA	ONSITE	AT	08-May-07	BETA	0.0104	pCi/m3	0.00094	0.002			
SESPMNT	B1MY63	100 D AREA	ONSITE	AT	22-May-07	BETA	0.015	pCi/m3	0.0013	0.0029			
SESPMNT	B1MY64	100 D AREA	ONSITE	AT	06-Jun-07	BETA	0.0164	pCi/m3	0.0013	0.0031			
SESPMNT	B1MY65	100 D AREA	ONSITE	AT	19-Jun-07	BETA	0.00688	pCi/m3	0.001	0.0017			
SESPMNT	B1MY66	100 D AREA	ONSITE	AT	02-Jul-07	BETA	0.00818	pCi/m3	0.0011	0.0019			
SESPMNT	B1P206	100 D AREA	ONSITE	AT	17-Jul-07	BETA	0.0124	pCi/m3	0.0012	0.0025			
SESPMNT	B1P207	100 D AREA	ONSITE	AT	27-Jul-07	BETA	0.0114	pCi/m3	0.0014	0.0025			
SESPMNT	B1P208	100 D AREA	ONSITE	AT	13-Aug-07	BETA	0.0107	pCi/m3	0.00099	0.0021			
SESPMNT	B1P209	100 D AREA	ONSITE	AT	24-Aug-07	BETA	0.0136	pCi/m3	0.0015	0.0029			
SESPMNT	B1P210	100 D AREA	ONSITE	AT	10-Sep-07	BETA	0.0126	pCi/m3	0.0011	0.0025			
SESPMNT	B1P211	100 D AREA	ONSITE	AT	25-Sep-07	BETA	0.0143	pCi/m3	0.0011	0.0027			
SESPMNT	B1PRB6	100 D AREA	ONSITE	AT	09-Oct-07	BETA	0.00882	pCi/m3	0.001	0.0019			
SESPMNT	B1PRB7	100 D AREA	ONSITE	AT	24-Oct-07	BETA	0.0122	pCi/m3	0.0011	0.0024			
SESPMNT	B1PRB8	100 D AREA	ONSITE	AT	05-Nov-07	BETA	0.0257	pCi/m3	0.0017	0.0046			
SESPMNT	B1PRB9	100 D AREA	ONSITE	AT	19-Nov-07	BETA	0.0214	pCi/m3	0.0014	0.0039			
SESPMNT	B1PRC0	100 D AREA	ONSITE	AT	03-Dec-07	BETA	0.0342	pCi/m3	0.002	0.0061			
SESPMNT	B1PRC1	100 D AREA	ONSITE	AT	20-Dec-07	BETA	0.0286	pCi/m3	0.0017	0.005			
SESPMNT	B1PRC2	100 D AREA	ONSITE	AT	02-Jan-08	BETA	0.0103	pCi/m3	0.0014	0.0024			
SESPMNT	B1LWL4	100 F MET TOWER	ONSITE	AT	15-Jan-07	BETA	0.0156	pCi/m3	0.0014	0.0031			
SESPMNT	B1LWL5	100 F MET TOWER	ONSITE	AT	30-Jan-07	BETA	0.0561	pCi/m3	0.0022	0.0093			
SESPMNT	B1LWL6	100 F MET TOWER	ONSITE	AT	13-Feb-07	BETA	0.0412	pCi/m3	0.002	0.007			
SESPMNT	B1LWL7	100 F MET TOWER	ONSITE	AT	26-Feb-07	BETA	0.00753	pCi/m3	0.0011	0.0018			
SESPMNT	B1LWL8	100 F MET TOWER	ONSITE	AT	12-Mar-07	BETA	0.012	pCi/m3	0.0012	0.0025			
SESPMNT	B1LWL9	100 F MET TOWER	ONSITE	AT	28-Mar-07	BETA	0.00839	pCi/m3	0.00096	0.0018			
SESPMNT	B1N029	100 F MET TOWER	ONSITE	AT	10-Apr-07	BETA	0.0135	pCi/m3	0.0013	0.0027			
SESPMNT	B1N030	100 F MET TOWER	ONSITE	AT	20-Apr-07	BETA	0.00654	pCi/m3	0.0012	0.0019			
SESPMNT	B1N031	100 F MET TOWER	ONSITE	AT	08-May-07	BETA	0.0101	pCi/m3	0.00096	0.002			
SESPMNT	B1N032	100 F MET TOWER	ONSITE	AT	22-May-07	BETA	0.0144	pCi/m3	0.0013	0.0028			
SESPMNT	B1N033	100 F MET TOWER	ONSITE	AT	06-Jun-07	BETA	0.0183	pCi/m3	0.0014	0.0035			
SESPMNT	B1N034	100 F MET TOWER	ONSITE	AT	19-Jun-07	BETA						NO SAMPLE. SAVE FOR COMPOSITE, RESET GFCL.	
SESPMNT	B1N035	100 F MET TOWER	ONSITE	AT	02-Jul-07	BETA	0.00944	pCi/m3	0.0012	0.0021			
SESPMNT	B1P2W8	100 F MET TOWER	ONSITE	AT	17-Jul-07	BETA	0.0135	pCi/m3	0.0012	0.0026			
SESPMNT	B1P2W9	100 F MET TOWER	ONSITE	AT	27-Jul-07	BETA	0.0117	pCi/m3	0.0013	0.0025			
SESPMNT	B1P2X0	100 F MET TOWER	ONSITE	AT	13-Aug-07	BETA	0.0109	pCi/m3	0.00095	0.0021			
SESPMNT	B1P2X1	100 F MET TOWER	ONSITE	AT	24-Aug-07	BETA	0.0124	pCi/m3	0.0014	0.0027			
SESPMNT	B1P2X2	100 F MET TOWER	ONSITE	AT	10-Sep-07	BETA	0.0123	pCi/m3	0.0011	0.0024			
SESPMNT	B1P2X3	100 F MET TOWER	ONSITE	AT	25-Sep-07	BETA	0.0172	pCi/m3	0.0013	0.0032			
SESPMNT	B1PT92	100 F MET TOWER	ONSITE	AT	09-Oct-07	BETA						NO SAMPLE. DO NOT SAVE FOR COMPOSITE. RESET GFCL.	
SESPMNT	B1PT93	100 F MET TOWER	ONSITE	AT	24-Oct-07	BETA						NO SAMPLE. SAVE FOR COMPOSITE, RESET GFCL.	
SESPMNT	B1PT94	100 F MET TOWER	ONSITE	AT	05-Nov-07	BETA	0.0279	pCi/m3	0.002	0.0051			
SESPMNT	B1PT95	100 F MET TOWER	ONSITE	AT	19-Nov-07	BETA						NO SAMPLE. SAVE FOR COMPOSITE, RESET GFCL.	
SESPMNT	B1PT96	100 F MET TOWER	ONSITE	AT	03-Dec-07	BETA	0.043	pCi/m3	0.0027	0.0077			
SESPMNT	B1PT97	100 F MET TOWER	ONSITE	AT	20-Dec-07	BETA	0.0271	pCi/m3	0.0017	0.0048			
SESPMNT	B1PT98	100 F MET TOWER	ONSITE	AT	02-Jan-08	BETA	0.0119	pCi/m3	0.0014	0.0026			
SESPMNT	B1LVH8	100 K AREA	ONSITE	AT	15-Jan-07	BETA	0.0222	pCi/m3	0.002	0.0043			
SESPMNT	B1LVH9	100 K AREA	ONSITE	AT	30-Jan-07	BETA	0.0724	pCi/m3	0.0031	0.012		PUMP REPLACED.	
SESPMNT	B1LVJ0	100 K AREA	ONSITE	AT	13-Feb-07	BETA	0.0382	pCi/m3	0.0018	0.0065			
SESPMNT	B1LVJ1	100 K AREA	ONSITE	AT	26-Feb-07	BETA	0.00646	pCi/m3	0.00092	0.0016			
SESPMNT	B1LVJ2	100 K AREA	ONSITE	AT	12-Mar-07	BETA	0.011	pCi/m3	0.00099	0.0022			
SESPMNT	B1LVJ3	100 K AREA	ONSITE	AT	28-Mar-07	BETA	0.00832	pCi/m3	0.00094	0.0018			
SESPMNT	B1MY46	100 K AREA	ONSITE	AT	10-Apr-07	BETA	0.0147	pCi/m3	0.0013	0.0029			
SESPMNT	B1MY47	100 K AREA	ONSITE	AT	20-Apr-07	BETA	0.00506	pCi/m3	0.0011	0.0017			
SESPMNT	B1MY48	100 K AREA	ONSITE	AT	08-May-07	BETA	0.00918	pCi/m3	0.0009	0.0019			
SESPMNT	B1MY49	100 K AREA	ONSITE	AT	22-May-07	BETA	0.0135	pCi/m3	0.0012	0.0027			
SESPMNT	B1MY50	100 K AREA	ONSITE	AT	06-Jun-07	BETA	0.0146	pCi/m3	0.0012	0.0028			
SESPMNT	B1MY51	100 K AREA	ONSITE	AT	19-Jun-07	BETA	0.00668	pCi/m3	0.001	0.0017			
SESPMNT	B1MY52	100 K AREA	ONSITE	AT	02-Jul-07	BETA	0.00892	pCi/m3	0.0011	0.002			
SESPMNT	B1P1Y4	100 K AREA	ONSITE	AT	17-Jul-07	BETA	0.0123	pCi/m3	0.0012	0.0025			
SESPMNT	B1P1Y5	100 K AREA	ONSITE	AT	27-Jul-07	BETA	0.0126	pCi/m3	0.0015	0.0028			
SESPMNT	B1P1Y6	100 K AREA	ONSITE	AT	13-Aug-07	BETA	0.00978	pCi/m3	0.00092	0.002			
SESPMNT	B1P1Y7	100 K AREA	ONSITE	AT	24-Aug-07	BETA	0.0117	pCi/m3	0.0013	0.0025			
SESPMNT	B1P1Y8	100 K AREA	ONSITE	AT	10-Sep-07	BETA	0.0123	pCi/m3	0.001	0.0024			

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## AIR - BETA/ALPHA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1P1Y9	100 K AREA	ONSITE	AT	25-Sep-07	BETA	0.0145	pCi/m3	0.0012	0.0028			
SESPMNT	B1PR92	100 K AREA	ONSITE	AT	09-Oct-07	BETA	0.00926	pCi/m3	0.0011	0.0021			
SESPMNT	B1PR93	100 K AREA	ONSITE	AT	24-Oct-07	BETA	0.0144	pCi/m3	0.0013	0.0028			
SESPMNT	B1PR94	100 K AREA	ONSITE	AT	05-Nov-07	BETA	0.0253	pCi/m3	0.0018	0.0047			
SESPMNT	B1PR95	100 K AREA	ONSITE	AT	19-Nov-07	BETA	0.0213	pCi/m3	0.0015	0.0039			
SESPMNT	B1PR96	100 K AREA	ONSITE	AT	03-Dec-07	BETA	0.0352	pCi/m3	0.002	0.0061			
SESPMNT	B1PR97	100 K AREA	ONSITE	AT	20-Dec-07	BETA	0.0247	pCi/m3	0.0016	0.0044			
SESPMNT	B1PR98	100 K AREA	ONSITE	AT	02-Jan-08	BETA	0.0112	pCi/m3	0.0013	0.0025			
SESPMNT	B1LVJ4	100 N-1325 CRIB	ONSITE	AT	15-Jan-07	BETA	0.0137	pCi/m3	0.0013	0.0027			
SESPMNT	B1LVJ5	100 N-1325 CRIB	ONSITE	AT	30-Jan-07	BETA	0.0457	pCi/m3	0.0019	0.0076			
SESPMNT	B1LVJ6	100 N-1325 CRIB	ONSITE	AT	13-Feb-07	BETA	0.0394	pCi/m3	0.0019	0.0067			
SESPMNT	B1LVJ7	100 N-1325 CRIB	ONSITE	AT	26-Feb-07	BETA	0.00773	pCi/m3	0.001	0.0018			
SESPMNT	B1LVJ8	100 N-1325 CRIB	ONSITE	AT	12-Mar-07	BETA	0.0129	pCi/m3	0.0012	0.0026			
SESPMNT	B1LVJ9	100 N-1325 CRIB	ONSITE	AT	28-Mar-07	BETA	0.00765	pCi/m3	0.00091	0.0017			
SESPMNT	B1MY53	100 N-1325 CRIB	ONSITE	AT	10-Apr-07	BETA	0.0147	pCi/m3	0.0013	0.0029			
SESPMNT	B1MY54	100 N-1325 CRIB	ONSITE	AT	20-Apr-07	BETA	0.00453	pCi/m3	0.0011	0.0016			
SESPMNT	B1MY55	100 N-1325 CRIB	ONSITE	AT	08-May-07	BETA	0.00886	pCi/m3	0.00089	0.0018			
SESPMNT	B1MY56	100 N-1325 CRIB	ONSITE	AT	22-May-07	BETA	0.0141	pCi/m3	0.0012	0.0027			
SESPMNT	B1MY57	100 N-1325 CRIB	ONSITE	AT	06-Jun-07	BETA	0.0149	pCi/m3	0.0012	0.0028			
SESPMNT	B1MY58	100 N-1325 CRIB	ONSITE	AT	19-Jun-07	BETA	0.0049	pCi/m3	0.0009	0.0014			
SESPMNT	B1MY59	100 N-1325 CRIB	ONSITE	AT	02-Jul-07	BETA	0.00787	pCi/m3	0.001	0.0018			
SESPMNT	B1P200	100 N-1325 CRIB	ONSITE	AT	17-Jul-07	BETA	0.0122	pCi/m3	0.0011	0.0024			
SESPMNT	B1P201	100 N-1325 CRIB	ONSITE	AT	27-Jul-07	BETA	0.0105	pCi/m3	0.0013	0.0024			
SESPMNT	B1P202	100 N-1325 CRIB	ONSITE	AT	13-Aug-07	BETA	0.0107	pCi/m3	0.00097	0.0021			
SESPMNT	B1P203	100 N-1325 CRIB	ONSITE	AT	24-Aug-07	BETA	0.012	pCi/m3	0.0013	0.0026			
SESPMNT	B1P204	100 N-1325 CRIB	ONSITE	AT	10-Sep-07	BETA	0.0121	pCi/m3	0.001	0.0023			
SESPMNT	B1P205	100 N-1325 CRIB	ONSITE	AT	25-Sep-07	BETA	0.0153	pCi/m3	0.0012	0.0029			
SESPMNT	B1PR99	100 N-1325 CRIB	ONSITE	AT	09-Oct-07	BETA	0.00863	pCi/m3	0.001	0.0019			
SESPMNT	B1PRB0	100 N-1325 CRIB	ONSITE	AT	24-Oct-07	BETA	0.015	pCi/m3	0.0012	0.0029			
SESPMNT	B1PRB1	100 N-1325 CRIB	ONSITE	AT	05-Nov-07	BETA	0.0231	pCi/m3	0.0017	0.0042			
SESPMNT	B1PRB2	100 N-1325 CRIB	ONSITE	AT	19-Nov-07	BETA	0.0227	pCi/m3	0.0015	0.0041			
SESPMNT	B1PRB3	100 N-1325 CRIB	ONSITE	AT	03-Dec-07	BETA	0.0346	pCi/m3	0.0019	0.006			
SESPMNT	B1PRB4	100 N-1325 CRIB	ONSITE	AT	20-Dec-07	BETA	0.0274	pCi/m3	0.0016	0.0048			
SESPMNT	B1PRB5	100 N-1325 CRIB	ONSITE	AT	02-Jan-08	BETA	0.00926	pCi/m3	0.0011	0.002			
SESPMNT	B1LVK7	200 ESE	ONSITE	AT	09-Jan-07	BETA	0.0146	pCi/m3	0.0014	0.0029			
SESPMNT	B1LVK8	200 ESE	ONSITE	AT	24-Jan-07	BETA	0.0427	pCi/m3	0.002	0.0072			
SESPMNT	B1LVK9	200 ESE	ONSITE	AT	06-Feb-07	BETA	0.046	pCi/m3	0.0022	0.0078			
SESPMNT	B1LVL0	200 ESE	ONSITE	AT	19-Feb-07	BETA	0.0163	pCi/m3	0.0015	0.0032			
SESPMNT	B1LVL1	200 ESE	ONSITE	AT	06-Mar-07	BETA	0.00938	pCi/m3	0.0011	0.0021			
SESPMNT	B1LVL2	200 ESE	ONSITE	AT	19-Mar-07	BETA	0.0126	pCi/m3	0.0013	0.0026			
SESPMNT	B1LVL3	200 ESE	ONSITE	AT	04-Apr-07	BETA	0.00866	pCi/m3	0.00098	0.0019			
SESPMNT	B1MY68	200 ESE	ONSITE	AT	17-Apr-07	BETA	0.00923	pCi/m3	0.0012	0.0021			
SESPMNT	B1MY69	200 ESE	ONSITE	AT	01-May-07	BETA	0.00839	pCi/m3	0.00099	0.0018			
SESPMNT	B1MY70	200 ESE	ONSITE	AT	15-May-07	BETA	0.0136	pCi/m3	0.0012	0.0026			
SESPMNT	B1MY71	200 ESE	ONSITE	AT	29-May-07	BETA	0.011	pCi/m3	0.0011	0.0022			
SESPMNT	B1MY72	200 ESE	ONSITE	AT	12-Jun-07	BETA	0.00898	pCi/m3	0.0009	0.0018			
SESPMNT	B1MY73	200 ESE	ONSITE	AT	25-Jun-07	BETA	0.0113	pCi/m3	0.0015	0.0026			
SESPMNT	B1P213	200 ESE	ONSITE	AT	09-Jul-07	BETA	0.00983	pCi/m3	0.0011	0.0021			
SESPMNT	B1P214	200 ESE	ONSITE	AT	23-Jul-07	BETA	0.0114	pCi/m3	0.0012	0.0024			
SESPMNT	B1P215	200 ESE	ONSITE	AT	08-Aug-07	BETA	0.0112	pCi/m3	0.001	0.0022			
SESPMNT	B1P216	200 ESE	ONSITE	AT	21-Aug-07	BETA	0.0123	pCi/m3	0.0012	0.0025			
SESPMNT	B1P217	200 ESE	ONSITE	AT	04-Sep-07	BETA	0.0107	pCi/m3	0.0012	0.0023			
SESPMNT	B1P218	200 ESE	ONSITE	AT	18-Sep-07	BETA	0.0139	pCi/m3	0.0012	0.0027			
SESPMNT	B1P219	200 ESE	ONSITE	AT	02-Oct-07	BETA	0.00943	pCi/m3	0.001	0.002			
SESPMNT	B1PRC4	200 ESE	ONSITE	AT	16-Oct-07	BETA	0.0128	pCi/m3	0.0011	0.0025			
SESPMNT	B1PRC5	200 ESE	ONSITE	AT	31-Oct-07	BETA	0.0172	pCi/m3	0.0012	0.0031			
SESPMNT	B1PRC6	200 ESE	ONSITE	AT	09-Nov-07	BETA	0.0311	pCi/m3	0.0021	0.0056			
SESPMNT	B1PRC7	200 ESE	ONSITE	AT	26-Nov-07	BETA	0.0271	pCi/m3	0.0013	0.0045			
SESPMNT	B1PRC8	200 ESE	ONSITE	AT	10-Dec-07	BETA	0.0177	pCi/m3	0.0013	0.0033			
SESPMNT	B1PRC9	200 ESE	ONSITE	AT	26-Dec-07	BETA	0.0203	pCi/m3	0.0013	0.0036			
SESPMNT	B1LVN7	200 TEL. EXCHANGE	ONSITE	AT	09-Jan-07	BETA	0.015	pCi/m3	0.0014	0.0029			
SESPMNT	B1LVN8	200 TEL. EXCHANGE	ONSITE	AT	24-Jan-07	BETA						NO SAMPLE. PUMP REPLACED.	
SESPMNT	B1LVN9	200 TEL. EXCHANGE	ONSITE	AT	06-Feb-07	BETA	0.0414	pCi/m3	0.002	0.0071			
SESPMNT	B1LVP0	200 TEL. EXCHANGE	ONSITE	AT	19-Feb-07	BETA	0.0154	pCi/m3	0.0012	0.0029			
SESPMNT	B1LVP1	200 TEL. EXCHANGE	ONSITE	AT	06-Mar-07	BETA	0.00823	pCi/m3	0.00093	0.0018			
SESPMNT	B1LVP2	200 TEL. EXCHANGE	ONSITE	AT	19-Mar-07	BETA	0.0103	pCi/m3	0.0011	0.0022			
SESPMNT	B1LVP3	200 TEL. EXCHANGE	ONSITE	AT	04-Apr-07	BETA	0.00796	pCi/m3	0.00086	0.0017			

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## AIR - BETA/ALPHA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1MY94	200 TEL. EXCHANGE	ONSITE	AT	17-Apr-07	BETA	0.00807	pCi/m3	0.00099	0.0018			
SESPMNT	B1MY95	200 TEL. EXCHANGE	ONSITE	AT	01-May-07	BETA	0.00833	pCi/m3	0.00095	0.0018			
SESPMNT	B1MY96	200 TEL. EXCHANGE	ONSITE	AT	15-May-07	BETA	0.0107	pCi/m3	0.001	0.0022			
SESPMNT	B1MY97	200 TEL. EXCHANGE	ONSITE	AT	29-May-07	BETA	0.01	pCi/m3	0.001	0.0021			
SESPMNT	B1MY98	200 TEL. EXCHANGE	ONSITE	AT	12-Jun-07	BETA	0.0124	pCi/m3	0.001	0.0024			
SESPMNT	B1MY99	200 TEL. EXCHANGE	ONSITE	AT	25-Jun-07	BETA	0.00686	pCi/m3	0.0009	0.0016			
SESPMNT	B1P243	200 TEL. EXCHANGE	ONSITE	AT	09-Jul-07	BETA	0.00974	pCi/m3	0.00097	0.002			
SESPMNT	B1P244	200 TEL. EXCHANGE	ONSITE	AT	23-Jul-07	BETA	0.00944	pCi/m3	0.00099	0.002			
SESPMNT	B1P245	200 TEL. EXCHANGE	ONSITE	AT	08-Aug-07	BETA	0.0103	pCi/m3	0.00099	0.0021			
SESPMNT	B1P246	200 TEL. EXCHANGE	ONSITE	AT	21-Aug-07	BETA	0.0106	pCi/m3	0.0011	0.0022			
SESPMNT	B1P247	200 TEL. EXCHANGE	ONSITE	AT	04-Sep-07	BETA	0.007	pCi/m3	0.00099	0.0017			
SESPMNT	B1P248	200 TEL. EXCHANGE	ONSITE	AT	18-Sep-07	BETA	0.00755	pCi/m3	0.00095	0.0017			
SESPMNT	B1P249	200 TEL. EXCHANGE	ONSITE	AT	02-Oct-07	BETA	0.00517	pCi/m3	0.00084	0.0014			
SESPMNT	B1PRH4	200 TEL. EXCHANGE	ONSITE	AT	16-Oct-07	BETA	0.00772	pCi/m3	0.00095	0.0017			
SESPMNT	B1PRH5	200 TEL. EXCHANGE	ONSITE	AT	31-Oct-07	BETA	0.000999	pCi/m3	0.0006	0.00077			
SESPMNT	B1PRH6	200 TEL. EXCHANGE	ONSITE	AT	09-Nov-07	BETA	0.000303	pCi/m3	0.00088	0.0011	U		
SESPMNT	B1PRH7	200 TEL. EXCHANGE	ONSITE	AT	26-Nov-07	BETA						NO SAMPLE. NO FLOW, HOSE DISCONNECTED. DO NOT SAVE FOR COMPOSITE.	
SESPMNT	B1PRH8	200 TEL. EXCHANGE	ONSITE	AT	10-Dec-07	BETA	0.00722	pCi/m3	0.0007	0.0015		COULD NOT OBTAIN PROPER FLOW. UNABLE TO RESTART OR RESOLVE PROBLEM. CHANGED FLOW TOTALIZER (NEW TOTALIZER VOLUME 9851), FLOW REGULATOR AND TRIED NEW PUMP.	
SESPMNT	B1PRH9	200 TEL. EXCHANGE	ONSITE	AT	26-Dec-07	BETA						NO SAMPLE. SAVE FOR COMPOSITE. NEW TOTALIZER INSTALLED 12/15/07, STARTED ON 12/20/07 AT 1110, VOLUME 4673.	
SESPMNT	B1LVR2	200 W SE	ONSITE	AT	09-Jan-07	BETA	0.0153	pCi/m3	0.0014	0.003			
SESPMNT	B1LVR3	200 W SE	ONSITE	AT	24-Jan-07	BETA	0.0481	pCi/m3	0.0022	0.0081			
SESPMNT	B1LVR4	200 W SE	ONSITE	AT	06-Feb-07	BETA	0.0483	pCi/m3	0.0024	0.0082			
SESPMNT	B1LVR5	200 W SE	ONSITE	AT	19-Feb-07	BETA	0.0168	pCi/m3	0.0015	0.0033			
SESPMNT	B1LVR6	200 W SE	ONSITE	AT	06-Mar-07	BETA	0.00913	pCi/m3	0.0011	0.002			
SESPMNT	B1LVR7	200 W SE	ONSITE	AT	19-Mar-07	BETA	0.0109	pCi/m3	0.0012	0.0023			
SESPMNT	B1LVR8	200 W SE	ONSITE	AT	04-Apr-07	BETA	0.00799	pCi/m3	0.00091	0.0017			
SESPMNT	B1MYB7	200 W SE	ONSITE	AT	17-Apr-07	BETA	0.0104	pCi/m3	0.0011	0.0022			
SESPMNT	B1MYB8	200 W SE	ONSITE	AT	01-May-07	BETA	0.00916	pCi/m3	0.0011	0.002			
SESPMNT	B1MYB9	200 W SE	ONSITE	AT	15-May-07	BETA	0.011	pCi/m3	0.0012	0.0023			
SESPMNT	B1MYC0	200 W SE	ONSITE	AT	29-May-07	BETA	0.011	pCi/m3	0.0012	0.0023			
SESPMNT	B1MYC1	200 W SE	ONSITE	AT	12-Jun-07	BETA	0.0136	pCi/m3	0.0013	0.0027			
SESPMNT	B1MYC2	200 W SE	ONSITE	AT	25-Jun-07	BETA	0.0088	pCi/m3	0.0011	0.002			
SESPMNT	B1P258	200 W SE	ONSITE	AT	09-Jul-07	BETA						NO SAMPLE. DO NOT SAVE FOR COMPOSITE. CLEANED FLOW METER AND PUT BACK IN SERVICE.	
SESPMNT	B1P259	200 W SE	ONSITE	AT	23-Jul-07	BETA	0.00988	pCi/m3	0.00097	0.002			
SESPMNT	B1P260	200 W SE	ONSITE	AT	08-Aug-07	BETA	0.00978	pCi/m3	0.00089	0.0019			
SESPMNT	B1P261	200 W SE	ONSITE	AT	21-Aug-07	BETA	0.0105	pCi/m3	0.0011	0.0022			
SESPMNT	B1P262	200 W SE	ONSITE	AT	04-Sep-07	BETA	0.00963	pCi/m3	0.00094	0.0019			
SESPMNT	B1P263	200 W SE	ONSITE	AT	18-Sep-07	BETA	0.0127	pCi/m3	0.0011	0.0024			
SESPMNT	B1P264	200 W SE	ONSITE	AT	02-Oct-07	BETA	0.0083	pCi/m3	0.00089	0.0018			
SESPMNT	B1PRJ9	200 W SE	ONSITE	AT	16-Oct-07	BETA	0.0121	pCi/m3	0.0011	0.0024			
SESPMNT	B1PRK0	200 W SE	ONSITE	AT	31-Oct-07	BETA	0.0135	pCi/m3	0.0011	0.0026			
SESPMNT	B1PRK1	200 W SE	ONSITE	AT	09-Nov-07	BETA	0.0267	pCi/m3	0.002	0.005			
SESPMNT	B1PRK2	200 W SE	ONSITE	AT	26-Nov-07	BETA	0.0239	pCi/m3	0.0013	0.004			
SESPMNT	B1PRK3	200 W SE	ONSITE	AT	10-Dec-07	BETA	0.0172	pCi/m3	0.0013	0.0032			
SESPMNT	B1PRK4	200 W SE	ONSITE	AT	26-Dec-07	BETA	0.0202	pCi/m3	0.0013	0.0036			
SESPMNT	B1LV29	300 NE	ONSITE	AT	17-Jan-07	BETA	0.0223	pCi/m3	0.0017	0.0041			
SESPMNT	B1LV30	300 NE	ONSITE	AT	31-Jan-07	BETA	0.0506	pCi/m3	0.0023	0.0085			
SESPMNT	B1LV31	300 NE	ONSITE	AT	14-Feb-07	BETA	0.0392	pCi/m3	0.002	0.0067			
SESPMNT	B1LV32	300 NE	ONSITE	AT	01-Mar-07	BETA	0.00667	pCi/m3	0.00099	0.0017			
SESPMNT	B1LV33	300 NE	ONSITE	AT	14-Mar-07	BETA	0.0153	pCi/m3	0.0015	0.0031			
SESPMNT	B1LV34	300 NE	ONSITE	AT	29-Mar-07	BETA	0.00961	pCi/m3	0.0012	0.0022			
SESPMNT	B1MXN6	300 NE	ONSITE	AT	11-Apr-07	BETA	0.015	pCi/m3	0.0014	0.003			
SESPMNT	B1MXN7	300 NE	ONSITE	AT	24-Apr-07	BETA	0.00619	pCi/m3	0.0012	0.0018			
SESPMNT	B1MXN8	300 NE	ONSITE	AT	09-May-07	BETA	0.00773	pCi/m3	0.00089	0.0017			
SESPMNT	B1MXN9	300 NE	ONSITE	AT	23-May-07	BETA	0.0134	pCi/m3	0.0013	0.0027			
SESPMNT	B1MXP0	300 NE	ONSITE	AT	07-Jun-07	BETA	0.0141	pCi/m3	0.0011	0.0027			
SESPMNT	B1MXP1	300 NE	ONSITE	AT	20-Jun-07	BETA	0.00651	pCi/m3	0.00099	0.0016			
SESPMNT	B1MXP2	300 NE	ONSITE	AT	06-Jul-07	BETA	0.00875	pCi/m3	0.00091	0.0018			
SESPMNT	B1P1K8	300 NE	ONSITE	AT	18-Jul-07	BETA	0.0135	pCi/m3	0.0013	0.0028			
SESPMNT	B1P1K9	300 NE	ONSITE	AT	07-Aug-07	BETA	0.0102	pCi/m3	0.00088	0.002			
SESPMNT	B1P1L0	300 NE	ONSITE	AT	14-Aug-07	BETA						NO SAMPLE. SAVE FOR COMPOSITE.	
SESPMNT	B1P1L1	300 NE	ONSITE	AT	30-Aug-07	BETA	0.0127	pCi/m3	0.0011	0.0025			



## ENVIRONMENTAL SURVEILLANCE DATA CY07

## AIR - BETA/ALPHA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1P1L2	300 NE	ONSITE	AT	12-Sep-07	BETA	0.0157	pCi/m3	0.0014	0.003			
SESPMNT	B1P1L3	300 NE	ONSITE	AT	26-Sep-07	BETA	0.0127	pCi/m3	0.0012	0.0026			
SESPMNT	B1PR16	300 NE	ONSITE	AT	10-Oct-07	BETA	0.00937	pCi/m3	0.0011	0.0021			
SESPMNT	B1PR17	300 NE	ONSITE	AT	25-Oct-07	BETA	0.0142	pCi/m3	0.0013	0.0028			
SESPMNT	B1PR18	300 NE	ONSITE	AT	06-Nov-07	BETA	0.0274	pCi/m3	0.0019	0.005			
SESPMNT	B1PR19	300 NE	ONSITE	AT	20-Nov-07	BETA	0.0209	pCi/m3	0.0016	0.0039			
SESPMNT	B1PR20	300 NE	ONSITE	AT	04-Dec-07	BETA	0.0327	pCi/m3	0.0019	0.0057			
SESPMNT	B1PR21	300 NE	ONSITE	AT	19-Dec-07	BETA	0.0317	pCi/m3	0.0018	0.0055			
SESPMNT	B1PR22	300 NE	ONSITE	AT	03-Jan-08	BETA	0.0101	pCi/m3	0.0012	0.0022			
SESPMNT	B1LVt6	300 SOUTH GATE	ONSITE	AT	17-Jan-07	BETA	0.0222	pCi/m3	0.0016	0.004			
SESPMNT	B1LVt7	300 SOUTH GATE	ONSITE	AT	31-Jan-07	BETA	0.0462	pCi/m3	0.0022	0.0079			
SESPMNT	B1LVt8	300 SOUTH GATE	ONSITE	AT	14-Feb-07	BETA	0.0385	pCi/m3	0.002	0.0066			
SESPMNT	B1LVt9	300 SOUTH GATE	ONSITE	AT	01-Mar-07	BETA	0.005	pCi/m3	0.00093	0.0014			
SESPMNT	B1LVv0	300 SOUTH GATE	ONSITE	AT	14-Mar-07	BETA	0.0149	pCi/m3	0.0013	0.0029			
SESPMNT	B1LVv1	300 SOUTH GATE	ONSITE	AT	29-Mar-07	BETA	0.00916	pCi/m3	0.001	0.002			
SESPMNT	B1MYD1	300 SOUTH GATE	ONSITE	AT	11-Apr-07	BETA	0.013	pCi/m3	0.0013	0.0026			
SESPMNT	B1MYD2	300 SOUTH GATE	ONSITE	AT	24-Apr-07	BETA	0.00528	pCi/m3	0.00084	0.0014			
SESPMNT	B1MYD3	300 SOUTH GATE	ONSITE	AT	09-May-07	BETA	0.00969	pCi/m3	0.00098	0.002			
SESPMNT	B1MYD4	300 SOUTH GATE	ONSITE	AT	23-May-07	BETA	0.0144	pCi/m3	0.0011	0.0027			
SESPMNT	B1MYD5	300 SOUTH GATE	ONSITE	AT	07-Jun-07	BETA	0.0168	pCi/m3	0.0013	0.0031			
SESPMNT	B1MYD6	300 SOUTH GATE	ONSITE	AT	20-Jun-07	BETA	0.00756	pCi/m3	0.00097	0.0017			
SESPMNT	B1MYD7	300 SOUTH GATE	ONSITE	AT	06-Jul-07	BETA	0.00934	pCi/m3	0.00096	0.0019			
SESPMNT	B1P272	300 SOUTH GATE	ONSITE	AT	18-Jul-07	BETA	0.0127	pCi/m3	0.0015	0.0028			
SESPMNT	B1P273	300 SOUTH GATE	ONSITE	AT	07-Aug-07	BETA	0.01	pCi/m3	0.00084	0.0019			
SESPMNT	B1P274	300 SOUTH GATE	ONSITE	AT	14-Aug-07	BETA	0.012	pCi/m3	0.0018	0.003			
SESPMNT	B1P275	300 SOUTH GATE	ONSITE	AT	30-Aug-07	BETA	0.0131	pCi/m3	0.0011	0.0025			
SESPMNT	B1P276	300 SOUTH GATE	ONSITE	AT	12-Sep-07	BETA	0.014	pCi/m3	0.0013	0.0028			
SESPMNT	B1P277	300 SOUTH GATE	ONSITE	AT	26-Sep-07	BETA	0.013	pCi/m3	0.0013	0.0026			
SESPMNT	B1PRL4	300 SOUTH GATE	ONSITE	AT	10-Oct-07	BETA	0.00953	pCi/m3	0.0011	0.0021			
SESPMNT	B1PRL5	300 SOUTH GATE	ONSITE	AT	25-Oct-07	BETA	0.0138	pCi/m3	0.0012	0.0027			
SESPMNT	B1PRL6	300 SOUTH GATE	ONSITE	AT	06-Nov-07	BETA	0.0324	pCi/m3	0.0021	0.0058			
SESPMNT	B1PRL7	300 SOUTH GATE	ONSITE	AT	20-Nov-07	BETA	0.0235	pCi/m3	0.0016	0.0043			
SESPMNT	B1PRL8	300 SOUTH GATE	ONSITE	AT	04-Dec-07	BETA	0.0331	pCi/m3	0.0019	0.0058			
SESPMNT	B1PRL9	300 SOUTH GATE	ONSITE	AT	19-Dec-07	BETA	0.0296	pCi/m3	0.0017	0.0052			
SESPMNT	B1PRM0	300 SOUTH GATE	ONSITE	AT	03-Jan-08	BETA	0.00952	pCi/m3	0.0011	0.0021			
SESPMNT	B1LVv2	300 SOUTH WEST	ONSITE	AT	17-Jan-07	BETA	0.0209	pCi/m3	0.0015	0.0038			
SESPMNT	B1LVv3	300 SOUTH WEST	ONSITE	AT	31-Jan-07	BETA	0.0534	pCi/m3	0.0023	0.009			
SESPMNT	B1LVv4	300 SOUTH WEST	ONSITE	AT	14-Feb-07	BETA	0.0396	pCi/m3	0.002	0.0068			
SESPMNT	B1LVv5	300 SOUTH WEST	ONSITE	AT	01-Mar-07	BETA	0.00599	pCi/m3	0.00097	0.0016			
SESPMNT	B1LVv6	300 SOUTH WEST	ONSITE	AT	14-Mar-07	BETA	0.0156	pCi/m3	0.0015	0.0031			
SESPMNT	B1LVv7	300 SOUTH WEST	ONSITE	AT	29-Mar-07	BETA	0.00883	pCi/m3	0.0011	0.002			
SESPMNT	B1MYD8	300 SOUTH WEST	ONSITE	AT	11-Apr-07	BETA	0.0178	pCi/m3	0.0015	0.0034			
SESPMNT	B1MYD9	300 SOUTH WEST	ONSITE	AT	24-Apr-07	BETA	0.0075	pCi/m3	0.0011	0.0019			
SESPMNT	B1MYF0	300 SOUTH WEST	ONSITE	AT	09-May-07	BETA	0.011	pCi/m3	0.0012	0.0023			
SESPMNT	B1MYF1	300 SOUTH WEST	ONSITE	AT	23-May-07	BETA	0.0152	pCi/m3	0.0014	0.003			
SESPMNT	B1MYF2	300 SOUTH WEST	ONSITE	AT	07-Jun-07	BETA	0.0156	pCi/m3	0.0014	0.003			
SESPMNT	B1MYF3	300 SOUTH WEST	ONSITE	AT	20-Jun-07	BETA	0.00746	pCi/m3	0.0012	0.0019			
SESPMNT	B1MYF4	300 SOUTH WEST	ONSITE	AT	06-Jul-07	BETA	0.0105	pCi/m3	0.0012	0.0023			
SESPMNT	B1P278	300 SOUTH WEST	ONSITE	AT	18-Jul-07	BETA	0.0139	pCi/m3	0.0016	0.003			
SESPMNT	B1P279	300 SOUTH WEST	ONSITE	AT	07-Aug-07	BETA	0.0109	pCi/m3	0.00082	0.002			
SESPMNT	B1P280	300 SOUTH WEST	ONSITE	AT	14-Aug-07	BETA						NO SAMPLE. SAVE FOR COMPOSITE.	
SESPMNT	B1P281	300 SOUTH WEST	ONSITE	AT	30-Aug-07	BETA	0.0132	pCi/m3	0.0011	0.0025			
SESPMNT	B1P282	300 SOUTH WEST	ONSITE	AT	12-Sep-07	BETA	0.0148	pCi/m3	0.0013	0.0029			
SESPMNT	B1P283	300 SOUTH WEST	ONSITE	AT	26-Sep-07	BETA	0.0135	pCi/m3	0.0012	0.0027			
SESPMNT	B1PRM1	300 SOUTH WEST	ONSITE	AT	10-Oct-07	BETA	0.0104	pCi/m3	0.0012	0.0023			
SESPMNT	B1PRM2	300 SOUTH WEST	ONSITE	AT	25-Oct-07	BETA	0.0154	pCi/m3	0.0013	0.003			
SESPMNT	B1PRM3	300 SOUTH WEST	ONSITE	AT	06-Nov-07	BETA	0.0312	pCi/m3	0.002	0.0056			
SESPMNT	B1PRM4	300 SOUTH WEST	ONSITE	AT	20-Nov-07	BETA	0.0246	pCi/m3	0.0017	0.0045			
SESPMNT	B1PRM5	300 SOUTH WEST	ONSITE	AT	04-Dec-07	BETA	0.0302	pCi/m3	0.0019	0.0054			
SESPMNT	B1PRM6	300 SOUTH WEST	ONSITE	AT	19-Dec-07	BETA	0.0332	pCi/m3	0.0019	0.0058			
SESPMNT	B1PRM7	300 SOUTH WEST	ONSITE	AT	03-Jan-08	BETA	0.00992	pCi/m3	0.0013	0.0023			
SESPMNT	B1LV36	300 TRENCH	ONSITE	AT	17-Jan-07	BETA	0.0193	pCi/m3	0.0014	0.0035			
SESPMNT	B1LV37	300 TRENCH	ONSITE	AT	31-Jan-07	BETA	0.0484	pCi/m3	0.0021	0.0081			
SESPMNT	B1LV38	300 TRENCH	ONSITE	AT	14-Feb-07	BETA	0.0374	pCi/m3	0.0018	0.0064			
SESPMNT	B1LV39	300 TRENCH	ONSITE	AT	01-Mar-07	BETA	0.00656	pCi/m3	0.00094	0.0016			
SESPMNT	B1LV40	300 TRENCH	ONSITE	AT	14-Mar-07	BETA	0.0148	pCi/m3	0.0013	0.0029			
SESPMNT	B1LV41	300 TRENCH	ONSITE	AT	29-Mar-07	BETA	0.00862	pCi/m3	0.00097	0.0019			

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## AIR - BETA/ALPHA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1MXP4	300 TRENCH	ONSITE	AT	11-Apr-07	BETA	0.0128	pCi/m3	0.0013	0.0026			
SESPMNT	B1MXP5	300 TRENCH	ONSITE	AT	24-Apr-07	BETA	0.00567	pCi/m3	0.00096	0.0015			
SESPMNT	B1MXP6	300 TRENCH	ONSITE	AT	09-May-07	BETA	0.0103	pCi/m3	0.0011	0.0021			
SESPMNT	B1MXP7	300 TRENCH	ONSITE	AT	23-May-07	BETA	0.0152	pCi/m3	0.0013	0.003			
SESPMNT	B1MXP8	300 TRENCH	ONSITE	AT	07-Jun-07	BETA	0.0156	pCi/m3	0.0016	0.0032			
SESPMNT	B1MXP9	300 TRENCH	ONSITE	AT	20-Jun-07	BETA	0.00704	pCi/m3	0.00082	0.0015			
SESPMNT	B1MXR0	300 TRENCH	ONSITE	AT	06-Jul-07	BETA	0.00905	pCi/m3	0.00086	0.0018			
SESPMNT	B1P1L5	300 TRENCH	ONSITE	AT	18-Jul-07	BETA	0.0117	pCi/m3	0.0011	0.0023			
SESPMNT	B1P1L6	300 TRENCH	ONSITE	AT	07-Aug-07	BETA	0.00995	pCi/m3	0.00076	0.0019			
SESPMNT	B1P1L7	300 TRENCH	ONSITE	AT	14-Aug-07	BETA						NO SAMPLE. SAVE FOR COMPOSITE.	
SESPMNT	B1P1L8	300 TRENCH	ONSITE	AT	30-Aug-07	BETA	0.0116	pCi/m3	0.00097	0.0022			
SESPMNT	B1P1L9	300 TRENCH	ONSITE	AT	12-Sep-07	BETA	0.014	pCi/m3	0.0012	0.0027			
SESPMNT	B1P1M0	300 TRENCH	ONSITE	AT	26-Sep-07	BETA	0.0111	pCi/m3	0.0011	0.0022			
SESPMNT	B1PR24	300 TRENCH	ONSITE	AT	10-Oct-07	BETA	0.00823	pCi/m3	0.00093	0.0018			
SESPMNT	B1PR25	300 TRENCH	ONSITE	AT	25-Oct-07	BETA	0.012	pCi/m3	0.0011	0.0024			
SESPMNT	B1PR26	300 TRENCH	ONSITE	AT	06-Nov-07	BETA	0.0243	pCi/m3	0.0016	0.0044			
SESPMNT	B1PR27	300 TRENCH	ONSITE	AT	20-Nov-07	BETA	0.0164	pCi/m3	0.0012	0.0031			
SESPMNT	B1PR28	300 TRENCH	ONSITE	AT	04-Dec-07	BETA	0.0298	pCi/m3	0.0016	0.0051			
SESPMNT	B1PR29	300 TRENCH	ONSITE	AT	19-Dec-07	BETA	0.0236	pCi/m3	0.0014	0.0041			
SESPMNT	B1PR30	300 TRENCH	ONSITE	AT	03-Jan-08	BETA	0.00719	pCi/m3	0.00085	0.0016			
SESPMNT	B1LV0	300 WATER INTAKE	ONSITE	AT	17-Jan-07	BETA	0.0205	pCi/m3	0.0015	0.0038			
SESPMNT	B1LV1	300 WATER INTAKE	ONSITE	AT	31-Jan-07	BETA	0.0471	pCi/m3	0.0021	0.008			
SESPMNT	B1LV2	300 WATER INTAKE	ONSITE	AT	14-Feb-07	BETA	0.0384	pCi/m3	0.0019	0.0066			
SESPMNT	B1LV3	300 WATER INTAKE	ONSITE	AT	01-Mar-07	BETA	0.00575	pCi/m3	0.00088	0.0015			
SESPMNT	B1LV4	300 WATER INTAKE	ONSITE	AT	14-Mar-07	BETA	0.0131	pCi/m3	0.0013	0.0027		PUMP REPLACED.	
SESPMNT	B1LV5	300 WATER INTAKE	ONSITE	AT	29-Mar-07	BETA	0.00911	pCi/m3	0.001	0.002			
SESPMNT	B1MYC4	300 WATER INTAKE	ONSITE	AT	11-Apr-07	BETA	0.0117	pCi/m3	0.0012	0.0024			
SESPMNT	B1MYC5	300 WATER INTAKE	ONSITE	AT	24-Apr-07	BETA	0.0064	pCi/m3	0.00098	0.0016			
SESPMNT	B1MYC6	300 WATER INTAKE	ONSITE	AT	09-May-07	BETA	0.00986	pCi/m3	0.0011	0.0021			
SESPMNT	B1MYC7	300 WATER INTAKE	ONSITE	AT	23-May-07	BETA	0.0123	pCi/m3	0.0011	0.0025			
SESPMNT	B1MYC8	300 WATER INTAKE	ONSITE	AT	07-Jun-07	BETA	0.0134	pCi/m3	0.0011	0.0026			
SESPMNT	B1MYC9	300 WATER INTAKE	ONSITE	AT	20-Jun-07	BETA	0.00681	pCi/m3	0.0013	0.002		EXCAVATING NEAR 337 BLDG. RESULTING IN POWER OUTAGE FROM 6/14 -6/18, WHICH PROBABLY IMPACTED SAMPLER.	
SESPMNT	B1MYD0	300 WATER INTAKE	ONSITE	AT	06-Jul-07	BETA	0.00851	pCi/m3	0.00088	0.0018			
SESPMNT	B1P266	300 WATER INTAKE	ONSITE	AT	18-Jul-07	BETA	0.013	pCi/m3	0.0013	0.0027			
SESPMNT	B1P267	300 WATER INTAKE	ONSITE	AT	07-Aug-07	BETA	0.00985	pCi/m3	0.00083	0.0019			
SESPMNT	B1P268	300 WATER INTAKE	ONSITE	AT	14-Aug-07	BETA						NO SAMPLE. SAVE FOR COMPOSITE. REPLACED KINKED HOSE ON VACUUM SYSTEM.	
SESPMNT	B1P269	300 WATER INTAKE	ONSITE	AT	30-Aug-07	BETA	0.0126	pCi/m3	0.001	0.0024			
SESPMNT	B1P270	300 WATER INTAKE	ONSITE	AT	12-Sep-07	BETA	0.0123	pCi/m3	0.0011	0.0024			
SESPMNT	B1P271	300 WATER INTAKE	ONSITE	AT	26-Sep-07	BETA	0.0121	pCi/m3	0.001	0.0023			
SESPMNT	B1PRK7	300 WATER INTAKE	ONSITE	AT	10-Oct-07	BETA	0.00959	pCi/m3	0.0011	0.0021			
SESPMNT	B1PRK8	300 WATER INTAKE	ONSITE	AT	25-Oct-07	BETA	0.013	pCi/m3	0.0012	0.0026			
SESPMNT	B1PRK9	300 WATER INTAKE	ONSITE	AT	06-Nov-07	BETA	0.0289	pCi/m3	0.0018	0.0052			
SESPMNT	B1PRL0	300 WATER INTAKE	ONSITE	AT	20-Nov-07	BETA	0.0164	pCi/m3	0.0015	0.0032			
SESPMNT	B1PRL1	300 WATER INTAKE	ONSITE	AT	04-Dec-07	BETA	0.0293	pCi/m3	0.0017	0.0051			
SESPMNT	B1PRL2	300 WATER INTAKE	ONSITE	AT	19-Dec-07	BETA	0.0275	pCi/m3	0.0015	0.0048			
SESPMNT	B1PRL3	300 WATER INTAKE	ONSITE	AT	03-Jan-08	BETA	0.00826	pCi/m3	0.00096	0.0018			
SESPMNT	B1LVV9	400 E	ONSITE	AT	15-Jan-07	BETA	0.0147	pCi/m3	0.0014	0.0029			
SESPMNT	B1LVW0	400 E	ONSITE	AT	30-Jan-07	BETA	0.0486	pCi/m3	0.002	0.0081			
SESPMNT	B1LVW1	400 E	ONSITE	AT	13-Feb-07	BETA	0.0414	pCi/m3	0.0019	0.007			
SESPMNT	B1LVW2	400 E	ONSITE	AT	26-Feb-07	BETA	0.00702	pCi/m3	0.001	0.0017			
SESPMNT	B1LVW3	400 E	ONSITE	AT	12-Mar-07	BETA	0.0116	pCi/m3	0.0011	0.0024			
SESPMNT	B1LVW4	400 E	ONSITE	AT	28-Mar-07	BETA	0.00814	pCi/m3	0.00093	0.0018			
SESPMNT	B1MYF6	400 E	ONSITE	AT	10-Apr-07	BETA	0.0121	pCi/m3	0.0011	0.0024			
SESPMNT	B1MYF7	400 E	ONSITE	AT	20-Apr-07	BETA	0.00456	pCi/m3	0.0011	0.0015			
SESPMNT	B1MYF8	400 E	ONSITE	AT	08-May-07	BETA	0.00913	pCi/m3	0.00083	0.0018			
SESPMNT	B1MYF9	400 E	ONSITE	AT	22-May-07	BETA	0.0152	pCi/m3	0.0014	0.003		PUMP CHANGED OUT.	
SESPMNT	B1MYH0	400 E	ONSITE	AT	06-Jun-07	BETA	0.0139	pCi/m3	0.0011	0.0026			
SESPMNT	B1MYH1	400 E	ONSITE	AT	19-Jun-07	BETA	0.00598	pCi/m3	0.00083	0.0014			
SESPMNT	B1MYH2	400 E	ONSITE	AT	02-Jul-07	BETA	0.00736	pCi/m3	0.00088	0.0016			
SESPMNT	B1P285	400 E	ONSITE	AT	17-Jul-07	BETA	0.0115	pCi/m3	0.00094	0.0022			
SESPMNT	B1P286	400 E	ONSITE	AT	27-Jul-07	BETA	0.00944	pCi/m3	0.0011	0.0021			
SESPMNT	B1P287	400 E	ONSITE	AT	13-Aug-07	BETA	0.00976	pCi/m3	0.00083	0.0019			
SESPMNT	B1P288	400 E	ONSITE	AT	24-Aug-07	BETA	0.0111	pCi/m3	0.0013	0.0025			
SESPMNT	B1P289	400 E	ONSITE	AT	10-Sep-07	BETA	0.0104	pCi/m3	0.00086	0.002			
SESPMNT	B1P290	400 E	ONSITE	AT	25-Sep-07	BETA	0.0119	pCi/m3	0.001	0.0023			

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## AIR - BETA/ALPHA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1PRM9	400 E	ONSITE	AT	09-Oct-07	BETA	0.00739	pCi/m3	0.00088	0.0016			
SESPMNT	B1PRN0	400 E	ONSITE	AT	24-Oct-07	BETA	0.0131	pCi/m3	0.0011	0.0025			
SESPMNT	B1PRN1	400 E	ONSITE	AT	05-Nov-07	BETA	0.0245	pCi/m3	0.0016	0.0044			
SESPMNT	B1PRN2	400 E	ONSITE	AT	19-Nov-07	BETA	0.0201	pCi/m3	0.0013	0.0036			
SESPMNT	B1PRN3	400 E	ONSITE	AT	03-Dec-07	BETA	0.0299	pCi/m3	0.0017	0.0052			
SESPMNT	B1PRN4	400 E	ONSITE	AT	20-Dec-07	BETA	0.0258	pCi/m3	0.0014	0.0045			
SESPMNT	B1PRN5	400 E	ONSITE	AT	02-Jan-08	BETA	0.00844	pCi/m3	0.0011	0.0019			
SESPMNT	B1LVX7	400 N	ONSITE	AT	15-Jan-07	BETA	0.0145	pCi/m3	0.0014	0.0029			
SESPMNT	B1LVX8	400 N	ONSITE	AT	30-Jan-07	BETA	0.0534	pCi/m3	0.0022	0.0089			
SESPMNT	B1LVX9	400 N	ONSITE	AT	13-Feb-07	BETA	0.0422	pCi/m3	0.0021	0.0072			
SESPMNT	B1LVY0	400 N	ONSITE	AT	26-Feb-07	BETA	0.00756	pCi/m3	0.0012	0.0019			
SESPMNT	B1LVY1	400 N	ONSITE	AT	12-Mar-07	BETA	0.0134	pCi/m3	0.0013	0.0027			
SESPMNT	B1LVY2	400 N	ONSITE	AT	28-Mar-07	BETA	0.00861	pCi/m3	0.001	0.0019			
SESPMNT	B1MYJ7	400 N	ONSITE	AT	10-Apr-07	BETA	0.0157	pCi/m3	0.0015	0.0031			
SESPMNT	B1MYJ8	400 N	ONSITE	AT	20-Apr-07	BETA	0.00503	pCi/m3	0.0011	0.0016			
SESPMNT	B1MYJ9	400 N	ONSITE	AT	08-May-07	BETA	0.0114	pCi/m3	0.001	0.0022			
SESPMNT	B1MYK0	400 N	ONSITE	AT	22-May-07	BETA	0.0143	pCi/m3	0.0013	0.0028			
SESPMNT	B1MYK1	400 N	ONSITE	AT	06-Jun-07	BETA	0.0151	pCi/m3	0.0012	0.0029			
SESPMNT	B1MYK2	400 N	ONSITE	AT	19-Jun-07	BETA	0.00645	pCi/m3	0.00099	0.0016			
SESPMNT	B1MYK3	400 N	ONSITE	AT	02-Jul-07	BETA	0.01	pCi/m3	0.0012	0.0022			
SESPMNT	B1P2B3	400 N	ONSITE	AT	17-Jul-07	BETA	0.0125	pCi/m3	0.0012	0.0025			
SESPMNT	B1P2B4	400 N	ONSITE	AT	27-Jul-07	BETA	0.0111	pCi/m3	0.0015	0.0026			
SESPMNT	B1P2B5	400 N	ONSITE	AT	13-Aug-07	BETA	0.0117	pCi/m3	0.0012	0.0024			
SESPMNT	B1P2B6	400 N	ONSITE	AT	24-Aug-07	BETA	0.0133	pCi/m3	0.0015	0.0029			
SESPMNT	B1P2B7	400 N	ONSITE	AT	10-Sep-07	BETA	0.0125	pCi/m3	0.0011	0.0025			
SESPMNT	B1P2B8	400 N	ONSITE	AT	25-Sep-07	BETA	0.0152	pCi/m3	0.0013	0.0029			
SESPMNT	B1PRR0	400 N	ONSITE	AT	09-Oct-07	BETA	0.00943	pCi/m3	0.0012	0.0021			
SESPMNT	B1PRR1	400 N	ONSITE	AT	24-Oct-07	BETA	0.0166	pCi/m3	0.0014	0.0032			
SESPMNT	B1PRR2	400 N	ONSITE	AT	05-Nov-07	BETA	0.0278	pCi/m3	0.0018	0.005			
SESPMNT	B1PRR3	400 N	ONSITE	AT	19-Nov-07	BETA	0.0234	pCi/m3	0.0015	0.0042			
SESPMNT	B1PRR4	400 N	ONSITE	AT	03-Dec-07	BETA	0.0324	pCi/m3	0.0018	0.0056			
SESPMNT	B1PRR5	400 N	ONSITE	AT	20-Dec-07	BETA	0.0272	pCi/m3	0.0015	0.0047			
SESPMNT	B1PRR6	400 N	ONSITE	AT	02-Jan-08	BETA	0.00894	pCi/m3	0.0012	0.0021			
SESPMNT	B1LVX1	400 S	ONSITE	AT	15-Jan-07	BETA	0.0138	pCi/m3	0.0013	0.0027			
SESPMNT	B1LVX2	400 S	ONSITE	AT	30-Jan-07	BETA	0.0502	pCi/m3	0.0022	0.0084			
SESPMNT	B1LVX3	400 S	ONSITE	AT	13-Feb-07	BETA	0.0413	pCi/m3	0.0021	0.007			
SESPMNT	B1LVX4	400 S	ONSITE	AT	26-Feb-07	BETA	0.00942	pCi/m3	0.0012	0.0022			
SESPMNT	B1LVX5	400 S	ONSITE	AT	12-Mar-07	BETA	0.0121	pCi/m3	0.0012	0.0025			
SESPMNT	B1LVX6	400 S	ONSITE	AT	28-Mar-07	BETA	0.00835	pCi/m3	0.001	0.0019			
SESPMNT	B1MYJ0	400 S	ONSITE	AT	10-Apr-07	BETA	0.0156	pCi/m3	0.0014	0.0031			
SESPMNT	B1MYJ1	400 S	ONSITE	AT	20-Apr-07	BETA	0.00606	pCi/m3	0.0012	0.0018			
SESPMNT	B1MYJ2	400 S	ONSITE	AT	08-May-07	BETA	0.00996	pCi/m3	0.00092	0.002			
SESPMNT	B1MYJ3	400 S	ONSITE	AT	22-May-07	BETA	0.0133	pCi/m3	0.0012	0.0026			
SESPMNT	B1MYJ4	400 S	ONSITE	AT	06-Jun-07	BETA	0.0136	pCi/m3	0.0011	0.0026			
SESPMNT	B1MYJ5	400 S	ONSITE	AT	19-Jun-07	BETA	0.0066	pCi/m3	0.001	0.0017			
SESPMNT	B1MYJ6	400 S	ONSITE	AT	02-Jul-07	BETA	0.00907	pCi/m3	0.0011	0.002			
SESPMNT	B1P297	400 S	ONSITE	AT	17-Jul-07	BETA	0.0134	pCi/m3	0.0011	0.0026			
SESPMNT	B1P298	400 S	ONSITE	AT	27-Jul-07	BETA	0.0115	pCi/m3	0.0014	0.0026			
SESPMNT	B1P299	400 S	ONSITE	AT	13-Aug-07	BETA	0.0109	pCi/m3	0.00098	0.0021			
SESPMNT	B1P2B0	400 S	ONSITE	AT	24-Aug-07	BETA	0.0131	pCi/m3	0.0014	0.0027			
SESPMNT	B1P2B1	400 S	ONSITE	AT	10-Sep-07	BETA	0.0132	pCi/m3	0.0011	0.0025			
SESPMNT	B1P2B2	400 S	ONSITE	AT	25-Sep-07	BETA	0.0169	pCi/m3	0.0013	0.0032			
SESPMNT	B1PRP3	400 S	ONSITE	AT	09-Oct-07	BETA	0.0114	pCi/m3	0.0012	0.0024			
SESPMNT	B1PRP4	400 S	ONSITE	AT	24-Oct-07	BETA	0.0149	pCi/m3	0.0013	0.0029			
SESPMNT	B1PRP5	400 S	ONSITE	AT	05-Nov-07	BETA	0.0283	pCi/m3	0.0019	0.0051			
SESPMNT	B1PRP6	400 S	ONSITE	AT	19-Nov-07	BETA	0.0235	pCi/m3	0.0016	0.0043			
SESPMNT	B1PRP7	400 S	ONSITE	AT	03-Dec-07	BETA						NO SAMPLE. SAVE FOR COMPOSITE.	
SESPMNT	B1PRP8	400 S	ONSITE	AT	20-Dec-07	BETA						NO SAMPLE. DO NOT SAVE FOR COMPOSITE, CHANGED PUMP.	
SESPMNT	B1PRP9	400 S	ONSITE	AT	02-Jan-08	BETA						NO SAMPLE. INSUFFICIENT VOLUME.	
SESPMNT	B1LVW5	400 W	ONSITE	AT	15-Jan-07	BETA	0.0167	pCi/m3	0.0014	0.0032			
SESPMNT	B1LVW6	400 W	ONSITE	AT	30-Jan-07	BETA	0.0526	pCi/m3	0.0022	0.0088			
SESPMNT	B1LVW7	400 W	ONSITE	AT	13-Feb-07	BETA	0.0398	pCi/m3	0.002	0.0068			
SESPMNT	B1LVW8	400 W	ONSITE	AT	26-Feb-07	BETA	0.00751	pCi/m3	0.001	0.0018			
SESPMNT	B1LVW9	400 W	ONSITE	AT	12-Mar-07	BETA	0.0125	pCi/m3	0.0012	0.0025			
SESPMNT	B1LVX0	400 W	ONSITE	AT	28-Mar-07	BETA	0.0093	pCi/m3	0.00096	0.0019			
SESPMNT	B1MYH3	400 W	ONSITE	AT	10-Apr-07	BETA	0.014	pCi/m3	0.0013	0.0028			
SESPMNT	B1MYH4	400 W	ONSITE	AT	20-Apr-07	BETA	0.00464	pCi/m3	0.0011	0.0016			

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## AIR - BETA/ALPHA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1MYH5	400 W	ONSITE	AT	08-May-07	BETA	0.0095	pCi/m3	0.00088	0.0019			
SESPMNT	B1MYH6	400 W	ONSITE	AT	22-May-07	BETA	0.0147	pCi/m3	0.0012	0.0028			
SESPMNT	B1MYH7	400 W	ONSITE	AT	06-Jun-07	BETA	0.0153	pCi/m3	0.0012	0.0029			
SESPMNT	B1MYH8	400 W	ONSITE	AT	19-Jun-07	BETA	0.00608	pCi/m3	0.00099	0.0016			
SESPMNT	B1MYH9	400 W	ONSITE	AT	02-Jul-07	BETA	0.00871	pCi/m3	0.0011	0.002			
SESPMNT	B1P291	400 W	ONSITE	AT	17-Jul-07	BETA	0.0125	pCi/m3	0.0011	0.0024			
SESPMNT	B1P292	400 W	ONSITE	AT	27-Jul-07	BETA	0.0123	pCi/m3	0.0014	0.0026			
SESPMNT	B1P293	400 W	ONSITE	AT	13-Aug-07	BETA	0.00983	pCi/m3	0.00091	0.002			
SESPMNT	B1P294	400 W	ONSITE	AT	24-Aug-07	BETA	0.0133	pCi/m3	0.0014	0.0027			
SESPMNT	B1P295	400 W	ONSITE	AT	10-Sep-07	BETA	0.0126	pCi/m3	0.001	0.0024			
SESPMNT	B1P296	400 W	ONSITE	AT	25-Sep-07	BETA	0.0159	pCi/m3	0.0012	0.003			
SESPMNT	B1PRN6	400 W	ONSITE	AT	09-Oct-07	BETA	0.00959	pCi/m3	0.0011	0.0021			
SESPMNT	B1PRN7	400 W	ONSITE	AT	24-Oct-07	BETA	0.0152	pCi/m3	0.0012	0.0029			
SESPMNT	B1PRN8	400 W	ONSITE	AT	05-Nov-07	BETA	0.026	pCi/m3	0.0018	0.0047			
SESPMNT	B1PRN9	400 W	ONSITE	AT	19-Nov-07	BETA	0.0229	pCi/m3	0.0016	0.0042			
SESPMNT	B1PRP0	400 W	ONSITE	AT	03-Dec-07	BETA	0.0313	pCi/m3	0.0019	0.0055			
SESPMNT	B1PRP1	400 W	ONSITE	AT	20-Dec-07	BETA	0.0211	pCi/m3	0.0014	0.0038			
SESPMNT	B1PRP2	400 W	ONSITE	AT	02-Jan-08	BETA	0.00932	pCi/m3	0.0012	0.0022			
SESPMNT	B1LVN0	ARMY LOOP CAMP	ONSITE	AT	09-Jan-07	BETA	0.0174	pCi/m3	0.0016	0.0034			
SESPMNT	B1LVN1	ARMY LOOP CAMP	ONSITE	AT	24-Jan-07	BETA	0.0464	pCi/m3	0.0022	0.0078			
SESPMNT	B1LVN2	ARMY LOOP CAMP	ONSITE	AT	06-Feb-07	BETA	0.0509	pCi/m3	0.0024	0.0086			
SESPMNT	B1LVN3	ARMY LOOP CAMP	ONSITE	AT	19-Feb-07	BETA	0.0173	pCi/m3	0.0015	0.0034			
SESPMNT	B1LVN4	ARMY LOOP CAMP	ONSITE	AT	06-Mar-07	BETA	0.00959	pCi/m3	0.0012	0.0021			
SESPMNT	B1LVN5	ARMY LOOP CAMP	ONSITE	AT	19-Mar-07	BETA	0.0113	pCi/m3	0.0013	0.0024			
SESPMNT	B1LVN6	ARMY LOOP CAMP	ONSITE	AT	04-Apr-07	BETA	0.00983	pCi/m3	0.0011	0.0021			
SESPMNT	B1MY88	ARMY LOOP CAMP	ONSITE	AT	17-Apr-07	BETA	0.0101	pCi/m3	0.0011	0.0022			
SESPMNT	B1MY89	ARMY LOOP CAMP	ONSITE	AT	01-May-07	BETA	0.0097	pCi/m3	0.0011	0.0021			
SESPMNT	B1MY90	ARMY LOOP CAMP	ONSITE	AT	15-May-07	BETA	0.0131	pCi/m3	0.0012	0.0026			
SESPMNT	B1MY91	ARMY LOOP CAMP	ONSITE	AT	29-May-07	BETA	0.0115	pCi/m3	0.0011	0.0024			
SESPMNT	B1MY92	ARMY LOOP CAMP	ONSITE	AT	12-Jun-07	BETA	0.0137	pCi/m3	0.0012	0.0027			
SESPMNT	B1MY93	ARMY LOOP CAMP	ONSITE	AT	25-Jun-07	BETA	0.00734	pCi/m3	0.0011	0.0018			
SESPMNT	B1P236	ARMY LOOP CAMP	ONSITE	AT	09-Jul-07	BETA	0.0108	pCi/m3	0.0011	0.0022			
SESPMNT	B1P237	ARMY LOOP CAMP	ONSITE	AT	23-Jul-07	BETA	0.0114	pCi/m3	0.0012	0.0023			
SESPMNT	B1P238	ARMY LOOP CAMP	ONSITE	AT	08-Aug-07	BETA	0.012	pCi/m3	0.001	0.0023			
SESPMNT	B1P239	ARMY LOOP CAMP	ONSITE	AT	21-Aug-07	BETA	0.0126	pCi/m3	0.0013	0.0026			
SESPMNT	B1P240	ARMY LOOP CAMP	ONSITE	AT	04-Sep-07	BETA	0.0139	pCi/m3	0.0012	0.0027			
SESPMNT	B1P241	ARMY LOOP CAMP	ONSITE	AT	18-Sep-07	BETA	0.0155	pCi/m3	0.0012	0.0029			
SESPMNT	B1P242	ARMY LOOP CAMP	ONSITE	AT	02-Oct-07	BETA	0.0099	pCi/m3	0.0011	0.0021			
SESPMNT	B1PRF7	ARMY LOOP CAMP	ONSITE	AT	16-Oct-07	BETA	0.0132	pCi/m3	0.0012	0.0026			
SESPMNT	B1PRF8	ARMY LOOP CAMP	ONSITE	AT	31-Oct-07	BETA	0.017	pCi/m3	0.0013	0.0032			
SESPMNT	B1PRF9	ARMY LOOP CAMP	ONSITE	AT	09-Nov-07	BETA	0.0295	pCi/m3	0.0022	0.0055			
SESPMNT	B1PRH0	ARMY LOOP CAMP	ONSITE	AT	26-Nov-07	BETA	0.0286	pCi/m3	0.0015	0.0048			
SESPMNT	B1PRH1	ARMY LOOP CAMP	ONSITE	AT	10-Dec-07	BETA	0.0187	pCi/m3	0.0015	0.0035			
SESPMNT	B1PRH2	ARMY LOOP CAMP	ONSITE	AT	26-Dec-07	BETA	0.0219	pCi/m3	0.0015	0.004			
SESPMNT	B1LVM2	B POND	ONSITE	AT	09-Jan-07	BETA						NO SAMPLE. SAVE FOR COMPOSITE.	
SESPMNT	B1LVM3	B POND	ONSITE	AT	24-Jan-07	BETA	0.0458	pCi/m3	0.002	0.0076			
SESPMNT	B1LVM4	B POND	ONSITE	AT	06-Feb-07	BETA	0.0466	pCi/m3	0.0021	0.0079			
SESPMNT	B1LVM5	B POND	ONSITE	AT	19-Feb-07	BETA	0.018	pCi/m3	0.0014	0.0034			
SESPMNT	B1LVM6	B POND	ONSITE	AT	06-Mar-07	BETA	0.00853	pCi/m3	0.00096	0.0018			
SESPMNT	B1LVM7	B POND	ONSITE	AT	19-Mar-07	BETA	0.013	pCi/m3	0.0012	0.0026			
SESPMNT	B1LVM8	B POND	ONSITE	AT	04-Apr-07	BETA	0.008	pCi/m3	0.00088	0.0017			
SESPMNT	B1MY81	B POND	ONSITE	AT	17-Apr-07	BETA	0.0101	pCi/m3	0.0011	0.0021			
SESPMNT	B1MY82	B POND	ONSITE	AT	01-May-07	BETA	0.00993	pCi/m3	0.0011	0.0021			
SESPMNT	B1MY83	B POND	ONSITE	AT	15-May-07	BETA	0.013	pCi/m3	0.0012	0.0026			
SESPMNT	B1MY84	B POND	ONSITE	AT	29-May-07	BETA	0.0109	pCi/m3	0.0011	0.0022			
SESPMNT	B1MY85	B POND	ONSITE	AT	12-Jun-07	BETA	0.0122	pCi/m3	0.0011	0.0024			
SESPMNT	B1MY86	B POND	ONSITE	AT	25-Jun-07	BETA	0.00743	pCi/m3	0.001	0.0018			
SESPMNT	B1P228	B POND	ONSITE	AT	09-Jul-07	BETA	0.00996	pCi/m3	0.001	0.0021			
SESPMNT	B1P229	B POND	ONSITE	AT	23-Jul-07	BETA	0.0112	pCi/m3	0.0011	0.0023			
SESPMNT	B1P230	B POND	ONSITE	AT	08-Aug-07	BETA	0.0106	pCi/m3	0.00091	0.0021			
SESPMNT	B1P231	B POND	ONSITE	AT	21-Aug-07	BETA	0.0114	pCi/m3	0.0011	0.0023			
SESPMNT	B1P232	B POND	ONSITE	AT	04-Sep-07	BETA	0.0137	pCi/m3	0.0016	0.003			
SESPMNT	B1P233	B POND	ONSITE	AT	18-Sep-07	BETA	0.0138	pCi/m3	0.0012	0.0027			
SESPMNT	B1P234	B POND	ONSITE	AT	02-Oct-07	BETA	0.00965	pCi/m3	0.001	0.002			
SESPMNT	B1PRD9	B POND	ONSITE	AT	16-Oct-07	BETA	0.0134	pCi/m3	0.0012	0.0026			
SESPMNT	B1PRF0	B POND	ONSITE	AT	31-Oct-07	BETA	0.0164	pCi/m3	0.0012	0.003			
SESPMNT	B1PRF1	B POND	ONSITE	AT	09-Nov-07	BETA	0.0314	pCi/m3	0.0022	0.0057			

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## AIR - BETA/ALPHA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1PRF2	B POND	ONSITE	AT	26-Nov-07	BETA	0.0278	pCi/m3	0.0013	0.0046			
SESPMNT	B1PRF3	B POND	ONSITE	AT	10-Dec-07	BETA	0.0155	pCi/m3	0.00095	0.0027		ADJUSTED FLOW FROM 2.8 CFM TO 1.5 CFM.	
SESPMNT	B1PRF4	B POND	ONSITE	AT	26-Dec-07	BETA	0.0207	pCi/m3	0.0012	0.0036			
SESPMNT	B1LW96	BASIN CITY SCHOOL	COMMUNITY	AT	11-Jan-07	BETA	0.0144	pCi/m3	0.0014	0.0029			
SESPMNT	B1LW97	BASIN CITY SCHOOL	COMMUNITY	AT	26-Jan-07	BETA	0.0523	pCi/m3	0.0021	0.0088			
SESPMNT	B1LW98	BASIN CITY SCHOOL	COMMUNITY	AT	08-Feb-07	BETA	0.048	pCi/m3	0.0022	0.0082			
SESPMNT	B1LW99	BASIN CITY SCHOOL	COMMUNITY	AT	22-Feb-07	BETA	0.0078	pCi/m3	0.0011	0.0019			
SESPMNT	B1LWB0	BASIN CITY SCHOOL	COMMUNITY	AT	08-Mar-07	BETA	0.0114	pCi/m3	0.0011	0.0023			
SESPMNT	B1LWB1	BASIN CITY SCHOOL	COMMUNITY	AT	22-Mar-07	BETA	0.0071	pCi/m3	0.00099	0.0017			
SESPMNT	B1LWB2	BASIN CITY SCHOOL	COMMUNITY	AT	06-Apr-07	BETA	0.0109	pCi/m3	0.0011	0.0023			
SESPMNT	B1MY95	BASIN CITY SCHOOL	COMMUNITY	AT	19-Apr-07	BETA	0.00627	pCi/m3	0.00096	0.0016			
SESPMNT	B1MY96	BASIN CITY SCHOOL	COMMUNITY	AT	03-May-07	BETA	0.0106	pCi/m3	0.0011	0.0023			
SESPMNT	B1MY97	BASIN CITY SCHOOL	COMMUNITY	AT	17-May-07	BETA	0.0125	pCi/m3	0.0011	0.0025			
SESPMNT	B1MY98	BASIN CITY SCHOOL	COMMUNITY	AT	31-May-07	BETA	0.0108	pCi/m3	0.0011	0.0022			
SESPMNT	B1MY99	BASIN CITY SCHOOL	COMMUNITY	AT	14-Jun-07	BETA	0.00998	pCi/m3	0.0011	0.0022			
SESPMNT	B1N000	BASIN CITY SCHOOL	COMMUNITY	AT	28-Jun-07	BETA	0.00843	pCi/m3	0.001	0.0019			
SESPMNT	B1P2R2	BASIN CITY SCHOOL	COMMUNITY	AT	13-Jul-07	BETA	0.0103	pCi/m3	0.00098	0.0021			
SESPMNT	B1P2R3	BASIN CITY SCHOOL	COMMUNITY	AT	24-Jul-07	BETA	0.0115	pCi/m3	0.0013	0.0025			
SESPMNT	B1P2R4	BASIN CITY SCHOOL	COMMUNITY	AT	10-Aug-07	BETA	0.0102	pCi/m3	0.00095	0.002			
SESPMNT	B1P2R5	BASIN CITY SCHOOL	COMMUNITY	AT	23-Aug-07	BETA	0.0126	pCi/m3	0.0012	0.0025			
SESPMNT	B1P2R6	BASIN CITY SCHOOL	COMMUNITY	AT	06-Sep-07	BETA	0.0105	pCi/m3	0.0012	0.0023			
SESPMNT	B1P2R7	BASIN CITY SCHOOL	COMMUNITY	AT	21-Sep-07	BETA	0.0149	pCi/m3	0.0011	0.0027			
SESPMNT	B1P2R8	BASIN CITY SCHOOL	COMMUNITY	AT	04-Oct-07	BETA	0.00873	pCi/m3	0.0012	0.0021			
SESPMNT	B1PT56	BASIN CITY SCHOOL	COMMUNITY	AT	19-Oct-07	BETA	0.0139	pCi/m3	0.0013	0.0028			
SESPMNT	B1PT57	BASIN CITY SCHOOL	COMMUNITY	AT	02-Nov-07	BETA	0.0194	pCi/m3	0.0013	0.0035			
SESPMNT	B1PT58	BASIN CITY SCHOOL	COMMUNITY	AT	14-Nov-07	BETA	0.0229	pCi/m3	0.0018	0.0043			
SESPMNT	B1PT59	BASIN CITY SCHOOL	COMMUNITY	AT	29-Nov-07	BETA	0.03	pCi/m3	0.0015	0.005			
SESPMNT	B1PT60	BASIN CITY SCHOOL	COMMUNITY	AT	12-Dec-07	BETA	0.0221	pCi/m3	0.0016	0.0041			
SESPMNT	B1PT61	BASIN CITY SCHOOL	COMMUNITY	AT	28-Dec-07	BETA	0.0161	pCi/m3	0.0012	0.003			
SESPMNT	B1LV71	BATTELLE COMPLEX	PERIMETER	AT	17-Jan-07	BETA	0.0224	pCi/m3	0.0015	0.004			
SESPMNT	B1LV72	BATTELLE COMPLEX	PERIMETER	AT	31-Jan-07	BETA	0.0461	pCi/m3	0.002	0.0077			
SESPMNT	B1LV73	BATTELLE COMPLEX	PERIMETER	AT	14-Feb-07	BETA	0.0359	pCi/m3	0.0019	0.0062			
SESPMNT	B1LV74	BATTELLE COMPLEX	PERIMETER	AT	01-Mar-07	BETA	0.00492	pCi/m3	0.00084	0.0013			
SESPMNT	B1LV75	BATTELLE COMPLEX	PERIMETER	AT	14-Mar-07	BETA	0.0154	pCi/m3	0.0014	0.0031			
SESPMNT	B1LV76	BATTELLE COMPLEX	PERIMETER	AT	29-Mar-07	BETA	0.00937	pCi/m3	0.0011	0.0021			
SESPMNT	B1MXW2	BATTELLE COMPLEX	PERIMETER	AT	11-Apr-07	BETA	0.0133	pCi/m3	0.0013	0.0027			
SESPMNT	B1MXW3	BATTELLE COMPLEX	PERIMETER	AT	24-Apr-07	BETA	0.00581	pCi/m3	0.00098	0.0015			
SESPMNT	B1MXW4	BATTELLE COMPLEX	PERIMETER	AT	09-May-07	BETA	0.0115	pCi/m3	0.0011	0.0023			
SESPMNT	B1MXW5	BATTELLE COMPLEX	PERIMETER	AT	23-May-07	BETA	0.0141	pCi/m3	0.0012	0.0027			
SESPMNT	B1MXW6	BATTELLE COMPLEX	PERIMETER	AT	07-Jun-07	BETA	0.0148	pCi/m3	0.0012	0.0028			
SESPMNT	B1MXW7	BATTELLE COMPLEX	PERIMETER	AT	20-Jun-07	BETA	0.00797	pCi/m3	0.001	0.0019			
SESPMNT	B1MXW8	BATTELLE COMPLEX	PERIMETER	AT	06-Jul-07	BETA	0.0103	pCi/m3	0.001	0.0021			
SESPMNT	B1P1R0	BATTELLE COMPLEX	PERIMETER	AT	18-Jul-07	BETA	0.0128	pCi/m3	0.0014	0.0027			
SESPMNT	B1P1R1	BATTELLE COMPLEX	PERIMETER	AT	07-Aug-07	BETA	0.011	pCi/m3	0.00088	0.0021			
SESPMNT	B1P1R2	BATTELLE COMPLEX	PERIMETER	AT	14-Aug-07	BETA	0.0119	pCi/m3	0.0018	0.003			
SESPMNT	B1P1R3	BATTELLE COMPLEX	PERIMETER	AT	30-Aug-07	BETA	0.0125	pCi/m3	0.0011	0.0025			
SESPMNT	B1P1R4	BATTELLE COMPLEX	PERIMETER	AT	12-Sep-07	BETA	0.0149	pCi/m3	0.0013	0.0029			
SESPMNT	B1P1R5	BATTELLE COMPLEX	PERIMETER	AT	26-Sep-07	BETA	0.0126	pCi/m3	0.0012	0.0025			
SESPMNT	B1PR32	BATTELLE COMPLEX	PERIMETER	AT	10-Oct-07	BETA	0.0102	pCi/m3	0.0011	0.0022			
SESPMNT	B1PR33	BATTELLE COMPLEX	PERIMETER	AT	25-Oct-07	BETA	0.0136	pCi/m3	0.0011	0.0026			
SESPMNT	B1PR34	BATTELLE COMPLEX	PERIMETER	AT	06-Nov-07	BETA	0.0293	pCi/m3	0.0018	0.0052			
SESPMNT	B1PR35	BATTELLE COMPLEX	PERIMETER	AT	20-Nov-07	BETA	0.024	pCi/m3	0.0016	0.0043			
SESPMNT	B1PR36	BATTELLE COMPLEX	PERIMETER	AT	04-Dec-07	BETA	0.0305	pCi/m3	0.0017	0.0053			
SESPMNT	B1PR37	BATTELLE COMPLEX	PERIMETER	AT	19-Dec-07	BETA	0.0287	pCi/m3	0.0017	0.0051			
SESPMNT	B1PR38	BATTELLE COMPLEX	PERIMETER	AT	03-Jan-08	BETA	0.00832	pCi/m3	0.001	0.0019			
SESPMNT	B1LV78	BENTON CITY	COMMUNITY	AT	18-Jan-07	BETA	0.0252	pCi/m3	0.0016	0.0044			
SESPMNT	B1LV79	BENTON CITY	COMMUNITY	AT	02-Feb-07	BETA	0.0458	pCi/m3	0.002	0.0077			
SESPMNT	B1LV80	BENTON CITY	COMMUNITY	AT	16-Feb-07	BETA	0.0314	pCi/m3	0.0018	0.0055			
SESPMNT	B1LV81	BENTON CITY	COMMUNITY	AT	02-Mar-07	BETA	0.00697	pCi/m3	0.001	0.0017			
SESPMNT	B1LV82	BENTON CITY	COMMUNITY	AT	16-Mar-07	BETA	0.0147	pCi/m3	0.0013	0.0029			
SESPMNT	B1LV83	BENTON CITY	COMMUNITY	AT	03-Apr-07	BETA	0.00953	pCi/m3	0.00095	0.002			
SESPMNT	B1MXX0	BENTON CITY	COMMUNITY	AT	12-Apr-07	BETA	0.0147	pCi/m3	0.0017	0.0032			
SESPMNT	B1MXX1	BENTON CITY	COMMUNITY	AT	27-Apr-07	BETA	0.00687	pCi/m3	0.001	0.0017			
SESPMNT	B1MXX2	BENTON CITY	COMMUNITY	AT	11-May-07	BETA	0.0108	pCi/m3	0.0012	0.0023			
SESPMNT	B1MXX3	BENTON CITY	COMMUNITY	AT	24-May-07	BETA	0.0121	pCi/m3	0.0013	0.0026			
SESPMNT	B1MXX4	BENTON CITY	COMMUNITY	AT	08-Jun-07	BETA	0.0148	pCi/m3	0.0013	0.0029			
SESPMNT	B1MXX5	BENTON CITY	COMMUNITY	AT	21-Jun-07	BETA	0.00934	pCi/m3	0.0012	0.0021			

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## AIR - BETA/ALPHA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1MX6	BENTON CITY	COMMUNITY	AT	03-Jul-07	BETA	0.0102	pCi/m3	0.0013	0.0023			
SESPMNT	B1P1R7	BENTON CITY	COMMUNITY	AT	19-Jul-07	BETA	0.0122	pCi/m3	0.0012	0.0025			
SESPMNT	B1P1R8	BENTON CITY	COMMUNITY	AT	06-Aug-07	BETA	0.0108	pCi/m3	0.001	0.0022			
SESPMNT	B1P1R9	BENTON CITY	COMMUNITY	AT	16-Aug-07	BETA						NO SAMPLE. SAVE FOR COMPOSITE. POWER OUTAGE DUE TO CONSTRUCTION AND RELOCATING TRANSFORMER, UNKNOWN WHEN POWER WILL BE RESTORED.	
SESPMNT	B1P1T0	BENTON CITY	COMMUNITY	AT	31-Aug-07	BETA	0.0118	pCi/m3	0.0016	0.0028		POWER OUTAGE DUE TO CONSTRUCTION IN THE AREA, UNKNOWN WHEN POWER WAS RESTORED.	
SESPMNT	B1P1T1	BENTON CITY	COMMUNITY	AT	13-Sep-07	BETA	0.0119	pCi/m3	0.0011	0.0024			
SESPMNT	B1P1T2	BENTON CITY	COMMUNITY	AT	27-Sep-07	BETA	0.0127	pCi/m3	0.0011	0.0025			
SESPMNT	B1PR40	BENTON CITY	COMMUNITY	AT	11-Oct-07	BETA	0.00899	pCi/m3	0.001	0.002			
SESPMNT	B1PR41	BENTON CITY	COMMUNITY	AT	26-Oct-07	BETA	0.013	pCi/m3	0.0012	0.0026			
SESPMNT	B1PR42	BENTON CITY	COMMUNITY	AT	07-Nov-07	BETA	0.0299	pCi/m3	0.002	0.0054			
SESPMNT	B1PR43	BENTON CITY	COMMUNITY	AT	21-Nov-07	BETA	0.0184	pCi/m3	0.0015	0.0035			
SESPMNT	B1PR44	BENTON CITY	COMMUNITY	AT	07-Dec-07	BETA	0.0265	pCi/m3	0.0016	0.0047		RENOVATION AT SCHOOL, POWER TO CIRCUIT SHUT DOWN UNTIL FURTHER NOTICE.	
SESPMNT	B1PR45	BENTON CITY	COMMUNITY	AT	21-Dec-07	BETA						NO SAMPLE. POWER OFF AT STATION.	
SESPMNT	B1PR46	BENTON CITY	COMMUNITY	AT	04-Jan-08	BETA						NO SAMPLE. POWER OFF AT STATION.	
SESPMNT	B1LW25	BYERS LANDING	PERIMETER	AT	11-Jan-07	BETA	0.0145	pCi/m3	0.0014	0.0029			
SESPMNT	B1LW26	BYERS LANDING	PERIMETER	AT	26-Jan-07	BETA	0.0483	pCi/m3	0.0021	0.0081			
SESPMNT	B1LW27	BYERS LANDING	PERIMETER	AT	08-Feb-07	BETA	0.0503	pCi/m3	0.0023	0.0085		PUMP REPLACED.	
SESPMNT	B1LW28	BYERS LANDING	PERIMETER	AT	22-Feb-07	BETA	0.00897	pCi/m3	0.0011	0.002			
SESPMNT	B1LW29	BYERS LANDING	PERIMETER	AT	08-Mar-07	BETA	0.0117	pCi/m3	0.0012	0.0024			
SESPMNT	B1LW30	BYERS LANDING	PERIMETER	AT	22-Mar-07	BETA	0.00954	pCi/m3	0.0011	0.0021			
SESPMNT	B1LW31	BYERS LANDING	PERIMETER	AT	06-Apr-07	BETA	0.0118	pCi/m3	0.0011	0.0024			
SESPMNT	B1MYN4	BYERS LANDING	PERIMETER	AT	19-Apr-07	BETA	0.00633	pCi/m3	0.00096	0.0016			
SESPMNT	B1MYN5	BYERS LANDING	PERIMETER	AT	03-May-07	BETA	0.0101	pCi/m3	0.0011	0.0022			
SESPMNT	B1MYN6	BYERS LANDING	PERIMETER	AT	17-May-07	BETA	0.0132	pCi/m3	0.0012	0.0026			
SESPMNT	B1MYN7	BYERS LANDING	PERIMETER	AT	31-May-07	BETA	0.00915	pCi/m3	0.0011	0.002			
SESPMNT	B1MYN8	BYERS LANDING	PERIMETER	AT	14-Jun-07	BETA	0.012	pCi/m3	0.0012	0.0025			
SESPMNT	B1MYN9	BYERS LANDING	PERIMETER	AT	28-Jun-07	BETA	0.00846	pCi/m3	0.00099	0.0019			
SESPMNT	B1P2H1	BYERS LANDING	PERIMETER	AT	13-Jul-07	BETA	0.0113	pCi/m3	0.001	0.0022			
SESPMNT	B1P2H2	BYERS LANDING	PERIMETER	AT	24-Jul-07	BETA	0.0122	pCi/m3	0.0013	0.0026			
SESPMNT	B1P2H3	BYERS LANDING	PERIMETER	AT	10-Aug-07	BETA	0.0113	pCi/m3	0.00097	0.0022			
SESPMNT	B1P2H4	BYERS LANDING	PERIMETER	AT	23-Aug-07	BETA	0.0117	pCi/m3	0.0012	0.0024			
SESPMNT	B1P2H5	BYERS LANDING	PERIMETER	AT	06-Sep-07	BETA	0.0142	pCi/m3	0.0012	0.0027			
SESPMNT	B1P2H6	BYERS LANDING	PERIMETER	AT	21-Sep-07	BETA	0.0162	pCi/m3	0.0012	0.003			
SESPMNT	B1P2H7	BYERS LANDING	PERIMETER	AT	04-Oct-07	BETA	0.00912	pCi/m3	0.0011	0.002			
SESPMNT	B1PRX0	BYERS LANDING	PERIMETER	AT	19-Oct-07	BETA	0.0127	pCi/m3	0.0012	0.0025			
SESPMNT	B1PRX1	BYERS LANDING	PERIMETER	AT	02-Nov-07	BETA	0.0208	pCi/m3	0.0015	0.0038			
SESPMNT	B1PRX2	BYERS LANDING	PERIMETER	AT	14-Nov-07	BETA	0.025	pCi/m3	0.0017	0.0046			
SESPMNT	B1PRX3	BYERS LANDING	PERIMETER	AT	29-Nov-07	BETA	0.0328	pCi/m3	0.0017	0.0054			
SESPMNT	B1PRX4	BYERS LANDING	PERIMETER	AT	12-Dec-07	BETA	0.0236	pCi/m3	0.0017	0.0043			
SESPMNT	B1PRX5	BYERS LANDING	PERIMETER	AT	28-Dec-07	BETA	0.0157	pCi/m3	0.0013	0.003			
SESPMNT	B1LW17	DOGWOOD MET TOWER	PERIMETER	AT	11-Jan-07	BETA	0.0146	pCi/m3	0.0013	0.0029			
SESPMNT	B1LW18	DOGWOOD MET TOWER	PERIMETER	AT	26-Jan-07	BETA	0.0362	pCi/m3	0.0018	0.0062			
SESPMNT	B1LW19	DOGWOOD MET TOWER	PERIMETER	AT	08-Feb-07	BETA	0.0439	pCi/m3	0.0021	0.0075			
SESPMNT	B1LW20	DOGWOOD MET TOWER	PERIMETER	AT	22-Feb-07	BETA	0.00881	pCi/m3	0.0011	0.002			
SESPMNT	B1LW21	DOGWOOD MET TOWER	PERIMETER	AT	08-Mar-07	BETA	0.0108	pCi/m3	0.0011	0.0023			
SESPMNT	B1LW22	DOGWOOD MET TOWER	PERIMETER	AT	22-Mar-07	BETA	0.00803	pCi/m3	0.0017	0.0025		REPLACED PUMP AND REGULATOR.	
SESPMNT	B1LW23	DOGWOOD MET TOWER	PERIMETER	AT	06-Apr-07	BETA	0.0102	pCi/m3	0.00088	0.002			
SESPMNT	B1MYM7	DOGWOOD MET TOWER	PERIMETER	AT	19-Apr-07	BETA	0.00599	pCi/m3	0.00095	0.0016			
SESPMNT	B1MYM8	DOGWOOD MET TOWER	PERIMETER	AT	03-May-07	BETA	0.00971	pCi/m3	0.0011	0.0021			
SESPMNT	B1MYM9	DOGWOOD MET TOWER	PERIMETER	AT	17-May-07	BETA	0.0121	pCi/m3	0.0011	0.0024			
SESPMNT	B1MYN0	DOGWOOD MET TOWER	PERIMETER	AT	31-May-07	BETA	0.00945	pCi/m3	0.00098	0.002			
SESPMNT	B1MYN1	DOGWOOD MET TOWER	PERIMETER	AT	14-Jun-07	BETA	0.0109	pCi/m3	0.001	0.0022			
SESPMNT	B1MYN2	DOGWOOD MET TOWER	PERIMETER	AT	28-Jun-07	BETA	0.00896	pCi/m3	0.00096	0.0019			
SESPMNT	B1P2F3	DOGWOOD MET TOWER	PERIMETER	AT	13-Jul-07	BETA	0.00919	pCi/m3	0.00092	0.0019			
SESPMNT	B1P2F4	DOGWOOD MET TOWER	PERIMETER	AT	24-Jul-07	BETA	0.0106	pCi/m3	0.0012	0.0023			
SESPMNT	B1P2F5	DOGWOOD MET TOWER	PERIMETER	AT	10-Aug-07	BETA	0.00969	pCi/m3	0.00088	0.0019			
SESPMNT	B1P2F6	DOGWOOD MET TOWER	PERIMETER	AT	23-Aug-07	BETA	0.0109	pCi/m3	0.0011	0.0023			
SESPMNT	B1P2F7	DOGWOOD MET TOWER	PERIMETER	AT	06-Sep-07	BETA	0.0104	pCi/m3	0.0011	0.0022			
SESPMNT	B1P2F8	DOGWOOD MET TOWER	PERIMETER	AT	21-Sep-07	BETA	0.0141	pCi/m3	0.0011	0.0027			
SESPMNT	B1P2F9	DOGWOOD MET TOWER	PERIMETER	AT	04-Oct-07	BETA	0.009	pCi/m3	0.0011	0.002			
SESPMNT	B1PRW2	DOGWOOD MET TOWER	PERIMETER	AT	19-Oct-07	BETA	0.0138	pCi/m3	0.0014	0.0029			
SESPMNT	B1PRW3	DOGWOOD MET TOWER	PERIMETER	AT	02-Nov-07	BETA	0.0147	pCi/m3	0.0011	0.0028			
SESPMNT	B1PRW4	DOGWOOD MET TOWER	PERIMETER	AT	14-Nov-07	BETA	0.0198	pCi/m3	0.0016	0.0038			

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## AIR - BETA/ALPHA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1PRW5	DOGWOOD MET TOWER	PERIMETER	AT	29-Nov-07	BETA	0.0225	pCi/m3	0.0014	0.0038			
SESPMNT	B1PRW6	DOGWOOD MET TOWER	PERIMETER	AT	12-Dec-07	BETA	0.0191	pCi/m3	0.0015	0.0036			
SESPMNT	B1PRW7	DOGWOOD MET TOWER	PERIMETER	AT	28-Dec-07	BETA	0.0137	pCi/m3	0.0011	0.0026			
SESPMNT	B1LWR1	GABLE MOUNTAIN	ONSITE	AT	09-Jan-07	BETA	0.0146	pCi/m3	0.0013	0.0029			
SESPMNT	B1LWR2	GABLE MOUNTAIN	ONSITE	AT	24-Jan-07	BETA	0.0404	pCi/m3	0.0019	0.0068			
SESPMNT	B1LWR3	GABLE MOUNTAIN	ONSITE	AT	06-Feb-07	BETA	0.0425	pCi/m3	0.002	0.0072			
SESPMNT	B1LWR4	GABLE MOUNTAIN	ONSITE	AT	19-Feb-07	BETA	0.0152	pCi/m3	0.0014	0.003			
SESPMNT	B1LWR5	GABLE MOUNTAIN	ONSITE	AT	06-Mar-07	BETA	0.00812	pCi/m3	0.001	0.0018			
SESPMNT	B1LWR6	GABLE MOUNTAIN	ONSITE	AT	19-Mar-07	BETA	0.012	pCi/m3	0.0012	0.0025			
SESPMNT	B1LWR7	GABLE MOUNTAIN	ONSITE	AT	04-Apr-07	BETA	0.00886	pCi/m3	0.00099	0.0019			
SESPMNT	B1N072	GABLE MOUNTAIN	ONSITE	AT	17-Apr-07	BETA	0.0103	pCi/m3	0.0012	0.0023			
SESPMNT	B1N073	GABLE MOUNTAIN	ONSITE	AT	01-May-07	BETA	0.00954	pCi/m3	0.0011	0.0021			
SESPMNT	B1N074	GABLE MOUNTAIN	ONSITE	AT	15-May-07	BETA	0.0132	pCi/m3	0.0013	0.0027			
SESPMNT	B1N075	GABLE MOUNTAIN	ONSITE	AT	29-May-07	BETA	0.0114	pCi/m3	0.0011	0.0023			
SESPMNT	B1N076	GABLE MOUNTAIN	ONSITE	AT	12-Jun-07	BETA	0.0125	pCi/m3	0.0012	0.0025			
SESPMNT	B1N077	GABLE MOUNTAIN	ONSITE	AT	25-Jun-07	BETA	0.00787	pCi/m3	0.0011	0.0019			
SESPMNT	B1P315	GABLE MOUNTAIN	ONSITE	AT	09-Jul-07	BETA	0.0104	pCi/m3	0.0011	0.0022			
SESPMNT	B1P316	GABLE MOUNTAIN	ONSITE	AT	23-Jul-07	BETA	0.0109	pCi/m3	0.00092	0.0021		END FLOW AT 2 CFM, RESET START FLOW TO 1.5 CFM.	
SESPMNT	B1P317	GABLE MOUNTAIN	ONSITE	AT	08-Aug-07	BETA	0.0118	pCi/m3	0.0011	0.0023			
SESPMNT	B1P318	GABLE MOUNTAIN	ONSITE	AT	21-Aug-07	BETA	0.0114	pCi/m3	0.0012	0.0024			
SESPMNT	B1P319	GABLE MOUNTAIN	ONSITE	AT	04-Sep-07	BETA	0.0137	pCi/m3	0.0013	0.0027			
SESPMNT	B1P320	GABLE MOUNTAIN	ONSITE	AT	18-Sep-07	BETA	0.0152	pCi/m3	0.0013	0.003			
SESPMNT	B1P321	GABLE MOUNTAIN	ONSITE	AT	02-Oct-07	BETA	0.0094	pCi/m3	0.0011	0.0021			
SESPMNT	B1PTF5	GABLE MOUNTAIN	ONSITE	AT	16-Oct-07	BETA	0.0132	pCi/m3	0.0012	0.0026			
SESPMNT	B1PTF6	GABLE MOUNTAIN	ONSITE	AT	31-Oct-07	BETA	0.016	pCi/m3	0.0013	0.0031			
SESPMNT	B1PTF7	GABLE MOUNTAIN	ONSITE	AT	09-Nov-07	BETA	0.0313	pCi/m3	0.0024	0.0059			
SESPMNT	B1PTF8	GABLE MOUNTAIN	ONSITE	AT	26-Nov-07	BETA	0.0304	pCi/m3	0.0015	0.005			
SESPMNT	B1PTF9	GABLE MOUNTAIN	ONSITE	AT	10-Dec-07	BETA	0.0182	pCi/m3	0.0015	0.0034			
SESPMNT	B1PTH0	GABLE MOUNTAIN	ONSITE	AT	26-Dec-07	BETA	0.0208	pCi/m3	0.0014	0.0038			
SESPMNT	B1LWM0	HANFORD TOWNSITE	ONSITE	AT	15-Jan-07	BETA	0.0163	pCi/m3	0.0015	0.0032			
SESPMNT	B1LWM1	HANFORD TOWNSITE	ONSITE	AT	30-Jan-07	BETA	0.0577	pCi/m3	0.0024	0.0097			
SESPMNT	B1LWM2	HANFORD TOWNSITE	ONSITE	AT	13-Feb-07	BETA	0.0435	pCi/m3	0.0021	0.0075			
SESPMNT	B1LWM3	HANFORD TOWNSITE	ONSITE	AT	26-Feb-07	BETA	0.0089	pCi/m3	0.0012	0.0021			
SESPMNT	B1LWM4	HANFORD TOWNSITE	ONSITE	AT	12-Mar-07	BETA	0.0144	pCi/m3	0.0013	0.0029			
SESPMNT	B1LWM5	HANFORD TOWNSITE	ONSITE	AT	28-Mar-07	BETA	0.00806	pCi/m3	0.0011	0.0019			
SESPMNT	B1N036	HANFORD TOWNSITE	ONSITE	AT	10-Apr-07	BETA	0.0133	pCi/m3	0.0012	0.0026			
SESPMNT	B1N037	HANFORD TOWNSITE	ONSITE	AT	20-Apr-07	BETA						NO SAMPLE. DO NOT SAVE FOR COMPOSITE. PUMP REPLACED.	
SESPMNT	B1N038	HANFORD TOWNSITE	ONSITE	AT	08-May-07	BETA	0.0104	pCi/m3	0.00099	0.0021			
SESPMNT	B1N039	HANFORD TOWNSITE	ONSITE	AT	22-May-07	BETA	0.0144	pCi/m3	0.0012	0.0028			
SESPMNT	B1N040	HANFORD TOWNSITE	ONSITE	AT	06-Jun-07	BETA	0.0138	pCi/m3	0.0012	0.0027			
SESPMNT	B1N041	HANFORD TOWNSITE	ONSITE	AT	19-Jun-07	BETA	0.00651	pCi/m3	0.00095	0.0016			
SESPMNT	B1N042	HANFORD TOWNSITE	ONSITE	AT	02-Jul-07	BETA	0.00897	pCi/m3	0.0011	0.002			
SESPMNT	B1P2X4	HANFORD TOWNSITE	ONSITE	AT	17-Jul-07	BETA	0.0135	pCi/m3	0.0011	0.0026			
SESPMNT	B1P2X5	HANFORD TOWNSITE	ONSITE	AT	27-Jul-07	BETA	0.0119	pCi/m3	0.0014	0.0026			
SESPMNT	B1P2X6	HANFORD TOWNSITE	ONSITE	AT	13-Aug-07	BETA	0.011	pCi/m3	0.00097	0.0022			
SESPMNT	B1P2X7	HANFORD TOWNSITE	ONSITE	AT	24-Aug-07	BETA	0.0132	pCi/m3	0.0014	0.0028			
SESPMNT	B1P2X8	HANFORD TOWNSITE	ONSITE	AT	10-Sep-07	BETA	0.0119	pCi/m3	0.001	0.0023			
SESPMNT	B1P2X9	HANFORD TOWNSITE	ONSITE	AT	25-Sep-07	BETA	0.0164	pCi/m3	0.0012	0.0031			
SESPMNT	B1PT99	HANFORD TOWNSITE	ONSITE	AT	09-Oct-07	BETA	0.0113	pCi/m3	0.0013	0.0024			
SESPMNT	B1PTB0	HANFORD TOWNSITE	ONSITE	AT	24-Oct-07	BETA	0.015	pCi/m3	0.0012	0.0028			
SESPMNT	B1PTB1	HANFORD TOWNSITE	ONSITE	AT	05-Nov-07	BETA	0.0291	pCi/m3	0.0019	0.0052			
SESPMNT	B1PTB2	HANFORD TOWNSITE	ONSITE	AT	19-Nov-07	BETA	0.0249	pCi/m3	0.0017	0.0045			
SESPMNT	B1PTB3	HANFORD TOWNSITE	ONSITE	AT	03-Dec-07	BETA	0.0326	pCi/m3	0.0019	0.0057			
SESPMNT	B1PTB4	HANFORD TOWNSITE	ONSITE	AT	20-Dec-07	BETA	0.0261	pCi/m3	0.0016	0.0046			
SESPMNT	B1PTB5	HANFORD TOWNSITE	ONSITE	AT	02-Jan-08	BETA	0.0115	pCi/m3	0.0013	0.0025			
SESPMNT	B1LW33	HORN RAPIDS SUBSTA	PERIMETER	AT	18-Jan-07	BETA	0.0287	pCi/m3	0.0018	0.0051			
SESPMNT	B1LW34	HORN RAPIDS SUBSTA	PERIMETER	AT	02-Feb-07	BETA	0.0488	pCi/m3	0.0022	0.0082			
SESPMNT	B1LW35	HORN RAPIDS SUBSTA	PERIMETER	AT	16-Feb-07	BETA	0.0361	pCi/m3	0.002	0.0063			
SESPMNT	B1LW36	HORN RAPIDS SUBSTA	PERIMETER	AT	02-Mar-07	BETA	0.00706	pCi/m3	0.0011	0.0018			
SESPMNT	B1LW37	HORN RAPIDS SUBSTA	PERIMETER	AT	16-Mar-07	BETA	0.015	pCi/m3	0.0013	0.003			
SESPMNT	B1LW38	HORN RAPIDS SUBSTA	PERIMETER	AT	03-Apr-07	BETA	0.0103	pCi/m3	0.00097	0.0021			
SESPMNT	B1MYP1	HORN RAPIDS SUBSTA	PERIMETER	AT	12-Apr-07	BETA	0.0134	pCi/m3	0.0017	0.0031			
SESPMNT	B1MYP2	HORN RAPIDS SUBSTA	PERIMETER	AT	27-Apr-07	BETA	0.00754	pCi/m3	0.0011	0.0019			
SESPMNT	B1MYP3	HORN RAPIDS SUBSTA	PERIMETER	AT	11-May-07	BETA	0.011	pCi/m3	0.0011	0.0023			
SESPMNT	B1MYP4	HORN RAPIDS SUBSTA	PERIMETER	AT	24-May-07	BETA	0.0136	pCi/m3	0.0013	0.0027			
SESPMNT	B1MYP5	HORN RAPIDS SUBSTA	PERIMETER	AT	08-Jun-07	BETA	0.0144	pCi/m3	0.0013	0.0028			
SESPMNT	B1MYP6	HORN RAPIDS SUBSTA	PERIMETER	AT	21-Jun-07	BETA	0.00938	pCi/m3	0.0011	0.0021			

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## AIR - BETA/ALPHA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1MYP7	HORN RAPIDS SUBSTA	PERIMETER	AT	03-Jul-07	BETA	0.00955	pCi/m3	0.0012	0.0022			
SESPMNT	B1P2H9	HORN RAPIDS SUBSTA	PERIMETER	AT	19-Jul-07	BETA	0.0138	pCi/m3	0.0012	0.0027			
SESPMNT	B1P2J0	HORN RAPIDS SUBSTA	PERIMETER	AT	06-Aug-07	BETA	0.012	pCi/m3	0.0011	0.0023			
SESPMNT	B1P2J1	HORN RAPIDS SUBSTA	PERIMETER	AT	16-Aug-07	BETA	0.0176	pCi/m3	0.0018	0.0036			
SESPMNT	B1P2J2	HORN RAPIDS SUBSTA	PERIMETER	AT	31-Aug-07	BETA	0.0135	pCi/m3	0.0012	0.0026			
SESPMNT	B1P2J3	HORN RAPIDS SUBSTA	PERIMETER	AT	13-Sep-07	BETA	0.0153	pCi/m3	0.0014	0.0031			
SESPMNT	B1P2J4	HORN RAPIDS SUBSTA	PERIMETER	AT	27-Sep-07	BETA	0.0146	pCi/m3	0.0013	0.0029			
SESPMNT	B1PRX8	HORN RAPIDS SUBSTA	PERIMETER	AT	11-Oct-07	BETA	0.01	pCi/m3	0.0011	0.0022			
SESPMNT	B1PRX9	HORN RAPIDS SUBSTA	PERIMETER	AT	26-Oct-07	BETA	0.0135	pCi/m3	0.0012	0.0027			
SESPMNT	B1PRY0	HORN RAPIDS SUBSTA	PERIMETER	AT	07-Nov-07	BETA	0.0311	pCi/m3	0.0019	0.0055			
SESPMNT	B1PRY1	HORN RAPIDS SUBSTA	PERIMETER	AT	21-Nov-07	BETA	0.0219	pCi/m3	0.0016	0.004			
SESPMNT	B1PRY2	HORN RAPIDS SUBSTA	PERIMETER	AT	07-Dec-07	BETA	0.0301	pCi/m3	0.0017	0.0053			
SESPMNT	B1PRY3	HORN RAPIDS SUBSTA	PERIMETER	AT	21-Dec-07	BETA	0.0301	pCi/m3	0.0019	0.0054			
SESPMNT	B1PRY4	HORN RAPIDS SUBSTA	PERIMETER	AT	04-Jan-08	BETA	0.0133	pCi/m3	0.0014	0.0027			
SESPMNT	B1LW81	KENNEWICK-ELY STREET	COMMUNITY	AT	11-Jan-07	BETA	0.0126	pCi/m3	0.0012	0.0025		LEAK IN SYSTEM HAS BEEN FIXED. TOTAL SAMPLE VOLUME ADJUSTED TO 800 M3 BASED ON 1.5 CFM SAMPLE FLOW RATE.	
SESPMNT	B1LW82	KENNEWICK-ELY STREET	COMMUNITY	AT	26-Jan-07	BETA	0.0389	pCi/m3	0.0017	0.0065		TOTALIZER WAS REPLACED 1/12/07 AT 10:23 A.M. WITH A READING OF 4396 M3, ADD 100 TO END FLOW FOR FINAL TOTAL FLOW OF 965.	
SESPMNT	B1LW83	KENNEWICK-ELY STREET	COMMUNITY	AT	08-Feb-07	BETA	0.0401	pCi/m3	0.0019	0.0068			
SESPMNT	B1LW84	KENNEWICK-ELY STREET	COMMUNITY	AT	22-Feb-07	BETA	0.00719	pCi/m3	0.00093	0.0017			
SESPMNT	B1LW85	KENNEWICK-ELY STREET	COMMUNITY	AT	08-Mar-07	BETA	0.0111	pCi/m3	0.0011	0.0023			
SESPMNT	B1LW86	KENNEWICK-ELY STREET	COMMUNITY	AT	22-Mar-07	BETA	0.00852	pCi/m3	0.001	0.0019			
SESPMNT	B1LW87	KENNEWICK-ELY STREET	COMMUNITY	AT	06-Apr-07	BETA	0.0104	pCi/m3	0.001	0.0021			
SESPMNT	B1MYX0	KENNEWICK-ELY STREET	COMMUNITY	AT	19-Apr-07	BETA	0.00651	pCi/m3	0.001	0.0017			
SESPMNT	B1MYX1	KENNEWICK-ELY STREET	COMMUNITY	AT	03-May-07	BETA	0.00941	pCi/m3	0.0011	0.002			
SESPMNT	B1MYX2	KENNEWICK-ELY STREET	COMMUNITY	AT	17-May-07	BETA	0.0107	pCi/m3	0.001	0.0022			
SESPMNT	B1MYX3	KENNEWICK-ELY STREET	COMMUNITY	AT	31-May-07	BETA	0.00946	pCi/m3	0.001	0.002			
SESPMNT	B1MYX4	KENNEWICK-ELY STREET	COMMUNITY	AT	14-Jun-07	BETA	0.0121	pCi/m3	0.0011	0.0024			
SESPMNT	B1MYX5	KENNEWICK-ELY STREET	COMMUNITY	AT	28-Jun-07	BETA	0.00712	pCi/m3	0.00088	0.0016			
SESPMNT	B1P2N7	KENNEWICK-ELY STREET	COMMUNITY	AT	13-Jul-07	BETA	0.00891	pCi/m3	0.00094	0.0019			
SESPMNT	B1P2N8	KENNEWICK-ELY STREET	COMMUNITY	AT	24-Jul-07	BETA	0.0109	pCi/m3	0.0012	0.0024			
SESPMNT	B1P2N9	KENNEWICK-ELY STREET	COMMUNITY	AT	10-Aug-07	BETA	0.00929	pCi/m3	0.00089	0.0019			
SESPMNT	B1P2P0	KENNEWICK-ELY STREET	COMMUNITY	AT	23-Aug-07	BETA	0.0111	pCi/m3	0.0012	0.0023			
SESPMNT	B1P2P1	KENNEWICK-ELY STREET	COMMUNITY	AT	06-Sep-07	BETA	0.00954	pCi/m3	0.00092	0.0019			
SESPMNT	B1P2P2	KENNEWICK-ELY STREET	COMMUNITY	AT	21-Sep-07	BETA	0.0133	pCi/m3	0.001	0.0025			
SESPMNT	B1P2P3	KENNEWICK-ELY STREET	COMMUNITY	AT	04-Oct-07	BETA	0.00807	pCi/m3	0.00096	0.0018			
SESPMNT	B1PT40	KENNEWICK-ELY STREET	COMMUNITY	AT	19-Oct-07	BETA	0.0108	pCi/m3	0.00096	0.0021			
SESPMNT	B1PT41	KENNEWICK-ELY STREET	COMMUNITY	AT	02-Nov-07	BETA	0.0147	pCi/m3	0.00099	0.0027		END FLOW ADJUSTED FROM 2.0 TO 1.5 CFM.	
SESPMNT	B1PT42	KENNEWICK-ELY STREET	COMMUNITY	AT	14-Nov-07	BETA	0.0189	pCi/m3	0.0015	0.0036			
SESPMNT	B1PT43	KENNEWICK-ELY STREET	COMMUNITY	AT	29-Nov-07	BETA	0.0212	pCi/m3	0.0012	0.0036			
SESPMNT	B1PT44	KENNEWICK-ELY STREET	COMMUNITY	AT	12-Dec-07	BETA	0.0149	pCi/m3	0.0011	0.0028			
SESPMNT	B1PT45	KENNEWICK-ELY STREET	COMMUNITY	AT	28-Dec-07	BETA	0.0108	pCi/m3	0.00096	0.0021			
SESPMNT	B1LWB4	LESLIE GROVES-RCHLND	COMMUNITY	AT	10-Jan-07	BETA	0.0149	pCi/m3	0.0014	0.003			
SESPMNT	B1LWB5	LESLIE GROVES-RCHLND	COMMUNITY	AT	25-Jan-07	BETA	0.0534	pCi/m3	0.0022	0.0088			
SESPMNT	B1LWB6	LESLIE GROVES-RCHLND	COMMUNITY	AT	07-Feb-07	BETA	0.0556	pCi/m3	0.0024	0.0093			
SESPMNT	B1LWB7	LESLIE GROVES-RCHLND	COMMUNITY	AT	21-Feb-07	BETA	0.0114	pCi/m3	0.0012	0.0024			
SESPMNT	B1LWB8	LESLIE GROVES-RCHLND	COMMUNITY	AT	07-Mar-07	BETA	0.0117	pCi/m3	0.0011	0.0024			
SESPMNT	B1LWB9	LESLIE GROVES-RCHLND	COMMUNITY	AT	20-Mar-07	BETA	0.0113	pCi/m3	0.0012	0.0024			
SESPMNT	B1LWC0	LESLIE GROVES-RCHLND	COMMUNITY	AT	05-Apr-07	BETA	0.0111	pCi/m3	0.0011	0.0023			
SESPMNT	B1N002	LESLIE GROVES-RCHLND	COMMUNITY	AT	18-Apr-07	BETA						NO SAMPLE. SAVE FOR COMPOSITE, PUMP REPLACED.	
SESPMNT	B1N003	LESLIE GROVES-RCHLND	COMMUNITY	AT	02-May-07	BETA	0.00856	pCi/m3	0.00097	0.0019			
SESPMNT	B1N004	LESLIE GROVES-RCHLND	COMMUNITY	AT	16-May-07	BETA	0.0126	pCi/m3	0.0011	0.0025			
SESPMNT	B1N005	LESLIE GROVES-RCHLND	COMMUNITY	AT	30-May-07	BETA	0.00994	pCi/m3	0.0011	0.0021			
SESPMNT	B1N006	LESLIE GROVES-RCHLND	COMMUNITY	AT	13-Jun-07	BETA	0.0122	pCi/m3	0.00098	0.0023			
SESPMNT	B1N007	LESLIE GROVES-RCHLND	COMMUNITY	AT	27-Jun-07	BETA	0.0121	pCi/m3	0.0014	0.0026			
SESPMNT	B1P2T0	LESLIE GROVES-RCHLND	COMMUNITY	AT	10-Jul-07	BETA	0.0124	pCi/m3	0.0012	0.0025			
SESPMNT	B1P2T1	LESLIE GROVES-RCHLND	COMMUNITY	AT	27-Jul-07	BETA	0.0122	pCi/m3	0.001	0.0023			
SESPMNT	B1P2T2	LESLIE GROVES-RCHLND	COMMUNITY	AT	09-Aug-07	BETA	0.0164	pCi/m3	0.0017	0.0034		CHANGED OUT VACUUM PUMP (SILICA GEL TIMER HAD ONLY RUN 192.6 HOURS).	
SESPMNT	B1P2T3	LESLIE GROVES-RCHLND	COMMUNITY	AT	22-Aug-07	BETA	0.015	pCi/m3	0.0014	0.003			
SESPMNT	B1P2T4	LESLIE GROVES-RCHLND	COMMUNITY	AT	05-Sep-07	BETA	0.014	pCi/m3	0.0013	0.0028			
SESPMNT	B1P2T5	LESLIE GROVES-RCHLND	COMMUNITY	AT	19-Sep-07	BETA	0.0178	pCi/m3	0.0014	0.0034			
SESPMNT	B1P2T6	LESLIE GROVES-RCHLND	COMMUNITY	AT	03-Oct-07	BETA	0.0117	pCi/m3	0.0012	0.0024			
SESPMNT	B1PT64	LESLIE GROVES-RCHLND	COMMUNITY	AT	18-Oct-07	BETA	0.0149	pCi/m3	0.0013	0.0029			
SESPMNT	B1PT65	LESLIE GROVES-RCHLND	COMMUNITY	AT	01-Nov-07	BETA	0.0233	pCi/m3	0.0016	0.0043			
SESPMNT	B1PT66	LESLIE GROVES-RCHLND	COMMUNITY	AT	13-Nov-07	BETA	0.0247	pCi/m3	0.0018	0.0046			
SESPMNT	B1PT67	LESLIE GROVES-RCHLND	COMMUNITY	AT	27-Nov-07	BETA	0.0371	pCi/m3	0.0019	0.0061			



## ENVIRONMENTAL SURVEILLANCE DATA CY07

## AIR - BETA/ALPHA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1PT68	LESLIE GROVES-RCHLND	COMMUNITY	AT	11-Dec-07	BETA	0.0216	pCi/m3	0.0015	0.004			
SESPMNT	B1PT69	LESLIE GROVES-RCHLND	COMMUNITY	AT	27-Dec-07	BETA	0.0223	pCi/m3	0.0015	0.004			
SESPMNT	B1LV85	MATTAWA	COMMUNITY	AT	10-Jan-07	BETA	0.0157	pCi/m3	0.0014	0.0031			
SESPMNT	B1LV86	MATTAWA	COMMUNITY	AT	25-Jan-07	BETA	0.0409	pCi/m3	0.0019	0.0069			
SESPMNT	B1LV87	MATTAWA	COMMUNITY	AT	07-Feb-07	BETA	0.0443	pCi/m3	0.0021	0.0076			
SESPMNT	B1LV88	MATTAWA	COMMUNITY	AT	21-Feb-07	BETA	0.0113	pCi/m3	0.0012	0.0023			
SESPMNT	B1LV89	MATTAWA	COMMUNITY	AT	07-Mar-07	BETA	0.0118	pCi/m3	0.0012	0.0024			
SESPMNT	B1LV90	MATTAWA	COMMUNITY	AT	20-Mar-07	BETA	0.00769	pCi/m3	0.001	0.0018			
SESPMNT	B1LV91	MATTAWA	COMMUNITY	AT	05-Apr-07	BETA	0.00899	pCi/m3	0.00097	0.0019			
SESPMNT	B1MXX8	MATTAWA	COMMUNITY	AT	18-Apr-07	BETA	0.00912	pCi/m3	0.0011	0.002			
SESPMNT	B1MXX9	MATTAWA	COMMUNITY	AT	02-May-07	BETA	0.00901	pCi/m3	0.0011	0.002			
SESPMNT	B1MXY0	MATTAWA	COMMUNITY	AT	16-May-07	BETA	0.0115	pCi/m3	0.0012	0.0024			
SESPMNT	B1MXY1	MATTAWA	COMMUNITY	AT	30-May-07	BETA	0.00878	pCi/m3	0.0011	0.002			
SESPMNT	B1MXY2	MATTAWA	COMMUNITY	AT	13-Jun-07	BETA	0.0122	pCi/m3	0.0013	0.0026			
SESPMNT	B1MXY3	MATTAWA	COMMUNITY	AT	27-Jun-07	BETA	0.00772	pCi/m3	0.001	0.0018			
SESPMNT	B1P1T4	MATTAWA	COMMUNITY	AT	10-Jul-07	BETA	0.00956	pCi/m3	0.0011	0.0021			
SESPMNT	B1P1T5	MATTAWA	COMMUNITY	AT	27-Jul-07	BETA	0.0106	pCi/m3	0.00094	0.0021			
SESPMNT	B1P1T6	MATTAWA	COMMUNITY	AT	09-Aug-07	BETA	0.00995	pCi/m3	0.0011	0.0021			
SESPMNT	B1P1T7	MATTAWA	COMMUNITY	AT	22-Aug-07	BETA	0.0103	pCi/m3	0.0012	0.0022			
SESPMNT	B1P1T8	MATTAWA	COMMUNITY	AT	05-Sep-07	BETA	0.0108	pCi/m3	0.0012	0.0023			
SESPMNT	B1P1T9	MATTAWA	COMMUNITY	AT	19-Sep-07	BETA	0.0126	pCi/m3	0.0012	0.0025			
SESPMNT	B1P1V0	MATTAWA	COMMUNITY	AT	03-Oct-07	BETA	0.00798	pCi/m3	0.001	0.0018			
SESPMNT	B1PR48	MATTAWA	COMMUNITY	AT	18-Oct-07	BETA	0.0123	pCi/m3	0.0012	0.0025			
SESPMNT	B1PR49	MATTAWA	COMMUNITY	AT	01-Nov-07	BETA	0.0134	pCi/m3	0.0013	0.0027			
SESPMNT	B1PR50	MATTAWA	COMMUNITY	AT	13-Nov-07	BETA	0.02	pCi/m3	0.0016	0.0038			
SESPMNT	B1PR51	MATTAWA	COMMUNITY	AT	27-Nov-07	BETA	0.0327	pCi/m3	0.0018	0.0054			
SESPMNT	B1PR52	MATTAWA	COMMUNITY	AT	11-Dec-07	BETA	0.019	pCi/m3	0.0016	0.0036			
SESPMNT	B1PR53	MATTAWA	COMMUNITY	AT	27-Dec-07	BETA	0.0174	pCi/m3	0.0014	0.0033			
SESPMNT	B1LV93	OTHELLO	COMMUNITY	AT	10-Jan-07	BETA	0.0137	pCi/m3	0.0013	0.0028			
SESPMNT	B1LV94	OTHELLO	COMMUNITY	AT	25-Jan-07	BETA	0.044	pCi/m3	0.002	0.0074			
SESPMNT	B1LV95	OTHELLO	COMMUNITY	AT	07-Feb-07	BETA	0.0485	pCi/m3	0.0023	0.0082			
SESPMNT	B1LV96	OTHELLO	COMMUNITY	AT	21-Feb-07	BETA	0.00942	pCi/m3	0.0011	0.0021			
SESPMNT	B1LV97	OTHELLO	COMMUNITY	AT	07-Mar-07	BETA	0.0111	pCi/m3	0.0012	0.0023			
SESPMNT	B1LV98	OTHELLO	COMMUNITY	AT	20-Mar-07	BETA	0.00921	pCi/m3	0.0012	0.0021			
SESPMNT	B1LV99	OTHELLO	COMMUNITY	AT	05-Apr-07	BETA	0.00753	pCi/m3	0.0013	0.002		PUMP NOT RUNNING, REPLACED. ASSUMED END FLOW EQUALS START FLOW.	
SESPMNT	B1MXY5	OTHELLO	COMMUNITY	AT	18-Apr-07	BETA	0.00752	pCi/m3	0.001	0.0018			
SESPMNT	B1MXY6	OTHELLO	COMMUNITY	AT	02-May-07	BETA	0.011	pCi/m3	0.0011	0.0023			
SESPMNT	B1MXY7	OTHELLO	COMMUNITY	AT	16-May-07	BETA	0.0162	pCi/m3	0.0016	0.0033			
SESPMNT	B1MXY8	OTHELLO	COMMUNITY	AT	30-May-07	BETA	0.00725	pCi/m3	0.00089	0.0016			
SESPMNT	B1MXY9	OTHELLO	COMMUNITY	AT	13-Jun-07	BETA	0.0148	pCi/m3	0.0013	0.0029			
SESPMNT	B1MY00	OTHELLO	COMMUNITY	AT	27-Jun-07	BETA	0.00705	pCi/m3	0.00098	0.0017			
SESPMNT	B1P1V2	OTHELLO	COMMUNITY	AT	10-Jul-07	BETA	0.011	pCi/m3	0.0012	0.0023			
SESPMNT	B1P1V3	OTHELLO	COMMUNITY	AT	27-Jul-07	BETA	0.0125	pCi/m3	0.001	0.0024			
SESPMNT	B1P1V4	OTHELLO	COMMUNITY	AT	09-Aug-07	BETA	0.00968	pCi/m3	0.0011	0.0021			
SESPMNT	B1P1V5	OTHELLO	COMMUNITY	AT	22-Aug-07	BETA	0.012	pCi/m3	0.0012	0.0025			
SESPMNT	B1P1V6	OTHELLO	COMMUNITY	AT	05-Sep-07	BETA	0.0126	pCi/m3	0.0012	0.0025			
SESPMNT	B1P1V7	OTHELLO	COMMUNITY	AT	19-Sep-07	BETA	0.0154	pCi/m3	0.0013	0.003			
SESPMNT	B1P1V8	OTHELLO	COMMUNITY	AT	03-Oct-07	BETA	0.00907	pCi/m3	0.0011	0.002			
SESPMNT	B1PR56	OTHELLO	COMMUNITY	AT	18-Oct-07	BETA	0.014	pCi/m3	0.0012	0.0028			
SESPMNT	B1PR57	OTHELLO	COMMUNITY	AT	01-Nov-07	BETA	0.0176	pCi/m3	0.0015	0.0034			
SESPMNT	B1PR58	OTHELLO	COMMUNITY	AT	13-Nov-07	BETA	0.0239	pCi/m3	0.0018	0.0045			
SESPMNT	B1PR59	OTHELLO	COMMUNITY	AT	27-Nov-07	BETA	0.0317	pCi/m3	0.0018	0.0053			
SESPMNT	B1PR60	OTHELLO	COMMUNITY	AT	11-Dec-07	BETA	0.0182	pCi/m3	0.0015	0.0035			
SESPMNT	B1PR61	OTHELLO	COMMUNITY	AT	27-Dec-07	BETA	0.0163	pCi/m3	0.0014	0.0031			
SESPMNT	B1LW74	PASCO	COMMUNITY	AT	11-Jan-07	BETA	0.0134	pCi/m3	0.0014	0.0027			
SESPMNT	B1LW75	PASCO	COMMUNITY	AT	26-Jan-07	BETA	0.0521	pCi/m3	0.0023	0.0088			
SESPMNT	B1LW76	PASCO	COMMUNITY	AT	08-Feb-07	BETA	0.0531	pCi/m3	0.0025	0.009			
SESPMNT	B1LW77	PASCO	COMMUNITY	AT	22-Feb-07	BETA	0.00774	pCi/m3	0.00098	0.0018			
SESPMNT	B1LW78	PASCO	COMMUNITY	AT	08-Mar-07	BETA	0.0105	pCi/m3	0.0011	0.0022			
SESPMNT	B1LW79	PASCO	COMMUNITY	AT	22-Mar-07	BETA	0.00796	pCi/m3	0.001	0.0018			
SESPMNT	B1LW80	PASCO	COMMUNITY	AT	06-Apr-07	BETA	0.0116	pCi/m3	0.0011	0.0024			
SESPMNT	B1MYW4	PASCO	COMMUNITY	AT	19-Apr-07	BETA	0.00633	pCi/m3	0.00094	0.0016			
SESPMNT	B1MYW5	PASCO	COMMUNITY	AT	03-May-07	BETA	0.0105	pCi/m3	0.0011	0.0022			
SESPMNT	B1MYW6	PASCO	COMMUNITY	AT	17-May-07	BETA	0.0138	pCi/m3	0.0012	0.0027			
SESPMNT	B1MYW7	PASCO	COMMUNITY	AT	31-May-07	BETA	0.0111	pCi/m3	0.0011	0.0023			
SESPMNT	B1MYW8	PASCO	COMMUNITY	AT	14-Jun-07	BETA	0.0118	pCi/m3	0.0012	0.0024			

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## AIR - BETA/ALPHA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1MYW9	PASCO	COMMUNITY	AT	28-Jun-07	BETA	0.00915	pCi/m3	0.00094	0.0019			
SESPMNT	B1P2N0	PASCO	COMMUNITY	AT	13-Jul-07	BETA	0.0113	pCi/m3	0.001	0.0022			
SESPMNT	B1P2N1	PASCO	COMMUNITY	AT	24-Jul-07	BETA	0.0114	pCi/m3	0.0012	0.0024			
SESPMNT	B1P2N2	PASCO	COMMUNITY	AT	10-Aug-07	BETA	0.0112	pCi/m3	0.00095	0.0022			
SESPMNT	B1P2N3	PASCO	COMMUNITY	AT	23-Aug-07	BETA	0.0115	pCi/m3	0.0011	0.0024			
SESPMNT	B1P2N4	PASCO	COMMUNITY	AT	06-Sep-07	BETA	0.0122	pCi/m3	0.0011	0.0024			
SESPMNT	B1P2N5	PASCO	COMMUNITY	AT	21-Sep-07	BETA	0.0167	pCi/m3	0.0012	0.0031			
SESPMNT	B1P2N6	PASCO	COMMUNITY	AT	04-Oct-07	BETA	0.0106	pCi/m3	0.0011	0.0022			
SESPMNT	B1PT33	PASCO	COMMUNITY	AT	19-Oct-07	BETA	0.0139	pCi/m3	0.0012	0.0027			
SESPMNT	B1PT34	PASCO	COMMUNITY	AT	02-Nov-07	BETA	0.0227	pCi/m3	0.0015	0.0041			
SESPMNT	B1PT35	PASCO	COMMUNITY	AT	14-Nov-07	BETA	0.0236	pCi/m3	0.0017	0.0043			
SESPMNT	B1PT36	PASCO	COMMUNITY	AT	29-Nov-07	BETA	0.029	pCi/m3	0.0016	0.0049			
SESPMNT	B1PT37	PASCO	COMMUNITY	AT	12-Dec-07	BETA	0.0243	pCi/m3	0.0017	0.0044			
SESPMNT	B1PT38	PASCO	COMMUNITY	AT	28-Dec-07	BETA	0.0155	pCi/m3	0.0013	0.003			
SESPMNT	B1LW39	PROSSER BARRICADE	PERIMETER	AT	18-Jan-07	BETA	0.0239	pCi/m3	0.0016	0.0042			
SESPMNT	B1LW40	PROSSER BARRICADE	PERIMETER	AT	02-Feb-07	BETA	0.0451	pCi/m3	0.002	0.0076			
SESPMNT	B1LW41	PROSSER BARRICADE	PERIMETER	AT	16-Feb-07	BETA	0.0301	pCi/m3	0.0017	0.0053			
SESPMNT	B1LW42	PROSSER BARRICADE	PERIMETER	AT	02-Mar-07	BETA	0.00683	pCi/m3	0.00097	0.0017			
SESPMNT	B1LW43	PROSSER BARRICADE	PERIMETER	AT	16-Mar-07	BETA	0.0145	pCi/m3	0.0013	0.0028			
SESPMNT	B1LW44	PROSSER BARRICADE	PERIMETER	AT	03-Apr-07	BETA	0.00855	pCi/m3	0.0009	0.0018			
SESPMNT	B1MYP8	PROSSER BARRICADE	PERIMETER	AT	12-Apr-07	BETA	0.0126	pCi/m3	0.0014	0.0027			
SESPMNT	B1MYP9	PROSSER BARRICADE	PERIMETER	AT	27-Apr-07	BETA	0.00611	pCi/m3	0.00087	0.0015			
SESPMNT	B1MYR0	PROSSER BARRICADE	PERIMETER	AT	11-May-07	BETA	0.0109	pCi/m3	0.0011	0.0022			
SESPMNT	B1MYR1	PROSSER BARRICADE	PERIMETER	AT	24-May-07	BETA	0.0111	pCi/m3	0.0012	0.0023			
SESPMNT	B1MYR2	PROSSER BARRICADE	PERIMETER	AT	08-Jun-07	BETA	0.013	pCi/m3	0.0012	0.0026			
SESPMNT	B1MYR3	PROSSER BARRICADE	PERIMETER	AT	21-Jun-07	BETA	0.00836	pCi/m3	0.0011	0.0019			
SESPMNT	B1MYR4	PROSSER BARRICADE	PERIMETER	AT	03-Jul-07	BETA	0.00917	pCi/m3	0.0012	0.0021			
SESPMNT	B1P2J5	PROSSER BARRICADE	PERIMETER	AT	19-Jul-07	BETA	0.0122	pCi/m3	0.0011	0.0024			
SESPMNT	B1P2J6	PROSSER BARRICADE	PERIMETER	AT	06-Aug-07	BETA	0.0107	pCi/m3	0.001	0.0021			
SESPMNT	B1P2J7	PROSSER BARRICADE	PERIMETER	AT	16-Aug-07	BETA	0.014	pCi/m3	0.0016	0.0031			
SESPMNT	B1P2J8	PROSSER BARRICADE	PERIMETER	AT	31-Aug-07	BETA	0.0132	pCi/m3	0.0012	0.0026			
SESPMNT	B1P2J9	PROSSER BARRICADE	PERIMETER	AT	13-Sep-07	BETA	0.0117	pCi/m3	0.0012	0.0024			
SESPMNT	B1P2K0	PROSSER BARRICADE	PERIMETER	AT	27-Sep-07	BETA	0.0124	pCi/m3	0.0011	0.0024			
SESPMNT	B1PRY5	PROSSER BARRICADE	PERIMETER	AT	11-Oct-07	BETA	0.0097	pCi/m3	0.001	0.0021			
SESPMNT	B1PRY6	PROSSER BARRICADE	PERIMETER	AT	26-Oct-07	BETA	0.0142	pCi/m3	0.0012	0.0027			
SESPMNT	B1PRY7	PROSSER BARRICADE	PERIMETER	AT	07-Nov-07	BETA	0.0271	pCi/m3	0.0017	0.0048			
SESPMNT	B1PRY8	PROSSER BARRICADE	PERIMETER	AT	21-Nov-07	BETA	0.0209	pCi/m3	0.0014	0.0038			
SESPMNT	B1PRY9	PROSSER BARRICADE	PERIMETER	AT	07-Dec-07	BETA	0.0304	pCi/m3	0.0017	0.0053			
SESPMNT	B1PT00	PROSSER BARRICADE	PERIMETER	AT	21-Dec-07	BETA	0.0285	pCi/m3	0.0016	0.005			
SESPMNT	B1PT01	PROSSER BARRICADE	PERIMETER	AT	04-Jan-08	BETA	0.0123	pCi/m3	0.0012	0.0025			
SESPMNT	B1LW52	RATTLESNAKE SPRINGS	PERIMETER	AT	18-Jan-07	BETA	0.0266	pCi/m3	0.0016	0.0047			
SESPMNT	B1LW53	RATTLESNAKE SPRINGS	PERIMETER	AT	02-Feb-07	BETA	0.0412	pCi/m3	0.0019	0.007			
SESPMNT	B1LW54	RATTLESNAKE SPRINGS	PERIMETER	AT	16-Feb-07	BETA	0.0343	pCi/m3	0.0018	0.006			
SESPMNT	B1LW55	RATTLESNAKE SPRINGS	PERIMETER	AT	02-Mar-07	BETA	0.00779	pCi/m3	0.0011	0.0018			
SESPMNT	B1LW56	RATTLESNAKE SPRINGS	PERIMETER	AT	16-Mar-07	BETA	0.0131	pCi/m3	0.0013	0.0026			
SESPMNT	B1LW57	RATTLESNAKE SPRINGS	PERIMETER	AT	03-Apr-07	BETA	0.00787	pCi/m3	0.001	0.0018		REPLACED PUMP.	
SESPMNT	B1MYT3	RATTLESNAKE SPRINGS	PERIMETER	AT	12-Apr-07	BETA	0.0141	pCi/m3	0.0015	0.003			
SESPMNT	B1MYT4	RATTLESNAKE SPRINGS	PERIMETER	AT	27-Apr-07	BETA	0.00639	pCi/m3	0.00081	0.0015			
SESPMNT	B1MYT5	RATTLESNAKE SPRINGS	PERIMETER	AT	11-May-07	BETA	0.0107	pCi/m3	0.001	0.0022			
SESPMNT	B1MYT6	RATTLESNAKE SPRINGS	PERIMETER	AT	24-May-07	BETA	0.0118	pCi/m3	0.0011	0.0024			
SESPMNT	B1MYT7	RATTLESNAKE SPRINGS	PERIMETER	AT	08-Jun-07	BETA	0.0147	pCi/m3	0.0012	0.0028			
SESPMNT	B1MYT8	RATTLESNAKE SPRINGS	PERIMETER	AT	21-Jun-07	BETA	0.00691	pCi/m3	0.001	0.0017			
SESPMNT	B1MYT9	RATTLESNAKE SPRINGS	PERIMETER	AT	03-Jul-07	BETA	0.00914	pCi/m3	0.0012	0.0021			
SESPMNT	B1P2K8	RATTLESNAKE SPRINGS	PERIMETER	AT	19-Jul-07	BETA	0.0129	pCi/m3	0.0011	0.0025			
SESPMNT	B1P2K9	RATTLESNAKE SPRINGS	PERIMETER	AT	06-Aug-07	BETA	0.0107	pCi/m3	0.00098	0.0021			
SESPMNT	B1P2L0	RATTLESNAKE SPRINGS	PERIMETER	AT	16-Aug-07	BETA	0.0148	pCi/m3	0.0016	0.0031			
SESPMNT	B1P2L1	RATTLESNAKE SPRINGS	PERIMETER	AT	31-Aug-07	BETA	0.0113	pCi/m3	0.0011	0.0023			
SESPMNT	B1P2L2	RATTLESNAKE SPRINGS	PERIMETER	AT	13-Sep-07	BETA	0.0132	pCi/m3	0.0012	0.0026			
SESPMNT	B1P2L3	RATTLESNAKE SPRINGS	PERIMETER	AT	27-Sep-07	BETA	0.0125	pCi/m3	0.0012	0.0025			
SESPMNT	B1PT10	RATTLESNAKE SPRINGS	PERIMETER	AT	11-Oct-07	BETA	0.00822	pCi/m3	0.001	0.0019			
SESPMNT	B1PT11	RATTLESNAKE SPRINGS	PERIMETER	AT	26-Oct-07	BETA	0.0125	pCi/m3	0.0012	0.0025			
SESPMNT	B1PT12	RATTLESNAKE SPRINGS	PERIMETER	AT	07-Nov-07	BETA	0.0274	pCi/m3	0.0018	0.0049			
SESPMNT	B1PT13	RATTLESNAKE SPRINGS	PERIMETER	AT	21-Nov-07	BETA	0.0181	pCi/m3	0.0013	0.0033			
SESPMNT	B1PT14	RATTLESNAKE SPRINGS	PERIMETER	AT	07-Dec-07	BETA	0.0279	pCi/m3	0.0017	0.0049			
SESPMNT	B1PT15	RATTLESNAKE SPRINGS	PERIMETER	AT	21-Dec-07	BETA	0.0266	pCi/m3	0.0018	0.0048			
SESPMNT	B1PT16	RATTLESNAKE SPRINGS	PERIMETER	AT	04-Jan-08	BETA	0.0121	pCi/m3	0.0013	0.0026			
SESPMNT	B1LW09	RINGOLD MET TOWER	PERIMETER	AT	11-Jan-07	BETA	0.0145	pCi/m3	0.0014	0.0029			

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## AIR - BETA/ALPHA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1LW10	RINGOLD MET TOWER	PERIMETER	AT	26-Jan-07	BETA	0.0551	pCi/m3	0.0023	0.0092			
SESPMNT	B1LW11	RINGOLD MET TOWER	PERIMETER	AT	08-Feb-07	BETA	0.0531	pCi/m3	0.0024	0.009			
SESPMNT	B1LW12	RINGOLD MET TOWER	PERIMETER	AT	22-Feb-07	BETA	0.00959	pCi/m3	0.0011	0.0021			
SESPMNT	B1LW13	RINGOLD MET TOWER	PERIMETER	AT	08-Mar-07	BETA	0.0127	pCi/m3	0.0013	0.0026			
SESPMNT	B1LW14	RINGOLD MET TOWER	PERIMETER	AT	22-Mar-07	BETA	0.00986	pCi/m3	0.0012	0.0022			
SESPMNT	B1LW15	RINGOLD MET TOWER	PERIMETER	AT	06-Apr-07	BETA	0.0126	pCi/m3	0.0012	0.0025			
SESPMNT	B1MYM0	RINGOLD MET TOWER	PERIMETER	AT	19-Apr-07	BETA	0.0065	pCi/m3	0.0011	0.0018			
SESPMNT	B1MYM1	RINGOLD MET TOWER	PERIMETER	AT	03-May-07	BETA	0.0106	pCi/m3	0.0011	0.0022			
SESPMNT	B1MYM2	RINGOLD MET TOWER	PERIMETER	AT	17-May-07	BETA	0.0137	pCi/m3	0.0013	0.0027			
SESPMNT	B1MYM3	RINGOLD MET TOWER	PERIMETER	AT	31-May-07	BETA	0.00986	pCi/m3	0.0012	0.0022		REPLACED PUMP.	
SESPMNT	B1MYM4	RINGOLD MET TOWER	PERIMETER	AT	14-Jun-07	BETA	0.0122	pCi/m3	0.0011	0.0024			
SESPMNT	B1MYM5	RINGOLD MET TOWER	PERIMETER	AT	28-Jun-07	BETA	0.00809	pCi/m3	0.00091	0.0017			
SESPMNT	B1P2D5	RINGOLD MET TOWER	PERIMETER	AT	13-Jul-07	BETA	0.0103	pCi/m3	0.00097	0.0021			
SESPMNT	B1P2D6	RINGOLD MET TOWER	PERIMETER	AT	24-Jul-07	BETA	0.0114	pCi/m3	0.0012	0.0024			
SESPMNT	B1P2D7	RINGOLD MET TOWER	PERIMETER	AT	10-Aug-07	BETA	0.00997	pCi/m3	0.00094	0.002			
SESPMNT	B1P2D8	RINGOLD MET TOWER	PERIMETER	AT	23-Aug-07	BETA	0.0126	pCi/m3	0.0012	0.0025			
SESPMNT	B1P2D9	RINGOLD MET TOWER	PERIMETER	AT	06-Sep-07	BETA	0.0118	pCi/m3	0.0011	0.0024			
SESPMNT	B1P2F0	RINGOLD MET TOWER	PERIMETER	AT	21-Sep-07	BETA	0.0149	pCi/m3	0.0012	0.0029			
SESPMNT	B1P2F1	RINGOLD MET TOWER	PERIMETER	AT	04-Oct-07	BETA	0.00869	pCi/m3	0.0011	0.002			
SESPMNT	B1PRV4	RINGOLD MET TOWER	PERIMETER	AT	19-Oct-07	BETA	0.0142	pCi/m3	0.0012	0.0027			
SESPMNT	B1PRV5	RINGOLD MET TOWER	PERIMETER	AT	02-Nov-07	BETA	0.0216	pCi/m3	0.0015	0.0039			
SESPMNT	B1PRV6	RINGOLD MET TOWER	PERIMETER	AT	14-Nov-07	BETA	0.0237	pCi/m3	0.0017	0.0043			
SESPMNT	B1PRV7	RINGOLD MET TOWER	PERIMETER	AT	29-Nov-07	BETA	0.0308	pCi/m3	0.0016	0.0051			
SESPMNT	B1PRV8	RINGOLD MET TOWER	PERIMETER	AT	12-Dec-07	BETA	0.023	pCi/m3	0.0017	0.0043			
SESPMNT	B1PRV9	RINGOLD MET TOWER	PERIMETER	AT	28-Dec-07	BETA	0.0166	pCi/m3	0.0013	0.0032			
SESPMNT	B1LW66	S END VERNITA BRIDGE	PERIMETER	AT	10-Jan-07	BETA	0.0176	pCi/m3	0.0015	0.0034			
SESPMNT	B1LW67	S END VERNITA BRIDGE	PERIMETER	AT	25-Jan-07	BETA	0.0401	pCi/m3	0.0019	0.0067			
SESPMNT	B1LW68	S END VERNITA BRIDGE	PERIMETER	AT	07-Feb-07	BETA	0.049	pCi/m3	0.0023	0.0083			
SESPMNT	B1LW69	S END VERNITA BRIDGE	PERIMETER	AT	21-Feb-07	BETA	0.0129	pCi/m3	0.0013	0.0026			
SESPMNT	B1LW70	S END VERNITA BRIDGE	PERIMETER	AT	07-Mar-07	BETA	0.012	pCi/m3	0.0012	0.0025			
SESPMNT	B1LW71	S END VERNITA BRIDGE	PERIMETER	AT	20-Mar-07	BETA	0.0103	pCi/m3	0.0013	0.0023			
SESPMNT	B1LW72	S END VERNITA BRIDGE	PERIMETER	AT	05-Apr-07	BETA	0.00852	pCi/m3	0.00096	0.0018			
SESPMNT	B1MYV7	S END VERNITA BRIDGE	PERIMETER	AT	18-Apr-07	BETA	0.00781	pCi/m3	0.001	0.0018			
SESPMNT	B1MYV8	S END VERNITA BRIDGE	PERIMETER	AT	02-May-07	BETA	0.0102	pCi/m3	0.0011	0.0021			
SESPMNT	B1MYV9	S END VERNITA BRIDGE	PERIMETER	AT	16-May-07	BETA	0.0127	pCi/m3	0.0012	0.0025			
SESPMNT	B1MYW0	S END VERNITA BRIDGE	PERIMETER	AT	30-May-07	BETA	0.0109	pCi/m3	0.0012	0.0023			
SESPMNT	B1MYW1	S END VERNITA BRIDGE	PERIMETER	AT	13-Jun-07	BETA	0.0133	pCi/m3	0.0012	0.0026			
SESPMNT	B1MYW2	S END VERNITA BRIDGE	PERIMETER	AT	27-Jun-07	BETA	0.00809	pCi/m3	0.001	0.0018			
SESPMNT	B1P2M2	S END VERNITA BRIDGE	PERIMETER	AT	10-Jul-07	BETA	0.00981	pCi/m3	0.0011	0.0021			
SESPMNT	B1P2M3	S END VERNITA BRIDGE	PERIMETER	AT	27-Jul-07	BETA	0.0117	pCi/m3	0.0017	0.0029		CHANGED OUT VACUUM PUMP.	
SESPMNT	B1P2M4	S END VERNITA BRIDGE	PERIMETER	AT	09-Aug-07	BETA						NO SAMPLE. SAVE FOR COMPOSITE. CHANGED OUT VACUUM PUMP. FLEX HOSE HAD COLLAPSED CAUSING VACUUM PUMP TO BURN OUT, NO FLOW AT TIME OF CHANGE OUT.	
SESPMNT	B1P2M5	S END VERNITA BRIDGE	PERIMETER	AT	22-Aug-07	BETA	0.0116	pCi/m3	0.0012	0.0025			
SESPMNT	B1P2M6	S END VERNITA BRIDGE	PERIMETER	AT	05-Sep-07	BETA	0.0115	pCi/m3	0.0011	0.0023			
SESPMNT	B1P2M7	S END VERNITA BRIDGE	PERIMETER	AT	19-Sep-07	BETA	0.0126	pCi/m3	0.0011	0.0025			
SESPMNT	B1P2M8	S END VERNITA BRIDGE	PERIMETER	AT	03-Oct-07	BETA	0.0086	pCi/m3	0.00097	0.0019			
SESPMNT	B1PT25	S END VERNITA BRIDGE	PERIMETER	AT	18-Oct-07	BETA						NO SAMPLE. SAVE FOR COMPOSITE. PUMP REPLACED.	
SESPMNT	B1PT26	S END VERNITA BRIDGE	PERIMETER	AT	01-Nov-07	BETA	0.0161	pCi/m3	0.0012	0.003			
SESPMNT	B1PT27	S END VERNITA BRIDGE	PERIMETER	AT	13-Nov-07	BETA	0.0219	pCi/m3	0.0015	0.004			
SESPMNT	B1PT28	S END VERNITA BRIDGE	PERIMETER	AT	27-Nov-07	BETA	0.0333	pCi/m3	0.0018	0.0055			
SESPMNT	B1PT29	S END VERNITA BRIDGE	PERIMETER	AT	11-Dec-07	BETA	0.0127	pCi/m3	0.001	0.0024			
SESPMNT	B1PT30	S END VERNITA BRIDGE	PERIMETER	AT	27-Dec-07	BETA	0.0183	pCi/m3	0.0013	0.0034			
SESPMNT	B1LVL4	S OF 200 E	ONSITE	AT	09-Jan-07	BETA	0.0159	pCi/m3	0.0014	0.0031			
SESPMNT	B1LVL5	S OF 200 E	ONSITE	AT	24-Jan-07	BETA	0.0544	pCi/m3	0.0022	0.009			
SESPMNT	B1LVL6	S OF 200 E	ONSITE	AT	06-Feb-07	BETA	0.053	pCi/m3	0.0025	0.009			
SESPMNT	B1LVL7	S OF 200 E	ONSITE	AT	19-Feb-07	BETA	0.0184	pCi/m3	0.0015	0.0035			
SESPMNT	B1LVL8	S OF 200 E	ONSITE	AT	06-Mar-07	BETA	0.00907	pCi/m3	0.0011	0.002			
SESPMNT	B1LVL9	S OF 200 E	ONSITE	AT	19-Mar-07	BETA	0.0125	pCi/m3	0.0013	0.0026			
SESPMNT	B1LVM0	S OF 200 E	ONSITE	AT	04-Apr-07	BETA	0.0086	pCi/m3	0.001	0.0019			
SESPMNT	B1MY74	S OF 200 E	ONSITE	AT	17-Apr-07	BETA	0.00916	pCi/m3	0.0011	0.0021			
SESPMNT	B1MY75	S OF 200 E	ONSITE	AT	01-May-07	BETA	0.00904	pCi/m3	0.0011	0.002			
SESPMNT	B1MY76	S OF 200 E	ONSITE	AT	15-May-07	BETA	0.0137	pCi/m3	0.0013	0.0027			
SESPMNT	B1MY77	S OF 200 E	ONSITE	AT	29-May-07	BETA	0.0111	pCi/m3	0.0012	0.0023			
SESPMNT	B1MY78	S OF 200 E	ONSITE	AT	12-Jun-07	BETA	0.00716	pCi/m3	0.00068	0.0014			
SESPMNT	B1MY79	S OF 200 E	ONSITE	AT	25-Jun-07	BETA						NO SAMPLE. DO NOT SAVE FOR COMPOSITE, NO FLOW, PUMP REPLACED.	
SESPMNT	B1P220	S OF 200 E	ONSITE	AT	09-Jul-07	BETA	0.0101	pCi/m3	0.0013	0.0023			

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## AIR - BETA/ALPHA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1P221	S OF 200 E	ONSITE	AT	23-Jul-07	BETA	0.0117	pCi/m3	0.001	0.0023			
SESPMNT	B1P222	S OF 200 E	ONSITE	AT	08-Aug-07	BETA	0.0115	pCi/m3	0.00098	0.0022			
SESPMNT	B1P223	S OF 200 E	ONSITE	AT	21-Aug-07	BETA	0.0131	pCi/m3	0.0012	0.0026			
SESPMNT	B1P224	S OF 200 E	ONSITE	AT	04-Sep-07	BETA	0.0119	pCi/m3	0.0011	0.0024			
SESPMNT	B1P225	S OF 200 E	ONSITE	AT	18-Sep-07	BETA	0.0156	pCi/m3	0.0013	0.003			
SESPMNT	B1P226	S OF 200 E	ONSITE	AT	02-Oct-07	BETA	0.0101	pCi/m3	0.0011	0.0021			
SESPMNT	B1PRD1	S OF 200 E	ONSITE	AT	16-Oct-07	BETA	0.0138	pCi/m3	0.0012	0.0027			
SESPMNT	B1PRD2	S OF 200 E	ONSITE	AT	31-Oct-07	BETA						NO SAMPLE. FILTER MISSING AND FILTER HEAD APPEARED DAMAGED.	
SESPMNT	B1PRD3	S OF 200 E	ONSITE	AT	09-Nov-07	BETA						NO SAMPLE. FILTER MISSING.	
SESPMNT	B1PRD4	S OF 200 E	ONSITE	AT	26-Nov-07	BETA	0.0277	pCi/m3	0.0015	0.0046			
SESPMNT	B1PRD5	S OF 200 E	ONSITE	AT	10-Dec-07	BETA	0.0188	pCi/m3	0.0015	0.0036			
SESPMNT	B1PRD6	S OF 200 E	ONSITE	AT	26-Dec-07	BETA	0.023	pCi/m3	0.0016	0.0042			
SESPMNT	B1LVP4	SW OF B/C CRIBS	ONSITE	AT	09-Jan-07	BETA	0.0152	pCi/m3	0.0014	0.003			
SESPMNT	B1LVP5	SW OF B/C CRIBS	ONSITE	AT	24-Jan-07	BETA	0.0464	pCi/m3	0.0021	0.0077			
SESPMNT	B1LVP6	SW OF B/C CRIBS	ONSITE	AT	06-Feb-07	BETA	0.0498	pCi/m3	0.0023	0.0084			
SESPMNT	B1LVP7	SW OF B/C CRIBS	ONSITE	AT	19-Feb-07	BETA	0.0186	pCi/m3	0.0016	0.0036			
SESPMNT	B1LVP8	SW OF B/C CRIBS	ONSITE	AT	06-Mar-07	BETA	0.01	pCi/m3	0.0012	0.0022			
SESPMNT	B1LVP9	SW OF B/C CRIBS	ONSITE	AT	19-Mar-07	BETA	0.0126	pCi/m3	0.0013	0.0026			
SESPMNT	B1LVR0	SW OF B/C CRIBS	ONSITE	AT	04-Apr-07	BETA	0.0105	pCi/m3	0.0011	0.0022			
SESPMNT	B1MYB0	SW OF B/C CRIBS	ONSITE	AT	17-Apr-07	BETA	0.0102	pCi/m3	0.0012	0.0022			
SESPMNT	B1MYB1	SW OF B/C CRIBS	ONSITE	AT	01-May-07	BETA	0.0102	pCi/m3	0.0011	0.0021			
SESPMNT	B1MYB2	SW OF B/C CRIBS	ONSITE	AT	15-May-07	BETA	0.0129	pCi/m3	0.0012	0.0026			
SESPMNT	B1MYB3	SW OF B/C CRIBS	ONSITE	AT	29-May-07	BETA	0.0104	pCi/m3	0.0011	0.0022			
SESPMNT	B1MYB4	SW OF B/C CRIBS	ONSITE	AT	12-Jun-07	BETA	0.0126	pCi/m3	0.0013	0.0026			
SESPMNT	B1MYB5	SW OF B/C CRIBS	ONSITE	AT	25-Jun-07	BETA	0.00722	pCi/m3	0.00096	0.0017			
SESPMNT	B1P250	SW OF B/C CRIBS	ONSITE	AT	09-Jul-07	BETA	0.0102	pCi/m3	0.0011	0.0021			
SESPMNT	B1P251	SW OF B/C CRIBS	ONSITE	AT	23-Jul-07	BETA	0.0118	pCi/m3	0.0011	0.0024			
SESPMNT	B1P252	SW OF B/C CRIBS	ONSITE	AT	08-Aug-07	BETA	0.0112	pCi/m3	0.001	0.0022			
SESPMNT	B1P253	SW OF B/C CRIBS	ONSITE	AT	21-Aug-07	BETA	0.0118	pCi/m3	0.0012	0.0024			
SESPMNT	B1P254	SW OF B/C CRIBS	ONSITE	AT	04-Sep-07	BETA	0.0127	pCi/m3	0.0012	0.0026			
SESPMNT	B1P255	SW OF B/C CRIBS	ONSITE	AT	18-Sep-07	BETA	0.0166	pCi/m3	0.0014	0.0032			
SESPMNT	B1P256	SW OF B/C CRIBS	ONSITE	AT	02-Oct-07	BETA	0.00945	pCi/m3	0.0011	0.002			
SESPMNT	B1PRJ1	SW OF B/C CRIBS	ONSITE	AT	16-Oct-07	BETA	0.0125	pCi/m3	0.0012	0.0025			
SESPMNT	B1PRJ2	SW OF B/C CRIBS	ONSITE	AT	31-Oct-07	BETA	0.0151	pCi/m3	0.0012	0.0029			
SESPMNT	B1PRJ3	SW OF B/C CRIBS	ONSITE	AT	09-Nov-07	BETA	0.0296	pCi/m3	0.0022	0.0055			
SESPMNT	B1PRJ4	SW OF B/C CRIBS	ONSITE	AT	26-Nov-07	BETA	0.0281	pCi/m3	0.0015	0.0046			
SESPMNT	B1PRJ5	SW OF B/C CRIBS	ONSITE	AT	10-Dec-07	BETA	0.0188	pCi/m3	0.0015	0.0035			
SESPMNT	B1PRJ6	SW OF B/C CRIBS	ONSITE	AT	26-Dec-07	BETA	0.0203	pCi/m3	0.0015	0.0037			
SESPMNT	B1LW01	W END OF FIR ROAD	PERIMETER	AT	11-Jan-07	BETA	0.0152	pCi/m3	0.0014	0.003			
SESPMNT	B1LW02	W END OF FIR ROAD	PERIMETER	AT	26-Jan-07	BETA	0.0505	pCi/m3	0.0021	0.0084			
SESPMNT	B1LW03	W END OF FIR ROAD	PERIMETER	AT	08-Feb-07	BETA	0.0463	pCi/m3	0.0022	0.0079			
SESPMNT	B1LW04	W END OF FIR ROAD	PERIMETER	AT	22-Feb-07	BETA	0.00875	pCi/m3	0.0011	0.002			
SESPMNT	B1LW05	W END OF FIR ROAD	PERIMETER	AT	08-Mar-07	BETA	0.013	pCi/m3	0.0012	0.0026			
SESPMNT	B1LW06	W END OF FIR ROAD	PERIMETER	AT	22-Mar-07	BETA	0.0092	pCi/m3	0.0011	0.002			
SESPMNT	B1LW07	W END OF FIR ROAD	PERIMETER	AT	06-Apr-07	BETA	0.0123	pCi/m3	0.0012	0.0025			
SESPMNT	B1MYL3	W END OF FIR ROAD	PERIMETER	AT	19-Apr-07	BETA	0.00711	pCi/m3	0.001	0.0018			
SESPMNT	B1MYL4	W END OF FIR ROAD	PERIMETER	AT	03-May-07	BETA	0.0102	pCi/m3	0.0011	0.0022			
SESPMNT	B1MYL5	W END OF FIR ROAD	PERIMETER	AT	17-May-07	BETA	0.0137	pCi/m3	0.0013	0.0027			
SESPMNT	B1MYL6	W END OF FIR ROAD	PERIMETER	AT	31-May-07	BETA	0.0113	pCi/m3	0.0013	0.0024			
SESPMNT	B1MYL7	W END OF FIR ROAD	PERIMETER	AT	14-Jun-07	BETA	0.0121	pCi/m3	0.0013	0.0026			
SESPMNT	B1MYL8	W END OF FIR ROAD	PERIMETER	AT	28-Jun-07	BETA	0.00856	pCi/m3	0.001	0.0019			
SESPMNT	B1P2C7	W END OF FIR ROAD	PERIMETER	AT	13-Jul-07	BETA	0.0101	pCi/m3	0.001	0.0021			
SESPMNT	B1P2C8	W END OF FIR ROAD	PERIMETER	AT	24-Jul-07	BETA	0.0125	pCi/m3	0.0014	0.0027			
SESPMNT	B1P2C9	W END OF FIR ROAD	PERIMETER	AT	10-Aug-07	BETA	0.0106	pCi/m3	0.00098	0.0021			
SESPMNT	B1P2D0	W END OF FIR ROAD	PERIMETER	AT	23-Aug-07	BETA						NO SAMPLE. SAVE FOR COMPOSITE.	
SESPMNT	B1P2D1	W END OF FIR ROAD	PERIMETER	AT	06-Sep-07	BETA	0.0119	pCi/m3	0.0012	0.0024			
SESPMNT	B1P2D2	W END OF FIR ROAD	PERIMETER	AT	21-Sep-07	BETA	0.0154	pCi/m3	0.0012	0.0029			
SESPMNT	B1P2D3	W END OF FIR ROAD	PERIMETER	AT	04-Oct-07	BETA	0.0101	pCi/m3	0.0011	0.0022			
SESPMNT	B1PRT6	W END OF FIR ROAD	PERIMETER	AT	19-Oct-07	BETA	0.0126	pCi/m3	0.0011	0.0025			
SESPMNT	B1PRT7	W END OF FIR ROAD	PERIMETER	AT	02-Nov-07	BETA	0.0204	pCi/m3	0.0014	0.0037			
SESPMNT	B1PRT8	W END OF FIR ROAD	PERIMETER	AT	14-Nov-07	BETA	0.0256	pCi/m3	0.0018	0.0047			
SESPMNT	B1PRT9	W END OF FIR ROAD	PERIMETER	AT	29-Nov-07	BETA	0.0282	pCi/m3	0.0016	0.0047			
SESPMNT	B1PRV0	W END OF FIR ROAD	PERIMETER	AT	12-Dec-07	BETA	0.0172	pCi/m3	0.0013	0.0032			
SESPMNT	B1PRV1	W END OF FIR ROAD	PERIMETER	AT	28-Dec-07	BETA	0.0113	pCi/m3	0.0012	0.0024			
SESPMNT	B1LW59	WAHLUKE SLOPE	PERIMETER	AT	10-Jan-07	BETA	0.016	pCi/m3	0.0014	0.0031			
SESPMNT	B1LW60	WAHLUKE SLOPE	PERIMETER	AT	25-Jan-07	BETA	0.0292	pCi/m3	0.0016	0.0051			
SESPMNT	B1LW61	WAHLUKE SLOPE	PERIMETER	AT	07-Feb-07	BETA	0.0459	pCi/m3	0.0021	0.0078			

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## AIR - BETA/ALPHA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1LW62	WAHLUKE SLOPE	PERIMETER	AT	21-Feb-07	BETA	0.0101	pCi/m3	0.0011	0.0021			
SESPMNT	B1LW63	WAHLUKE SLOPE	PERIMETER	AT	07-Mar-07	BETA	0.0112	pCi/m3	0.0011	0.0023			
SESPMNT	B1LW64	WAHLUKE SLOPE	PERIMETER	AT	20-Mar-07	BETA	0.00938	pCi/m3	0.0011	0.002			
SESPMNT	B1LW65	WAHLUKE SLOPE	PERIMETER	AT	05-Apr-07	BETA	0.009	pCi/m3	0.00093	0.0019			
SESPMNT	B1MYV1	WAHLUKE SLOPE	PERIMETER	AT	18-Apr-07	BETA	0.00754	pCi/m3	0.0011	0.0018			
SESPMNT	B1MYV2	WAHLUKE SLOPE	PERIMETER	AT	02-May-07	BETA	0.0103	pCi/m3	0.0011	0.0022			
SESPMNT	B1MYV3	WAHLUKE SLOPE	PERIMETER	AT	16-May-07	BETA	0.0125	pCi/m3	0.0012	0.0025			
SESPMNT	B1MYV4	WAHLUKE SLOPE	PERIMETER	AT	30-May-07	BETA	0.00892	pCi/m3	0.001	0.002			
SESPMNT	B1MYV5	WAHLUKE SLOPE	PERIMETER	AT	13-Jun-07	BETA	0.0118	pCi/m3	0.0012	0.0024			
SESPMNT	B1MYV6	WAHLUKE SLOPE	PERIMETER	AT	27-Jun-07	BETA	0.00695	pCi/m3	0.0009	0.0016			
SESPMNT	B1P2L5	WAHLUKE SLOPE	PERIMETER	AT	10-Jul-07	BETA	0.00935	pCi/m3	0.0011	0.0021			
SESPMNT	B1P2L6	WAHLUKE SLOPE	PERIMETER	AT	27-Jul-07	BETA	0.0118	pCi/m3	0.00098	0.0023			
SESPMNT	B1P2L7	WAHLUKE SLOPE	PERIMETER	AT	09-Aug-07	BETA	0.0114	pCi/m3	0.0012	0.0024			
SESPMNT	B1P2L8	WAHLUKE SLOPE	PERIMETER	AT	22-Aug-07	BETA	0.0113	pCi/m3	0.0012	0.0023			
SESPMNT	B1P2L9	WAHLUKE SLOPE	PERIMETER	AT	05-Sep-07	BETA	0.0121	pCi/m3	0.0011	0.0024			
SESPMNT	B1P2M0	WAHLUKE SLOPE	PERIMETER	AT	19-Sep-07	BETA	0.0128	pCi/m3	0.0012	0.0026			
SESPMNT	B1P2M1	WAHLUKE SLOPE	PERIMETER	AT	03-Oct-07	BETA	0.00779	pCi/m3	0.001	0.0018			
SESPMNT	B1PT18	WAHLUKE SLOPE	PERIMETER	AT	18-Oct-07	BETA	0.0132	pCi/m3	0.0012	0.0026			
SESPMNT	B1PT19	WAHLUKE SLOPE	PERIMETER	AT	01-Nov-07	BETA	0.0181	pCi/m3	0.0013	0.0034			
SESPMNT	B1PT20	WAHLUKE SLOPE	PERIMETER	AT	13-Nov-07	BETA	0.0231	pCi/m3	0.0017	0.0043			
SESPMNT	B1PT21	WAHLUKE SLOPE	PERIMETER	AT	27-Nov-07	BETA	0.0312	pCi/m3	0.0017	0.0052			
SESPMNT	B1PT22	WAHLUKE SLOPE	PERIMETER	AT	11-Dec-07	BETA	0.0172	pCi/m3	0.0014	0.0032			
SESPMNT	B1PT23	WAHLUKE SLOPE	PERIMETER	AT	27-Dec-07	BETA	0.0192	pCi/m3	0.0013	0.0035			
SESPMNT	B1LVY4	WYE BARRICADE	ONSITE	AT	15-Jan-07	BETA	0.015	pCi/m3	0.0012	0.0028			
SESPMNT	B1LVY5	WYE BARRICADE	ONSITE	AT	30-Jan-07	BETA	0.0459	pCi/m3	0.0019	0.0077			
SESPMNT	B1LVY6	WYE BARRICADE	ONSITE	AT	13-Feb-07	BETA	0.039	pCi/m3	0.0018	0.0066			
SESPMNT	B1LVY7	WYE BARRICADE	ONSITE	AT	26-Feb-07	BETA	0.0053	pCi/m3	0.00085	0.0014			
SESPMNT	B1LVY8	WYE BARRICADE	ONSITE	AT	12-Mar-07	BETA	0.00982	pCi/m3	0.00099	0.002			
SESPMNT	B1LVY9	WYE BARRICADE	ONSITE	AT	28-Mar-07	BETA	0.00745	pCi/m3	0.00086	0.0016			
SESPMNT	B1MYK5	WYE BARRICADE	ONSITE	AT	10-Apr-07	BETA	0.0131	pCi/m3	0.0012	0.0026			
SESPMNT	B1MYK6	WYE BARRICADE	ONSITE	AT	20-Apr-07	BETA	0.00458	pCi/m3	0.0011	0.0016			
SESPMNT	B1MYK7	WYE BARRICADE	ONSITE	AT	08-May-07	BETA	0.00855	pCi/m3	0.00076	0.0017			
SESPMNT	B1MYK8	WYE BARRICADE	ONSITE	AT	22-May-07	BETA	0.0112	pCi/m3	0.00097	0.0022			
SESPMNT	B1MYK9	WYE BARRICADE	ONSITE	AT	06-Jun-07	BETA	0.0131	pCi/m3	0.001	0.0025			
SESPMNT	B1MYL0	WYE BARRICADE	ONSITE	AT	19-Jun-07	BETA						NO SAMPLE. SAVE FOR COMPOSITE, CHANGED OUT PUMP.	
SESPMNT	B1MYL1	WYE BARRICADE	ONSITE	AT	02-Jul-07	BETA	0.00733	pCi/m3	0.00087	0.0016			
SESPMNT	B1P2C0	WYE BARRICADE	ONSITE	AT	17-Jul-07	BETA	0.0104	pCi/m3	0.00091	0.002			
SESPMNT	B1P2C1	WYE BARRICADE	ONSITE	AT	27-Jul-07	BETA	0.00954	pCi/m3	0.0011	0.0021			
SESPMNT	B1P2C2	WYE BARRICADE	ONSITE	AT	13-Aug-07	BETA	0.00845	pCi/m3	0.00078	0.0017			
SESPMNT	B1P2C3	WYE BARRICADE	ONSITE	AT	24-Aug-07	BETA	0.0106	pCi/m3	0.0011	0.0022			
SESPMNT	B1P2C4	WYE BARRICADE	ONSITE	AT	10-Sep-07	BETA	0.00731	pCi/m3	0.00067	0.0015			
SESPMNT	B1P2C5	WYE BARRICADE	ONSITE	AT	25-Sep-07	BETA	0.0103	pCi/m3	0.00084	0.002		LOOSE FITTING. REPLACED FLOW METER.	
SESPMNT	B1PRR8	WYE BARRICADE	ONSITE	AT	09-Oct-07	BETA	0.00861	pCi/m3	0.00095	0.0018			
SESPMNT	B1PRR9	WYE BARRICADE	ONSITE	AT	24-Oct-07	BETA	0.0122	pCi/m3	0.0011	0.0024			
SESPMNT	B1PRT0	WYE BARRICADE	ONSITE	AT	05-Nov-07	BETA	0.0252	pCi/m3	0.0018	0.0046			
SESPMNT	B1PRT1	WYE BARRICADE	ONSITE	AT	19-Nov-07	BETA	0.0218	pCi/m3	0.0017	0.0041			
SESPMNT	B1PRT2	WYE BARRICADE	ONSITE	AT	03-Dec-07	BETA	0.0264	pCi/m3	0.0017	0.0047			
SESPMNT	B1PRT3	WYE BARRICADE	ONSITE	AT	20-Dec-07	BETA	0.0194	pCi/m3	0.0011	0.0034			
SESPMNT	B1PRT4	WYE BARRICADE	ONSITE	AT	02-Jan-08	BETA	0.00828	pCi/m3	0.00095	0.0018			
SESPMNT	B1LW89	YAKIMA	DISTANT	AT	18-Jan-07	BETA	0.022	pCi/m3	0.0015	0.004			
SESPMNT	B1LW90	YAKIMA	DISTANT	AT	02-Feb-07	BETA	0.0362	pCi/m3	0.0018	0.0062			
SESPMNT	B1LW91	YAKIMA	DISTANT	AT	16-Feb-07	BETA	0.0346	pCi/m3	0.0018	0.006			
SESPMNT	B1LW92	YAKIMA	DISTANT	AT	02-Mar-07	BETA	0.00695	pCi/m3	0.00099	0.0017			
SESPMNT	B1LW93	YAKIMA	DISTANT	AT	16-Mar-07	BETA	0.0124	pCi/m3	0.0012	0.0025			
SESPMNT	B1LW94	YAKIMA	DISTANT	AT	03-Apr-07	BETA	0.00808	pCi/m3	0.00088	0.0017			
SESPMNT	B1MYX7	YAKIMA	DISTANT	AT	12-Apr-07	BETA	0.0134	pCi/m3	0.0016	0.0029			
SESPMNT	B1MYX8	YAKIMA	DISTANT	AT	27-Apr-07	BETA	0.00608	pCi/m3	0.00085	0.0015			
SESPMNT	B1MYX9	YAKIMA	DISTANT	AT	11-May-07	BETA	0.0119	pCi/m3	0.0012	0.0025			
SESPMNT	B1MYY0	YAKIMA	DISTANT	AT	24-May-07	BETA	0.00968	pCi/m3	0.001	0.002			
SESPMNT	B1MYY1	YAKIMA	DISTANT	AT	08-Jun-07	BETA	0.0133	pCi/m3	0.0011	0.0026			
SESPMNT	B1MYY2	YAKIMA	DISTANT	AT	21-Jun-07	BETA	0.00608	pCi/m3	0.00095	0.0016			
SESPMNT	B1MYY3	YAKIMA	DISTANT	AT	03-Jul-07	BETA	0.00912	pCi/m3	0.0011	0.0021			
SESPMNT	B1P2P5	YAKIMA	DISTANT	AT	19-Jul-07	BETA	0.011	pCi/m3	0.001	0.0022			
SESPMNT	B1P2P6	YAKIMA	DISTANT	AT	06-Aug-07	BETA						NO SAMPLE. SAVE FOR COMPOSITE, PUMP REPLACED.	
SESPMNT	B1P2P7	YAKIMA	DISTANT	AT	16-Aug-07	BETA	0.0124	pCi/m3	0.0014	0.0026			
SESPMNT	B1P2P8	YAKIMA	DISTANT	AT	31-Aug-07	BETA	0.0096	pCi/m3	0.00094	0.0019			
SESPMNT	B1P2P9	YAKIMA	DISTANT	AT	13-Sep-07	BETA	0.015	pCi/m3	0.0013	0.0029			

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## AIR - BETA/ALPHA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1P2R0	YAKIMA	DISTANT	AT	27-Sep-07	BETA	0.0109	pCi/m3	0.0011	0.0022			
SESPMNT	B1PT48	YAKIMA	DISTANT	AT	11-Oct-07	BETA	0.00812	pCi/m3	0.0011	0.0019			
SESPMNT	B1PT49	YAKIMA	DISTANT	AT	26-Oct-07	BETA	0.0104	pCi/m3	0.0011	0.0021			
SESPMNT	B1PT50	YAKIMA	DISTANT	AT	07-Nov-07	BETA	0.0221	pCi/m3	0.0016	0.0041			
SESPMNT	B1PT51	YAKIMA	DISTANT	AT	21-Nov-07	BETA	0.0152	pCi/m3	0.0013	0.0029			
SESPMNT	B1PT52	YAKIMA	DISTANT	AT	07-Dec-07	BETA	0.024	pCi/m3	0.0015	0.0043			
SESPMNT	B1PT53	YAKIMA	DISTANT	AT	21-Dec-07	BETA	0.0153	pCi/m3	0.0011	0.0028			
SESPMNT	B1PT54	YAKIMA	DISTANT	AT	04-Jan-08	BETA						NO SAMPLE. SAVE FOR COMPOSITE.	
SESPMNT	B1LW46	YAKIMA BARRICADE	PERIMETER	AT	18-Jan-07	BETA	0.026	pCi/m3	0.0016	0.0046			
SESPMNT	B1LW47	YAKIMA BARRICADE	PERIMETER	AT	02-Feb-07	BETA	0.0358	pCi/m3	0.0018	0.0061			
SESPMNT	B1LW48	YAKIMA BARRICADE	PERIMETER	AT	16-Feb-07	BETA	0.0328	pCi/m3	0.0018	0.0057			
SESPMNT	B1LW49	YAKIMA BARRICADE	PERIMETER	AT	02-Mar-07	BETA	0.0055	pCi/m3	0.00098	0.0015			
SESPMNT	B1LW50	YAKIMA BARRICADE	PERIMETER	AT	16-Mar-07	BETA	0.0122	pCi/m3	0.0012	0.0025			
SESPMNT	B1LW51	YAKIMA BARRICADE	PERIMETER	AT	03-Apr-07	BETA	0.0092	pCi/m3	0.00091	0.0019			
SESPMNT	B1MYR6	YAKIMA BARRICADE	PERIMETER	AT	12-Apr-07	BETA	0.0135	pCi/m3	0.0016	0.003			
SESPMNT	B1MYR7	YAKIMA BARRICADE	PERIMETER	AT	27-Apr-07	BETA	0.00583	pCi/m3	0.00088	0.0015			
SESPMNT	B1MYR8	YAKIMA BARRICADE	PERIMETER	AT	11-May-07	BETA	0.0108	pCi/m3	0.0011	0.0022			
SESPMNT	B1MYR9	YAKIMA BARRICADE	PERIMETER	AT	24-May-07	BETA	0.0136	pCi/m3	0.0015	0.0029			
SESPMNT	B1MYT0	YAKIMA BARRICADE	PERIMETER	AT	08-Jun-07	BETA	0.013	pCi/m3	0.0011	0.0025			
SESPMNT	B1MYT1	YAKIMA BARRICADE	PERIMETER	AT	21-Jun-07	BETA	0.00643	pCi/m3	0.00092	0.0016			
SESPMNT	B1MYT2	YAKIMA BARRICADE	PERIMETER	AT	03-Jul-07	BETA	0.00775	pCi/m3	0.001	0.0018			
SESPMNT	B1P2K2	YAKIMA BARRICADE	PERIMETER	AT	19-Jul-07	BETA	0.0118	pCi/m3	0.001	0.0023			
SESPMNT	B1P2K3	YAKIMA BARRICADE	PERIMETER	AT	06-Aug-07	BETA	0.0102	pCi/m3	0.0009	0.002			
SESPMNT	B1P2K4	YAKIMA BARRICADE	PERIMETER	AT	16-Aug-07	BETA	0.0133	pCi/m3	0.0014	0.0028			
SESPMNT	B1P2K5	YAKIMA BARRICADE	PERIMETER	AT	31-Aug-07	BETA						NO SAMPLE. DO NOT SAVE FOR COMPOSITE. REPLACED PUMP.	
SESPMNT	B1P2K6	YAKIMA BARRICADE	PERIMETER	AT	13-Sep-07	BETA	0.0126	pCi/m3	0.0012	0.0025			
SESPMNT	B1P2K7	YAKIMA BARRICADE	PERIMETER	AT	27-Sep-07	BETA	0.0118	pCi/m3	0.0011	0.0023			
SESPMNT	B1PT03	YAKIMA BARRICADE	PERIMETER	AT	11-Oct-07	BETA	0.00865	pCi/m3	0.00095	0.0018			
SESPMNT	B1PT04	YAKIMA BARRICADE	PERIMETER	AT	26-Oct-07	BETA	0.012	pCi/m3	0.0011	0.0023			
SESPMNT	B1PT05	YAKIMA BARRICADE	PERIMETER	AT	07-Nov-07	BETA	0.0245	pCi/m3	0.0017	0.0045			
SESPMNT	B1PT06	YAKIMA BARRICADE	PERIMETER	AT	21-Nov-07	BETA	0.0179	pCi/m3	0.0013	0.0033			
SESPMNT	B1PT07	YAKIMA BARRICADE	PERIMETER	AT	07-Dec-07	BETA	0.0271	pCi/m3	0.0015	0.0047			
SESPMNT	B1PT08	YAKIMA BARRICADE	PERIMETER	AT	21-Dec-07	BETA	0.0264	pCi/m3	0.0017	0.0047			
SESPMNT	B1PT09	YAKIMA BARRICADE	PERIMETER	AT	04-Jan-08	BETA	0.0107	pCi/m3	0.0012	0.0023			

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## AIR - GAMMA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1LVH7	100 AREAS	ONSITE	AT	27-Mar-07	Be-7	0.0869	pCi/m3	0.024	0.024			
SESPMNT	B1LVH7	100 AREAS	ONSITE	AT	27-Mar-07	Co-60	-0.000255	pCi/m3	0.00036	0.00036	U		
SESPMNT	B1LVH7	100 AREAS	ONSITE	AT	27-Mar-07	Cs-134	-0.000115	pCi/m3	0.00035	0.00035	U		
SESPMNT	B1LVH7	100 AREAS	ONSITE	AT	27-Mar-07	Cs-137	-0.000154	pCi/m3	0.00029	0.00029	U		
SESPMNT	B1LVH7	100 AREAS	ONSITE	AT	27-Mar-07	Eu-152	0.000177	pCi/m3	0.00079	0.00079	U		
SESPMNT	B1LVH7	100 AREAS	ONSITE	AT	27-Mar-07	Eu-154	0.000224	pCi/m3	0.00096	0.00096	U		
SESPMNT	B1LVH7	100 AREAS	ONSITE	AT	27-Mar-07	Eu-155	-0.000235	pCi/m3	0.00071	0.00071	U		
SESPMNT	B1LVH7	100 AREAS	ONSITE	AT	27-Mar-07	K-40	-0.00483	pCi/m3	0.0085	0.0085	U		
SESPMNT	B1LVH7	100 AREAS	ONSITE	AT	27-Mar-07	Ru-106	-0.00124	pCi/m3	0.0031	0.0031	U		
SESPMNT	B1LVH7	100 AREAS	ONSITE	AT	27-Mar-07	Sb-125	-0.000154	pCi/m3	0.00071	0.00071	U		
SESPMNT	B1MY45	100 AREAS	ONSITE	AT	02-Jul-07	Be-7	0.169	pCi/m3	0.034	0.034			
SESPMNT	B1MY45	100 AREAS	ONSITE	AT	02-Jul-07	Co-60	-0.000149	pCi/m3	0.00032	0.00032	U		
SESPMNT	B1MY45	100 AREAS	ONSITE	AT	02-Jul-07	Cs-134	-0.000254	pCi/m3	0.00031	0.00031	U		
SESPMNT	B1MY45	100 AREAS	ONSITE	AT	02-Jul-07	Cs-137	0.000072	pCi/m3	0.0003	0.0003	U		
SESPMNT	B1MY45	100 AREAS	ONSITE	AT	02-Jul-07	Eu-152	-0.000195	pCi/m3	0.00073	0.00073	U		
SESPMNT	B1MY45	100 AREAS	ONSITE	AT	02-Jul-07	Eu-154	-0.000327	pCi/m3	0.00072	0.00072	U		
SESPMNT	B1MY45	100 AREAS	ONSITE	AT	02-Jul-07	Eu-155	0.0003	pCi/m3	0.00053	0.00053	U		
SESPMNT	B1MY45	100 AREAS	ONSITE	AT	02-Jul-07	K-40	-0.00299	pCi/m3	0.0056	0.0056	U		
SESPMNT	B1MY45	100 AREAS	ONSITE	AT	02-Jul-07	Ru-106	-0.00145	pCi/m3	0.0032	0.0032	U		
SESPMNT	B1MY45	100 AREAS	ONSITE	AT	02-Jul-07	Sb-125	0.000654	pCi/m3	0.0007	0.0007	U		
SESPMNT	B1P1Y3	100 AREAS	ONSITE	AT	25-Sep-07	Be-7	0.191	pCi/m3	0.032	0.032			
SESPMNT	B1P1Y3	100 AREAS	ONSITE	AT	25-Sep-07	Co-60	-0.0000415	pCi/m3	0.00024	0.00024	U		
SESPMNT	B1P1Y3	100 AREAS	ONSITE	AT	25-Sep-07	Cs-134	-0.0000924	pCi/m3	0.00024	0.00024	U		
SESPMNT	B1P1Y3	100 AREAS	ONSITE	AT	25-Sep-07	Cs-137	-0.0000121	pCi/m3	0.00029	0.00029	U		
SESPMNT	B1P1Y3	100 AREAS	ONSITE	AT	25-Sep-07	Eu-152	0.000576	pCi/m3	0.00069	0.00069	U		
SESPMNT	B1P1Y3	100 AREAS	ONSITE	AT	25-Sep-07	Eu-154	0.000424	pCi/m3	0.00067	0.00067	U		
SESPMNT	B1P1Y3	100 AREAS	ONSITE	AT	25-Sep-07	Eu-155	0.0000958	pCi/m3	0.00054	0.00054	U		
SESPMNT	B1P1Y3	100 AREAS	ONSITE	AT	25-Sep-07	K-40	0.00632	pCi/m3	0.0049	0.0049	U		
SESPMNT	B1P1Y3	100 AREAS	ONSITE	AT	25-Sep-07	Ru-106	0.000413	pCi/m3	0.0026	0.0026	U		
SESPMNT	B1P1Y3	100 AREAS	ONSITE	AT	25-Sep-07	Sb-125	-0.0000656	pCi/m3	0.00057	0.00057	U		
SESPMNT	B1PR91	100 AREAS	ONSITE	AT	02-Jan-08	Be-7	0.116	pCi/m3	0.023	0.023			
SESPMNT	B1PR91	100 AREAS	ONSITE	AT	02-Jan-08	Co-60	-0.00000328	pCi/m3	0.00021	0.00021	U		
SESPMNT	B1PR91	100 AREAS	ONSITE	AT	02-Jan-08	Cs-134	-0.0000593	pCi/m3	0.00025	0.00025	U		
SESPMNT	B1PR91	100 AREAS	ONSITE	AT	02-Jan-08	Cs-137	0.0000311	pCi/m3	0.00023	0.00023	U		
SESPMNT	B1PR91	100 AREAS	ONSITE	AT	02-Jan-08	Eu-152	0.00039	pCi/m3	0.00062	0.00062	U		
SESPMNT	B1PR91	100 AREAS	ONSITE	AT	02-Jan-08	Eu-154	0.000478	pCi/m3	0.00078	0.00078	U		
SESPMNT	B1PR91	100 AREAS	ONSITE	AT	02-Jan-08	Eu-155	0.0000672	pCi/m3	0.00054	0.00054	U		
SESPMNT	B1PR91	100 AREAS	ONSITE	AT	02-Jan-08	K-40	0.00236	pCi/m3	0.0037	0.0037	U		
SESPMNT	B1PR91	100 AREAS	ONSITE	AT	02-Jan-08	Ru-106	0.000885	pCi/m3	0.0027	0.0027	U		
SESPMNT	B1PR91	100 AREAS	ONSITE	AT	02-Jan-08	Sb-125	-0.000315	pCi/m3	0.00061	0.00061	U		
SESPMNT	B1LVK6	200 E AREA	ONSITE	AT	04-Apr-07	Be-7	0.0998	pCi/m3	0.023	0.023			
SESPMNT	B1LVK6	200 E AREA	ONSITE	AT	04-Apr-07	Co-60	0.0000708	pCi/m3	0.00031	0.00031	U		
SESPMNT	B1LVK6	200 E AREA	ONSITE	AT	04-Apr-07	Cs-134	-0.0000177	pCi/m3	0.00044	0.00044	U		
SESPMNT	B1LVK6	200 E AREA	ONSITE	AT	04-Apr-07	Cs-137	-0.000223	pCi/m3	0.00039	0.00039	U		
SESPMNT	B1LVK6	200 E AREA	ONSITE	AT	04-Apr-07	Eu-152	-0.000906	pCi/m3	0.0009	0.0009	U		
SESPMNT	B1LVK6	200 E AREA	ONSITE	AT	04-Apr-07	Eu-154	0.0000229	pCi/m3	0.001	0.001	U		
SESPMNT	B1LVK6	200 E AREA	ONSITE	AT	04-Apr-07	Eu-155	-0.0000421	pCi/m3	0.00057	0.00057	U		
SESPMNT	B1LVK6	200 E AREA	ONSITE	AT	04-Apr-07	K-40	-0.00156	pCi/m3	0.0079	0.0079	U		
SESPMNT	B1LVK6	200 E AREA	ONSITE	AT	04-Apr-07	Ru-106	-0.00425	pCi/m3	0.0037	0.0037	U		
SESPMNT	B1LVK6	200 E AREA	ONSITE	AT	04-Apr-07	Sb-125	0.000609	pCi/m3	0.0008	0.0008	U		
SESPMNT	B1MY67	200 E AREA	ONSITE	AT	12-Jun-07	Be-7	0.14	pCi/m3	0.028	0.028			
SESPMNT	B1MY67	200 E AREA	ONSITE	AT	12-Jun-07	Co-60	-0.0000212	pCi/m3	0.00031	0.00031	U		
SESPMNT	B1MY67	200 E AREA	ONSITE	AT	12-Jun-07	Cs-134	0.000148	pCi/m3	0.00041	0.00041	U		
SESPMNT	B1MY67	200 E AREA	ONSITE	AT	12-Jun-07	Cs-137	-0.00000699	pCi/m3	0.00029	0.00029	U		
SESPMNT	B1MY67	200 E AREA	ONSITE	AT	12-Jun-07	Eu-152	0.000174	pCi/m3	0.00074	0.00074	U		
SESPMNT	B1MY67	200 E AREA	ONSITE	AT	12-Jun-07	Eu-154	0.0000164	pCi/m3	0.00093	0.00093	U		
SESPMNT	B1MY67	200 E AREA	ONSITE	AT	12-Jun-07	Eu-155	0.000245	pCi/m3	0.00068	0.00068	U		
SESPMNT	B1MY67	200 E AREA	ONSITE	AT	12-Jun-07	K-40	0.00679	pCi/m3	0.0081	0.0081	U		
SESPMNT	B1MY67	200 E AREA	ONSITE	AT	12-Jun-07	Ru-106	-0.00138	pCi/m3	0.0026	0.0026	U		
SESPMNT	B1MY67	200 E AREA	ONSITE	AT	12-Jun-07	Sb-125	-0.000283	pCi/m3	0.00078	0.00078	U		
SESPMNT	B1P212	200 E AREA	ONSITE	AT	02-Oct-07	Be-7	0.151	pCi/m3	0.028	0.028			
SESPMNT	B1P212	200 E AREA	ONSITE	AT	02-Oct-07	Co-60	-0.000139	pCi/m3	0.00037	0.00037	U		
SESPMNT	B1P212	200 E AREA	ONSITE	AT	02-Oct-07	Cs-134	0.000353	pCi/m3	0.00038	0.00038	U		
SESPMNT	B1P212	200 E AREA	ONSITE	AT	02-Oct-07	Cs-137	0.000337	pCi/m3	0.00029	0.00029	U		
SESPMNT	B1P212	200 E AREA	ONSITE	AT	02-Oct-07	Eu-152	-0.000105	pCi/m3	0.00078	0.00078	U		
SESPMNT	B1P212	200 E AREA	ONSITE	AT	02-Oct-07	Eu-154	0.000331	pCi/m3	0.00097	0.00097	U		
SESPMNT	B1P212	200 E AREA	ONSITE	AT	02-Oct-07	Eu-155	0.00066	pCi/m3	0.00057	0.00057	U		

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## AIR - GAMMA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1P212	200 E AREA	ONSITE	AT	02-Oct-07	K-40	-0.0023	pCi/m3	0.0065	0.0065	U		
SESPMNT	B1P212	200 E AREA	ONSITE	AT	02-Oct-07	Ru-106	0.000449	pCi/m3	0.003	0.003	U		
SESPMNT	B1P212	200 E AREA	ONSITE	AT	02-Oct-07	Sb-125	0.000155	pCi/m3	0.00063	0.00063	U		
SESPMNT	B1PRC3	200 E AREA	ONSITE	AT	26-Dec-07	Be-7	0.106	pCi/m3	0.032	0.032	U		
SESPMNT	B1PRC3	200 E AREA	ONSITE	AT	26-Dec-07	Co-60	0.000181	pCi/m3	0.00052	0.00052	U		
SESPMNT	B1PRC3	200 E AREA	ONSITE	AT	26-Dec-07	Cs-134	0.000551	pCi/m3	0.00055	0.00055	U		
SESPMNT	B1PRC3	200 E AREA	ONSITE	AT	26-Dec-07	Cs-137	0.000595	pCi/m3	0.00037	0.00037	U		
SESPMNT	B1PRC3	200 E AREA	ONSITE	AT	26-Dec-07	Eu-152	-0.000736	pCi/m3	0.0013	0.0013	U		
SESPMNT	B1PRC3	200 E AREA	ONSITE	AT	26-Dec-07	Eu-154	-0.0017	pCi/m3	0.0015	0.0015	U		
SESPMNT	B1PRC3	200 E AREA	ONSITE	AT	26-Dec-07	Eu-155	-0.000375	pCi/m3	0.00069	0.00069	U		
SESPMNT	B1PRC3	200 E AREA	ONSITE	AT	26-Dec-07	K-40	0.00575	pCi/m3	0.01	0.01	U		
SESPMNT	B1PRC3	200 E AREA	ONSITE	AT	26-Dec-07	Ru-106	-0.000253	pCi/m3	0.0045	0.0045	U		
SESPMNT	B1PRC3	200 E AREA	ONSITE	AT	26-Dec-07	Sb-125	0.0000446	pCi/m3	0.0012	0.0012	U		
SESPMNT	B1LVR1	200 W AREA	ONSITE	AT	04-Apr-07	Be-7	0.132	pCi/m3	0.04	0.04	U		
SESPMNT	B1LVR1	200 W AREA	ONSITE	AT	04-Apr-07	Co-60	0.00101	pCi/m3	0.00096	0.00096	U		
SESPMNT	B1LVR1	200 W AREA	ONSITE	AT	04-Apr-07	Cs-134	0.0000842	pCi/m3	0.001	0.001	U		
SESPMNT	B1LVR1	200 W AREA	ONSITE	AT	04-Apr-07	Cs-137	-0.0003	pCi/m3	0.00092	0.00092	U		
SESPMNT	B1LVR1	200 W AREA	ONSITE	AT	04-Apr-07	Eu-152	0.000717	pCi/m3	0.0021	0.0021	U		
SESPMNT	B1LVR1	200 W AREA	ONSITE	AT	04-Apr-07	Eu-154	-0.00146	pCi/m3	0.0023	0.0023	U		
SESPMNT	B1LVR1	200 W AREA	ONSITE	AT	04-Apr-07	Eu-155	-0.000215	pCi/m3	0.0015	0.0015	U		
SESPMNT	B1LVR1	200 W AREA	ONSITE	AT	04-Apr-07	K-40	-0.000249	pCi/m3	0.019	0.019	U		
SESPMNT	B1LVR1	200 W AREA	ONSITE	AT	04-Apr-07	Ru-106	-0.00486	pCi/m3	0.0088	0.0088	U		
SESPMNT	B1LVR1	200 W AREA	ONSITE	AT	04-Apr-07	Sb-125	-0.0018	pCi/m3	0.0017	0.0017	U		
SESPMNT	B1MYB6	200 W AREA	ONSITE	AT	25-Jun-07	Be-7	0.153	pCi/m3	0.038	0.038	U		
SESPMNT	B1MYB6	200 W AREA	ONSITE	AT	25-Jun-07	Co-60	0.0005	pCi/m3	0.00075	0.00075	U		
SESPMNT	B1MYB6	200 W AREA	ONSITE	AT	25-Jun-07	Cs-134	-0.000249	pCi/m3	0.00098	0.00098	U		
SESPMNT	B1MYB6	200 W AREA	ONSITE	AT	25-Jun-07	Cs-137	0.0000789	pCi/m3	0.00088	0.00088	U		
SESPMNT	B1MYB6	200 W AREA	ONSITE	AT	25-Jun-07	Eu-152	0.000845	pCi/m3	0.0022	0.0022	U		
SESPMNT	B1MYB6	200 W AREA	ONSITE	AT	25-Jun-07	Eu-154	-0.000918	pCi/m3	0.0022	0.0022	U		
SESPMNT	B1MYB6	200 W AREA	ONSITE	AT	25-Jun-07	Eu-155	-0.0000789	pCi/m3	0.0013	0.0013	U		
SESPMNT	B1MYB6	200 W AREA	ONSITE	AT	25-Jun-07	K-40	0.0169	pCi/m3	0.02	0.02	U		
SESPMNT	B1MYB6	200 W AREA	ONSITE	AT	25-Jun-07	Ru-106	-0.00231	pCi/m3	0.0077	0.0077	U		
SESPMNT	B1MYB6	200 W AREA	ONSITE	AT	25-Jun-07	Sb-125	0.00101	pCi/m3	0.0021	0.0021	U		
SESPMNT	B1P257	200 W AREA	ONSITE	AT	02-Oct-07	Be-7	0.192	pCi/m3	0.045	0.045	U		
SESPMNT	B1P257	200 W AREA	ONSITE	AT	02-Oct-07	Co-60	0.0000768	pCi/m3	0.00058	0.00058	U		
SESPMNT	B1P257	200 W AREA	ONSITE	AT	02-Oct-07	Cs-134	0.000628	pCi/m3	0.0007	0.0007	U		
SESPMNT	B1P257	200 W AREA	ONSITE	AT	02-Oct-07	Cs-137	0.0000184	pCi/m3	0.00051	0.00051	U		
SESPMNT	B1P257	200 W AREA	ONSITE	AT	02-Oct-07	Eu-152	0.000575	pCi/m3	0.0018	0.0018	U		
SESPMNT	B1P257	200 W AREA	ONSITE	AT	02-Oct-07	Eu-154	0.00209	pCi/m3	0.0022	0.0022	U		
SESPMNT	B1P257	200 W AREA	ONSITE	AT	02-Oct-07	Eu-155	0.00103	pCi/m3	0.0011	0.0011	U		
SESPMNT	B1P257	200 W AREA	ONSITE	AT	02-Oct-07	K-40	-0.00227	pCi/m3	0.012	0.012	U		
SESPMNT	B1P257	200 W AREA	ONSITE	AT	02-Oct-07	Ru-106	-0.0021	pCi/m3	0.0076	0.0076	U		
SESPMNT	B1P257	200 W AREA	ONSITE	AT	02-Oct-07	Sb-125	0.000339	pCi/m3	0.0017	0.0017	U		
SESPMNT	B1PRJ8	200 W AREA	ONSITE	AT	26-Dec-07	Be-7	0.146	pCi/m3	0.042	0.042	U		
SESPMNT	B1PRJ8	200 W AREA	ONSITE	AT	26-Dec-07	Co-60	-0.000473	pCi/m3	0.001	0.001	U		
SESPMNT	B1PRJ8	200 W AREA	ONSITE	AT	26-Dec-07	Cs-134	0.000373	pCi/m3	0.00095	0.00095	U		
SESPMNT	B1PRJ8	200 W AREA	ONSITE	AT	26-Dec-07	Cs-137	0.00021	pCi/m3	0.001	0.001	U		
SESPMNT	B1PRJ8	200 W AREA	ONSITE	AT	26-Dec-07	Eu-152	0.00214	pCi/m3	0.0024	0.0024	U		
SESPMNT	B1PRJ8	200 W AREA	ONSITE	AT	26-Dec-07	Eu-154	0.000712	pCi/m3	0.0035	0.0035	U		
SESPMNT	B1PRJ8	200 W AREA	ONSITE	AT	26-Dec-07	Eu-155	0.000575	pCi/m3	0.0017	0.0017	U		
SESPMNT	B1PRJ8	200 W AREA	ONSITE	AT	26-Dec-07	K-40	0.0128	pCi/m3	0.024	0.024	U		
SESPMNT	B1PRJ8	200 W AREA	ONSITE	AT	26-Dec-07	Ru-106	-0.00265	pCi/m3	0.01	0.01	U		
SESPMNT	B1PRJ8	200 W AREA	ONSITE	AT	26-Dec-07	Sb-125	-0.00132	pCi/m3	0.0027	0.0027	U		
SESPMNT	B1LVM9	200 W SOUTH EAST	ONSITE	AT	04-Apr-07	Be-7	0.11	pCi/m3	0.024	0.024	U		
SESPMNT	B1LVM9	200 W SOUTH EAST	ONSITE	AT	04-Apr-07	Co-60	0.000166	pCi/m3	0.00029	0.00029	U		
SESPMNT	B1LVM9	200 W SOUTH EAST	ONSITE	AT	04-Apr-07	Cs-134	0.0000495	pCi/m3	0.00031	0.00031	U		
SESPMNT	B1LVM9	200 W SOUTH EAST	ONSITE	AT	04-Apr-07	Cs-137	0.00000182	pCi/m3	0.00026	0.00026	U		
SESPMNT	B1LVM9	200 W SOUTH EAST	ONSITE	AT	04-Apr-07	Eu-152	-0.0000292	pCi/m3	0.00074	0.00074	U		
SESPMNT	B1LVM9	200 W SOUTH EAST	ONSITE	AT	04-Apr-07	Eu-154	0.0000708	pCi/m3	0.00073	0.00073	U		
SESPMNT	B1LVM9	200 W SOUTH EAST	ONSITE	AT	04-Apr-07	Eu-155	-0.000223	pCi/m3	0.00044	0.00044	U		
SESPMNT	B1LVM9	200 W SOUTH EAST	ONSITE	AT	04-Apr-07	K-40	-0.00119	pCi/m3	0.0048	0.0048	U		
SESPMNT	B1LVM9	200 W SOUTH EAST	ONSITE	AT	04-Apr-07	Ru-106	-0.000194	pCi/m3	0.0026	0.0026	U		
SESPMNT	B1LVM9	200 W SOUTH EAST	ONSITE	AT	04-Apr-07	Sb-125	-0.0000343	pCi/m3	0.00072	0.00072	U		
SESPMNT	B1MY87	200 W SOUTH EAST	ONSITE	AT	25-Jun-07	Be-7	0.148	pCi/m3	0.028	0.028	U		
SESPMNT	B1MY87	200 W SOUTH EAST	ONSITE	AT	25-Jun-07	Co-60	-0.0000155	pCi/m3	0.0003	0.0003	U		
SESPMNT	B1MY87	200 W SOUTH EAST	ONSITE	AT	25-Jun-07	Cs-134	0.000226	pCi/m3	0.00028	0.00028	U		
SESPMNT	B1MY87	200 W SOUTH EAST	ONSITE	AT	25-Jun-07	Cs-137	0.0000378	pCi/m3	0.00017	0.00017	U		



## ENVIRONMENTAL SURVEILLANCE DATA CY07

## AIR - GAMMA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1MY87	200 W SOUTH EAST	ONSITE	AT	25-Jun-07	Eu-152	0.000119	pCi/m3	0.00054	0.00054	U		
SESPMNT	B1MY87	200 W SOUTH EAST	ONSITE	AT	25-Jun-07	Eu-154	-0.000196	pCi/m3	0.00085	0.00085	U		
SESPMNT	B1MY87	200 W SOUTH EAST	ONSITE	AT	25-Jun-07	Eu-155	-0.0000127	pCi/m3	0.00036	0.00036	U		
SESPMNT	B1MY87	200 W SOUTH EAST	ONSITE	AT	25-Jun-07	K-40	0.00232	pCi/m3	0.0051	0.0051	U		
SESPMNT	B1MY87	200 W SOUTH EAST	ONSITE	AT	25-Jun-07	Ru-106	-0.000253	pCi/m3	0.0027	0.0027	U		
SESPMNT	B1MY87	200 W SOUTH EAST	ONSITE	AT	25-Jun-07	Sb-125	0.000242	pCi/m3	0.00054	0.00054	U		
SESPMNT	B1P235	200 W SOUTH EAST	ONSITE	AT	02-Oct-07	Be-7	0.145	pCi/m3	0.025	0.025			
SESPMNT	B1P235	200 W SOUTH EAST	ONSITE	AT	02-Oct-07	Co-60	0.0000857	pCi/m3	0.00021	0.00021	U		
SESPMNT	B1P235	200 W SOUTH EAST	ONSITE	AT	02-Oct-07	Cs-134	-0.0000285	pCi/m3	0.00035	0.00035	U		
SESPMNT	B1P235	200 W SOUTH EAST	ONSITE	AT	02-Oct-07	Cs-137	-0.0000758	pCi/m3	0.00024	0.00024	U		
SESPMNT	B1P235	200 W SOUTH EAST	ONSITE	AT	02-Oct-07	Eu-152	-0.000168	pCi/m3	0.00049	0.00049	U		
SESPMNT	B1P235	200 W SOUTH EAST	ONSITE	AT	02-Oct-07	Eu-154	0.000121	pCi/m3	0.00068	0.00068	U		
SESPMNT	B1P235	200 W SOUTH EAST	ONSITE	AT	02-Oct-07	Eu-155	0.0000173	pCi/m3	0.0005	0.0005	U		
SESPMNT	B1P235	200 W SOUTH EAST	ONSITE	AT	02-Oct-07	K-40	0.00473	pCi/m3	0.0067	0.0067	U		
SESPMNT	B1P235	200 W SOUTH EAST	ONSITE	AT	02-Oct-07	Ru-106	-0.00173	pCi/m3	0.0025	0.0025	U		
SESPMNT	B1P235	200 W SOUTH EAST	ONSITE	AT	02-Oct-07	Sb-125	-0.0001	pCi/m3	0.0006	0.0006	U		
SESPMNT	B1PRF6	200 W SOUTH EAST	ONSITE	AT	26-Dec-07	Be-7	0.0835	pCi/m3	0.024	0.024			
SESPMNT	B1PRF6	200 W SOUTH EAST	ONSITE	AT	26-Dec-07	Co-60	-0.0000518	pCi/m3	0.00039	0.00039	U		
SESPMNT	B1PRF6	200 W SOUTH EAST	ONSITE	AT	26-Dec-07	Cs-134	-0.000342	pCi/m3	0.00054	0.00054	U		
SESPMNT	B1PRF6	200 W SOUTH EAST	ONSITE	AT	26-Dec-07	Cs-137	-0.0000469	pCi/m3	0.00041	0.00041	U		
SESPMNT	B1PRF6	200 W SOUTH EAST	ONSITE	AT	26-Dec-07	Eu-152	0.000961	pCi/m3	0.001	0.001	U		
SESPMNT	B1PRF6	200 W SOUTH EAST	ONSITE	AT	26-Dec-07	Eu-154	0.000637	pCi/m3	0.0013	0.0013	U		
SESPMNT	B1PRF6	200 W SOUTH EAST	ONSITE	AT	26-Dec-07	Eu-155	-0.000143	pCi/m3	0.00068	0.00068	U		
SESPMNT	B1PRF6	200 W SOUTH EAST	ONSITE	AT	26-Dec-07	K-40	0.00478	pCi/m3	0.0096	0.0096	U		
SESPMNT	B1PRF6	200 W SOUTH EAST	ONSITE	AT	26-Dec-07	Ru-106	-0.00328	pCi/m3	0.0045	0.0045	U		
SESPMNT	B1PRF6	200 W SOUTH EAST	ONSITE	AT	26-Dec-07	Sb-125	0.000224	pCi/m3	0.001	0.001	U		
SESPMNT	B1LVR9	300 AREA	ONSITE	AT	29-Mar-07	Be-7	0.0921	pCi/m3	0.025	0.025			
SESPMNT	B1LVR9	300 AREA	ONSITE	AT	29-Mar-07	Co-60	0.00000102	pCi/m3	0.00017	0.00017	U		
SESPMNT	B1LVR9	300 AREA	ONSITE	AT	29-Mar-07	Cs-134	0.000282	pCi/m3	0.00032	0.00032	U		
SESPMNT	B1LVR9	300 AREA	ONSITE	AT	29-Mar-07	Cs-137	-0.0000194	pCi/m3	0.00034	0.00034	U		
SESPMNT	B1LVR9	300 AREA	ONSITE	AT	29-Mar-07	Eu-152	-0.000322	pCi/m3	0.00073	0.00073	U		
SESPMNT	B1LVR9	300 AREA	ONSITE	AT	29-Mar-07	Eu-154	0.00017	pCi/m3	0.00057	0.00057	U		
SESPMNT	B1LVR9	300 AREA	ONSITE	AT	29-Mar-07	Eu-155	-0.000171	pCi/m3	0.00064	0.00064	U		
SESPMNT	B1LVR9	300 AREA	ONSITE	AT	29-Mar-07	K-40	-0.00195	pCi/m3	0.0047	0.0047	U		
SESPMNT	B1LVR9	300 AREA	ONSITE	AT	29-Mar-07	Ru-106	-0.00162	pCi/m3	0.0026	0.0026	U		
SESPMNT	B1LVR9	300 AREA	ONSITE	AT	29-Mar-07	Sb-125	-0.000768	pCi/m3	0.00076	0.00076	U		
SESPMNT	B1MYC3	300 AREA	ONSITE	AT	06-Jul-07	Be-7	0.198	pCi/m3	0.038	0.038			
SESPMNT	B1MYC3	300 AREA	ONSITE	AT	06-Jul-07	Co-60	-0.000193	pCi/m3	0.00036	0.00036	U		
SESPMNT	B1MYC3	300 AREA	ONSITE	AT	06-Jul-07	Cs-134	0.0000406	pCi/m3	0.00037	0.00037	U		
SESPMNT	B1MYC3	300 AREA	ONSITE	AT	06-Jul-07	Cs-137	-0.000106	pCi/m3	0.00033	0.00033	U		
SESPMNT	B1MYC3	300 AREA	ONSITE	AT	06-Jul-07	Eu-152	-0.000935	pCi/m3	0.00084	0.00084	U		
SESPMNT	B1MYC3	300 AREA	ONSITE	AT	06-Jul-07	Eu-154	-0.000247	pCi/m3	0.0006	0.0006	U		
SESPMNT	B1MYC3	300 AREA	ONSITE	AT	06-Jul-07	Eu-155	0.000154	pCi/m3	0.00054	0.00054	U		
SESPMNT	B1MYC3	300 AREA	ONSITE	AT	06-Jul-07	K-40	0.00395	pCi/m3	0.007	0.007	U		
SESPMNT	B1MYC3	300 AREA	ONSITE	AT	06-Jul-07	Ru-106	-0.000255	pCi/m3	0.0027	0.0027	U		
SESPMNT	B1MYC3	300 AREA	ONSITE	AT	06-Jul-07	Sb-125	-0.000387	pCi/m3	0.00075	0.00075	U		
SESPMNT	B1P265	300 AREA	ONSITE	AT	26-Sep-07	Be-7	0.131	pCi/m3	0.027	0.027			
SESPMNT	B1P265	300 AREA	ONSITE	AT	26-Sep-07	Co-60	-0.0000998	pCi/m3	0.0003	0.0003	U		
SESPMNT	B1P265	300 AREA	ONSITE	AT	26-Sep-07	Cs-134	-0.000144	pCi/m3	0.00038	0.00038	U		
SESPMNT	B1P265	300 AREA	ONSITE	AT	26-Sep-07	Cs-137	0.0000115	pCi/m3	0.00032	0.00032	U		
SESPMNT	B1P265	300 AREA	ONSITE	AT	26-Sep-07	Eu-152	0.000312	pCi/m3	0.00087	0.00087	U		
SESPMNT	B1P265	300 AREA	ONSITE	AT	26-Sep-07	Eu-154	-0.0000826	pCi/m3	0.00093	0.00093	U		
SESPMNT	B1P265	300 AREA	ONSITE	AT	26-Sep-07	Eu-155	-0.0000217	pCi/m3	0.00066	0.00066	U		
SESPMNT	B1P265	300 AREA	ONSITE	AT	26-Sep-07	K-40	0.00228	pCi/m3	0.008	0.008	U		
SESPMNT	B1P265	300 AREA	ONSITE	AT	26-Sep-07	Ru-106	-0.00302	pCi/m3	0.0036	0.0036	U		
SESPMNT	B1P265	300 AREA	ONSITE	AT	26-Sep-07	Sb-125	0.00013	pCi/m3	0.00083	0.00083	U		
SESPMNT	B1PRK6	300 AREA	ONSITE	AT	03-Jan-08	Be-7	0.132	pCi/m3	0.026	0.026			
SESPMNT	B1PRK6	300 AREA	ONSITE	AT	03-Jan-08	Co-60	-0.000053	pCi/m3	0.00021	0.00021	U		
SESPMNT	B1PRK6	300 AREA	ONSITE	AT	03-Jan-08	Cs-134	0.00000193	pCi/m3	0.00045	0.00045	U		
SESPMNT	B1PRK6	300 AREA	ONSITE	AT	03-Jan-08	Cs-137	0.000152	pCi/m3	0.00027	0.00027	U		
SESPMNT	B1PRK6	300 AREA	ONSITE	AT	03-Jan-08	Eu-152	0.000412	pCi/m3	0.00079	0.00079	U		
SESPMNT	B1PRK6	300 AREA	ONSITE	AT	03-Jan-08	Eu-154	-0.000691	pCi/m3	0.0011	0.0011	U		
SESPMNT	B1PRK6	300 AREA	ONSITE	AT	03-Jan-08	Eu-155	0.0000257	pCi/m3	0.00062	0.00062	U		
SESPMNT	B1PRK6	300 AREA	ONSITE	AT	03-Jan-08	K-40	-0.000578	pCi/m3	0.0078	0.0078	U		
SESPMNT	B1PRK6	300 AREA	ONSITE	AT	03-Jan-08	Ru-106	-0.00184	pCi/m3	0.0036	0.0036	U		
SESPMNT	B1PRK6	300 AREA	ONSITE	AT	03-Jan-08	Sb-125	0.000437	pCi/m3	0.00065	0.00065	U		
SESPMNT	B1LV28	300 NE	ONSITE	AT	29-Mar-07	Be-7	0.173	pCi/m3	0.053	0.053			

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## AIR - GAMMA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1LV28	300 NE	ONSITE	AT	29-Mar-07	Co-60	0.00000953	pCi/m3	0.00081	0.00081	U		
SESPMNT	B1LV28	300 NE	ONSITE	AT	29-Mar-07	Cs-134	-0.000513	pCi/m3	0.0012	0.0012	U		
SESPMNT	B1LV28	300 NE	ONSITE	AT	29-Mar-07	Cs-137	0.000069	pCi/m3	0.001	0.001	U		
SESPMNT	B1LV28	300 NE	ONSITE	AT	29-Mar-07	Eu-152	0.0000821	pCi/m3	0.0024	0.0024	U		
SESPMNT	B1LV28	300 NE	ONSITE	AT	29-Mar-07	Eu-154	0.00329	pCi/m3	0.0038	0.0038	U		
SESPMNT	B1LV28	300 NE	ONSITE	AT	29-Mar-07	Eu-155	0.00135	pCi/m3	0.002	0.002	U		
SESPMNT	B1LV28	300 NE	ONSITE	AT	29-Mar-07	K-40	0.0284	pCi/m3	0.025	0.025			
SESPMNT	B1LV28	300 NE	ONSITE	AT	29-Mar-07	Ru-106	-0.00637	pCi/m3	0.011	0.011	U		
SESPMNT	B1LV28	300 NE	ONSITE	AT	29-Mar-07	Sb-125	0.000715	pCi/m3	0.0029	0.0029	U		
SESPMNT	B1MXN5	300 NE	ONSITE	AT	06-Jul-07	Be-7	0.157	pCi/m3	0.051	0.051			
SESPMNT	B1MXN5	300 NE	ONSITE	AT	06-Jul-07	Co-60	-0.000501	pCi/m3	0.00073	0.00073	U		
SESPMNT	B1MXN5	300 NE	ONSITE	AT	06-Jul-07	Cs-134	0.000187	pCi/m3	0.00081	0.00081	U		
SESPMNT	B1MXN5	300 NE	ONSITE	AT	06-Jul-07	Cs-137	-0.000194	pCi/m3	0.00073	0.00073	U		
SESPMNT	B1MXN5	300 NE	ONSITE	AT	06-Jul-07	Eu-152	0.000564	pCi/m3	0.0016	0.0016	U		
SESPMNT	B1MXN5	300 NE	ONSITE	AT	06-Jul-07	Eu-154	0.0014	pCi/m3	0.002	0.002	U		
SESPMNT	B1MXN5	300 NE	ONSITE	AT	06-Jul-07	Eu-155	0.00163	pCi/m3	0.0016	0.0016	U		
SESPMNT	B1MXN5	300 NE	ONSITE	AT	06-Jul-07	K-40	-0.0108	pCi/m3	0.018	0.018	U		
SESPMNT	B1MXN5	300 NE	ONSITE	AT	06-Jul-07	Ru-106	-0.00657	pCi/m3	0.0077	0.0077	U		
SESPMNT	B1MXN5	300 NE	ONSITE	AT	06-Jul-07	Sb-125	0.000433	pCi/m3	0.0017	0.0017	U		
SESPMNT	B1P1K7	300 NE	ONSITE	AT	26-Sep-07	Be-7	0.173	pCi/m3	0.052	0.052			
SESPMNT	B1P1K7	300 NE	ONSITE	AT	26-Sep-07	Co-60	-0.00000608	pCi/m3	0.00046	0.00046	U		
SESPMNT	B1P1K7	300 NE	ONSITE	AT	26-Sep-07	Cs-134	-0.000326	pCi/m3	0.00096	0.00096	U		
SESPMNT	B1P1K7	300 NE	ONSITE	AT	26-Sep-07	Cs-137	-0.000216	pCi/m3	0.00055	0.00055	U		
SESPMNT	B1P1K7	300 NE	ONSITE	AT	26-Sep-07	Eu-152	0.000599	pCi/m3	0.0018	0.0018	U		
SESPMNT	B1P1K7	300 NE	ONSITE	AT	26-Sep-07	Eu-154	-0.000406	pCi/m3	0.0023	0.0023	U		
SESPMNT	B1P1K7	300 NE	ONSITE	AT	26-Sep-07	Eu-155	-0.00000881	pCi/m3	0.0018	0.0018	U		
SESPMNT	B1P1K7	300 NE	ONSITE	AT	26-Sep-07	K-40	0.00163	pCi/m3	0.022	0.022	U		
SESPMNT	B1P1K7	300 NE	ONSITE	AT	26-Sep-07	Ru-106	-0.00232	pCi/m3	0.01	0.01	U		
SESPMNT	B1P1K7	300 NE	ONSITE	AT	26-Sep-07	Sb-125	-0.000481	pCi/m3	0.0019	0.0019	U		
SESPMNT	B1PR15	300 NE	ONSITE	AT	03-Jan-08	Be-7	0.0989	pCi/m3	0.039	0.039			
SESPMNT	B1PR15	300 NE	ONSITE	AT	03-Jan-08	Co-60	0.000162	pCi/m3	0.00056	0.00056	U		
SESPMNT	B1PR15	300 NE	ONSITE	AT	03-Jan-08	Cs-134	-0.0000401	pCi/m3	0.001	0.001	U		
SESPMNT	B1PR15	300 NE	ONSITE	AT	03-Jan-08	Cs-137	0.000102	pCi/m3	0.00071	0.00071	U		
SESPMNT	B1PR15	300 NE	ONSITE	AT	03-Jan-08	Eu-152	-0.00273	pCi/m3	0.0022	0.0022	U		
SESPMNT	B1PR15	300 NE	ONSITE	AT	03-Jan-08	Eu-154	0.0000342	pCi/m3	0.0024	0.0024	U		
SESPMNT	B1PR15	300 NE	ONSITE	AT	03-Jan-08	Eu-155	-0.000219	pCi/m3	0.0014	0.0014	U		
SESPMNT	B1PR15	300 NE	ONSITE	AT	03-Jan-08	K-40	-0.00508	pCi/m3	0.014	0.014	U		
SESPMNT	B1PR15	300 NE	ONSITE	AT	03-Jan-08	Ru-106	0.00206	pCi/m3	0.0076	0.0076	U		
SESPMNT	B1PR15	300 NE	ONSITE	AT	03-Jan-08	Sb-125	-0.00108	pCi/m3	0.002	0.002	U		
SESPMNT	B1LV35	300 TRENCH	ONSITE	AT	29-Mar-07	Be-7	0.105	pCi/m3	0.045	0.045			
SESPMNT	B1LV35	300 TRENCH	ONSITE	AT	29-Mar-07	Co-60	-0.000695	pCi/m3	0.00089	0.00089	U		
SESPMNT	B1LV35	300 TRENCH	ONSITE	AT	29-Mar-07	Cs-134	0.000276	pCi/m3	0.00097	0.00097	U		
SESPMNT	B1LV35	300 TRENCH	ONSITE	AT	29-Mar-07	Cs-137	0.000000224	pCi/m3	0.00078	0.00078	U		
SESPMNT	B1LV35	300 TRENCH	ONSITE	AT	29-Mar-07	Eu-152	-0.0000571	pCi/m3	0.0018	0.0018	U		
SESPMNT	B1LV35	300 TRENCH	ONSITE	AT	29-Mar-07	Eu-154	0.0012	pCi/m3	0.0025	0.0025	U		
SESPMNT	B1LV35	300 TRENCH	ONSITE	AT	29-Mar-07	Eu-155	0.000488	pCi/m3	0.002	0.002	U		
SESPMNT	B1LV35	300 TRENCH	ONSITE	AT	29-Mar-07	K-40	-0.0104	pCi/m3	0.024	0.024	U		
SESPMNT	B1LV35	300 TRENCH	ONSITE	AT	29-Mar-07	Ru-106	-0.00146	pCi/m3	0.0077	0.0077	U		
SESPMNT	B1LV35	300 TRENCH	ONSITE	AT	29-Mar-07	Sb-125	-0.00177	pCi/m3	0.002	0.002	U		
SESPMNT	B1MXP3	300 TRENCH	ONSITE	AT	06-Jul-07	Be-7	0.199	pCi/m3	0.046	0.046			
SESPMNT	B1MXP3	300 TRENCH	ONSITE	AT	06-Jul-07	Co-60	-0.000151	pCi/m3	0.001	0.001	U		
SESPMNT	B1MXP3	300 TRENCH	ONSITE	AT	06-Jul-07	Cs-134	0.000424	pCi/m3	0.00095	0.00095	U		
SESPMNT	B1MXP3	300 TRENCH	ONSITE	AT	06-Jul-07	Cs-137	-0.000274	pCi/m3	0.00064	0.00064	U		
SESPMNT	B1MXP3	300 TRENCH	ONSITE	AT	06-Jul-07	Eu-152	0.000614	pCi/m3	0.0017	0.0017	U		
SESPMNT	B1MXP3	300 TRENCH	ONSITE	AT	06-Jul-07	Eu-154	0.000671	pCi/m3	0.002	0.002	U		
SESPMNT	B1MXP3	300 TRENCH	ONSITE	AT	06-Jul-07	Eu-155	0.00122	pCi/m3	0.0013	0.0013	U		
SESPMNT	B1MXP3	300 TRENCH	ONSITE	AT	06-Jul-07	K-40	0.00103	pCi/m3	0.017	0.017	U		
SESPMNT	B1MXP3	300 TRENCH	ONSITE	AT	06-Jul-07	Ru-106	-0.00344	pCi/m3	0.0068	0.0068	U		
SESPMNT	B1MXP3	300 TRENCH	ONSITE	AT	06-Jul-07	Sb-125	0.00103	pCi/m3	0.0017	0.0017	U		
SESPMNT	B1P1L4	300 TRENCH	ONSITE	AT	26-Sep-07	Be-7	0.184	pCi/m3	0.037	0.037			
SESPMNT	B1P1L4	300 TRENCH	ONSITE	AT	26-Sep-07	Co-60	0.000764	pCi/m3	0.00092	0.00092	U		
SESPMNT	B1P1L4	300 TRENCH	ONSITE	AT	26-Sep-07	Cs-134	-0.000262	pCi/m3	0.00086	0.00086	U		
SESPMNT	B1P1L4	300 TRENCH	ONSITE	AT	26-Sep-07	Cs-137	-0.000855	pCi/m3	0.00076	0.00076	U		
SESPMNT	B1P1L4	300 TRENCH	ONSITE	AT	26-Sep-07	Eu-152	0.00053	pCi/m3	0.002	0.002	U		
SESPMNT	B1P1L4	300 TRENCH	ONSITE	AT	26-Sep-07	Eu-154	0.000266	pCi/m3	0.0025	0.0025	U		
SESPMNT	B1P1L4	300 TRENCH	ONSITE	AT	26-Sep-07	Eu-155	0.000519	pCi/m3	0.0016	0.0016	U		
SESPMNT	B1P1L4	300 TRENCH	ONSITE	AT	26-Sep-07	K-40	0.0159	pCi/m3	0.026	0.026	U		

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## AIR - GAMMA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1P1L4	300 TRENCH	ONSITE	AT	26-Sep-07	Ru-106	0.00495	pCi/m3	0.0067	0.0067	U		
SESPMNT	B1P1L4	300 TRENCH	ONSITE	AT	26-Sep-07	Sb-125	0.000341	pCi/m3	0.0018	0.0018	U		
SESPMNT	B1PR23	300 TRENCH	ONSITE	AT	03-Jan-08	Be-7	0.0921	pCi/m3	0.028	0.028	U		
SESPMNT	B1PR23	300 TRENCH	ONSITE	AT	03-Jan-08	Co-60	0.000154	pCi/m3	0.00046	0.00046	U		
SESPMNT	B1PR23	300 TRENCH	ONSITE	AT	03-Jan-08	Cs-134	-0.000249	pCi/m3	0.00055	0.00055	U		
SESPMNT	B1PR23	300 TRENCH	ONSITE	AT	03-Jan-08	Cs-137	0.00000247	pCi/m3	0.00048	0.00048	U		
SESPMNT	B1PR23	300 TRENCH	ONSITE	AT	03-Jan-08	Eu-152	0.000217	pCi/m3	0.0014	0.0014	U		
SESPMNT	B1PR23	300 TRENCH	ONSITE	AT	03-Jan-08	Eu-154	0.000818	pCi/m3	0.0015	0.0015	U		
SESPMNT	B1PR23	300 TRENCH	ONSITE	AT	03-Jan-08	Eu-155	-0.000448	pCi/m3	0.00096	0.00096	U		
SESPMNT	B1PR23	300 TRENCH	ONSITE	AT	03-Jan-08	K-40	0.00708	pCi/m3	0.0088	0.0088	U		
SESPMNT	B1PR23	300 TRENCH	ONSITE	AT	03-Jan-08	Ru-106	-0.00319	pCi/m3	0.005	0.005	U		
SESPMNT	B1PR23	300 TRENCH	ONSITE	AT	03-Jan-08	Sb-125	0.00114	pCi/m3	0.0016	0.0016	U		
SESPMNT	B1LVV8	400 AREA	ONSITE	AT	28-Mar-07	Be-7	0.0918	pCi/m3	0.019	0.019	U		
SESPMNT	B1LVV8	400 AREA	ONSITE	AT	28-Mar-07	Co-60	-0.000268	pCi/m3	0.00029	0.00029	U		
SESPMNT	B1LVV8	400 AREA	ONSITE	AT	28-Mar-07	Cs-134	0.000198	pCi/m3	0.00025	0.00025	U		
SESPMNT	B1LVV8	400 AREA	ONSITE	AT	28-Mar-07	Cs-137	0.000128	pCi/m3	0.00023	0.00023	U		
SESPMNT	B1LVV8	400 AREA	ONSITE	AT	28-Mar-07	Eu-152	-0.0000959	pCi/m3	0.00056	0.00056	U		
SESPMNT	B1LVV8	400 AREA	ONSITE	AT	28-Mar-07	Eu-154	-0.000589	pCi/m3	0.00063	0.00063	U		
SESPMNT	B1LVV8	400 AREA	ONSITE	AT	28-Mar-07	Eu-155	-0.000053	pCi/m3	0.0004	0.0004	U		
SESPMNT	B1LVV8	400 AREA	ONSITE	AT	28-Mar-07	K-40	0.00125	pCi/m3	0.0036	0.0036	U		
SESPMNT	B1LVV8	400 AREA	ONSITE	AT	28-Mar-07	Ru-106	-0.00133	pCi/m3	0.0019	0.0019	U		
SESPMNT	B1LVV8	400 AREA	ONSITE	AT	28-Mar-07	Sb-125	-0.000287	pCi/m3	0.00049	0.00049	U		
SESPMNT	B1MYF5	400 AREA	ONSITE	AT	02-Jul-07	Be-7	0.156	pCi/m3	0.026	0.026	U		
SESPMNT	B1MYF5	400 AREA	ONSITE	AT	02-Jul-07	Co-60	0.000225	pCi/m3	0.00027	0.00027	U		
SESPMNT	B1MYF5	400 AREA	ONSITE	AT	02-Jul-07	Cs-134	-0.000109	pCi/m3	0.00022	0.00022	U		
SESPMNT	B1MYF5	400 AREA	ONSITE	AT	02-Jul-07	Cs-137	0.000211	pCi/m3	0.00024	0.00024	U		
SESPMNT	B1MYF5	400 AREA	ONSITE	AT	02-Jul-07	Eu-152	-0.0000155	pCi/m3	0.00056	0.00056	U		
SESPMNT	B1MYF5	400 AREA	ONSITE	AT	02-Jul-07	Eu-154	-0.000112	pCi/m3	0.00068	0.00068	U		
SESPMNT	B1MYF5	400 AREA	ONSITE	AT	02-Jul-07	Eu-155	-0.000119	pCi/m3	0.00044	0.00044	U		
SESPMNT	B1MYF5	400 AREA	ONSITE	AT	02-Jul-07	K-40	-0.00194	pCi/m3	0.005	0.005	U		
SESPMNT	B1MYF5	400 AREA	ONSITE	AT	02-Jul-07	Ru-106	-0.000777	pCi/m3	0.0023	0.0023	U		
SESPMNT	B1MYF5	400 AREA	ONSITE	AT	02-Jul-07	Sb-125	0.0000524	pCi/m3	0.00049	0.00049	U		
SESPMNT	B1P284	400 AREA	ONSITE	AT	25-Sep-07	Be-7	0.157	pCi/m3	0.025	0.025	U		
SESPMNT	B1P284	400 AREA	ONSITE	AT	25-Sep-07	Co-60	-0.000045	pCi/m3	0.00022	0.00022	U		
SESPMNT	B1P284	400 AREA	ONSITE	AT	25-Sep-07	Cs-134	0.0000908	pCi/m3	0.0002	0.0002	U		
SESPMNT	B1P284	400 AREA	ONSITE	AT	25-Sep-07	Cs-137	0.000184	pCi/m3	0.00017	0.00017	U		
SESPMNT	B1P284	400 AREA	ONSITE	AT	25-Sep-07	Eu-152	-0.0000658	pCi/m3	0.0004	0.0004	U		
SESPMNT	B1P284	400 AREA	ONSITE	AT	25-Sep-07	Eu-154	-0.000149	pCi/m3	0.00037	0.00037	U		
SESPMNT	B1P284	400 AREA	ONSITE	AT	25-Sep-07	Eu-155	0.0000246	pCi/m3	0.0003	0.0003	U		
SESPMNT	B1P284	400 AREA	ONSITE	AT	25-Sep-07	K-40	0.0119	pCi/m3	0.0042	0.0042	U		
SESPMNT	B1P284	400 AREA	ONSITE	AT	25-Sep-07	Ru-106	0.000848	pCi/m3	0.0019	0.0019	U		
SESPMNT	B1P284	400 AREA	ONSITE	AT	25-Sep-07	Sb-125	-0.000245	pCi/m3	0.00043	0.00043	U		
SESPMNT	B1PRM8	400 AREA	ONSITE	AT	02-Jan-08	Be-7	0.101	pCi/m3	0.022	0.022	U		
SESPMNT	B1PRM8	400 AREA	ONSITE	AT	02-Jan-08	Co-60	0.0000447	pCi/m3	0.00028	0.00028	U		
SESPMNT	B1PRM8	400 AREA	ONSITE	AT	02-Jan-08	Cs-134	0.0000598	pCi/m3	0.00022	0.00022	U		
SESPMNT	B1PRM8	400 AREA	ONSITE	AT	02-Jan-08	Cs-137	0.0000884	pCi/m3	0.00024	0.00024	U		
SESPMNT	B1PRM8	400 AREA	ONSITE	AT	02-Jan-08	Eu-152	0.00033	pCi/m3	0.00063	0.00063	U		
SESPMNT	B1PRM8	400 AREA	ONSITE	AT	02-Jan-08	Eu-154	0.000352	pCi/m3	0.00073	0.00073	U		
SESPMNT	B1PRM8	400 AREA	ONSITE	AT	02-Jan-08	Eu-155	-0.0000312	pCi/m3	0.00041	0.00041	U		
SESPMNT	B1PRM8	400 AREA	ONSITE	AT	02-Jan-08	K-40	-0.00176	pCi/m3	0.006	0.006	U		
SESPMNT	B1PRM8	400 AREA	ONSITE	AT	02-Jan-08	Ru-106	0.0012	pCi/m3	0.0025	0.0025	U		
SESPMNT	B1PRM8	400 AREA	ONSITE	AT	02-Jan-08	Sb-125	-0.000195	pCi/m3	0.00062	0.00062	U		
SESPMNT	B1LVM1	B POND	ONSITE	AT	04-Apr-07	Be-7	0.101	pCi/m3	0.035	0.035	U		
SESPMNT	B1LVM1	B POND	ONSITE	AT	04-Apr-07	Co-60	0.0000151	pCi/m3	0.00088	0.00088	U		
SESPMNT	B1LVM1	B POND	ONSITE	AT	04-Apr-07	Cs-134	0.000613	pCi/m3	0.00081	0.00081	U		
SESPMNT	B1LVM1	B POND	ONSITE	AT	04-Apr-07	Cs-137	-0.00024	pCi/m3	0.00076	0.00076	U		
SESPMNT	B1LVM1	B POND	ONSITE	AT	04-Apr-07	Eu-152	-0.000761	pCi/m3	0.0019	0.0019	U		
SESPMNT	B1LVM1	B POND	ONSITE	AT	04-Apr-07	Eu-154	-0.000259	pCi/m3	0.0026	0.0026	U		
SESPMNT	B1LVM1	B POND	ONSITE	AT	04-Apr-07	Eu-155	-0.000381	pCi/m3	0.0013	0.0013	U		
SESPMNT	B1LVM1	B POND	ONSITE	AT	04-Apr-07	K-40	-0.00976	pCi/m3	0.018	0.018	U		
SESPMNT	B1LVM1	B POND	ONSITE	AT	04-Apr-07	Ru-106	-0.00286	pCi/m3	0.0053	0.0053	U		
SESPMNT	B1LVM1	B POND	ONSITE	AT	04-Apr-07	Sb-125	0.000553	pCi/m3	0.0017	0.0017	U		
SESPMNT	B1MY80	B POND	ONSITE	AT	25-Jun-07	Be-7	0.194	pCi/m3	0.046	0.046	U		
SESPMNT	B1MY80	B POND	ONSITE	AT	25-Jun-07	Co-60	0.000481	pCi/m3	0.0011	0.0011	U		
SESPMNT	B1MY80	B POND	ONSITE	AT	25-Jun-07	Cs-134	0.000299	pCi/m3	0.001	0.001	U		
SESPMNT	B1MY80	B POND	ONSITE	AT	25-Jun-07	Cs-137	0.0000365	pCi/m3	0.0008	0.0008	U		
SESPMNT	B1MY80	B POND	ONSITE	AT	25-Jun-07	Eu-152	-0.00116	pCi/m3	0.0023	0.0023	U		

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## AIR - GAMMA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1MY80	B POND	ONSITE	AT	25-Jun-07	Eu-154	0.000781	pCi/m3	0.0016	0.0016	U		
SESPMNT	B1MY80	B POND	ONSITE	AT	25-Jun-07	Eu-155	0.000914	pCi/m3	0.0016	0.0016	U		
SESPMNT	B1MY80	B POND	ONSITE	AT	25-Jun-07	K-40	-0.00322	pCi/m3	0.02	0.02	U		
SESPMNT	B1MY80	B POND	ONSITE	AT	25-Jun-07	Ru-106	-0.0033	pCi/m3	0.0075	0.0075	U		
SESPMNT	B1MY80	B POND	ONSITE	AT	25-Jun-07	Sb-125	0.000807	pCi/m3	0.0022	0.0022	U		
SESPMNT	B1P227	B POND	ONSITE	AT	02-Oct-07	Be-7	0.172	pCi/m3	0.042	0.042			
SESPMNT	B1P227	B POND	ONSITE	AT	02-Oct-07	Co-60	-0.000648	pCi/m3	0.00086	0.00086	U		
SESPMNT	B1P227	B POND	ONSITE	AT	02-Oct-07	Cs-134	0.000575	pCi/m3	0.00096	0.00096	U		
SESPMNT	B1P227	B POND	ONSITE	AT	02-Oct-07	Cs-137	-0.000213	pCi/m3	0.00062	0.00062	U		
SESPMNT	B1P227	B POND	ONSITE	AT	02-Oct-07	Eu-152	-0.000198	pCi/m3	0.0017	0.0017	U		
SESPMNT	B1P227	B POND	ONSITE	AT	02-Oct-07	Eu-154	-0.000315	pCi/m3	0.0023	0.0023	U		
SESPMNT	B1P227	B POND	ONSITE	AT	02-Oct-07	Eu-155	-0.00156	pCi/m3	0.0014	0.0014	U		
SESPMNT	B1P227	B POND	ONSITE	AT	02-Oct-07	K-40	0.00531	pCi/m3	0.017	0.017	U		
SESPMNT	B1P227	B POND	ONSITE	AT	02-Oct-07	Ru-106	0.00589	pCi/m3	0.0056	0.0056	U		
SESPMNT	B1P227	B POND	ONSITE	AT	02-Oct-07	Sb-125	-0.000183	pCi/m3	0.0017	0.0017	U		
SESPMNT	B1PRD8	B POND	ONSITE	AT	26-Dec-07	Be-7	0.122	pCi/m3	0.045	0.045			
SESPMNT	B1PRD8	B POND	ONSITE	AT	26-Dec-07	Co-60	-0.000131	pCi/m3	0.00058	0.00058	U		
SESPMNT	B1PRD8	B POND	ONSITE	AT	26-Dec-07	Cs-134	0.000433	pCi/m3	0.00083	0.00083	U		
SESPMNT	B1PRD8	B POND	ONSITE	AT	26-Dec-07	Cs-137	-0.000233	pCi/m3	0.00073	0.00073	U		
SESPMNT	B1PRD8	B POND	ONSITE	AT	26-Dec-07	Eu-152	-0.000284	pCi/m3	0.0018	0.0018	U		
SESPMNT	B1PRD8	B POND	ONSITE	AT	26-Dec-07	Eu-154	-0.000293	pCi/m3	0.0021	0.0021	U		
SESPMNT	B1PRD8	B POND	ONSITE	AT	26-Dec-07	Eu-155	-0.000856	pCi/m3	0.0011	0.0011	U		
SESPMNT	B1PRD8	B POND	ONSITE	AT	26-Dec-07	K-40	0.0109	pCi/m3	0.017	0.017	U		
SESPMNT	B1PRD8	B POND	ONSITE	AT	26-Dec-07	Ru-106	0.000805	pCi/m3	0.0082	0.0082	U		
SESPMNT	B1PRD8	B POND	ONSITE	AT	26-Dec-07	Sb-125	0.000762	pCi/m3	0.0017	0.0017	U		
SESPMNT	B1LW95	BASIN CITY SCHOOL	COMMUNITY	AT	06-Apr-07	Be-7	0.114	pCi/m3	0.035	0.035			
SESPMNT	B1LW95	BASIN CITY SCHOOL	COMMUNITY	AT	06-Apr-07	Co-60	-0.00075	pCi/m3	0.00098	0.00098	U		
SESPMNT	B1LW95	BASIN CITY SCHOOL	COMMUNITY	AT	06-Apr-07	Cs-134	0.000734	pCi/m3	0.00095	0.00095	U		
SESPMNT	B1LW95	BASIN CITY SCHOOL	COMMUNITY	AT	06-Apr-07	Cs-137	0.0000246	pCi/m3	0.00099	0.00099	U		
SESPMNT	B1LW95	BASIN CITY SCHOOL	COMMUNITY	AT	06-Apr-07	Eu-152	-0.000182	pCi/m3	0.0022	0.0022	U		
SESPMNT	B1LW95	BASIN CITY SCHOOL	COMMUNITY	AT	06-Apr-07	Eu-154	-0.000775	pCi/m3	0.0027	0.0027	U		
SESPMNT	B1LW95	BASIN CITY SCHOOL	COMMUNITY	AT	06-Apr-07	Eu-155	-0.00122	pCi/m3	0.0016	0.0016	U		
SESPMNT	B1LW95	BASIN CITY SCHOOL	COMMUNITY	AT	06-Apr-07	K-40	0.00153	pCi/m3	0.018	0.018	U		
SESPMNT	B1LW95	BASIN CITY SCHOOL	COMMUNITY	AT	06-Apr-07	Ru-106	0.00143	pCi/m3	0.0081	0.0081	U		
SESPMNT	B1LW95	BASIN CITY SCHOOL	COMMUNITY	AT	06-Apr-07	Sb-125	-0.000632	pCi/m3	0.0021	0.0021	U		
SESPMNT	B1MY4	BASIN CITY SCHOOL	COMMUNITY	AT	28-Jun-07	Be-7	0.157	pCi/m3	0.04	0.04			
SESPMNT	B1MY4	BASIN CITY SCHOOL	COMMUNITY	AT	28-Jun-07	Co-60	0.000303	pCi/m3	0.00078	0.00078	U		
SESPMNT	B1MY4	BASIN CITY SCHOOL	COMMUNITY	AT	28-Jun-07	Cs-134	0.000462	pCi/m3	0.00074	0.00074	U		
SESPMNT	B1MY4	BASIN CITY SCHOOL	COMMUNITY	AT	28-Jun-07	Cs-137	-0.000323	pCi/m3	0.00082	0.00082	U		
SESPMNT	B1MY4	BASIN CITY SCHOOL	COMMUNITY	AT	28-Jun-07	Eu-152	0.00285	pCi/m3	0.002	0.002	U		
SESPMNT	B1MY4	BASIN CITY SCHOOL	COMMUNITY	AT	28-Jun-07	Eu-154	0.000357	pCi/m3	0.0033	0.0033	U		
SESPMNT	B1MY4	BASIN CITY SCHOOL	COMMUNITY	AT	28-Jun-07	Eu-155	0.000686	pCi/m3	0.0014	0.0014	U		
SESPMNT	B1MY4	BASIN CITY SCHOOL	COMMUNITY	AT	28-Jun-07	K-40	-0.0104	pCi/m3	0.014	0.014	U		
SESPMNT	B1MY4	BASIN CITY SCHOOL	COMMUNITY	AT	28-Jun-07	Ru-106	0.00986	pCi/m3	0.0086	0.0086	U		
SESPMNT	B1MY4	BASIN CITY SCHOOL	COMMUNITY	AT	28-Jun-07	Sb-125	0.000712	pCi/m3	0.0018	0.0018	U		
SESPMNT	B1P2R1	BASIN CITY SCHOOL	COMMUNITY	AT	04-Oct-07	Be-7	0.137	pCi/m3	0.036	0.036			
SESPMNT	B1P2R1	BASIN CITY SCHOOL	COMMUNITY	AT	04-Oct-07	Co-60	-0.000268	pCi/m3	0.00053	0.00053	U		
SESPMNT	B1P2R1	BASIN CITY SCHOOL	COMMUNITY	AT	04-Oct-07	Cs-134	-0.0000135	pCi/m3	0.00053	0.00053	U		
SESPMNT	B1P2R1	BASIN CITY SCHOOL	COMMUNITY	AT	04-Oct-07	Cs-137	-0.0000872	pCi/m3	0.00049	0.00049	U		
SESPMNT	B1P2R1	BASIN CITY SCHOOL	COMMUNITY	AT	04-Oct-07	Eu-152	0.000511	pCi/m3	0.0012	0.0012	U		
SESPMNT	B1P2R1	BASIN CITY SCHOOL	COMMUNITY	AT	04-Oct-07	Eu-154	-0.000314	pCi/m3	0.0018	0.0018	U		
SESPMNT	B1P2R1	BASIN CITY SCHOOL	COMMUNITY	AT	04-Oct-07	Eu-155	-0.0000082	pCi/m3	0.0011	0.0011	U		
SESPMNT	B1P2R1	BASIN CITY SCHOOL	COMMUNITY	AT	04-Oct-07	K-40	0.00176	pCi/m3	0.0074	0.0074	U		
SESPMNT	B1P2R1	BASIN CITY SCHOOL	COMMUNITY	AT	04-Oct-07	Ru-106	-0.0007	pCi/m3	0.0057	0.0057	U		
SESPMNT	B1P2R1	BASIN CITY SCHOOL	COMMUNITY	AT	04-Oct-07	Sb-125	0.000446	pCi/m3	0.0014	0.0014	U		
SESPMNT	B1PT55	BASIN CITY SCHOOL	COMMUNITY	AT	28-Dec-07	Be-7	0.0858	pCi/m3	0.069	0.069			
SESPMNT	B1PT55	BASIN CITY SCHOOL	COMMUNITY	AT	28-Dec-07	Co-60	-0.000181	pCi/m3	0.001	0.001	U		
SESPMNT	B1PT55	BASIN CITY SCHOOL	COMMUNITY	AT	28-Dec-07	Cs-134	0.000822	pCi/m3	0.0011	0.0011	U		
SESPMNT	B1PT55	BASIN CITY SCHOOL	COMMUNITY	AT	28-Dec-07	Cs-137	0.000498	pCi/m3	0.00077	0.00077	U		
SESPMNT	B1PT55	BASIN CITY SCHOOL	COMMUNITY	AT	28-Dec-07	Eu-152	-0.00055	pCi/m3	0.0019	0.0019	U		
SESPMNT	B1PT55	BASIN CITY SCHOOL	COMMUNITY	AT	28-Dec-07	Eu-154	0.000537	pCi/m3	0.0025	0.0025	U		
SESPMNT	B1PT55	BASIN CITY SCHOOL	COMMUNITY	AT	28-Dec-07	Eu-155	0.000677	pCi/m3	0.0021	0.0021	U		
SESPMNT	B1PT55	BASIN CITY SCHOOL	COMMUNITY	AT	28-Dec-07	K-40	-0.00371	pCi/m3	0.025	0.025	U		
SESPMNT	B1PT55	BASIN CITY SCHOOL	COMMUNITY	AT	28-Dec-07	Ru-106	0.000647	pCi/m3	0.0085	0.0085	U		
SESPMNT	B1PT55	BASIN CITY SCHOOL	COMMUNITY	AT	28-Dec-07	Sb-125	0.000916	pCi/m3	0.0023	0.0023	U		
SESPMNT	B1LV70	BATTELLE COMPLEX	PERIMETER	AT	29-Mar-07	Be-7	0.0998	pCi/m3	0.048	0.048			
SESPMNT	B1LV70	BATTELLE COMPLEX	PERIMETER	AT	29-Mar-07	Co-60	0.000304	pCi/m3	0.0011	0.0011	U		

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## AIR - GAMMA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1LV70	BATTELLE COMPLEX	PERIMETER	AT	29-Mar-07	Cs-134	-0.000611	pCi/m3	0.0011	0.0011	U		
SESPMNT	B1LV70	BATTELLE COMPLEX	PERIMETER	AT	29-Mar-07	Cs-137	0.0000388	pCi/m3	0.00093	0.00093	U		
SESPMNT	B1LV70	BATTELLE COMPLEX	PERIMETER	AT	29-Mar-07	Eu-152	0.0000584	pCi/m3	0.0021	0.0021	U		
SESPMNT	B1LV70	BATTELLE COMPLEX	PERIMETER	AT	29-Mar-07	Eu-154	-0.0012	pCi/m3	0.0029	0.0029	U		
SESPMNT	B1LV70	BATTELLE COMPLEX	PERIMETER	AT	29-Mar-07	Eu-155	0.000688	pCi/m3	0.0022	0.0022	U		
SESPMNT	B1LV70	BATTELLE COMPLEX	PERIMETER	AT	29-Mar-07	K-40	0.00416	pCi/m3	0.027	0.027	U		
SESPMNT	B1LV70	BATTELLE COMPLEX	PERIMETER	AT	29-Mar-07	Ru-106	0.00261	pCi/m3	0.0083	0.0083	U		
SESPMNT	B1LV70	BATTELLE COMPLEX	PERIMETER	AT	29-Mar-07	Sb-125	-0.00206	pCi/m3	0.0023	0.0023	U		
SESPMNT	B1MXW1	BATTELLE COMPLEX	PERIMETER	AT	06-Jul-07	Be-7	0.154	pCi/m3	0.04	0.04			
SESPMNT	B1MXW1	BATTELLE COMPLEX	PERIMETER	AT	06-Jul-07	Co-60	-0.000121	pCi/m3	0.00059	0.00059	U		
SESPMNT	B1MXW1	BATTELLE COMPLEX	PERIMETER	AT	06-Jul-07	Cs-134	-0.000496	pCi/m3	0.00063	0.00063	U		
SESPMNT	B1MXW1	BATTELLE COMPLEX	PERIMETER	AT	06-Jul-07	Cs-137	0.000407	pCi/m3	0.00044	0.00044	U		
SESPMNT	B1MXW1	BATTELLE COMPLEX	PERIMETER	AT	06-Jul-07	Eu-152	-0.000299	pCi/m3	0.0011	0.0011	U		
SESPMNT	B1MXW1	BATTELLE COMPLEX	PERIMETER	AT	06-Jul-07	Eu-154	-0.000413	pCi/m3	0.0016	0.0016	U		
SESPMNT	B1MXW1	BATTELLE COMPLEX	PERIMETER	AT	06-Jul-07	Eu-155	0.000366	pCi/m3	0.0009	0.0009	U		
SESPMNT	B1MXW1	BATTELLE COMPLEX	PERIMETER	AT	06-Jul-07	K-40	0.00257	pCi/m3	0.011	0.011	U		
SESPMNT	B1MXW1	BATTELLE COMPLEX	PERIMETER	AT	06-Jul-07	Ru-106	-0.000493	pCi/m3	0.0055	0.0055	U		
SESPMNT	B1MXW1	BATTELLE COMPLEX	PERIMETER	AT	06-Jul-07	Sb-125	0.000069	pCi/m3	0.0011	0.0011	U		
SESPMNT	B1P1P9	BATTELLE COMPLEX	PERIMETER	AT	26-Sep-07	Be-7	0.18	pCi/m3	0.044	0.044			
SESPMNT	B1P1P9	BATTELLE COMPLEX	PERIMETER	AT	26-Sep-07	Co-60	0.000424	pCi/m3	0.00068	0.00068	U		
SESPMNT	B1P1P9	BATTELLE COMPLEX	PERIMETER	AT	26-Sep-07	Cs-134	0.000637	pCi/m3	0.0007	0.0007	U		
SESPMNT	B1P1P9	BATTELLE COMPLEX	PERIMETER	AT	26-Sep-07	Cs-137	0.000343	pCi/m3	0.00065	0.00065	U		
SESPMNT	B1P1P9	BATTELLE COMPLEX	PERIMETER	AT	26-Sep-07	Eu-152	-0.000013	pCi/m3	0.0013	0.0013	U		
SESPMNT	B1P1P9	BATTELLE COMPLEX	PERIMETER	AT	26-Sep-07	Eu-154	0.0000209	pCi/m3	0.0018	0.0018	U		
SESPMNT	B1P1P9	BATTELLE COMPLEX	PERIMETER	AT	26-Sep-07	Eu-155	0.00034	pCi/m3	0.0011	0.0011	U		
SESPMNT	B1P1P9	BATTELLE COMPLEX	PERIMETER	AT	26-Sep-07	K-40	0.0189	pCi/m3	0.01	0.01	U		
SESPMNT	B1P1P9	BATTELLE COMPLEX	PERIMETER	AT	26-Sep-07	Ru-106	0.00361	pCi/m3	0.0056	0.0056	U		
SESPMNT	B1P1P9	BATTELLE COMPLEX	PERIMETER	AT	26-Sep-07	Sb-125	-0.0000284	pCi/m3	0.0014	0.0014	U		
SESPMNT	B1PR31	BATTELLE COMPLEX	PERIMETER	AT	03-Jan-08	Be-7	0.135	pCi/m3	0.045	0.045			
SESPMNT	B1PR31	BATTELLE COMPLEX	PERIMETER	AT	03-Jan-08	Co-60	0.000273	pCi/m3	0.00087	0.00087	U		
SESPMNT	B1PR31	BATTELLE COMPLEX	PERIMETER	AT	03-Jan-08	Cs-134	0.000582	pCi/m3	0.00081	0.00081	U		
SESPMNT	B1PR31	BATTELLE COMPLEX	PERIMETER	AT	03-Jan-08	Cs-137	0.000152	pCi/m3	0.00081	0.00081	U		
SESPMNT	B1PR31	BATTELLE COMPLEX	PERIMETER	AT	03-Jan-08	Eu-152	-0.000743	pCi/m3	0.0015	0.0015	U		
SESPMNT	B1PR31	BATTELLE COMPLEX	PERIMETER	AT	03-Jan-08	Eu-154	-0.00251	pCi/m3	0.0022	0.0022	U		
SESPMNT	B1PR31	BATTELLE COMPLEX	PERIMETER	AT	03-Jan-08	Eu-155	0.000547	pCi/m3	0.0015	0.0015	U		
SESPMNT	B1PR31	BATTELLE COMPLEX	PERIMETER	AT	03-Jan-08	K-40	0.00483	pCi/m3	0.018	0.018	U		
SESPMNT	B1PR31	BATTELLE COMPLEX	PERIMETER	AT	03-Jan-08	Ru-106	0.00226	pCi/m3	0.0084	0.0084	U		
SESPMNT	B1PR31	BATTELLE COMPLEX	PERIMETER	AT	03-Jan-08	Sb-125	0.000196	pCi/m3	0.002	0.002	U		
SESPMNT	B1LV77	BENTON CITY	COMMUNITY	AT	03-Apr-07	Be-7	0.137	pCi/m3	0.036	0.036			
SESPMNT	B1LV77	BENTON CITY	COMMUNITY	AT	03-Apr-07	Co-60	-0.000179	pCi/m3	0.00076	0.00076	U		
SESPMNT	B1LV77	BENTON CITY	COMMUNITY	AT	03-Apr-07	Cs-134	-0.000421	pCi/m3	0.00056	0.00056	U		
SESPMNT	B1LV77	BENTON CITY	COMMUNITY	AT	03-Apr-07	Cs-137	0.000213	pCi/m3	0.00055	0.00055	U		
SESPMNT	B1LV77	BENTON CITY	COMMUNITY	AT	03-Apr-07	Eu-152	0.000281	pCi/m3	0.0014	0.0014	U		
SESPMNT	B1LV77	BENTON CITY	COMMUNITY	AT	03-Apr-07	Eu-154	-0.000135	pCi/m3	0.0022	0.0022	U		
SESPMNT	B1LV77	BENTON CITY	COMMUNITY	AT	03-Apr-07	Eu-155	-0.000981	pCi/m3	0.001	0.001	U		
SESPMNT	B1LV77	BENTON CITY	COMMUNITY	AT	03-Apr-07	K-40	0.0122	pCi/m3	0.014	0.014	U		
SESPMNT	B1LV77	BENTON CITY	COMMUNITY	AT	03-Apr-07	Ru-106	-0.00448	pCi/m3	0.006	0.006	U		
SESPMNT	B1LV77	BENTON CITY	COMMUNITY	AT	03-Apr-07	Sb-125	0.000494	pCi/m3	0.0013	0.0013	U		
SESPMNT	B1MXW9	BENTON CITY	COMMUNITY	AT	03-Jul-07	Be-7	0.147	pCi/m3	0.054	0.054			
SESPMNT	B1MXW9	BENTON CITY	COMMUNITY	AT	03-Jul-07	Co-60	0.000131	pCi/m3	0.00098	0.00098	U		
SESPMNT	B1MXW9	BENTON CITY	COMMUNITY	AT	03-Jul-07	Cs-134	-0.0000853	pCi/m3	0.00098	0.00098	U		
SESPMNT	B1MXW9	BENTON CITY	COMMUNITY	AT	03-Jul-07	Cs-137	0.000485	pCi/m3	0.00081	0.00081	U		
SESPMNT	B1MXW9	BENTON CITY	COMMUNITY	AT	03-Jul-07	Eu-152	-0.00123	pCi/m3	0.0022	0.0022	U		
SESPMNT	B1MXW9	BENTON CITY	COMMUNITY	AT	03-Jul-07	Eu-154	0.00193	pCi/m3	0.0027	0.0027	U		
SESPMNT	B1MXW9	BENTON CITY	COMMUNITY	AT	03-Jul-07	Eu-155	0.00224	pCi/m3	0.0021	0.0021	U		
SESPMNT	B1MXW9	BENTON CITY	COMMUNITY	AT	03-Jul-07	K-40	-0.00429	pCi/m3	0.025	0.025	U		
SESPMNT	B1MXW9	BENTON CITY	COMMUNITY	AT	03-Jul-07	Ru-106	-0.00483	pCi/m3	0.0078	0.0078	U		
SESPMNT	B1MXW9	BENTON CITY	COMMUNITY	AT	03-Jul-07	Sb-125	-0.0014	pCi/m3	0.002	0.002	U		
SESPMNT	B1P1R6	BENTON CITY	COMMUNITY	AT	27-Sep-07	Be-7	0.133	pCi/m3	0.043	0.043			
SESPMNT	B1P1R6	BENTON CITY	COMMUNITY	AT	27-Sep-07	Co-60	0.0000276	pCi/m3	0.00097	0.00097	U		
SESPMNT	B1P1R6	BENTON CITY	COMMUNITY	AT	27-Sep-07	Cs-134	0.000306	pCi/m3	0.0013	0.0013	U		
SESPMNT	B1P1R6	BENTON CITY	COMMUNITY	AT	27-Sep-07	Cs-137	-0.000863	pCi/m3	0.00081	0.00081	U		
SESPMNT	B1P1R6	BENTON CITY	COMMUNITY	AT	27-Sep-07	Eu-152	0.00172	pCi/m3	0.0027	0.0027	U		
SESPMNT	B1P1R6	BENTON CITY	COMMUNITY	AT	27-Sep-07	Eu-154	-0.00196	pCi/m3	0.003	0.003	U		
SESPMNT	B1P1R6	BENTON CITY	COMMUNITY	AT	27-Sep-07	Eu-155	0.000783	pCi/m3	0.0018	0.0018	U		
SESPMNT	B1P1R6	BENTON CITY	COMMUNITY	AT	27-Sep-07	K-40	-0.0116	pCi/m3	0.027	0.027	U		
SESPMNT	B1P1R6	BENTON CITY	COMMUNITY	AT	27-Sep-07	Ru-106	0.00142	pCi/m3	0.0091	0.0091	U		

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## AIR - GAMMA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1P1R6	BENTON CITY	COMMUNITY	AT	27-Sep-07	Sb-125	-0.00219	pCi/m3	0.0026	0.0026	U		
SESPMNT	B1PR39	BENTON CITY	COMMUNITY	AT	04-Jan-08	Be-7	0.111	pCi/m3	0.053	0.053			
SESPMNT	B1PR39	BENTON CITY	COMMUNITY	AT	04-Jan-08	Co-60	0.000958	pCi/m3	0.001	0.001	U		
SESPMNT	B1PR39	BENTON CITY	COMMUNITY	AT	04-Jan-08	Cs-134	-0.000513	pCi/m3	0.0011	0.0011	U		
SESPMNT	B1PR39	BENTON CITY	COMMUNITY	AT	04-Jan-08	Cs-137	-0.0000149	pCi/m3	0.00077	0.00077	U		
SESPMNT	B1PR39	BENTON CITY	COMMUNITY	AT	04-Jan-08	Eu-152	-0.000969	pCi/m3	0.0024	0.0024	U		
SESPMNT	B1PR39	BENTON CITY	COMMUNITY	AT	04-Jan-08	Eu-154	-0.000409	pCi/m3	0.0033	0.0033	U		
SESPMNT	B1PR39	BENTON CITY	COMMUNITY	AT	04-Jan-08	Eu-155	0.0000715	pCi/m3	0.0017	0.0017	U		
SESPMNT	B1PR39	BENTON CITY	COMMUNITY	AT	04-Jan-08	K-40	-0.00108	pCi/m3	0.014	0.014	U		
SESPMNT	B1PR39	BENTON CITY	COMMUNITY	AT	04-Jan-08	Ru-106	-0.00478	pCi/m3	0.011	0.011	U		
SESPMNT	B1PR39	BENTON CITY	COMMUNITY	AT	04-Jan-08	Sb-125	0.0000904	pCi/m3	0.0022	0.0022	U		
SESPMNT	B1LW24	BYERS LANDING	PERIMETER	AT	06-Apr-07	Be-7	0.159	pCi/m3	0.034	0.034			
SESPMNT	B1LW24	BYERS LANDING	PERIMETER	AT	06-Apr-07	Co-60	0.000193	pCi/m3	0.00066	0.00066	U		
SESPMNT	B1LW24	BYERS LANDING	PERIMETER	AT	06-Apr-07	Cs-134	-0.0000995	pCi/m3	0.00064	0.00064	U		
SESPMNT	B1LW24	BYERS LANDING	PERIMETER	AT	06-Apr-07	Cs-137	0.0000228	pCi/m3	0.00043	0.00043	U		
SESPMNT	B1LW24	BYERS LANDING	PERIMETER	AT	06-Apr-07	Eu-152	-0.000934	pCi/m3	0.0013	0.0013	U		
SESPMNT	B1LW24	BYERS LANDING	PERIMETER	AT	06-Apr-07	Eu-154	0.000533	pCi/m3	0.0013	0.0013	U		
SESPMNT	B1LW24	BYERS LANDING	PERIMETER	AT	06-Apr-07	Eu-155	-0.0000776	pCi/m3	0.0011	0.0011	U		
SESPMNT	B1LW24	BYERS LANDING	PERIMETER	AT	06-Apr-07	K-40	0.0113	pCi/m3	0.012	0.012	U		
SESPMNT	B1LW24	BYERS LANDING	PERIMETER	AT	06-Apr-07	Ru-106	-0.00195	pCi/m3	0.0053	0.0053	U		
SESPMNT	B1LW24	BYERS LANDING	PERIMETER	AT	06-Apr-07	Sb-125	-0.00019	pCi/m3	0.0013	0.0013	U		
SESPMNT	B1MYN3	BYERS LANDING	PERIMETER	AT	28-Jun-07	Be-7	0.194	pCi/m3	0.049	0.049			
SESPMNT	B1MYN3	BYERS LANDING	PERIMETER	AT	28-Jun-07	Co-60	-0.000163	pCi/m3	0.00068	0.00068	U		
SESPMNT	B1MYN3	BYERS LANDING	PERIMETER	AT	28-Jun-07	Cs-134	0.000477	pCi/m3	0.00073	0.00073	U		
SESPMNT	B1MYN3	BYERS LANDING	PERIMETER	AT	28-Jun-07	Cs-137	0.000562	pCi/m3	0.00094	0.00094	U		
SESPMNT	B1MYN3	BYERS LANDING	PERIMETER	AT	28-Jun-07	Eu-152	-0.000305	pCi/m3	0.0016	0.0016	U		
SESPMNT	B1MYN3	BYERS LANDING	PERIMETER	AT	28-Jun-07	Eu-154	0.000936	pCi/m3	0.0026	0.0026	U		
SESPMNT	B1MYN3	BYERS LANDING	PERIMETER	AT	28-Jun-07	Eu-155	0.000799	pCi/m3	0.0011	0.0011	U		
SESPMNT	B1MYN3	BYERS LANDING	PERIMETER	AT	28-Jun-07	K-40	0.0127	pCi/m3	0.013	0.013	U		
SESPMNT	B1MYN3	BYERS LANDING	PERIMETER	AT	28-Jun-07	Ru-106	0.00195	pCi/m3	0.0056	0.0056	U		
SESPMNT	B1MYN3	BYERS LANDING	PERIMETER	AT	28-Jun-07	Sb-125	0.00264	pCi/m3	0.0019	0.0019	U		
SESPMNT	B1P2H0	BYERS LANDING	PERIMETER	AT	04-Oct-07	Be-7	0.183	pCi/m3	0.04	0.04			
SESPMNT	B1P2H0	BYERS LANDING	PERIMETER	AT	04-Oct-07	Co-60	0.00000842	pCi/m3	0.00061	0.00061	U		
SESPMNT	B1P2H0	BYERS LANDING	PERIMETER	AT	04-Oct-07	Cs-134	0.000201	pCi/m3	0.00058	0.00058	U		
SESPMNT	B1P2H0	BYERS LANDING	PERIMETER	AT	04-Oct-07	Cs-137	-0.000191	pCi/m3	0.00065	0.00065	U		
SESPMNT	B1P2H0	BYERS LANDING	PERIMETER	AT	04-Oct-07	Eu-152	0.0000587	pCi/m3	0.0014	0.0014	U		
SESPMNT	B1P2H0	BYERS LANDING	PERIMETER	AT	04-Oct-07	Eu-154	-0.000759	pCi/m3	0.0015	0.0015	U		
SESPMNT	B1P2H0	BYERS LANDING	PERIMETER	AT	04-Oct-07	Eu-155	-0.000904	pCi/m3	0.001	0.001	U		
SESPMNT	B1P2H0	BYERS LANDING	PERIMETER	AT	04-Oct-07	K-40	0.00396	pCi/m3	0.0099	0.0099	U		
SESPMNT	B1P2H0	BYERS LANDING	PERIMETER	AT	04-Oct-07	Ru-106	0.000264	pCi/m3	0.0054	0.0054	U		
SESPMNT	B1P2H0	BYERS LANDING	PERIMETER	AT	04-Oct-07	Sb-125	0.000527	pCi/m3	0.0013	0.0013	U		
SESPMNT	B1PRW9	BYERS LANDING	PERIMETER	AT	28-Dec-07	Be-7	0.103	pCi/m3	0.04	0.04	U		
SESPMNT	B1PRW9	BYERS LANDING	PERIMETER	AT	28-Dec-07	Co-60	-0.00051	pCi/m3	0.00091	0.00091	U		
SESPMNT	B1PRW9	BYERS LANDING	PERIMETER	AT	28-Dec-07	Cs-134	-0.000299	pCi/m3	0.001	0.001	U		
SESPMNT	B1PRW9	BYERS LANDING	PERIMETER	AT	28-Dec-07	Cs-137	0.000101	pCi/m3	0.00075	0.00075	U		
SESPMNT	B1PRW9	BYERS LANDING	PERIMETER	AT	28-Dec-07	Eu-152	0.000934	pCi/m3	0.0021	0.0021	U		
SESPMNT	B1PRW9	BYERS LANDING	PERIMETER	AT	28-Dec-07	Eu-154	0.00158	pCi/m3	0.0028	0.0028	U		
SESPMNT	B1PRW9	BYERS LANDING	PERIMETER	AT	28-Dec-07	Eu-155	-0.0012	pCi/m3	0.0013	0.0013	U		
SESPMNT	B1PRW9	BYERS LANDING	PERIMETER	AT	28-Dec-07	K-40	0.00132	pCi/m3	0.017	0.017	U		
SESPMNT	B1PRW9	BYERS LANDING	PERIMETER	AT	28-Dec-07	Ru-106	0.00148	pCi/m3	0.0084	0.0084	U		
SESPMNT	B1PRW9	BYERS LANDING	PERIMETER	AT	28-Dec-07	Sb-125	0.00082	pCi/m3	0.002	0.002	U		
SESPMNT	B1LW16	DOGWOOD MET TOWER	PERIMETER	AT	06-Apr-07	Be-7	0.112	pCi/m3	0.032	0.032			
SESPMNT	B1LW16	DOGWOOD MET TOWER	PERIMETER	AT	06-Apr-07	Co-60	-0.000000183	pCi/m3	0.00077	0.00077	U		
SESPMNT	B1LW16	DOGWOOD MET TOWER	PERIMETER	AT	06-Apr-07	Cs-134	0.000561	pCi/m3	0.00091	0.00091	U		
SESPMNT	B1LW16	DOGWOOD MET TOWER	PERIMETER	AT	06-Apr-07	Cs-137	0.000508	pCi/m3	0.00077	0.00077	U		
SESPMNT	B1LW16	DOGWOOD MET TOWER	PERIMETER	AT	06-Apr-07	Eu-152	0.0000718	pCi/m3	0.0016	0.0016	U		
SESPMNT	B1LW16	DOGWOOD MET TOWER	PERIMETER	AT	06-Apr-07	Eu-154	0.000384	pCi/m3	0.0021	0.0021	U		
SESPMNT	B1LW16	DOGWOOD MET TOWER	PERIMETER	AT	06-Apr-07	Eu-155	-0.000138	pCi/m3	0.0011	0.0011	U		
SESPMNT	B1LW16	DOGWOOD MET TOWER	PERIMETER	AT	06-Apr-07	K-40	0.00212	pCi/m3	0.015	0.015	U		
SESPMNT	B1LW16	DOGWOOD MET TOWER	PERIMETER	AT	06-Apr-07	Ru-106	0.0013	pCi/m3	0.0071	0.0071	U		
SESPMNT	B1LW16	DOGWOOD MET TOWER	PERIMETER	AT	06-Apr-07	Sb-125	-0.00209	pCi/m3	0.0018	0.0018	U		
SESPMNT	B1MYM6	DOGWOOD MET TOWER	PERIMETER	AT	28-Jun-07	Be-7	0.173	pCi/m3	0.045	0.045			
SESPMNT	B1MYM6	DOGWOOD MET TOWER	PERIMETER	AT	28-Jun-07	Co-60	0.000288	pCi/m3	0.0011	0.0011	U		
SESPMNT	B1MYM6	DOGWOOD MET TOWER	PERIMETER	AT	28-Jun-07	Cs-134	0.000377	pCi/m3	0.00081	0.00081	U		
SESPMNT	B1MYM6	DOGWOOD MET TOWER	PERIMETER	AT	28-Jun-07	Cs-137	-0.000158	pCi/m3	0.0008	0.0008	U		
SESPMNT	B1MYM6	DOGWOOD MET TOWER	PERIMETER	AT	28-Jun-07	Eu-152	0.000111	pCi/m3	0.002	0.002	U		
SESPMNT	B1MYM6	DOGWOOD MET TOWER	PERIMETER	AT	28-Jun-07	Eu-154	0.00118	pCi/m3	0.0025	0.0025	U		

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## AIR - GAMMA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1MYM6	DOGWOOD MET TOWER	PERIMETER	AT	28-Jun-07	Eu-155	0.000172	pCi/m3	0.0012	0.0012	U		
SESPMNT	B1MYM6	DOGWOOD MET TOWER	PERIMETER	AT	28-Jun-07	K-40	0.0202	pCi/m3	0.02	0.02	U		
SESPMNT	B1MYM6	DOGWOOD MET TOWER	PERIMETER	AT	28-Jun-07	Ru-106	0.00189	pCi/m3	0.0068	0.0068	U		
SESPMNT	B1MYM6	DOGWOOD MET TOWER	PERIMETER	AT	28-Jun-07	Sb-125	-0.000651	pCi/m3	0.002	0.002	U		
SESPMNT	B1P2F2	DOGWOOD MET TOWER	PERIMETER	AT	04-Oct-07	Be-7	0.14	pCi/m3	0.038	0.038			
SESPMNT	B1P2F2	DOGWOOD MET TOWER	PERIMETER	AT	04-Oct-07	Co-60	0.0000256	pCi/m3	0.001	0.001	U		
SESPMNT	B1P2F2	DOGWOOD MET TOWER	PERIMETER	AT	04-Oct-07	Cs-134	0.000455	pCi/m3	0.00079	0.00079	U		
SESPMNT	B1P2F2	DOGWOOD MET TOWER	PERIMETER	AT	04-Oct-07	Cs-137	0.000508	pCi/m3	0.00064	0.00064	U		
SESPMNT	B1P2F2	DOGWOOD MET TOWER	PERIMETER	AT	04-Oct-07	Eu-152	0.0013	pCi/m3	0.0014	0.0014	U		
SESPMNT	B1P2F2	DOGWOOD MET TOWER	PERIMETER	AT	04-Oct-07	Eu-154	0.00127	pCi/m3	0.0024	0.0024	U		
SESPMNT	B1P2F2	DOGWOOD MET TOWER	PERIMETER	AT	04-Oct-07	Eu-155	-0.000797	pCi/m3	0.00084	0.00084	U		
SESPMNT	B1P2F2	DOGWOOD MET TOWER	PERIMETER	AT	04-Oct-07	K-40	-0.00764	pCi/m3	0.015	0.015	U		
SESPMNT	B1P2F2	DOGWOOD MET TOWER	PERIMETER	AT	04-Oct-07	Ru-106	-0.000298	pCi/m3	0.0065	0.0065	U		
SESPMNT	B1P2F2	DOGWOOD MET TOWER	PERIMETER	AT	04-Oct-07	Sb-125	0.0015	pCi/m3	0.0017	0.0017	U		
SESPMNT	B1PRW1	DOGWOOD MET TOWER	PERIMETER	AT	28-Dec-07	Be-7	0.0769	pCi/m3	0.035	0.035			
SESPMNT	B1PRW1	DOGWOOD MET TOWER	PERIMETER	AT	28-Dec-07	Co-60	0.000211	pCi/m3	0.00067	0.00067	U		
SESPMNT	B1PRW1	DOGWOOD MET TOWER	PERIMETER	AT	28-Dec-07	Cs-134	-0.000276	pCi/m3	0.0007	0.0007	U		
SESPMNT	B1PRW1	DOGWOOD MET TOWER	PERIMETER	AT	28-Dec-07	Cs-137	-0.000126	pCi/m3	0.00057	0.00057	U		
SESPMNT	B1PRW1	DOGWOOD MET TOWER	PERIMETER	AT	28-Dec-07	Eu-152	0.000874	pCi/m3	0.0016	0.0016	U		
SESPMNT	B1PRW1	DOGWOOD MET TOWER	PERIMETER	AT	28-Dec-07	Eu-154	0.000608	pCi/m3	0.0018	0.0018	U		
SESPMNT	B1PRW1	DOGWOOD MET TOWER	PERIMETER	AT	28-Dec-07	Eu-155	0.000893	pCi/m3	0.0014	0.0014	U		
SESPMNT	B1PRW1	DOGWOOD MET TOWER	PERIMETER	AT	28-Dec-07	K-40	0.000423	pCi/m3	0.011	0.011	U		
SESPMNT	B1PRW1	DOGWOOD MET TOWER	PERIMETER	AT	28-Dec-07	Ru-106	-0.00714	pCi/m3	0.0075	0.0075	U		
SESPMNT	B1PRW1	DOGWOOD MET TOWER	PERIMETER	AT	28-Dec-07	Sb-125	0.000131	pCi/m3	0.0017	0.0017	U		
SESPMNT	B1LWR0	GABLE MOUNTAIN	ONSITE	AT	04-Apr-07	Be-7	0.0919	pCi/m3	0.033	0.033			
SESPMNT	B1LWR0	GABLE MOUNTAIN	ONSITE	AT	04-Apr-07	Co-60	0.000128	pCi/m3	0.00096	0.00096	U		
SESPMNT	B1LWR0	GABLE MOUNTAIN	ONSITE	AT	04-Apr-07	Cs-134	0.00089	pCi/m3	0.00081	0.00081	U		
SESPMNT	B1LWR0	GABLE MOUNTAIN	ONSITE	AT	04-Apr-07	Cs-137	-0.000363	pCi/m3	0.00073	0.00073	U		
SESPMNT	B1LWR0	GABLE MOUNTAIN	ONSITE	AT	04-Apr-07	Eu-152	-0.000741	pCi/m3	0.0017	0.0017	U		
SESPMNT	B1LWR0	GABLE MOUNTAIN	ONSITE	AT	04-Apr-07	Eu-154	0.000739	pCi/m3	0.0026	0.0026	U		
SESPMNT	B1LWR0	GABLE MOUNTAIN	ONSITE	AT	04-Apr-07	Eu-155	0.000206	pCi/m3	0.0012	0.0012	U		
SESPMNT	B1LWR0	GABLE MOUNTAIN	ONSITE	AT	04-Apr-07	K-40	0.0022	pCi/m3	0.017	0.017	U		
SESPMNT	B1LWR0	GABLE MOUNTAIN	ONSITE	AT	04-Apr-07	Ru-106	-0.00334	pCi/m3	0.0069	0.0069	U		
SESPMNT	B1LWR0	GABLE MOUNTAIN	ONSITE	AT	04-Apr-07	Sb-125	-0.00118	pCi/m3	0.0016	0.0016	U		
SESPMNT	B1N071	GABLE MOUNTAIN	ONSITE	AT	25-Jun-07	Be-7	0.133	pCi/m3	0.037	0.037			
SESPMNT	B1N071	GABLE MOUNTAIN	ONSITE	AT	25-Jun-07	Co-60	-0.000112	pCi/m3	0.00068	0.00068	U		
SESPMNT	B1N071	GABLE MOUNTAIN	ONSITE	AT	25-Jun-07	Cs-134	0.000218	pCi/m3	0.00063	0.00063	U		
SESPMNT	B1N071	GABLE MOUNTAIN	ONSITE	AT	25-Jun-07	Cs-137	0.0000502	pCi/m3	0.00063	0.00063	U		
SESPMNT	B1N071	GABLE MOUNTAIN	ONSITE	AT	25-Jun-07	Eu-152	-0.00113	pCi/m3	0.0015	0.0015	U		
SESPMNT	B1N071	GABLE MOUNTAIN	ONSITE	AT	25-Jun-07	Eu-154	-0.000523	pCi/m3	0.0023	0.0023	U		
SESPMNT	B1N071	GABLE MOUNTAIN	ONSITE	AT	25-Jun-07	Eu-155	0.00138	pCi/m3	0.0012	0.0012	U		
SESPMNT	B1N071	GABLE MOUNTAIN	ONSITE	AT	25-Jun-07	K-40	0.0141	pCi/m3	0.014	0.014	U		
SESPMNT	B1N071	GABLE MOUNTAIN	ONSITE	AT	25-Jun-07	Ru-106	0.000288	pCi/m3	0.0067	0.0067	U		
SESPMNT	B1N071	GABLE MOUNTAIN	ONSITE	AT	25-Jun-07	Sb-125	-0.000789	pCi/m3	0.0013	0.0013	U		
SESPMNT	B1P314	GABLE MOUNTAIN	ONSITE	AT	02-Oct-07	Be-7	0.14	pCi/m3	0.043	0.043			
SESPMNT	B1P314	GABLE MOUNTAIN	ONSITE	AT	02-Oct-07	Co-60	-0.0000838	pCi/m3	0.00077	0.00077	U		
SESPMNT	B1P314	GABLE MOUNTAIN	ONSITE	AT	02-Oct-07	Cs-134	0.000604	pCi/m3	0.00073	0.00073	U		
SESPMNT	B1P314	GABLE MOUNTAIN	ONSITE	AT	02-Oct-07	Cs-137	-0.000339	pCi/m3	0.0007	0.0007	U		
SESPMNT	B1P314	GABLE MOUNTAIN	ONSITE	AT	02-Oct-07	Eu-152	-0.000378	pCi/m3	0.0015	0.0015	U		
SESPMNT	B1P314	GABLE MOUNTAIN	ONSITE	AT	02-Oct-07	Eu-154	0.00104	pCi/m3	0.0019	0.0019	U		
SESPMNT	B1P314	GABLE MOUNTAIN	ONSITE	AT	02-Oct-07	Eu-155	0.00101	pCi/m3	0.0016	0.0016	U		
SESPMNT	B1P314	GABLE MOUNTAIN	ONSITE	AT	02-Oct-07	K-40	-0.00132	pCi/m3	0.021	0.021	U		
SESPMNT	B1P314	GABLE MOUNTAIN	ONSITE	AT	02-Oct-07	Ru-106	0.00221	pCi/m3	0.0067	0.0067	U		
SESPMNT	B1P314	GABLE MOUNTAIN	ONSITE	AT	02-Oct-07	Sb-125	0.000612	pCi/m3	0.0017	0.0017	U		
SESPMNT	B1PTF4	GABLE MOUNTAIN	ONSITE	AT	26-Dec-07	Be-7	0.141	pCi/m3	0.043	0.043			
SESPMNT	B1PTF4	GABLE MOUNTAIN	ONSITE	AT	26-Dec-07	Co-60	-0.0000389	pCi/m3	0.00068	0.00068	U		
SESPMNT	B1PTF4	GABLE MOUNTAIN	ONSITE	AT	26-Dec-07	Cs-134	0.000185	pCi/m3	0.00078	0.00078	U		
SESPMNT	B1PTF4	GABLE MOUNTAIN	ONSITE	AT	26-Dec-07	Cs-137	-0.00027	pCi/m3	0.00063	0.00063	U		
SESPMNT	B1PTF4	GABLE MOUNTAIN	ONSITE	AT	26-Dec-07	Eu-152	0.000527	pCi/m3	0.002	0.002	U		
SESPMNT	B1PTF4	GABLE MOUNTAIN	ONSITE	AT	26-Dec-07	Eu-154	-0.00048	pCi/m3	0.0016	0.0016	U		
SESPMNT	B1PTF4	GABLE MOUNTAIN	ONSITE	AT	26-Dec-07	Eu-155	0.000783	pCi/m3	0.0013	0.0013	U		
SESPMNT	B1PTF4	GABLE MOUNTAIN	ONSITE	AT	26-Dec-07	K-40	0.00579	pCi/m3	0.018	0.018	U		
SESPMNT	B1PTF4	GABLE MOUNTAIN	ONSITE	AT	26-Dec-07	Ru-106	-0.00306	pCi/m3	0.0088	0.0088	U		
SESPMNT	B1PTF4	GABLE MOUNTAIN	ONSITE	AT	26-Dec-07	Sb-125	0.00138	pCi/m3	0.0021	0.0021	U		
SESPMNT	B1LWL3	HANFORD TOWNSITE	ONSITE	AT	28-Mar-07	Be-7	0.0909	pCi/m3	0.031	0.031			
SESPMNT	B1LWL3	HANFORD TOWNSITE	ONSITE	AT	28-Mar-07	Co-60	-0.000551	pCi/m3	0.00065	0.00065	U		
SESPMNT	B1LWL3	HANFORD TOWNSITE	ONSITE	AT	28-Mar-07	Cs-134	0.000138	pCi/m3	0.0008	0.0008	U		

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## AIR - GAMMA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1LWL3	HANFORD TOWNSITE	ONSITE	AT	28-Mar-07	Cs-137	0.000443	pCi/m3	0.00068	0.00068	U		
SESPMNT	B1LWL3	HANFORD TOWNSITE	ONSITE	AT	28-Mar-07	Eu-152	-0.00012	pCi/m3	0.0017	0.0017	U		
SESPMNT	B1LWL3	HANFORD TOWNSITE	ONSITE	AT	28-Mar-07	Eu-154	0.000555	pCi/m3	0.0024	0.0024	U		
SESPMNT	B1LWL3	HANFORD TOWNSITE	ONSITE	AT	28-Mar-07	Eu-155	0.00156	pCi/m3	0.0019	0.0019	U		
SESPMNT	B1LWL3	HANFORD TOWNSITE	ONSITE	AT	28-Mar-07	K-40	0.0866	pCi/m3	0.027	0.027			
SESPMNT	B1LWL3	HANFORD TOWNSITE	ONSITE	AT	28-Mar-07	Ru-106	0.00315	pCi/m3	0.0062	0.0062	U		
SESPMNT	B1LWL3	HANFORD TOWNSITE	ONSITE	AT	28-Mar-07	Sb-125	-0.00113	pCi/m3	0.0018	0.0018	U		
SESPMNT	B1N028	HANFORD TOWNSITE	ONSITE	AT	02-Jul-07	Be-7	0.15	pCi/m3	0.029	0.029			
SESPMNT	B1N028	HANFORD TOWNSITE	ONSITE	AT	02-Jul-07	Co-60	-0.000149	pCi/m3	0.00027	0.00027	U		
SESPMNT	B1N028	HANFORD TOWNSITE	ONSITE	AT	02-Jul-07	Cs-134	0.000211	pCi/m3	0.00038	0.00038	U		
SESPMNT	B1N028	HANFORD TOWNSITE	ONSITE	AT	02-Jul-07	Cs-137	-0.00021	pCi/m3	0.00026	0.00026	U		
SESPMNT	B1N028	HANFORD TOWNSITE	ONSITE	AT	02-Jul-07	Eu-152	0.000182	pCi/m3	0.00059	0.00059	U		
SESPMNT	B1N028	HANFORD TOWNSITE	ONSITE	AT	02-Jul-07	Eu-154	0.000384	pCi/m3	0.0011	0.0011	U		
SESPMNT	B1N028	HANFORD TOWNSITE	ONSITE	AT	02-Jul-07	Eu-155	-0.000189	pCi/m3	0.00061	0.00061	U		
SESPMNT	B1N028	HANFORD TOWNSITE	ONSITE	AT	02-Jul-07	K-40	0.00348	pCi/m3	0.0071	0.0071	U		
SESPMNT	B1N028	HANFORD TOWNSITE	ONSITE	AT	02-Jul-07	Ru-106	-0.00147	pCi/m3	0.0029	0.0029	U		
SESPMNT	B1N028	HANFORD TOWNSITE	ONSITE	AT	02-Jul-07	Sb-125	-0.000196	pCi/m3	0.00069	0.00069	U		
SESPMNT	B1P2W7	HANFORD TOWNSITE	ONSITE	AT	25-Sep-07	Be-7	0.155	pCi/m3	0.042	0.042			
SESPMNT	B1P2W7	HANFORD TOWNSITE	ONSITE	AT	25-Sep-07	Co-60	-0.000163	pCi/m3	0.00054	0.00054	U		
SESPMNT	B1P2W7	HANFORD TOWNSITE	ONSITE	AT	25-Sep-07	Cs-134	-0.000138	pCi/m3	0.00061	0.00061	U		
SESPMNT	B1P2W7	HANFORD TOWNSITE	ONSITE	AT	25-Sep-07	Cs-137	0.000109	pCi/m3	0.00048	0.00048	U		
SESPMNT	B1P2W7	HANFORD TOWNSITE	ONSITE	AT	25-Sep-07	Eu-152	-0.000192	pCi/m3	0.0012	0.0012	U		
SESPMNT	B1P2W7	HANFORD TOWNSITE	ONSITE	AT	25-Sep-07	Eu-154	-0.000525	pCi/m3	0.0015	0.0015	U		
SESPMNT	B1P2W7	HANFORD TOWNSITE	ONSITE	AT	25-Sep-07	Eu-155	0.000117	pCi/m3	0.0012	0.0012	U		
SESPMNT	B1P2W7	HANFORD TOWNSITE	ONSITE	AT	25-Sep-07	K-40	0.00647	pCi/m3	0.016	0.016	U		
SESPMNT	B1P2W7	HANFORD TOWNSITE	ONSITE	AT	25-Sep-07	Ru-106	-0.00313	pCi/m3	0.0046	0.0046	U		
SESPMNT	B1P2W7	HANFORD TOWNSITE	ONSITE	AT	25-Sep-07	Sb-125	0.000284	pCi/m3	0.0012	0.0012	U		
SESPMNT	B1PT91	HANFORD TOWNSITE	ONSITE	AT	02-Jan-08	Be-7	0.1	pCi/m3	0.03	0.03			
SESPMNT	B1PT91	HANFORD TOWNSITE	ONSITE	AT	02-Jan-08	Co-60	-0.0000605	pCi/m3	0.00048	0.00048	U		
SESPMNT	B1PT91	HANFORD TOWNSITE	ONSITE	AT	02-Jan-08	Cs-134	0.000572	pCi/m3	0.0005	0.0005	U		
SESPMNT	B1PT91	HANFORD TOWNSITE	ONSITE	AT	02-Jan-08	Cs-137	-0.000189	pCi/m3	0.00045	0.00045	U		
SESPMNT	B1PT91	HANFORD TOWNSITE	ONSITE	AT	02-Jan-08	Eu-152	0.000694	pCi/m3	0.0011	0.0011	U		
SESPMNT	B1PT91	HANFORD TOWNSITE	ONSITE	AT	02-Jan-08	Eu-154	0.0013	pCi/m3	0.0017	0.0017	U		
SESPMNT	B1PT91	HANFORD TOWNSITE	ONSITE	AT	02-Jan-08	Eu-155	-0.000374	pCi/m3	0.0012	0.0012	U		
SESPMNT	B1PT91	HANFORD TOWNSITE	ONSITE	AT	02-Jan-08	K-40	-0.0069	pCi/m3	0.015	0.015	U		
SESPMNT	B1PT91	HANFORD TOWNSITE	ONSITE	AT	02-Jan-08	Ru-106	-0.000365	pCi/m3	0.0046	0.0046	U		
SESPMNT	B1PT91	HANFORD TOWNSITE	ONSITE	AT	02-Jan-08	Sb-125	0.000189	pCi/m3	0.0014	0.0014	U		
SESPMNT	B1LWB3	LESLIE GROVES-RCHLND	COMMUNITY	AT	05-Apr-07	Be-7	0.138	pCi/m3	0.036	0.036			
SESPMNT	B1LWB3	LESLIE GROVES-RCHLND	COMMUNITY	AT	05-Apr-07	Co-60	0.000147	pCi/m3	0.00065	0.00065	U		
SESPMNT	B1LWB3	LESLIE GROVES-RCHLND	COMMUNITY	AT	05-Apr-07	Cs-134	0.000433	pCi/m3	0.00087	0.00087	U		
SESPMNT	B1LWB3	LESLIE GROVES-RCHLND	COMMUNITY	AT	05-Apr-07	Cs-137	-0.0000716	pCi/m3	0.0008	0.0008	U		
SESPMNT	B1LWB3	LESLIE GROVES-RCHLND	COMMUNITY	AT	05-Apr-07	Eu-152	-0.000934	pCi/m3	0.0017	0.0017	U		
SESPMNT	B1LWB3	LESLIE GROVES-RCHLND	COMMUNITY	AT	05-Apr-07	Eu-154	-0.00104	pCi/m3	0.0026	0.0026	U		
SESPMNT	B1LWB3	LESLIE GROVES-RCHLND	COMMUNITY	AT	05-Apr-07	Eu-155	0.00132	pCi/m3	0.0015	0.0015	U		
SESPMNT	B1LWB3	LESLIE GROVES-RCHLND	COMMUNITY	AT	05-Apr-07	K-40	-0.00268	pCi/m3	0.019	0.019	U		
SESPMNT	B1LWB3	LESLIE GROVES-RCHLND	COMMUNITY	AT	05-Apr-07	Ru-106	0.00544	pCi/m3	0.0071	0.0071	U		
SESPMNT	B1LWB3	LESLIE GROVES-RCHLND	COMMUNITY	AT	05-Apr-07	Sb-125	0.000366	pCi/m3	0.0017	0.0017	U		
SESPMNT	B1N001	LESLIE GROVES-RCHLND	COMMUNITY	AT	27-Jun-07	Be-7	0.18	pCi/m3	0.043	0.043			
SESPMNT	B1N001	LESLIE GROVES-RCHLND	COMMUNITY	AT	27-Jun-07	Co-60	0.000869	pCi/m3	0.0011	0.0011	U		
SESPMNT	B1N001	LESLIE GROVES-RCHLND	COMMUNITY	AT	27-Jun-07	Cs-134	0.000619	pCi/m3	0.001	0.001	U		
SESPMNT	B1N001	LESLIE GROVES-RCHLND	COMMUNITY	AT	27-Jun-07	Cs-137	-0.000101	pCi/m3	0.0006	0.0006	U		
SESPMNT	B1N001	LESLIE GROVES-RCHLND	COMMUNITY	AT	27-Jun-07	Eu-152	-0.000961	pCi/m3	0.0019	0.0019	U		
SESPMNT	B1N001	LESLIE GROVES-RCHLND	COMMUNITY	AT	27-Jun-07	Eu-154	-0.000968	pCi/m3	0.0027	0.0027	U		
SESPMNT	B1N001	LESLIE GROVES-RCHLND	COMMUNITY	AT	27-Jun-07	Eu-155	0.0000778	pCi/m3	0.0014	0.0014	U		
SESPMNT	B1N001	LESLIE GROVES-RCHLND	COMMUNITY	AT	27-Jun-07	K-40	-0.00874	pCi/m3	0.016	0.016	U		
SESPMNT	B1N001	LESLIE GROVES-RCHLND	COMMUNITY	AT	27-Jun-07	Ru-106	0.00123	pCi/m3	0.0074	0.0074	U		
SESPMNT	B1N001	LESLIE GROVES-RCHLND	COMMUNITY	AT	27-Jun-07	Sb-125	-0.000441	pCi/m3	0.002	0.002	U		
SESPMNT	B1P2R9	LESLIE GROVES-RCHLND	COMMUNITY	AT	03-Oct-07	Be-7	0.178	pCi/m3	0.049	0.049			
SESPMNT	B1P2R9	LESLIE GROVES-RCHLND	COMMUNITY	AT	03-Oct-07	Co-60	0.0000131	pCi/m3	0.00078	0.00078	U		
SESPMNT	B1P2R9	LESLIE GROVES-RCHLND	COMMUNITY	AT	03-Oct-07	Cs-134	0.000523	pCi/m3	0.00086	0.00086	U		
SESPMNT	B1P2R9	LESLIE GROVES-RCHLND	COMMUNITY	AT	03-Oct-07	Cs-137	0.0000345	pCi/m3	0.00078	0.00078	U		
SESPMNT	B1P2R9	LESLIE GROVES-RCHLND	COMMUNITY	AT	03-Oct-07	Eu-152	0.000981	pCi/m3	0.0017	0.0017	U		
SESPMNT	B1P2R9	LESLIE GROVES-RCHLND	COMMUNITY	AT	03-Oct-07	Eu-154	0.000338	pCi/m3	0.0027	0.0027	U		
SESPMNT	B1P2R9	LESLIE GROVES-RCHLND	COMMUNITY	AT	03-Oct-07	Eu-155	0.000317	pCi/m3	0.0013	0.0013	U		
SESPMNT	B1P2R9	LESLIE GROVES-RCHLND	COMMUNITY	AT	03-Oct-07	K-40	0.00788	pCi/m3	0.018	0.018	U		
SESPMNT	B1P2R9	LESLIE GROVES-RCHLND	COMMUNITY	AT	03-Oct-07	Ru-106	-0.00285	pCi/m3	0.0079	0.0079	U		
SESPMNT	B1P2R9	LESLIE GROVES-RCHLND	COMMUNITY	AT	03-Oct-07	Sb-125	0.000722	pCi/m3	0.0016	0.0016	U		



## ENVIRONMENTAL SURVEILLANCE DATA CY07

## AIR - GAMMA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1PT63	LESLIE GROVES-RCHLND	COMMUNITY	AT	27-Dec-07	Be-7	0.131	pCi/m3	0.051	0.051			
SESPMNT	B1PT63	LESLIE GROVES-RCHLND	COMMUNITY	AT	27-Dec-07	Co-60	0.000781	pCi/m3	0.0015	0.0015	U		
SESPMNT	B1PT63	LESLIE GROVES-RCHLND	COMMUNITY	AT	27-Dec-07	Cs-134	0.00124	pCi/m3	0.0012	0.0012	U		
SESPMNT	B1PT63	LESLIE GROVES-RCHLND	COMMUNITY	AT	27-Dec-07	Cs-137	-0.000243	pCi/m3	0.00093	0.00093	U		
SESPMNT	B1PT63	LESLIE GROVES-RCHLND	COMMUNITY	AT	27-Dec-07	Eu-152	-0.000946	pCi/m3	0.0021	0.0021	U		
SESPMNT	B1PT63	LESLIE GROVES-RCHLND	COMMUNITY	AT	27-Dec-07	Eu-154	0.00144	pCi/m3	0.0035	0.0035	U		
SESPMNT	B1PT63	LESLIE GROVES-RCHLND	COMMUNITY	AT	27-Dec-07	Eu-155	-0.0000805	pCi/m3	0.0012	0.0012	U		
SESPMNT	B1PT63	LESLIE GROVES-RCHLND	COMMUNITY	AT	27-Dec-07	K-40	0.0121	pCi/m3	0.024	0.024	U		
SESPMNT	B1PT63	LESLIE GROVES-RCHLND	COMMUNITY	AT	27-Dec-07	Ru-106	-0.000443	pCi/m3	0.011	0.011	U		
SESPMNT	B1PT63	LESLIE GROVES-RCHLND	COMMUNITY	AT	27-Dec-07	Sb-125	-0.000923	pCi/m3	0.0021	0.0021	U		
SESPMNT	B1LV84	MATTAWA	COMMUNITY	AT	05-Apr-07	Be-7	0.1	pCi/m3	0.039	0.039			
SESPMNT	B1LV84	MATTAWA	COMMUNITY	AT	05-Apr-07	Co-60	0.000526	pCi/m3	0.00088	0.00088	U		
SESPMNT	B1LV84	MATTAWA	COMMUNITY	AT	05-Apr-07	Cs-134	0.00000649	pCi/m3	0.00066	0.00066	U		
SESPMNT	B1LV84	MATTAWA	COMMUNITY	AT	05-Apr-07	Cs-137	0.000231	pCi/m3	0.00064	0.00064	U		
SESPMNT	B1LV84	MATTAWA	COMMUNITY	AT	05-Apr-07	Eu-152	-0.000862	pCi/m3	0.0018	0.0018	U		
SESPMNT	B1LV84	MATTAWA	COMMUNITY	AT	05-Apr-07	Eu-154	0.0000889	pCi/m3	0.0032	0.0032	U		
SESPMNT	B1LV84	MATTAWA	COMMUNITY	AT	05-Apr-07	Eu-155	0.00117	pCi/m3	0.0013	0.0013	U		
SESPMNT	B1LV84	MATTAWA	COMMUNITY	AT	05-Apr-07	K-40	0.0122	pCi/m3	0.017	0.017	U		
SESPMNT	B1LV84	MATTAWA	COMMUNITY	AT	05-Apr-07	Ru-106	-0.00165	pCi/m3	0.0064	0.0064	U		
SESPMNT	B1LV84	MATTAWA	COMMUNITY	AT	05-Apr-07	Sb-125	0.00148	pCi/m3	0.0018	0.0018	U		
SESPMNT	B1MXX7	MATTAWA	COMMUNITY	AT	27-Jun-07	Be-7	0.159	pCi/m3	0.043	0.043			
SESPMNT	B1MXX7	MATTAWA	COMMUNITY	AT	27-Jun-07	Co-60	0.0000131	pCi/m3	0.00076	0.00076	U		
SESPMNT	B1MXX7	MATTAWA	COMMUNITY	AT	27-Jun-07	Cs-134	0.000734	pCi/m3	0.00087	0.00087	U		
SESPMNT	B1MXX7	MATTAWA	COMMUNITY	AT	27-Jun-07	Cs-137	0.00025	pCi/m3	0.0008	0.0008	U		
SESPMNT	B1MXX7	MATTAWA	COMMUNITY	AT	27-Jun-07	Eu-152	0.0000646	pCi/m3	0.0022	0.0022	U		
SESPMNT	B1MXX7	MATTAWA	COMMUNITY	AT	27-Jun-07	Eu-154	-0.000307	pCi/m3	0.0029	0.0029	U		
SESPMNT	B1MXX7	MATTAWA	COMMUNITY	AT	27-Jun-07	Eu-155	-0.000784	pCi/m3	0.0014	0.0014	U		
SESPMNT	B1MXX7	MATTAWA	COMMUNITY	AT	27-Jun-07	K-40	0.0096	pCi/m3	0.012	0.012	U		
SESPMNT	B1MXX7	MATTAWA	COMMUNITY	AT	27-Jun-07	Ru-106	0.00685	pCi/m3	0.0083	0.0083	U		
SESPMNT	B1MXX7	MATTAWA	COMMUNITY	AT	27-Jun-07	Sb-125	-0.00087	pCi/m3	0.002	0.002	U		
SESPMNT	B1P1T3	MATTAWA	COMMUNITY	AT	03-Oct-07	Be-7	0.107	pCi/m3	0.035	0.035			
SESPMNT	B1P1T3	MATTAWA	COMMUNITY	AT	03-Oct-07	Co-60	-0.0000722	pCi/m3	0.00041	0.00041	U		
SESPMNT	B1P1T3	MATTAWA	COMMUNITY	AT	03-Oct-07	Cs-134	-0.000683	pCi/m3	0.00062	0.00062	U		
SESPMNT	B1P1T3	MATTAWA	COMMUNITY	AT	03-Oct-07	Cs-137	0.000222	pCi/m3	0.00042	0.00042	U		
SESPMNT	B1P1T3	MATTAWA	COMMUNITY	AT	03-Oct-07	Eu-152	0.000438	pCi/m3	0.0014	0.0014	U		
SESPMNT	B1P1T3	MATTAWA	COMMUNITY	AT	03-Oct-07	Eu-154	-0.000712	pCi/m3	0.0017	0.0017	U		
SESPMNT	B1P1T3	MATTAWA	COMMUNITY	AT	03-Oct-07	Eu-155	0.0000598	pCi/m3	0.0012	0.0012	U		
SESPMNT	B1P1T3	MATTAWA	COMMUNITY	AT	03-Oct-07	K-40	-0.00328	pCi/m3	0.0088	0.0088	U		
SESPMNT	B1P1T3	MATTAWA	COMMUNITY	AT	03-Oct-07	Ru-106	0.0008	pCi/m3	0.0055	0.0055	U		
SESPMNT	B1P1T3	MATTAWA	COMMUNITY	AT	03-Oct-07	Sb-125	0.000321	pCi/m3	0.0013	0.0013	U		
SESPMNT	B1PR47	MATTAWA	COMMUNITY	AT	27-Dec-07	Be-7	0.0782	pCi/m3	0.054	0.054			
SESPMNT	B1PR47	MATTAWA	COMMUNITY	AT	27-Dec-07	Co-60	0.00102	pCi/m3	0.0014	0.0014	U		
SESPMNT	B1PR47	MATTAWA	COMMUNITY	AT	27-Dec-07	Cs-134	-0.000469	pCi/m3	0.0012	0.0012	U		
SESPMNT	B1PR47	MATTAWA	COMMUNITY	AT	27-Dec-07	Cs-137	-0.000446	pCi/m3	0.00094	0.00094	U		
SESPMNT	B1PR47	MATTAWA	COMMUNITY	AT	27-Dec-07	Eu-152	0.00067	pCi/m3	0.0021	0.0021	U		
SESPMNT	B1PR47	MATTAWA	COMMUNITY	AT	27-Dec-07	Eu-154	0.0000304	pCi/m3	0.0034	0.0034	U		
SESPMNT	B1PR47	MATTAWA	COMMUNITY	AT	27-Dec-07	Eu-155	-0.000805	pCi/m3	0.0012	0.0012	U		
SESPMNT	B1PR47	MATTAWA	COMMUNITY	AT	27-Dec-07	K-40	-0.00164	pCi/m3	0.021	0.021	U		
SESPMNT	B1PR47	MATTAWA	COMMUNITY	AT	27-Dec-07	Ru-106	-0.00687	pCi/m3	0.0076	0.0076	U		
SESPMNT	B1PR47	MATTAWA	COMMUNITY	AT	27-Dec-07	Sb-125	-0.000901	pCi/m3	0.0021	0.0021	U		
SESPMNT	B1LV92	OTHELLO	COMMUNITY	AT	05-Apr-07	Be-7	0.0464	pCi/m3	0.04	0.04			
SESPMNT	B1LV92	OTHELLO	COMMUNITY	AT	05-Apr-07	Co-60	-0.00049	pCi/m3	0.00094	0.00094	U		
SESPMNT	B1LV92	OTHELLO	COMMUNITY	AT	05-Apr-07	Cs-134	0.000519	pCi/m3	0.00095	0.00095	U		
SESPMNT	B1LV92	OTHELLO	COMMUNITY	AT	05-Apr-07	Cs-137	-0.000359	pCi/m3	0.00076	0.00076	U		
SESPMNT	B1LV92	OTHELLO	COMMUNITY	AT	05-Apr-07	Eu-152	-0.0000705	pCi/m3	0.0018	0.0018	U		
SESPMNT	B1LV92	OTHELLO	COMMUNITY	AT	05-Apr-07	Eu-154	-0.000292	pCi/m3	0.0019	0.0019	U		
SESPMNT	B1LV92	OTHELLO	COMMUNITY	AT	05-Apr-07	Eu-155	0.00062	pCi/m3	0.0014	0.0014	U		
SESPMNT	B1LV92	OTHELLO	COMMUNITY	AT	05-Apr-07	K-40	0.00916	pCi/m3	0.021	0.021	U		
SESPMNT	B1LV92	OTHELLO	COMMUNITY	AT	05-Apr-07	Ru-106	-0.00104	pCi/m3	0.0084	0.0084	U		
SESPMNT	B1LV92	OTHELLO	COMMUNITY	AT	05-Apr-07	Sb-125	0.000659	pCi/m3	0.0021	0.0021	U		
SESPMNT	B1MXY4	OTHELLO	COMMUNITY	AT	27-Jun-07	Be-7	0.163	pCi/m3	0.039	0.039			
SESPMNT	B1MXY4	OTHELLO	COMMUNITY	AT	27-Jun-07	Co-60	0.000983	pCi/m3	0.00092	0.00092	U		
SESPMNT	B1MXY4	OTHELLO	COMMUNITY	AT	27-Jun-07	Cs-134	0.000332	pCi/m3	0.00072	0.00072	U		
SESPMNT	B1MXY4	OTHELLO	COMMUNITY	AT	27-Jun-07	Cs-137	-0.000568	pCi/m3	0.00066	0.00066	U		
SESPMNT	B1MXY4	OTHELLO	COMMUNITY	AT	27-Jun-07	Eu-152	-0.000827	pCi/m3	0.0018	0.0018	U		
SESPMNT	B1MXY4	OTHELLO	COMMUNITY	AT	27-Jun-07	Eu-154	-0.0015	pCi/m3	0.0018	0.0018	U		
SESPMNT	B1MXY4	OTHELLO	COMMUNITY	AT	27-Jun-07	Eu-155	-0.000379	pCi/m3	0.0016	0.0016	U		

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## AIR - GAMMA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1MX4	OTHELLO	COMMUNITY	AT	27-Jun-07	K-40	0.00526	pCi/m3	0.01	0.01	U		
SESPMNT	B1MX4	OTHELLO	COMMUNITY	AT	27-Jun-07	Ru-106	0.00582	pCi/m3	0.0071	0.0071	U		
SESPMNT	B1MX4	OTHELLO	COMMUNITY	AT	27-Jun-07	Sb-125	-0.000707	pCi/m3	0.0017	0.0017	U		
SESPMNT	B1P1V1	OTHELLO	COMMUNITY	AT	03-Oct-07	Be-7	0.182	pCi/m3	0.046	0.046	U		
SESPMNT	B1P1V1	OTHELLO	COMMUNITY	AT	03-Oct-07	Co-60	-0.000023	pCi/m3	0.00081	0.00081	U		
SESPMNT	B1P1V1	OTHELLO	COMMUNITY	AT	03-Oct-07	Cs-134	0.0000894	pCi/m3	0.00073	0.00073	U		
SESPMNT	B1P1V1	OTHELLO	COMMUNITY	AT	03-Oct-07	Cs-137	0.00061	pCi/m3	0.0006	0.0006	U		
SESPMNT	B1P1V1	OTHELLO	COMMUNITY	AT	03-Oct-07	Eu-152	0.00174	pCi/m3	0.0016	0.0016	U		
SESPMNT	B1P1V1	OTHELLO	COMMUNITY	AT	03-Oct-07	Eu-154	-0.000423	pCi/m3	0.0025	0.0025	U		
SESPMNT	B1P1V1	OTHELLO	COMMUNITY	AT	03-Oct-07	Eu-155	-0.000869	pCi/m3	0.0013	0.0013	U		
SESPMNT	B1P1V1	OTHELLO	COMMUNITY	AT	03-Oct-07	K-40	0.00078	pCi/m3	0.013	0.013	U		
SESPMNT	B1P1V1	OTHELLO	COMMUNITY	AT	03-Oct-07	Ru-106	-0.00305	pCi/m3	0.008	0.008	U		
SESPMNT	B1P1V1	OTHELLO	COMMUNITY	AT	03-Oct-07	Sb-125	-0.00052	pCi/m3	0.0016	0.0016	U		
SESPMNT	B1PR55	OTHELLO	COMMUNITY	AT	27-Dec-07	Be-7	0.0837	pCi/m3	0.058	0.058	U		
SESPMNT	B1PR55	OTHELLO	COMMUNITY	AT	27-Dec-07	Co-60	0.000471	pCi/m3	0.00097	0.00097	U		
SESPMNT	B1PR55	OTHELLO	COMMUNITY	AT	27-Dec-07	Cs-134	0.00029	pCi/m3	0.001	0.001	U		
SESPMNT	B1PR55	OTHELLO	COMMUNITY	AT	27-Dec-07	Cs-137	-0.000579	pCi/m3	0.00075	0.00075	U		
SESPMNT	B1PR55	OTHELLO	COMMUNITY	AT	27-Dec-07	Eu-152	0.0000489	pCi/m3	0.0025	0.0025	U		
SESPMNT	B1PR55	OTHELLO	COMMUNITY	AT	27-Dec-07	Eu-154	0.000968	pCi/m3	0.0037	0.0037	U		
SESPMNT	B1PR55	OTHELLO	COMMUNITY	AT	27-Dec-07	Eu-155	-0.00155	pCi/m3	0.0017	0.0017	U		
SESPMNT	B1PR55	OTHELLO	COMMUNITY	AT	27-Dec-07	K-40	0.00531	pCi/m3	0.017	0.017	U		
SESPMNT	B1PR55	OTHELLO	COMMUNITY	AT	27-Dec-07	Ru-106	0.00223	pCi/m3	0.0093	0.0093	U		
SESPMNT	B1PR55	OTHELLO	COMMUNITY	AT	27-Dec-07	Sb-125	-0.000912	pCi/m3	0.002	0.002	U		
SESPMNT	B1LW32	PROSSER BARRICADE	PERIMETER	AT	03-Apr-07	Be-7	0.13	pCi/m3	0.03	0.03	U		
SESPMNT	B1LW32	PROSSER BARRICADE	PERIMETER	AT	03-Apr-07	Co-60	-0.000103	pCi/m3	0.00042	0.00042	U		
SESPMNT	B1LW32	PROSSER BARRICADE	PERIMETER	AT	03-Apr-07	Cs-134	-0.00019	pCi/m3	0.00059	0.00059	U		
SESPMNT	B1LW32	PROSSER BARRICADE	PERIMETER	AT	03-Apr-07	Cs-137	-0.000143	pCi/m3	0.00046	0.00046	U		
SESPMNT	B1LW32	PROSSER BARRICADE	PERIMETER	AT	03-Apr-07	Eu-152	0.000678	pCi/m3	0.0011	0.0011	U		
SESPMNT	B1LW32	PROSSER BARRICADE	PERIMETER	AT	03-Apr-07	Eu-154	-0.00000536	pCi/m3	0.0007	0.0007	U		
SESPMNT	B1LW32	PROSSER BARRICADE	PERIMETER	AT	03-Apr-07	Eu-155	-0.000116	pCi/m3	0.0012	0.0012	U		
SESPMNT	B1LW32	PROSSER BARRICADE	PERIMETER	AT	03-Apr-07	K-40	-0.00613	pCi/m3	0.012	0.012	U		
SESPMNT	B1LW32	PROSSER BARRICADE	PERIMETER	AT	03-Apr-07	Ru-106	0.00164	pCi/m3	0.0054	0.0054	U		
SESPMNT	B1LW32	PROSSER BARRICADE	PERIMETER	AT	03-Apr-07	Sb-125	0.000575	pCi/m3	0.0012	0.0012	U		
SESPMNT	B1MYP0	PROSSER BARRICADE	PERIMETER	AT	03-Jul-07	Be-7	0.172	pCi/m3	0.041	0.041	U		
SESPMNT	B1MYP0	PROSSER BARRICADE	PERIMETER	AT	03-Jul-07	Co-60	-0.000108	pCi/m3	0.00048	0.00048	U		
SESPMNT	B1MYP0	PROSSER BARRICADE	PERIMETER	AT	03-Jul-07	Cs-134	0.000337	pCi/m3	0.00062	0.00062	U		
SESPMNT	B1MYP0	PROSSER BARRICADE	PERIMETER	AT	03-Jul-07	Cs-137	0.000697	pCi/m3	0.00055	0.00055	U		
SESPMNT	B1MYP0	PROSSER BARRICADE	PERIMETER	AT	03-Jul-07	Eu-152	-0.00119	pCi/m3	0.0017	0.0017	U		
SESPMNT	B1MYP0	PROSSER BARRICADE	PERIMETER	AT	03-Jul-07	Eu-154	-0.000267	pCi/m3	0.0015	0.0015	U		
SESPMNT	B1MYP0	PROSSER BARRICADE	PERIMETER	AT	03-Jul-07	Eu-155	0.000131	pCi/m3	0.001	0.001	U		
SESPMNT	B1MYP0	PROSSER BARRICADE	PERIMETER	AT	03-Jul-07	K-40	0.00959	pCi/m3	0.014	0.014	U		
SESPMNT	B1MYP0	PROSSER BARRICADE	PERIMETER	AT	03-Jul-07	Ru-106	-0.00219	pCi/m3	0.0057	0.0057	U		
SESPMNT	B1MYP0	PROSSER BARRICADE	PERIMETER	AT	03-Jul-07	Sb-125	0.000118	pCi/m3	0.0013	0.0013	U		
SESPMNT	B1P2H8	PROSSER BARRICADE	PERIMETER	AT	27-Sep-07	Be-7	0.158	pCi/m3	0.037	0.037	U		
SESPMNT	B1P2H8	PROSSER BARRICADE	PERIMETER	AT	27-Sep-07	Co-60	-0.000587	pCi/m3	0.00057	0.00057	U		
SESPMNT	B1P2H8	PROSSER BARRICADE	PERIMETER	AT	27-Sep-07	Cs-134	0.0000228	pCi/m3	0.00048	0.00048	U		
SESPMNT	B1P2H8	PROSSER BARRICADE	PERIMETER	AT	27-Sep-07	Cs-137	0.000417	pCi/m3	0.00039	0.00039	U		
SESPMNT	B1P2H8	PROSSER BARRICADE	PERIMETER	AT	27-Sep-07	Eu-152	0.000507	pCi/m3	0.0013	0.0013	U		
SESPMNT	B1P2H8	PROSSER BARRICADE	PERIMETER	AT	27-Sep-07	Eu-154	0.000383	pCi/m3	0.0015	0.0015	U		
SESPMNT	B1P2H8	PROSSER BARRICADE	PERIMETER	AT	27-Sep-07	Eu-155	0.0000482	pCi/m3	0.00085	0.00085	U		
SESPMNT	B1P2H8	PROSSER BARRICADE	PERIMETER	AT	27-Sep-07	K-40	-0.0056	pCi/m3	0.012	0.012	U		
SESPMNT	B1P2H8	PROSSER BARRICADE	PERIMETER	AT	27-Sep-07	Ru-106	-0.00122	pCi/m3	0.0048	0.0048	U		
SESPMNT	B1P2H8	PROSSER BARRICADE	PERIMETER	AT	27-Sep-07	Sb-125	-0.000921	pCi/m3	0.0014	0.0014	U		
SESPMNT	B1PRX7	PROSSER BARRICADE	PERIMETER	AT	04-Jan-08	Be-7	0.1	pCi/m3	0.021	0.021	U		
SESPMNT	B1PRX7	PROSSER BARRICADE	PERIMETER	AT	04-Jan-08	Co-60	-0.000136	pCi/m3	0.00036	0.00036	U		
SESPMNT	B1PRX7	PROSSER BARRICADE	PERIMETER	AT	04-Jan-08	Cs-134	-0.0000664	pCi/m3	0.00018	0.00018	U		
SESPMNT	B1PRX7	PROSSER BARRICADE	PERIMETER	AT	04-Jan-08	Cs-137	-0.000134	pCi/m3	0.00027	0.00027	U		
SESPMNT	B1PRX7	PROSSER BARRICADE	PERIMETER	AT	04-Jan-08	Eu-152	0.000236	pCi/m3	0.00062	0.00062	U		
SESPMNT	B1PRX7	PROSSER BARRICADE	PERIMETER	AT	04-Jan-08	Eu-154	-0.000615	pCi/m3	0.001	0.001	U		
SESPMNT	B1PRX7	PROSSER BARRICADE	PERIMETER	AT	04-Jan-08	Eu-155	0.000212	pCi/m3	0.00056	0.00056	U		
SESPMNT	B1PRX7	PROSSER BARRICADE	PERIMETER	AT	04-Jan-08	K-40	0.000639	pCi/m3	0.0054	0.0054	U		
SESPMNT	B1PRX7	PROSSER BARRICADE	PERIMETER	AT	04-Jan-08	Ru-106	0.00103	pCi/m3	0.0024	0.0024	U		
SESPMNT	B1PRX7	PROSSER BARRICADE	PERIMETER	AT	04-Jan-08	Sb-125	0.000247	pCi/m3	0.00057	0.00057	U		
SESPMNT	B1LW08	RINGOLD MET TOWER	PERIMETER	AT	06-Apr-07	Be-7	0.122	pCi/m3	0.053	0.053	U		
SESPMNT	B1LW08	RINGOLD MET TOWER	PERIMETER	AT	06-Apr-07	Co-60	-0.000095	pCi/m3	0.00094	0.00094	U		
SESPMNT	B1LW08	RINGOLD MET TOWER	PERIMETER	AT	06-Apr-07	Cs-134	0.000486	pCi/m3	0.00086	0.00086	U		
SESPMNT	B1LW08	RINGOLD MET TOWER	PERIMETER	AT	06-Apr-07	Cs-137	-0.000312	pCi/m3	0.00068	0.00068	U		

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## AIR - GAMMA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1LW08	RINGOLD MET TOWER	PERIMETER	AT	06-Apr-07	Eu-152	-0.00112	pCi/m3	0.0016	0.0016	U		
SESPMNT	B1LW08	RINGOLD MET TOWER	PERIMETER	AT	06-Apr-07	Eu-154	0.000801	pCi/m3	0.0023	0.0023	U		
SESPMNT	B1LW08	RINGOLD MET TOWER	PERIMETER	AT	06-Apr-07	Eu-155	-0.000215	pCi/m3	0.0016	0.0016	U		
SESPMNT	B1LW08	RINGOLD MET TOWER	PERIMETER	AT	06-Apr-07	K-40	0.00161	pCi/m3	0.02	0.02	U		
SESPMNT	B1LW08	RINGOLD MET TOWER	PERIMETER	AT	06-Apr-07	Ru-106	-0.0084	pCi/m3	0.0074	0.0074	U		
SESPMNT	B1LW08	RINGOLD MET TOWER	PERIMETER	AT	06-Apr-07	Sb-125	0.000109	pCi/m3	0.0022	0.0022	U		
SESPMNT	B1MYL9	RINGOLD MET TOWER	PERIMETER	AT	28-Jun-07	Be-7	0.184	pCi/m3	0.045	0.045			
SESPMNT	B1MYL9	RINGOLD MET TOWER	PERIMETER	AT	28-Jun-07	Co-60	0.00141	pCi/m3	0.0011	0.0011	U		
SESPMNT	B1MYL9	RINGOLD MET TOWER	PERIMETER	AT	28-Jun-07	Cs-134	-0.00016	pCi/m3	0.00089	0.00089	U		
SESPMNT	B1MYL9	RINGOLD MET TOWER	PERIMETER	AT	28-Jun-07	Cs-137	-0.000801	pCi/m3	0.00077	0.00077	U		
SESPMNT	B1MYL9	RINGOLD MET TOWER	PERIMETER	AT	28-Jun-07	Eu-152	0.00132	pCi/m3	0.0019	0.0019	U		
SESPMNT	B1MYL9	RINGOLD MET TOWER	PERIMETER	AT	28-Jun-07	Eu-154	-0.00113	pCi/m3	0.0017	0.0017	U		
SESPMNT	B1MYL9	RINGOLD MET TOWER	PERIMETER	AT	28-Jun-07	Eu-155	-0.000515	pCi/m3	0.0013	0.0013	U		
SESPMNT	B1MYL9	RINGOLD MET TOWER	PERIMETER	AT	28-Jun-07	K-40	-0.00263	pCi/m3	0.011	0.011	U		
SESPMNT	B1MYL9	RINGOLD MET TOWER	PERIMETER	AT	28-Jun-07	Ru-106	-0.0000317	pCi/m3	0.0062	0.0062	U		
SESPMNT	B1MYL9	RINGOLD MET TOWER	PERIMETER	AT	28-Jun-07	Sb-125	0.000977	pCi/m3	0.0021	0.0021	U		
SESPMNT	B1P2D4	RINGOLD MET TOWER	PERIMETER	AT	04-Oct-07	Be-7	0.179	pCi/m3	0.043	0.043			
SESPMNT	B1P2D4	RINGOLD MET TOWER	PERIMETER	AT	04-Oct-07	Co-60	0.000367	pCi/m3	0.00087	0.00087	U		
SESPMNT	B1P2D4	RINGOLD MET TOWER	PERIMETER	AT	04-Oct-07	Cs-134	0.000117	pCi/m3	0.00068	0.00068	U		
SESPMNT	B1P2D4	RINGOLD MET TOWER	PERIMETER	AT	04-Oct-07	Cs-137	0.000378	pCi/m3	0.00065	0.00065	U		
SESPMNT	B1P2D4	RINGOLD MET TOWER	PERIMETER	AT	04-Oct-07	Eu-152	-0.00000801	pCi/m3	0.0014	0.0014	U		
SESPMNT	B1P2D4	RINGOLD MET TOWER	PERIMETER	AT	04-Oct-07	Eu-154	0.00102	pCi/m3	0.0016	0.0016	U		
SESPMNT	B1P2D4	RINGOLD MET TOWER	PERIMETER	AT	04-Oct-07	Eu-155	-0.000677	pCi/m3	0.0012	0.0012	U		
SESPMNT	B1P2D4	RINGOLD MET TOWER	PERIMETER	AT	04-Oct-07	K-40	0.00824	pCi/m3	0.014	0.014	U		
SESPMNT	B1P2D4	RINGOLD MET TOWER	PERIMETER	AT	04-Oct-07	Ru-106	-0.00207	pCi/m3	0.0072	0.0072	U		
SESPMNT	B1P2D4	RINGOLD MET TOWER	PERIMETER	AT	04-Oct-07	Sb-125	0.000314	pCi/m3	0.0016	0.0016	U		
SESPMNT	B1PRV3	RINGOLD MET TOWER	PERIMETER	AT	28-Dec-07	Be-7	0.135	pCi/m3	0.043	0.043			
SESPMNT	B1PRV3	RINGOLD MET TOWER	PERIMETER	AT	28-Dec-07	Co-60	-0.000138	pCi/m3	0.00082	0.00082	U		
SESPMNT	B1PRV3	RINGOLD MET TOWER	PERIMETER	AT	28-Dec-07	Cs-134	0.000121	pCi/m3	0.0006	0.0006	U		
SESPMNT	B1PRV3	RINGOLD MET TOWER	PERIMETER	AT	28-Dec-07	Cs-137	-0.000313	pCi/m3	0.00079	0.00079	U		
SESPMNT	B1PRV3	RINGOLD MET TOWER	PERIMETER	AT	28-Dec-07	Eu-152	0.000189	pCi/m3	0.0018	0.0018	U		
SESPMNT	B1PRV3	RINGOLD MET TOWER	PERIMETER	AT	28-Dec-07	Eu-154	-0.00119	pCi/m3	0.0024	0.0024	U		
SESPMNT	B1PRV3	RINGOLD MET TOWER	PERIMETER	AT	28-Dec-07	Eu-155	0.00021	pCi/m3	0.0011	0.0011	U		
SESPMNT	B1PRV3	RINGOLD MET TOWER	PERIMETER	AT	28-Dec-07	K-40	0.0096	pCi/m3	0.014	0.014	U		
SESPMNT	B1PRV3	RINGOLD MET TOWER	PERIMETER	AT	28-Dec-07	Ru-106	-0.00197	pCi/m3	0.0062	0.0062	U		
SESPMNT	B1PRV3	RINGOLD MET TOWER	PERIMETER	AT	28-Dec-07	Sb-125	-0.00101	pCi/m3	0.0015	0.0015	U		
SESPMNT	B1LW73	TRI CITIES	COMMUNITY	AT	06-Apr-07	Be-7	0.116	pCi/m3	0.032	0.032			
SESPMNT	B1LW73	TRI CITIES	COMMUNITY	AT	06-Apr-07	Co-60	0.0000649	pCi/m3	0.0004	0.0004	U		
SESPMNT	B1LW73	TRI CITIES	COMMUNITY	AT	06-Apr-07	Cs-134	0.000379	pCi/m3	0.0005	0.0005	U		
SESPMNT	B1LW73	TRI CITIES	COMMUNITY	AT	06-Apr-07	Cs-137	0.0000383	pCi/m3	0.00045	0.00045	U		
SESPMNT	B1LW73	TRI CITIES	COMMUNITY	AT	06-Apr-07	Eu-152	0.0000526	pCi/m3	0.0011	0.0011	U		
SESPMNT	B1LW73	TRI CITIES	COMMUNITY	AT	06-Apr-07	Eu-154	-0.000434	pCi/m3	0.0013	0.0013	U		
SESPMNT	B1LW73	TRI CITIES	COMMUNITY	AT	06-Apr-07	Eu-155	-0.000219	pCi/m3	0.00073	0.00073	U		
SESPMNT	B1LW73	TRI CITIES	COMMUNITY	AT	06-Apr-07	K-40	0.00597	pCi/m3	0.0095	0.0095	U		
SESPMNT	B1LW73	TRI CITIES	COMMUNITY	AT	06-Apr-07	Ru-106	-0.00107	pCi/m3	0.0039	0.0039	U		
SESPMNT	B1LW73	TRI CITIES	COMMUNITY	AT	06-Apr-07	Sb-125	-0.000436	pCi/m3	0.001	0.001	U		
SESPMNT	B1MYW3	TRI CITIES	COMMUNITY	AT	28-Jun-07	Be-7	0.119	pCi/m3	0.026	0.026			
SESPMNT	B1MYW3	TRI CITIES	COMMUNITY	AT	28-Jun-07	Co-60	0.0000473	pCi/m3	0.0003	0.0003	U		
SESPMNT	B1MYW3	TRI CITIES	COMMUNITY	AT	28-Jun-07	Cs-134	0.000115	pCi/m3	0.0003	0.0003	U		
SESPMNT	B1MYW3	TRI CITIES	COMMUNITY	AT	28-Jun-07	Cs-137	0.000234	pCi/m3	0.00036	0.00036	U		
SESPMNT	B1MYW3	TRI CITIES	COMMUNITY	AT	28-Jun-07	Eu-152	-0.000201	pCi/m3	0.00076	0.00076	U		
SESPMNT	B1MYW3	TRI CITIES	COMMUNITY	AT	28-Jun-07	Eu-154	0.00013	pCi/m3	0.00097	0.00097	U		
SESPMNT	B1MYW3	TRI CITIES	COMMUNITY	AT	28-Jun-07	Eu-155	0.0000898	pCi/m3	0.00071	0.00071	U		
SESPMNT	B1MYW3	TRI CITIES	COMMUNITY	AT	28-Jun-07	K-40	0.00374	pCi/m3	0.0055	0.0055	U		
SESPMNT	B1MYW3	TRI CITIES	COMMUNITY	AT	28-Jun-07	Ru-106	-0.00168	pCi/m3	0.0025	0.0025	U		
SESPMNT	B1MYW3	TRI CITIES	COMMUNITY	AT	28-Jun-07	Sb-125	0.000724	pCi/m3	0.00079	0.00079	U		
SESPMNT	B1P2M9	TRI CITIES	COMMUNITY	AT	04-Oct-07	Be-7	0.137	pCi/m3	0.031	0.031			
SESPMNT	B1P2M9	TRI CITIES	COMMUNITY	AT	04-Oct-07	Co-60	0.0000717	pCi/m3	0.0003	0.0003	U		
SESPMNT	B1P2M9	TRI CITIES	COMMUNITY	AT	04-Oct-07	Cs-134	-0.000235	pCi/m3	0.00041	0.00041	U		
SESPMNT	B1P2M9	TRI CITIES	COMMUNITY	AT	04-Oct-07	Cs-137	0.0000438	pCi/m3	0.00029	0.00029	U		
SESPMNT	B1P2M9	TRI CITIES	COMMUNITY	AT	04-Oct-07	Eu-152	0.000267	pCi/m3	0.00079	0.00079	U		
SESPMNT	B1P2M9	TRI CITIES	COMMUNITY	AT	04-Oct-07	Eu-154	-0.000348	pCi/m3	0.00071	0.00071	U		
SESPMNT	B1P2M9	TRI CITIES	COMMUNITY	AT	04-Oct-07	Eu-155	0.0000651	pCi/m3	0.00063	0.00063	U		
SESPMNT	B1P2M9	TRI CITIES	COMMUNITY	AT	04-Oct-07	K-40	0.00755	pCi/m3	0.0064	0.0064	U		
SESPMNT	B1P2M9	TRI CITIES	COMMUNITY	AT	04-Oct-07	Ru-106	0.000145	pCi/m3	0.003	0.003	U		
SESPMNT	B1P2M9	TRI CITIES	COMMUNITY	AT	04-Oct-07	Sb-125	-0.000162	pCi/m3	0.00088	0.00088	U		
SESPMNT	B1PT32	TRI CITIES	COMMUNITY	AT	28-Dec-07	Be-7	0.0921	pCi/m3	0.024	0.024			

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## AIR - GAMMA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1PT32	TRI CITIES	COMMUNITY	AT	28-Dec-07	Co-60	-0.000289	pCi/m3	0.00041	0.00041	U		
SESPMNT	B1PT32	TRI CITIES	COMMUNITY	AT	28-Dec-07	Cs-134	0.0000453	pCi/m3	0.00035	0.00035	U		
SESPMNT	B1PT32	TRI CITIES	COMMUNITY	AT	28-Dec-07	Cs-137	0.000123	pCi/m3	0.00038	0.00038	U		
SESPMNT	B1PT32	TRI CITIES	COMMUNITY	AT	28-Dec-07	Eu-152	0.0001	pCi/m3	0.00094	0.00094	U		
SESPMNT	B1PT32	TRI CITIES	COMMUNITY	AT	28-Dec-07	Eu-154	-0.00106	pCi/m3	0.0012	0.0012	U		
SESPMNT	B1PT32	TRI CITIES	COMMUNITY	AT	28-Dec-07	Eu-155	-0.000023	pCi/m3	0.00061	0.00061	U		
SESPMNT	B1PT32	TRI CITIES	COMMUNITY	AT	28-Dec-07	K-40	0.000578	pCi/m3	0.0073	0.0073	U		
SESPMNT	B1PT32	TRI CITIES	COMMUNITY	AT	28-Dec-07	Ru-106	0.00426	pCi/m3	0.0038	0.0038	U		
SESPMNT	B1PT32	TRI CITIES	COMMUNITY	AT	28-Dec-07	Sb-125	0.000163	pCi/m3	0.0009	0.0009	U		
SESPMNT	B1LW00	W END OF FIR ROAD	PERIMETER	AT	06-Apr-07	Be-7	0.163	pCi/m3	0.036	0.036	U		
SESPMNT	B1LW00	W END OF FIR ROAD	PERIMETER	AT	06-Apr-07	Co-60	0.0000213	pCi/m3	0.00075	0.00075	U		
SESPMNT	B1LW00	W END OF FIR ROAD	PERIMETER	AT	06-Apr-07	Cs-134	0.00048	pCi/m3	0.00083	0.00083	U		
SESPMNT	B1LW00	W END OF FIR ROAD	PERIMETER	AT	06-Apr-07	Cs-137	0.000328	pCi/m3	0.00073	0.00073	U		
SESPMNT	B1LW00	W END OF FIR ROAD	PERIMETER	AT	06-Apr-07	Eu-152	-0.000172	pCi/m3	0.0018	0.0018	U		
SESPMNT	B1LW00	W END OF FIR ROAD	PERIMETER	AT	06-Apr-07	Eu-154	-0.000239	pCi/m3	0.0023	0.0023	U		
SESPMNT	B1LW00	W END OF FIR ROAD	PERIMETER	AT	06-Apr-07	Eu-155	0.000556	pCi/m3	0.0019	0.0019	U		
SESPMNT	B1LW00	W END OF FIR ROAD	PERIMETER	AT	06-Apr-07	K-40	-0.00508	pCi/m3	0.023	0.023	U		
SESPMNT	B1LW00	W END OF FIR ROAD	PERIMETER	AT	06-Apr-07	Ru-106	0.000823	pCi/m3	0.007	0.007	U		
SESPMNT	B1LW00	W END OF FIR ROAD	PERIMETER	AT	06-Apr-07	Sb-125	0.000842	pCi/m3	0.0018	0.0018	U		
SESPMNT	B1MYL2	W END OF FIR ROAD	PERIMETER	AT	28-Jun-07	Be-7	0.177	pCi/m3	0.044	0.044	U		
SESPMNT	B1MYL2	W END OF FIR ROAD	PERIMETER	AT	28-Jun-07	Co-60	0.000171	pCi/m3	0.001	0.001	U		
SESPMNT	B1MYL2	W END OF FIR ROAD	PERIMETER	AT	28-Jun-07	Cs-134	0.0000456	pCi/m3	0.00092	0.00092	U		
SESPMNT	B1MYL2	W END OF FIR ROAD	PERIMETER	AT	28-Jun-07	Cs-137	0.000374	pCi/m3	0.00092	0.00092	U		
SESPMNT	B1MYL2	W END OF FIR ROAD	PERIMETER	AT	28-Jun-07	Eu-152	0.00112	pCi/m3	0.0021	0.0021	U		
SESPMNT	B1MYL2	W END OF FIR ROAD	PERIMETER	AT	28-Jun-07	Eu-154	-0.00121	pCi/m3	0.0041	0.0041	U		
SESPMNT	B1MYL2	W END OF FIR ROAD	PERIMETER	AT	28-Jun-07	Eu-155	0.00026	pCi/m3	0.001	0.001	U		
SESPMNT	B1MYL2	W END OF FIR ROAD	PERIMETER	AT	28-Jun-07	K-40	0.0185	pCi/m3	0.022	0.022	U		
SESPMNT	B1MYL2	W END OF FIR ROAD	PERIMETER	AT	28-Jun-07	Ru-106	-0.00222	pCi/m3	0.0091	0.0091	U		
SESPMNT	B1MYL2	W END OF FIR ROAD	PERIMETER	AT	28-Jun-07	Sb-125	0.000234	pCi/m3	0.0022	0.0022	U		
SESPMNT	B1P2C6	W END OF FIR ROAD	PERIMETER	AT	04-Oct-07	Be-7	0.144	pCi/m3	0.052	0.052	U		
SESPMNT	B1P2C6	W END OF FIR ROAD	PERIMETER	AT	04-Oct-07	Co-60	0.0000306	pCi/m3	0.00063	0.00063	U		
SESPMNT	B1P2C6	W END OF FIR ROAD	PERIMETER	AT	04-Oct-07	Cs-134	-0.000124	pCi/m3	0.00077	0.00077	U		
SESPMNT	B1P2C6	W END OF FIR ROAD	PERIMETER	AT	04-Oct-07	Cs-137	-0.000956	pCi/m3	0.00072	0.00072	U		
SESPMNT	B1P2C6	W END OF FIR ROAD	PERIMETER	AT	04-Oct-07	Eu-152	0.00129	pCi/m3	0.0019	0.0019	U		
SESPMNT	B1P2C6	W END OF FIR ROAD	PERIMETER	AT	04-Oct-07	Eu-154	0.000769	pCi/m3	0.0023	0.0023	U		
SESPMNT	B1P2C6	W END OF FIR ROAD	PERIMETER	AT	04-Oct-07	Eu-155	-0.000333	pCi/m3	0.0015	0.0015	U		
SESPMNT	B1P2C6	W END OF FIR ROAD	PERIMETER	AT	04-Oct-07	K-40	0.0102	pCi/m3	0.018	0.018	U		
SESPMNT	B1P2C6	W END OF FIR ROAD	PERIMETER	AT	04-Oct-07	Ru-106	-0.000612	pCi/m3	0.0077	0.0077	U		
SESPMNT	B1P2C6	W END OF FIR ROAD	PERIMETER	AT	04-Oct-07	Sb-125	-0.00158	pCi/m3	0.0019	0.0019	U		
SESPMNT	B1PRT5	W END OF FIR ROAD	PERIMETER	AT	28-Dec-07	Be-7	0.121	pCi/m3	0.037	0.037	U		
SESPMNT	B1PRT5	W END OF FIR ROAD	PERIMETER	AT	28-Dec-07	Co-60	-0.0000864	pCi/m3	0.00059	0.00059	U		
SESPMNT	B1PRT5	W END OF FIR ROAD	PERIMETER	AT	28-Dec-07	Cs-134	-0.000132	pCi/m3	0.0008	0.0008	U		
SESPMNT	B1PRT5	W END OF FIR ROAD	PERIMETER	AT	28-Dec-07	Cs-137	-0.00032	pCi/m3	0.00061	0.00061	U		
SESPMNT	B1PRT5	W END OF FIR ROAD	PERIMETER	AT	28-Dec-07	Eu-152	-0.000365	pCi/m3	0.0016	0.0016	U		
SESPMNT	B1PRT5	W END OF FIR ROAD	PERIMETER	AT	28-Dec-07	Eu-154	0.000765	pCi/m3	0.0019	0.0019	U		
SESPMNT	B1PRT5	W END OF FIR ROAD	PERIMETER	AT	28-Dec-07	Eu-155	0.000708	pCi/m3	0.0013	0.0013	U		
SESPMNT	B1PRT5	W END OF FIR ROAD	PERIMETER	AT	28-Dec-07	K-40	0.00366	pCi/m3	0.0096	0.0096	U		
SESPMNT	B1PRT5	W END OF FIR ROAD	PERIMETER	AT	28-Dec-07	Ru-106	0.00492	pCi/m3	0.0071	0.0071	U		
SESPMNT	B1PRT5	W END OF FIR ROAD	PERIMETER	AT	28-Dec-07	Sb-125	0.00121	pCi/m3	0.0017	0.0017	U		
SESPMNT	B1LW58	WAHLUKE SLOPE	PERIMETER	AT	05-Apr-07	Be-7	0.136	pCi/m3	0.03	0.03	U		
SESPMNT	B1LW58	WAHLUKE SLOPE	PERIMETER	AT	05-Apr-07	Co-60	0.000252	pCi/m3	0.0005	0.0005	U		
SESPMNT	B1LW58	WAHLUKE SLOPE	PERIMETER	AT	05-Apr-07	Cs-134	0.00013	pCi/m3	0.00043	0.00043	U		
SESPMNT	B1LW58	WAHLUKE SLOPE	PERIMETER	AT	05-Apr-07	Cs-137	0.0004	pCi/m3	0.00059	0.00059	U		
SESPMNT	B1LW58	WAHLUKE SLOPE	PERIMETER	AT	05-Apr-07	Eu-152	0.000262	pCi/m3	0.00098	0.00098	U		
SESPMNT	B1LW58	WAHLUKE SLOPE	PERIMETER	AT	05-Apr-07	Eu-154	-0.00172	pCi/m3	0.0015	0.0015	U		
SESPMNT	B1LW58	WAHLUKE SLOPE	PERIMETER	AT	05-Apr-07	Eu-155	0.000113	pCi/m3	0.00076	0.00076	U		
SESPMNT	B1LW58	WAHLUKE SLOPE	PERIMETER	AT	05-Apr-07	K-40	0.00386	pCi/m3	0.0098	0.0098	U		
SESPMNT	B1LW58	WAHLUKE SLOPE	PERIMETER	AT	05-Apr-07	Ru-106	-0.0000409	pCi/m3	0.0041	0.0041	U		
SESPMNT	B1LW58	WAHLUKE SLOPE	PERIMETER	AT	05-Apr-07	Sb-125	-0.00083	pCi/m3	0.0012	0.0012	U		
SESPMNT	B1MYV0	WAHLUKE SLOPE	PERIMETER	AT	27-Jun-07	Be-7	0.152	pCi/m3	0.032	0.032	U		
SESPMNT	B1MYV0	WAHLUKE SLOPE	PERIMETER	AT	27-Jun-07	Co-60	0.0000133	pCi/m3	0.00046	0.00046	U		
SESPMNT	B1MYV0	WAHLUKE SLOPE	PERIMETER	AT	27-Jun-07	Cs-134	-0.000138	pCi/m3	0.00044	0.00044	U		
SESPMNT	B1MYV0	WAHLUKE SLOPE	PERIMETER	AT	27-Jun-07	Cs-137	-0.00048	pCi/m3	0.00039	0.00039	U		
SESPMNT	B1MYV0	WAHLUKE SLOPE	PERIMETER	AT	27-Jun-07	Eu-152	0.00013	pCi/m3	0.0011	0.0011	U		
SESPMNT	B1MYV0	WAHLUKE SLOPE	PERIMETER	AT	27-Jun-07	Eu-154	0.000734	pCi/m3	0.001	0.001	U		
SESPMNT	B1MYV0	WAHLUKE SLOPE	PERIMETER	AT	27-Jun-07	Eu-155	-0.000222	pCi/m3	0.00074	0.00074	U		
SESPMNT	B1MYV0	WAHLUKE SLOPE	PERIMETER	AT	27-Jun-07	K-40	0.00588	pCi/m3	0.0099	0.0099	U		

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## AIR - GAMMA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1MYV0	WAHLUKE SLOPE	PERIMETER	AT	27-Jun-07	Ru-106	-0.000857	pCi/m3	0.004	0.004	U		
SESPMNT	B1MYV0	WAHLUKE SLOPE	PERIMETER	AT	27-Jun-07	Sb-125	-0.000278	pCi/m3	0.0008	0.0008	U		
SESPMNT	B1P2L4	WAHLUKE SLOPE	PERIMETER	AT	03-Oct-07	Be-7	0.132	pCi/m3	0.028	0.028	U		
SESPMNT	B1P2L4	WAHLUKE SLOPE	PERIMETER	AT	03-Oct-07	Co-60	-0.000125	pCi/m3	0.00051	0.00051	U		
SESPMNT	B1P2L4	WAHLUKE SLOPE	PERIMETER	AT	03-Oct-07	Cs-134	0.0000794	pCi/m3	0.00054	0.00054	U		
SESPMNT	B1P2L4	WAHLUKE SLOPE	PERIMETER	AT	03-Oct-07	Cs-137	-0.0000223	pCi/m3	0.00038	0.00038	U		
SESPMNT	B1P2L4	WAHLUKE SLOPE	PERIMETER	AT	03-Oct-07	Eu-152	0.000108	pCi/m3	0.001	0.001	U		
SESPMNT	B1P2L4	WAHLUKE SLOPE	PERIMETER	AT	03-Oct-07	Eu-154	0.000537	pCi/m3	0.0014	0.0014	U		
SESPMNT	B1P2L4	WAHLUKE SLOPE	PERIMETER	AT	03-Oct-07	Eu-155	0.0000769	pCi/m3	0.00042	0.00042	U		
SESPMNT	B1P2L4	WAHLUKE SLOPE	PERIMETER	AT	03-Oct-07	K-40	0.00232	pCi/m3	0.0083	0.0083	U		
SESPMNT	B1P2L4	WAHLUKE SLOPE	PERIMETER	AT	03-Oct-07	Ru-106	-0.00274	pCi/m3	0.0045	0.0045	U		
SESPMNT	B1P2L4	WAHLUKE SLOPE	PERIMETER	AT	03-Oct-07	Sb-125	0.00102	pCi/m3	0.00085	0.00085	U		
SESPMNT	B1PT17	WAHLUKE SLOPE	PERIMETER	AT	27-Dec-07	Be-7	0.0965	pCi/m3	0.022	0.022	U		
SESPMNT	B1PT17	WAHLUKE SLOPE	PERIMETER	AT	27-Dec-07	Co-60	-0.0000418	pCi/m3	0.00035	0.00035	U		
SESPMNT	B1PT17	WAHLUKE SLOPE	PERIMETER	AT	27-Dec-07	Cs-134	0.000245	pCi/m3	0.00031	0.00031	U		
SESPMNT	B1PT17	WAHLUKE SLOPE	PERIMETER	AT	27-Dec-07	Cs-137	0.000315	pCi/m3	0.00026	0.00026	U		
SESPMNT	B1PT17	WAHLUKE SLOPE	PERIMETER	AT	27-Dec-07	Eu-152	-0.000242	pCi/m3	0.00069	0.00069	U		
SESPMNT	B1PT17	WAHLUKE SLOPE	PERIMETER	AT	27-Dec-07	Eu-154	-0.000172	pCi/m3	0.0012	0.0012	U		
SESPMNT	B1PT17	WAHLUKE SLOPE	PERIMETER	AT	27-Dec-07	Eu-155	0.000476	pCi/m3	0.00059	0.00059	U		
SESPMNT	B1PT17	WAHLUKE SLOPE	PERIMETER	AT	27-Dec-07	K-40	0.00348	pCi/m3	0.0072	0.0072	U		
SESPMNT	B1PT17	WAHLUKE SLOPE	PERIMETER	AT	27-Dec-07	Ru-106	-0.00251	pCi/m3	0.0037	0.0037	U		
SESPMNT	B1PT17	WAHLUKE SLOPE	PERIMETER	AT	27-Dec-07	Sb-125	-0.000194	pCi/m3	0.00067	0.00067	U		
SESPMNT	B1LVY3	WYE BARRICADE	ONSITE	AT	28-Mar-07	Be-7	0.106	pCi/m3	0.033	0.033	U		
SESPMNT	B1LVY3	WYE BARRICADE	ONSITE	AT	28-Mar-07	Co-60	-0.000661	pCi/m3	0.00071	0.00071	U		
SESPMNT	B1LVY3	WYE BARRICADE	ONSITE	AT	28-Mar-07	Cs-134	-0.00054	pCi/m3	0.00092	0.00092	U		
SESPMNT	B1LVY3	WYE BARRICADE	ONSITE	AT	28-Mar-07	Cs-137	-0.0000602	pCi/m3	0.0009	0.0009	U		
SESPMNT	B1LVY3	WYE BARRICADE	ONSITE	AT	28-Mar-07	Eu-152	0.000114	pCi/m3	0.0016	0.0016	U		
SESPMNT	B1LVY3	WYE BARRICADE	ONSITE	AT	28-Mar-07	Eu-154	0.0000662	pCi/m3	0.0024	0.0024	U		
SESPMNT	B1LVY3	WYE BARRICADE	ONSITE	AT	28-Mar-07	Eu-155	-0.00029	pCi/m3	0.00093	0.00093	U		
SESPMNT	B1LVY3	WYE BARRICADE	ONSITE	AT	28-Mar-07	K-40	0.00889	pCi/m3	0.017	0.017	U		
SESPMNT	B1LVY3	WYE BARRICADE	ONSITE	AT	28-Mar-07	Ru-106	0.000902	pCi/m3	0.0088	0.0088	U		
SESPMNT	B1LVY3	WYE BARRICADE	ONSITE	AT	28-Mar-07	Sb-125	0.00128	pCi/m3	0.0017	0.0017	U		
SESPMNT	B1MYK4	WYE BARRICADE	ONSITE	AT	02-Jul-07	Be-7	0.105	pCi/m3	0.04	0.04	U		
SESPMNT	B1MYK4	WYE BARRICADE	ONSITE	AT	02-Jul-07	Co-60	0.00037	pCi/m3	0.00065	0.00065	U		
SESPMNT	B1MYK4	WYE BARRICADE	ONSITE	AT	02-Jul-07	Cs-134	0.00019	pCi/m3	0.00079	0.00079	U		
SESPMNT	B1MYK4	WYE BARRICADE	ONSITE	AT	02-Jul-07	Cs-137	-0.0000773	pCi/m3	0.00059	0.00059	U		
SESPMNT	B1MYK4	WYE BARRICADE	ONSITE	AT	02-Jul-07	Eu-152	0.000418	pCi/m3	0.0017	0.0017	U		
SESPMNT	B1MYK4	WYE BARRICADE	ONSITE	AT	02-Jul-07	Eu-154	0.00197	pCi/m3	0.0023	0.0023	U		
SESPMNT	B1MYK4	WYE BARRICADE	ONSITE	AT	02-Jul-07	Eu-155	-0.0000671	pCi/m3	0.00086	0.00086	U		
SESPMNT	B1MYK4	WYE BARRICADE	ONSITE	AT	02-Jul-07	K-40	0.0112	pCi/m3	0.016	0.016	U		
SESPMNT	B1MYK4	WYE BARRICADE	ONSITE	AT	02-Jul-07	Ru-106	-0.000316	pCi/m3	0.0077	0.0077	U		
SESPMNT	B1MYK4	WYE BARRICADE	ONSITE	AT	02-Jul-07	Sb-125	0.0002	pCi/m3	0.0014	0.0014	U		
SESPMNT	B1P2B9	WYE BARRICADE	ONSITE	AT	25-Sep-07	Be-7	0.113	pCi/m3	0.028	0.028	U		
SESPMNT	B1P2B9	WYE BARRICADE	ONSITE	AT	25-Sep-07	Co-60	0.000035	pCi/m3	0.00056	0.00056	U		
SESPMNT	B1P2B9	WYE BARRICADE	ONSITE	AT	25-Sep-07	Cs-134	0.00027	pCi/m3	0.00044	0.00044	U		
SESPMNT	B1P2B9	WYE BARRICADE	ONSITE	AT	25-Sep-07	Cs-137	0.000487	pCi/m3	0.00045	0.00045	U		
SESPMNT	B1P2B9	WYE BARRICADE	ONSITE	AT	25-Sep-07	Eu-152	-0.000227	pCi/m3	0.00092	0.00092	U		
SESPMNT	B1P2B9	WYE BARRICADE	ONSITE	AT	25-Sep-07	Eu-154	0.000221	pCi/m3	0.0012	0.0012	U		
SESPMNT	B1P2B9	WYE BARRICADE	ONSITE	AT	25-Sep-07	Eu-155	0.0000834	pCi/m3	0.0007	0.0007	U		
SESPMNT	B1P2B9	WYE BARRICADE	ONSITE	AT	25-Sep-07	K-40	0.00337	pCi/m3	0.013	0.013	U		
SESPMNT	B1P2B9	WYE BARRICADE	ONSITE	AT	25-Sep-07	Ru-106	-0.00141	pCi/m3	0.004	0.004	U		
SESPMNT	B1P2B9	WYE BARRICADE	ONSITE	AT	25-Sep-07	Sb-125	-0.000555	pCi/m3	0.00092	0.00092	U		
SESPMNT	B1PRR7	WYE BARRICADE	ONSITE	AT	02-Jan-08	Be-7	0.0966	pCi/m3	0.04	0.04	U		
SESPMNT	B1PRR7	WYE BARRICADE	ONSITE	AT	02-Jan-08	Co-60	0.000524	pCi/m3	0.00087	0.00087	U		
SESPMNT	B1PRR7	WYE BARRICADE	ONSITE	AT	02-Jan-08	Cs-134	0.0000772	pCi/m3	0.00074	0.00074	U		
SESPMNT	B1PRR7	WYE BARRICADE	ONSITE	AT	02-Jan-08	Cs-137	-0.0000816	pCi/m3	0.0008	0.0008	U		
SESPMNT	B1PRR7	WYE BARRICADE	ONSITE	AT	02-Jan-08	Eu-152	0.000481	pCi/m3	0.0018	0.0018	U		
SESPMNT	B1PRR7	WYE BARRICADE	ONSITE	AT	02-Jan-08	Eu-154	-0.000761	pCi/m3	0.0024	0.0024	U		
SESPMNT	B1PRR7	WYE BARRICADE	ONSITE	AT	02-Jan-08	Eu-155	0.0011	pCi/m3	0.0012	0.0012	U		
SESPMNT	B1PRR7	WYE BARRICADE	ONSITE	AT	02-Jan-08	K-40	-0.00786	pCi/m3	0.016	0.016	U		
SESPMNT	B1PRR7	WYE BARRICADE	ONSITE	AT	02-Jan-08	Ru-106	-0.00369	pCi/m3	0.0067	0.0067	U		
SESPMNT	B1PRR7	WYE BARRICADE	ONSITE	AT	02-Jan-08	Sb-125	0.0000943	pCi/m3	0.002	0.002	U		
SESPMNT	B1LW88	YAKIMA	DISTANT	AT	03-Apr-07	Be-7	0.119	pCi/m3	0.027	0.027	U		
SESPMNT	B1LW88	YAKIMA	DISTANT	AT	03-Apr-07	Co-60	0.000635	pCi/m3	0.00078	0.00078	U		
SESPMNT	B1LW88	YAKIMA	DISTANT	AT	03-Apr-07	Cs-134	0.000235	pCi/m3	0.00059	0.00059	U		
SESPMNT	B1LW88	YAKIMA	DISTANT	AT	03-Apr-07	Cs-137	0.000364	pCi/m3	0.00062	0.00062	U		
SESPMNT	B1LW88	YAKIMA	DISTANT	AT	03-Apr-07	Eu-152	0.000649	pCi/m3	0.0014	0.0014	U		

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## AIR - GAMMA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1LW88	YAKIMA	DISTANT	AT	03-Apr-07	Eu-154	0.000892	pCi/m3	0.0021	0.0021	U		
SESPMNT	B1LW88	YAKIMA	DISTANT	AT	03-Apr-07	Eu-155	0.000206	pCi/m3	0.001	0.001	U		
SESPMNT	B1LW88	YAKIMA	DISTANT	AT	03-Apr-07	K-40	-0.00234	pCi/m3	0.013	0.013	U		
SESPMNT	B1LW88	YAKIMA	DISTANT	AT	03-Apr-07	Ru-106	-0.00571	pCi/m3	0.0053	0.0053	U		
SESPMNT	B1LW88	YAKIMA	DISTANT	AT	03-Apr-07	Sb-125	0.000988	pCi/m3	0.0014	0.0014	U		
SESPMNT	B1MYX6	YAKIMA	DISTANT	AT	03-Jul-07	Be-7	0.162	pCi/m3	0.04	0.04			
SESPMNT	B1MYX6	YAKIMA	DISTANT	AT	03-Jul-07	Co-60	0.000014	pCi/m3	0.00079	0.00079	U		
SESPMNT	B1MYX6	YAKIMA	DISTANT	AT	03-Jul-07	Cs-134	-0.000381	pCi/m3	0.00089	0.00089	U		
SESPMNT	B1MYX6	YAKIMA	DISTANT	AT	03-Jul-07	Cs-137	0.000343	pCi/m3	0.00067	0.00067	U		
SESPMNT	B1MYX6	YAKIMA	DISTANT	AT	03-Jul-07	Eu-152	-0.000257	pCi/m3	0.0018	0.0018	U		
SESPMNT	B1MYX6	YAKIMA	DISTANT	AT	03-Jul-07	Eu-154	-0.00329	pCi/m3	0.0027	0.0027	U		
SESPMNT	B1MYX6	YAKIMA	DISTANT	AT	03-Jul-07	Eu-155	0.00199	pCi/m3	0.0018	0.0018	U		
SESPMNT	B1MYX6	YAKIMA	DISTANT	AT	03-Jul-07	K-40	-0.00191	pCi/m3	0.022	0.022	U		
SESPMNT	B1MYX6	YAKIMA	DISTANT	AT	03-Jul-07	Ru-106	0.00426	pCi/m3	0.0081	0.0081	U		
SESPMNT	B1MYX6	YAKIMA	DISTANT	AT	03-Jul-07	Sb-125	-0.00101	pCi/m3	0.0018	0.0018	U		
SESPMNT	B1P2P4	YAKIMA	DISTANT	AT	27-Sep-07	Be-7	0.207	pCi/m3	0.051	0.051			
SESPMNT	B1P2P4	YAKIMA	DISTANT	AT	27-Sep-07	Co-60	0.000658	pCi/m3	0.001	0.001	U		
SESPMNT	B1P2P4	YAKIMA	DISTANT	AT	27-Sep-07	Cs-134	-0.000573	pCi/m3	0.0011	0.0011	U		
SESPMNT	B1P2P4	YAKIMA	DISTANT	AT	27-Sep-07	Cs-137	-0.000809	pCi/m3	0.001	0.001	U		
SESPMNT	B1P2P4	YAKIMA	DISTANT	AT	27-Sep-07	Eu-152	-0.000775	pCi/m3	0.0025	0.0025	U		
SESPMNT	B1P2P4	YAKIMA	DISTANT	AT	27-Sep-07	Eu-154	0.0018	pCi/m3	0.003	0.003	U		
SESPMNT	B1P2P4	YAKIMA	DISTANT	AT	27-Sep-07	Eu-155	0.00154	pCi/m3	0.0017	0.0017	U		
SESPMNT	B1P2P4	YAKIMA	DISTANT	AT	27-Sep-07	K-40	0.0156	pCi/m3	0.03	0.03	U		
SESPMNT	B1P2P4	YAKIMA	DISTANT	AT	27-Sep-07	Ru-106	-0.0104	pCi/m3	0.011	0.011	U		
SESPMNT	B1P2P4	YAKIMA	DISTANT	AT	27-Sep-07	Sb-125	0.00036	pCi/m3	0.0024	0.0024	U		
SESPMNT	B1PT47	YAKIMA	DISTANT	AT	21-Dec-07	Be-7	0.08	pCi/m3	0.051	0.051			
SESPMNT	B1PT47	YAKIMA	DISTANT	AT	21-Dec-07	Co-60	-0.000643	pCi/m3	0.0012	0.0012	U		
SESPMNT	B1PT47	YAKIMA	DISTANT	AT	21-Dec-07	Cs-134	-0.000118	pCi/m3	0.0013	0.0013	U		
SESPMNT	B1PT47	YAKIMA	DISTANT	AT	21-Dec-07	Cs-137	-0.000766	pCi/m3	0.00097	0.00097	U		
SESPMNT	B1PT47	YAKIMA	DISTANT	AT	21-Dec-07	Eu-152	-0.000261	pCi/m3	0.0024	0.0024	U		
SESPMNT	B1PT47	YAKIMA	DISTANT	AT	21-Dec-07	Eu-154	0.00177	pCi/m3	0.0027	0.0027	U		
SESPMNT	B1PT47	YAKIMA	DISTANT	AT	21-Dec-07	Eu-155	-0.00116	pCi/m3	0.0018	0.0018	U		
SESPMNT	B1PT47	YAKIMA	DISTANT	AT	21-Dec-07	K-40	0.00903	pCi/m3	0.025	0.025	U		
SESPMNT	B1PT47	YAKIMA	DISTANT	AT	21-Dec-07	Ru-106	-0.00224	pCi/m3	0.011	0.011	U		
SESPMNT	B1PT47	YAKIMA	DISTANT	AT	21-Dec-07	Sb-125	0.000918	pCi/m3	0.0026	0.0026	U		
SESPMNT	B1LW45	YAKIMA BARRICADE	PERIMETER	AT	03-Apr-07	Be-7	0.1	pCi/m3	0.021	0.021			
SESPMNT	B1LW45	YAKIMA BARRICADE	PERIMETER	AT	03-Apr-07	Co-60	-0.0001	pCi/m3	0.00021	0.00021	U		
SESPMNT	B1LW45	YAKIMA BARRICADE	PERIMETER	AT	03-Apr-07	Cs-134	0.0000108	pCi/m3	0.00032	0.00032	U		
SESPMNT	B1LW45	YAKIMA BARRICADE	PERIMETER	AT	03-Apr-07	Cs-137	-0.0000883	pCi/m3	0.00029	0.00029	U		
SESPMNT	B1LW45	YAKIMA BARRICADE	PERIMETER	AT	03-Apr-07	Eu-152	0.000239	pCi/m3	0.0007	0.0007	U		
SESPMNT	B1LW45	YAKIMA BARRICADE	PERIMETER	AT	03-Apr-07	Eu-154	0.000504	pCi/m3	0.0012	0.0012	U		
SESPMNT	B1LW45	YAKIMA BARRICADE	PERIMETER	AT	03-Apr-07	Eu-155	-0.0000469	pCi/m3	0.00054	0.00054	U		
SESPMNT	B1LW45	YAKIMA BARRICADE	PERIMETER	AT	03-Apr-07	K-40	0.00516	pCi/m3	0.0079	0.0079	U		
SESPMNT	B1LW45	YAKIMA BARRICADE	PERIMETER	AT	03-Apr-07	Ru-106	0.00177	pCi/m3	0.0028	0.0028	U		
SESPMNT	B1LW45	YAKIMA BARRICADE	PERIMETER	AT	03-Apr-07	Sb-125	0.000462	pCi/m3	0.0007	0.0007	U		
SESPMNT	B1MYR5	YAKIMA BARRICADE	PERIMETER	AT	03-Jul-07	Be-7	0.156	pCi/m3	0.03	0.03			
SESPMNT	B1MYR5	YAKIMA BARRICADE	PERIMETER	AT	03-Jul-07	Co-60	0.000263	pCi/m3	0.00042	0.00042	U		
SESPMNT	B1MYR5	YAKIMA BARRICADE	PERIMETER	AT	03-Jul-07	Cs-134	0.0000494	pCi/m3	0.00049	0.00049	U		
SESPMNT	B1MYR5	YAKIMA BARRICADE	PERIMETER	AT	03-Jul-07	Cs-137	-0.0000646	pCi/m3	0.00033	0.00033	U		
SESPMNT	B1MYR5	YAKIMA BARRICADE	PERIMETER	AT	03-Jul-07	Eu-152	-0.0000423	pCi/m3	0.00098	0.00098	U		
SESPMNT	B1MYR5	YAKIMA BARRICADE	PERIMETER	AT	03-Jul-07	Eu-154	-0.000765	pCi/m3	0.0012	0.0012	U		
SESPMNT	B1MYR5	YAKIMA BARRICADE	PERIMETER	AT	03-Jul-07	Eu-155	0.000339	pCi/m3	0.00055	0.00055	U		
SESPMNT	B1MYR5	YAKIMA BARRICADE	PERIMETER	AT	03-Jul-07	K-40	0.00344	pCi/m3	0.0091	0.0091	U		
SESPMNT	B1MYR5	YAKIMA BARRICADE	PERIMETER	AT	03-Jul-07	Ru-106	0.00208	pCi/m3	0.003	0.003	U		
SESPMNT	B1MYR5	YAKIMA BARRICADE	PERIMETER	AT	03-Jul-07	Sb-125	0.000504	pCi/m3	0.00077	0.00077	U		
SESPMNT	B1P2K1	YAKIMA BARRICADE	PERIMETER	AT	27-Sep-07	Be-7	0.148	pCi/m3	0.031	0.031			
SESPMNT	B1P2K1	YAKIMA BARRICADE	PERIMETER	AT	27-Sep-07	Co-60	-0.000146	pCi/m3	0.0004	0.0004	U		
SESPMNT	B1P2K1	YAKIMA BARRICADE	PERIMETER	AT	27-Sep-07	Cs-134	0.0000983	pCi/m3	0.0004	0.0004	U		
SESPMNT	B1P2K1	YAKIMA BARRICADE	PERIMETER	AT	27-Sep-07	Cs-137	-0.000336	pCi/m3	0.0004	0.0004	U		
SESPMNT	B1P2K1	YAKIMA BARRICADE	PERIMETER	AT	27-Sep-07	Eu-152	-0.000287	pCi/m3	0.00094	0.00094	U		
SESPMNT	B1P2K1	YAKIMA BARRICADE	PERIMETER	AT	27-Sep-07	Eu-154	0.000623	pCi/m3	0.0011	0.0011	U		
SESPMNT	B1P2K1	YAKIMA BARRICADE	PERIMETER	AT	27-Sep-07	Eu-155	0.00012	pCi/m3	0.00072	0.00072	U		
SESPMNT	B1P2K1	YAKIMA BARRICADE	PERIMETER	AT	27-Sep-07	K-40	0.00414	pCi/m3	0.0088	0.0088	U		
SESPMNT	B1P2K1	YAKIMA BARRICADE	PERIMETER	AT	27-Sep-07	Ru-106	-0.00177	pCi/m3	0.004	0.004	U		
SESPMNT	B1P2K1	YAKIMA BARRICADE	PERIMETER	AT	27-Sep-07	Sb-125	-0.000534	pCi/m3	0.00093	0.00093	U		
SESPMNT	B1PT02	YAKIMA BARRICADE	PERIMETER	AT	04-Jan-08	Be-7	0.0876	pCi/m3	0.026	0.026			
SESPMNT	B1PT02	YAKIMA BARRICADE	PERIMETER	AT	04-Jan-08	Co-60	0.000134	pCi/m3	0.00053	0.00053	U		

ENVIRONMENTAL SURVEILLANCE DATA CY07

AIR - GAMMA

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1PT02	YAKIMA BARRICADE	PERIMETER	AT	04-Jan-08	Cs-134	0.000108	pCi/m3	0.00046	0.00046	U		
SESPMNT	B1PT02	YAKIMA BARRICADE	PERIMETER	AT	04-Jan-08	Cs-137	-0.000427	pCi/m3	0.00043	0.00043	U		
SESPMNT	B1PT02	YAKIMA BARRICADE	PERIMETER	AT	04-Jan-08	Eu-152	0.00117	pCi/m3	0.0012	0.0012	U		
SESPMNT	B1PT02	YAKIMA BARRICADE	PERIMETER	AT	04-Jan-08	Eu-154	0.000424	pCi/m3	0.0014	0.0014	U		
SESPMNT	B1PT02	YAKIMA BARRICADE	PERIMETER	AT	04-Jan-08	Eu-155	0.0000914	pCi/m3	0.00075	0.00075	U		
SESPMNT	B1PT02	YAKIMA BARRICADE	PERIMETER	AT	04-Jan-08	K-40	0.000115	pCi/m3	0.011	0.011	U		
SESPMNT	B1PT02	YAKIMA BARRICADE	PERIMETER	AT	04-Jan-08	Ru-106	0.00475	pCi/m3	0.0047	0.0047	U		
SESPMNT	B1PT02	YAKIMA BARRICADE	PERIMETER	AT	04-Jan-08	Sb-125	0.00013	pCi/m3	0.0011	0.0011	U		

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## AIR - COMPOSITES AND H-3

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1LVH7	100 AREAS	ONSITE	AT	27-Mar-07	Pu-238	0.000000794	pCi/m3	0.00000095	0.00000098	U		
SESPMNT	B1MY45	100 AREAS	ONSITE	AT	02-Jul-07	Pu-238	0.000000123	pCi/m3	0.00000029	0.00000034	U		
SESPMNT	B1P1Y3	100 AREAS	ONSITE	AT	25-Sep-07	Pu-238	0.00000157	pCi/m3	0.000001	0.0000011	U		
SESPMNT	B1PR91	100 AREAS	ONSITE	AT	02-Jan-08	Pu-238	0.000000221	pCi/m3	0.00000047	0.0000005	U		
SESPMNT	B1LVK6	200 E AREA	ONSITE	AT	04-Apr-07	Pu-238	-7.57E-08	pCi/m3	0.00000053	0.00000071	U		
SESPMNT	B1MY67	200 E AREA	ONSITE	AT	12-Jun-07	Pu-238	-0.00000014	pCi/m3	0.0000008	0.00000096	U		
SESPMNT	B1P212	200 E AREA	ONSITE	AT	02-Oct-07	Pu-238	-0.000000108	pCi/m3	0.000001	0.0000011	U		
SESPMNT	B1PRC3	200 E AREA	ONSITE	AT	26-Dec-07	Pu-238	0.0000004	pCi/m3	0.0000011	0.0000012	U		
SESPMNT	B1LVR1	200 W AREA	ONSITE	AT	04-Apr-07	Pu-238	-9.14E-08	pCi/m3	0.0000013	0.0000016	U		
SESPMNT	B1MYB6	200 W AREA	ONSITE	AT	25-Jun-07	Pu-238	0.00000112	pCi/m3	0.0000019	0.0000021	U		
SESPMNT	B1P257	200 W AREA	ONSITE	AT	02-Oct-07	Pu-238	0.00000245	pCi/m3	0.0000025	0.0000027	U		
SESPMNT	B1PRJ8	200 W AREA	ONSITE	AT	26-Dec-07	Pu-238	-0.000000243	pCi/m3	0.0000021	0.0000021	U		
SESPMNT	B1LVM9	200 W SOUTH EAST	ONSITE	AT	04-Apr-07	Pu-238	-0.000000482	pCi/m3	0.00000064	0.00000071	U		
SESPMNT	B1MY87	200 W SOUTH EAST	ONSITE	AT	25-Jun-07	Pu-238	7.18E-08	pCi/m3	0.00000045	0.00000055	U		
SESPMNT	B1P235	200 W SOUTH EAST	ONSITE	AT	02-Oct-07	Pu-238	-7.25E-08	pCi/m3	0.00000047	0.00000047	U		
SESPMNT	B1PRF6	200 W SOUTH EAST	ONSITE	AT	26-Dec-07	Pu-238	0.000000613	pCi/m3	0.0000008	0.00000088	U		
SESPMNT	B1LVR9	300 AREA	ONSITE	AT	29-Mar-07	Pu-238	9.14E-08	pCi/m3	0.00000067	0.00000076	U		
SESPMNT	B1MYC3	300 AREA	ONSITE	AT	06-Jul-07	Pu-238	-0.000000225	pCi/m3	0.00000061	0.00000067	U		
SESPMNT	B1P265	300 AREA	ONSITE	AT	26-Sep-07	Pu-238	9.09E-08	pCi/m3	0.00000051	0.0000006	U		
SESPMNT	B1PRK6	300 AREA	ONSITE	AT	03-Jan-08	Pu-238	0.000000544	pCi/m3	0.0000007	0.00000077	U		
SESPMNT	B1LV28	300 NE	ONSITE	AT	29-Mar-07	Pu-238	-0.00000077	pCi/m3	0.0000025	0.0000028	U		The CRDL was not met.
SESPMNT	B1MXN5	300 NE	ONSITE	AT	06-Jul-07	Pu-238	-0.000000225	pCi/m3	0.0000016	0.0000018	U		
SESPMNT	B1P1K7	300 NE	ONSITE	AT	26-Sep-07	Pu-238	0.000000277	pCi/m3	0.0000016	0.0000019	U		
SESPMNT	B1PR15	300 NE	ONSITE	AT	03-Jan-08	Pu-238	0.00000221	pCi/m3	0.0000024	0.0000026	U		
SESPMNT	B1LV35	300 TRENCH	ONSITE	AT	29-Mar-07	Pu-238	-0.000000142	pCi/m3	0.0000013	0.0000016	U		
SESPMNT	B1MXP3	300 TRENCH	ONSITE	AT	06-Jul-07	Pu-238	-6.66E-08	pCi/m3	0.0000013	0.0000015	U		
SESPMNT	B1P1L4	300 TRENCH	ONSITE	AT	26-Sep-07	Pu-238	-0.000000234	pCi/m3	0.0000016	0.0000016	U		
SESPMNT	B1PR23	300 TRENCH	ONSITE	AT	03-Jan-08	Pu-238	0.000000854	pCi/m3	0.0000014	0.0000016	U		
SESPMNT	B1LVV8	400 AREA	ONSITE	AT	28-Mar-07	Pu-238	-0.00000012	pCi/m3	0.00000033	0.00000037	U		
SESPMNT	B1MYF5	400 AREA	ONSITE	AT	02-Jul-07	Pu-238	3.45E-08	pCi/m3	0.00000019	0.00000023	U		
SESPMNT	B1P284	400 AREA	ONSITE	AT	25-Sep-07	Pu-238	0.000000864	pCi/m3	0.00000062	0.00000065	U		
SESPMNT	B1PRM8	400 AREA	ONSITE	AT	02-Jan-08	Pu-238	0.000000157	pCi/m3	0.00000048	0.0000005	U		
SESPMNT	B1LVM1	B POND	ONSITE	AT	04-Apr-07	Pu-238	0.000000155	pCi/m3	0.00000084	0.0000012	U		
SESPMNT	B1MY80	B POND	ONSITE	AT	25-Jun-07	Pu-238	0.000000181	pCi/m3	0.0000012	0.0000015	U		
SESPMNT	B1P227	B POND	ONSITE	AT	02-Oct-07	Pu-238	-0.000000217	pCi/m3	0.0000011	0.0000014	U		
SESPMNT	B1PRD8	B POND	ONSITE	AT	26-Dec-07	Pu-238	0.000000214	pCi/m3	0.0000012	0.0000015	U		
SESPMNT	B1LW95	BASIN CITY SCHOOL	COMMUNITY	AT	06-Apr-07	Pu-238	-0.000000242	pCi/m3	0.0000034	0.0000034	U		The CRDL was not met.
SESPMNT	B1MY44	BASIN CITY SCHOOL	COMMUNITY	AT	28-Jun-07	Pu-238	-0.000000264	pCi/m3	0.0000016	0.0000016	U		
SESPMNT	B1P2R1	BASIN CITY SCHOOL	COMMUNITY	AT	04-Oct-07	Pu-238	0.000000199	pCi/m3	0.0000014	0.0000017	U		
SESPMNT	B1PT55	BASIN CITY SCHOOL	COMMUNITY	AT	28-Dec-07	Pu-238	0.000000407	pCi/m3	0.0000019	0.0000022	U		
SESPMNT	B1LW24	BYERS LANDING	PERIMETER	AT	06-Apr-07	Pu-238	1.07E-08	pCi/m3	0.0000029	0.0000031	U		The CRDL was not met.
SESPMNT	B1MYN3	BYERS LANDING	PERIMETER	AT	28-Jun-07	Pu-238	-0.000000279	pCi/m3	0.0000017	0.0000017	U		
SESPMNT	B1P2H0	BYERS LANDING	PERIMETER	AT	04-Oct-07	Pu-238	-0.000000223	pCi/m3	0.0000013	0.0000015	U		
SESPMNT	B1PRW9	BYERS LANDING	PERIMETER	AT	28-Dec-07	Pu-238	-0.000000279	pCi/m3	0.0000019	0.0000019	U		
SESPMNT	B1LWL3	HANFORD TOWNSITE	ONSITE	AT	28-Mar-07	Pu-238	-8.63E-08	pCi/m3	0.0000016	0.0000016	U		Sample failed, tracer yield is below acceptance criteria.
SESPMNT	B1N028	HANFORD TOWNSITE	ONSITE	AT	02-Jul-07	Pu-238	-0.000000229	pCi/m3	0.00000042	0.00000052	U		
SESPMNT	B1P2W7	HANFORD TOWNSITE	ONSITE	AT	25-Sep-07	Pu-238	0.00000106	pCi/m3	0.0000011	0.0000012	U		
SESPMNT	B1PT91	HANFORD TOWNSITE	ONSITE	AT	02-Jan-08	Pu-238	0.00000159	pCi/m3	0.0000013	0.0000013	U		
SESPMNT	B1LWB3	LESLIE GROVES-RCHLND	COMMUNITY	AT	05-Apr-07	Pu-238	0.00000201	pCi/m3	0.0000063	0.0000063	U		The CRDL was not met.
SESPMNT	B1N001	LESLIE GROVES-RCHLND	COMMUNITY	AT	27-Jun-07	Pu-238	0.00000073	pCi/m3	0.0000018	0.0000021	U		
SESPMNT	B1P2R9	LESLIE GROVES-RCHLND	COMMUNITY	AT	03-Oct-07	Pu-238	-0.000000681	pCi/m3	0.0000012	0.0000015	U		
SESPMNT	B1PT63	LESLIE GROVES-RCHLND	COMMUNITY	AT	27-Dec-07	Pu-238	0.000000334	pCi/m3	0.0000018	0.0000021	U		
SESPMNT	B1LW32	PROSSER BARRICADE	PERIMETER	AT	03-Apr-07	Pu-238	-0.000000433	pCi/m3	0.0000013	0.0000014	U		
SESPMNT	B1MYP0	PROSSER BARRICADE	PERIMETER	AT	03-Jul-07	Pu-238	-0.000000385	pCi/m3	0.00000052	0.00000071	U		
SESPMNT	B1P2H8	PROSSER BARRICADE	PERIMETER	AT	27-Sep-07	Pu-238	-0.000000136	pCi/m3	0.00000086	0.00000086	U		
SESPMNT	B1PRX7	PROSSER BARRICADE	PERIMETER	AT	04-Jan-08	Pu-238	0.000000331	pCi/m3	0.00000078	0.0000009	U		
SESPMNT	B1LW08	RINGOLD MET TOWER	PERIMETER	AT	06-Apr-07	Pu-238	-0.000000416	pCi/m3	0.0000023	0.0000024	U		
SESPMNT	B1MYL9	RINGOLD MET TOWER	PERIMETER	AT	28-Jun-07	Pu-238	0.000000123	pCi/m3	0.00000098	0.0000012	U		
SESPMNT	B1P2D4	RINGOLD MET TOWER	PERIMETER	AT	04-Oct-07	Pu-238	0.0000132	pCi/m3	0.0000036	0.000004	U		
SESPMNT	B1PRV3	RINGOLD MET TOWER	PERIMETER	AT	28-Dec-07	Pu-238	-0.000000517	pCi/m3	0.000001	0.0000012	U		
SESPMNT	B1LW73	TRI CITIES	COMMUNITY	AT	06-Apr-07	Pu-238	1.25E-08	pCi/m3	0.00000091	0.00000094	U		
SESPMNT	B1MYW3	TRI CITIES	COMMUNITY	AT	28-Jun-07	Pu-238	6.73E-08	pCi/m3	0.00000041	0.0000005	U		
SESPMNT	B1P2M9	TRI CITIES	COMMUNITY	AT	04-Oct-07	Pu-238	-0.000000214	pCi/m3	0.00000043	0.00000049	U		



## ENVIRONMENTAL SURVEILLANCE DATA CY07

## AIR - COMPOSITES AND H-3

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1PT32	TRI CITIES	COMMUNITY	AT	28-Dec-07	Pu-238	0.00000101	pCi/m3	0.00000081	0.00000087			
SESPMNT	B1LW00	W END OF FIR ROAD	PERIMETER	AT	06-Apr-07	Pu-238	0.00000366	pCi/m3	0.00000048	0.00000049	U		The CRDL was not met.
SESPMNT	B1MYL2	W END OF FIR ROAD	PERIMETER	AT	28-Jun-07	Pu-238	0.000000731	pCi/m3	0.00000018	0.00000021	U		
SESPMNT	B1P2C6	W END OF FIR ROAD	PERIMETER	AT	04-Oct-07	Pu-238	-0.000000697	pCi/m3	0.00000016	0.00000018	U		
SESPMNT	B1PRT5	W END OF FIR ROAD	PERIMETER	AT	28-Dec-07	Pu-238	0.000000349	pCi/m3	0.00000018	0.0000002	U		
SESPMNT	B1LW58	WAHLUKE SLOPE	PERIMETER	AT	05-Apr-07	Pu-238	0.000000738	pCi/m3	0.00000012	0.00000012	U		
SESPMNT	B1MYV0	WAHLUKE SLOPE	PERIMETER	AT	27-Jun-07	Pu-238	-8.09E-08	pCi/m3	0.00000052	0.00000052	U		
SESPMNT	B1P2L4	WAHLUKE SLOPE	PERIMETER	AT	03-Oct-07	Pu-238	-7.16E-08	pCi/m3	0.00000057	0.00000057	U		
SESPMNT	B1PT17	WAHLUKE SLOPE	PERIMETER	AT	27-Dec-07	Pu-238	0.000000484	pCi/m3	0.00000076	0.00000082	U		
SESPMNT	B1LVY3	WYE BARRICADE	ONSITE	AT	28-Mar-07	Pu-238	-0.00000205	pCi/m3	0.00000029	0.00000031	U		The CRDL was not met.
SESPMNT	B1MYK4	WYE BARRICADE	ONSITE	AT	02-Jul-07	Pu-238	0.000000165	pCi/m3	0.00000015	0.00000017	U		
SESPMNT	B1P2B9	WYE BARRICADE	ONSITE	AT	25-Sep-07	Pu-238	-0.000000197	pCi/m3	0.00000013	0.00000013	U		
SESPMNT	B1PRR7	WYE BARRICADE	ONSITE	AT	02-Jan-08	Pu-238	0.000000222	pCi/m3	0.00000012	0.00000014	U		
SESPMNT	B1LW88	YAKIMA	DISTANT	AT	03-Apr-07	Pu-238	-0.000000708	pCi/m3	0.00000019	0.00000021	U		
SESPMNT	B1MYX6	YAKIMA	DISTANT	AT	03-Jul-07	Pu-238	-0.000000334	pCi/m3	0.00000012	0.00000015	U		
SESPMNT	B1P2P4	YAKIMA	DISTANT	AT	27-Sep-07	Pu-238	0.000000285	pCi/m3	0.00000016	0.00000019	U		
SESPMNT	B1PT47	YAKIMA	DISTANT	AT	21-Dec-07	Pu-238	0.00000118	pCi/m3	0.00000019	0.00000022	U		
SESPMNT	B1LW45	YAKIMA BARRICADE	PERIMETER	AT	03-Apr-07	Pu-238	-0.000000515	pCi/m3	0.00000012	0.00000013	U		
SESPMNT	B1MYR5	YAKIMA BARRICADE	PERIMETER	AT	03-Jul-07	Pu-238	-6.92E-08	pCi/m3	0.00000044	0.00000044	U		
SESPMNT	B1P2K1	YAKIMA BARRICADE	PERIMETER	AT	27-Sep-07	Pu-238	-7.97E-08	pCi/m3	0.00000051	0.00000051	U		
SESPMNT	B1PT02	YAKIMA BARRICADE	PERIMETER	AT	04-Jan-08	Pu-238	0.000000562	pCi/m3	0.00000062	0.00000068	U		
SESPMNT	B1LVH7	100 AREAS	ONSITE	AT	27-Mar-07	Pu-239/240	0.000000189	pCi/m3	0.00000095	0.000001	U		
SESPMNT	B1MY45	100 AREAS	ONSITE	AT	02-Jul-07	Pu-239/240	0.000000234	pCi/m3	0.00000045	0.00000057	U		
SESPMNT	B1P1Y3	100 AREAS	ONSITE	AT	25-Sep-07	Pu-239/240	0.00000011	pCi/m3	0.00000078	0.00000088			
SESPMNT	B1PR91	100 AREAS	ONSITE	AT	02-Jan-08	Pu-239/240	0.000000652	pCi/m3	0.00000081	0.00000089	U		
SESPMNT	B1LVK6	200 E AREA	ONSITE	AT	04-Apr-07	Pu-239/240	0.000000228	pCi/m3	0.00000071	0.00000012	U		
SESPMNT	B1MY67	200 E AREA	ONSITE	AT	12-Jun-07	Pu-239/240	0.000000223	pCi/m3	0.00000079	0.00000013	U		
SESPMNT	B1P212	200 E AREA	ONSITE	AT	02-Oct-07	Pu-239/240	0.000000781	pCi/m3	0.00000013	0.00000015	U		
SESPMNT	B1PRC3	200 E AREA	ONSITE	AT	26-Dec-07	Pu-239/240	0.000000766	pCi/m3	0.00000018	0.00000022	U		
SESPMNT	B1LVR1	200 W AREA	ONSITE	AT	04-Apr-07	Pu-239/240	0.000000999	pCi/m3	0.00000017	0.00000025	U		
SESPMNT	B1MYB6	200 W AREA	ONSITE	AT	25-Jun-07	Pu-239/240	0.00000111	pCi/m3	0.00000049	0.00000056			
SESPMNT	B1P257	200 W AREA	ONSITE	AT	02-Oct-07	Pu-239/240	0.000000334	pCi/m3	0.00000029	0.00000034	U		
SESPMNT	B1PRJ8	200 W AREA	ONSITE	AT	26-Dec-07	Pu-239/240	-0.000000101	pCi/m3	0.00000019	0.00000026	U		
SESPMNT	B1LVM9	200 W SOUTH EAST	ONSITE	AT	04-Apr-07	Pu-239/240	0.000000361	pCi/m3	0.00000073	0.00000096	U		
SESPMNT	B1MY87	200 W SOUTH EAST	ONSITE	AT	25-Jun-07	Pu-239/240	0.00000123	pCi/m3	0.0000001	0.00000012			
SESPMNT	B1P235	200 W SOUTH EAST	ONSITE	AT	02-Oct-07	Pu-239/240	0.000000379	pCi/m3	0.00000055	0.00000077	U		
SESPMNT	B1PRF6	200 W SOUTH EAST	ONSITE	AT	26-Dec-07	Pu-239/240	0.000000668	pCi/m3	0.0000001	0.00000012	U		
SESPMNT	B1LVR9	300 AREA	ONSITE	AT	29-Mar-07	Pu-239/240	-0.000000228	pCi/m3	0.00000008	0.00000011	U		
SESPMNT	B1MYC3	300 AREA	ONSITE	AT	06-Jul-07	Pu-239/240	0.000000194	pCi/m3	0.00000011	0.00000013			
SESPMNT	B1P265	300 AREA	ONSITE	AT	26-Sep-07	Pu-239/240	0.000000142	pCi/m3	0.00000005	0.00000082	U		
SESPMNT	B1PRK6	300 AREA	ONSITE	AT	03-Jan-08	Pu-239/240	0.000000591	pCi/m3	0.00000077	0.00000099	U		
SESPMNT	B1LV28	300 NE	ONSITE	AT	29-Mar-07	Pu-239/240	-0.000000821	pCi/m3	0.0000003	0.00000037	U		The CRDL was not met.
SESPMNT	B1MXN5	300 NE	ONSITE	AT	06-Jul-07	Pu-239/240	0.000000264	pCi/m3	0.00000023	0.00000029	U		
SESPMNT	B1P1K7	300 NE	ONSITE	AT	26-Sep-07	Pu-239/240	0.000000262	pCi/m3	0.00000033	0.00000039	U		
SESPMNT	B1PR15	300 NE	ONSITE	AT	03-Jan-08	Pu-239/240	-0.000000108	pCi/m3	0.0000002	0.00000028	U		
SESPMNT	B1LV35	300 TRENCH	ONSITE	AT	29-Mar-07	Pu-239/240	0.000000115	pCi/m3	0.00000021	0.00000028	U		
SESPMNT	B1MXP3	300 TRENCH	ONSITE	AT	06-Jul-07	Pu-239/240	0.00000041	pCi/m3	0.00000027	0.00000033			
SESPMNT	B1P1L4	300 TRENCH	ONSITE	AT	26-Sep-07	Pu-239/240	0.000000367	pCi/m3	0.00000013	0.00000022	U		
SESPMNT	B1PR23	300 TRENCH	ONSITE	AT	03-Jan-08	Pu-239/240	-0.000000432	pCi/m3	0.00000012	0.00000019	U		
SESPMNT	B1LVV8	400 AREA	ONSITE	AT	28-Mar-07	Pu-239/240	0.000000348	pCi/m3	0.00000055	0.00000063	U		
SESPMNT	B1MYF5	400 AREA	ONSITE	AT	02-Jul-07	Pu-239/240	0.000000019	pCi/m3	0.00000004	0.00000048	U		
SESPMNT	B1P284	400 AREA	ONSITE	AT	25-Sep-07	Pu-239/240	7.43E-08	pCi/m3	0.00000004	0.00000049	U		
SESPMNT	B1PRM8	400 AREA	ONSITE	AT	02-Jan-08	Pu-239/240	-0.000000031	pCi/m3	0.00000059	0.00000066	U		
SESPMNT	B1LVM1	B POND	ONSITE	AT	04-Apr-07	Pu-239/240	-0.000000409	pCi/m3	0.00000009	0.0000002	U		
SESPMNT	B1MY80	B POND	ONSITE	AT	25-Jun-07	Pu-239/240	0.000000327	pCi/m3	0.00000015	0.00000024	U		
SESPMNT	B1P227	B POND	ONSITE	AT	02-Oct-07	Pu-239/240	0.000000705	pCi/m3	0.00000014	0.00000021	U		
SESPMNT	B1PRD8	B POND	ONSITE	AT	26-Dec-07	Pu-239/240	-9.04E-08	pCi/m3	0.00000012	0.0000002	U		
SESPMNT	B1LW95	BASIN CITY SCHOOL	COMMUNITY	AT	06-Apr-07	Pu-239/240	-0.000000131	pCi/m3	0.00000035	0.00000039	U		The CRDL was not met.
SESPMNT	B1MYY4	BASIN CITY SCHOOL	COMMUNITY	AT	28-Jun-07	Pu-239/240	-0.000000109	pCi/m3	0.00000023	0.0000003	U		
SESPMNT	B1P2R1	BASIN CITY SCHOOL	COMMUNITY	AT	04-Oct-07	Pu-239/240	0.000000326	pCi/m3	0.00000012	0.0000002	U		
SESPMNT	B1PT55	BASIN CITY SCHOOL	COMMUNITY	AT	28-Dec-07	Pu-239/240	-0.0000000112	pCi/m3	0.00000027	0.00000034	U		
SESPMNT	B1LW24	BYERS LANDING	PERIMETER	AT	06-Apr-07	Pu-239/240	0.000000152	pCi/m3	0.00000029	0.00000034	U		The CRDL was not met.
SESPMNT	B1MYN3	BYERS LANDING	PERIMETER	AT	28-Jun-07	Pu-239/240	0.000000128	pCi/m3	0.00000019	0.00000028	U		
SESPMNT	B1P2H0	BYERS LANDING	PERIMETER	AT	04-Oct-07	Pu-239/240	0.000000351	pCi/m3	0.00000013	0.00000021	U		

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## AIR - COMPOSITES AND H-3

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1PRW9	BYERS LANDING	PERIMETER	AT	28-Dec-07	Pu-239/240	0.000000976	pCi/m3	0.0000022	0.000003	U		
SESPMNT	B1LWL3	HANFORD TOWNSITE	ONSITE	AT	28-Mar-07	Pu-239/240	-0.000000627	pCi/m3	0.0000017	0.0000018	U		Sample failed, tracer yield is below acceptance criteria.
SESPMNT	B1N028	HANFORD TOWNSITE	ONSITE	AT	02-Jul-07	Pu-239/240	-3.31E-08	pCi/m3	0.00000073	0.00000073	U		
SESPMNT	B1P2W7	HANFORD TOWNSITE	ONSITE	AT	25-Sep-07	Pu-239/240	0.000000421	pCi/m3	0.00000091	0.0000011	U		
SESPMNT	B1PT91	HANFORD TOWNSITE	ONSITE	AT	02-Jan-08	Pu-239/240	-3.98E-08	pCi/m3	0.00000067	0.00000098	U		
SESPMNT	B1LWB3	LESLIE GROVES-RCHLND	COMMUNITY	AT	05-Apr-07	Pu-239/240	-0.00000122	pCi/m3	0.0000049	0.0000053	U		The CRDL was not met.
SESPMNT	B1N001	LESLIE GROVES-RCHLND	COMMUNITY	AT	27-Jun-07	Pu-239/240	-0.00000113	pCi/m3	0.0000018	0.0000028	U		
SESPMNT	B1P2R9	LESLIE GROVES-RCHLND	COMMUNITY	AT	03-Oct-07	Pu-239/240	0.000000778	pCi/m3	0.0000015	0.0000023	U		
SESPMNT	B1PT63	LESLIE GROVES-RCHLND	COMMUNITY	AT	27-Dec-07	Pu-239/240	-0.000000122	pCi/m3	0.0000018	0.0000028	U		
SESPMNT	B1LW32	PROSSER BARRICADE	PERIMETER	AT	03-Apr-07	Pu-239/240	0.000000764	pCi/m3	0.0000018	0.0000021	U		
SESPMNT	B1MYP0	PROSSER BARRICADE	PERIMETER	AT	03-Jul-07	Pu-239/240	-1.01E-08	pCi/m3	0.00000049	0.0000011	U		
SESPMNT	B1P2H8	PROSSER BARRICADE	PERIMETER	AT	27-Sep-07	Pu-239/240	-5.64E-08	pCi/m3	0.0000012	0.0000012	U		
SESPMNT	B1PRX7	PROSSER BARRICADE	PERIMETER	AT	04-Jan-08	Pu-239/240	0.000000175	pCi/m3	0.00000063	0.0000011	U		
SESPMNT	B1LW08	RINGOLD MET TOWER	PERIMETER	AT	06-Apr-07	Pu-239/240	6.97E-08	pCi/m3	0.0000035	0.0000037	U		
SESPMNT	B1MYL9	RINGOLD MET TOWER	PERIMETER	AT	28-Jun-07	Pu-239/240	0.000000783	pCi/m3	0.0000011	0.0000016	U		
SESPMNT	B1P2D4	RINGOLD MET TOWER	PERIMETER	AT	04-Oct-07	Pu-239/240	0.000000193	pCi/m3	0.0000011	0.0000014	U		
SESPMNT	B1PRV3	RINGOLD MET TOWER	PERIMETER	AT	28-Dec-07	Pu-239/240	0.000000876	pCi/m3	0.0000038	0.0000042	U		
SESPMNT	B1LW73	TRI CITIES	COMMUNITY	AT	06-Apr-07	Pu-239/240	0.000000444	pCi/m3	0.0000012	0.0000013	U		
SESPMNT	B1MYW3	TRI CITIES	COMMUNITY	AT	28-Jun-07	Pu-239/240	0.000000111	pCi/m3	0.0000004	0.00000069	U		
SESPMNT	B1P2M9	TRI CITIES	COMMUNITY	AT	04-Oct-07	Pu-239/240	0.000000587	pCi/m3	0.00000068	0.00000082	U		
SESPMNT	B1PT32	TRI CITIES	COMMUNITY	AT	28-Dec-07	Pu-239/240	0.000000239	pCi/m3	0.00000054	0.00000076	U		
SESPMNT	B1LW00	W END OF FIR ROAD	PERIMETER	AT	06-Apr-07	Pu-239/240	0.00000176	pCi/m3	0.0000051	0.0000054	U		The CRDL was not met.
SESPMNT	B1MYL2	W END OF FIR ROAD	PERIMETER	AT	28-Jun-07	Pu-239/240	0.000000389	pCi/m3	0.0000023	0.0000031	U		
SESPMNT	B1P2C6	W END OF FIR ROAD	PERIMETER	AT	04-Oct-07	Pu-239/240	-0.00000146	pCi/m3	0.0000018	0.0000026	U		
SESPMNT	B1PRT5	W END OF FIR ROAD	PERIMETER	AT	28-Dec-07	Pu-239/240	-0.000000732	pCi/m3	0.0000018	0.0000027	U		
SESPMNT	B1LW58	WAHLUKE SLOPE	PERIMETER	AT	05-Apr-07	Pu-239/240	-0.000000208	pCi/m3	0.00000079	0.00000095	U		
SESPMNT	B1MYV0	WAHLUKE SLOPE	PERIMETER	AT	27-Jun-07	Pu-239/240	0.000000266	pCi/m3	0.00000052	0.00000079	U		
SESPMNT	B1P2L4	WAHLUKE SLOPE	PERIMETER	AT	03-Oct-07	Pu-239/240	0.000000505	pCi/m3	0.00000071	0.00000089	U		
SESPMNT	B1PT17	WAHLUKE SLOPE	PERIMETER	AT	27-Dec-07	Pu-239/240	0.000000531	pCi/m3	0.000001	0.0000012	U		
SESPMNT	B1LVV3	WYE BARRICADE	ONSITE	AT	28-Mar-07	Pu-239/240	-0.00000146	pCi/m3	0.0000028	0.0000033	U		The CRDL was not met.
SESPMNT	B1MYK4	WYE BARRICADE	ONSITE	AT	02-Jul-07	Pu-239/240	-0.000000088	pCi/m3	0.0000013	0.000002	U		
SESPMNT	B1P2B9	WYE BARRICADE	ONSITE	AT	25-Sep-07	Pu-239/240	0.000000275	pCi/m3	0.000001	0.0000018	U		
SESPMNT	B1PRR7	WYE BARRICADE	ONSITE	AT	02-Jan-08	Pu-239/240	-0.000000506	pCi/m3	0.0000015	0.0000021	U		
SESPMNT	B1LW88	YAKIMA	DISTANT	AT	03-Apr-07	Pu-239/240	-0.000000405	pCi/m3	0.0000016	0.0000025	U		
SESPMNT	B1MYX6	YAKIMA	DISTANT	AT	03-Jul-07	Pu-239/240	0.00000113	pCi/m3	0.0000017	0.0000025	U		
SESPMNT	B1P2P4	YAKIMA	DISTANT	AT	27-Sep-07	Pu-239/240	-0.000000115	pCi/m3	0.0000016	0.0000026	U		
SESPMNT	B1PT47	YAKIMA	DISTANT	AT	21-Dec-07	Pu-239/240	0.00000085	pCi/m3	0.0000023	0.000003	U		
SESPMNT	B1LW45	YAKIMA BARRICADE	PERIMETER	AT	03-Apr-07	Pu-239/240	0.000000402	pCi/m3	0.0000012	0.0000014	U		
SESPMNT	B1MYR5	YAKIMA BARRICADE	PERIMETER	AT	03-Jul-07	Pu-239/240	-2.87E-08	pCi/m3	0.00000051	0.00000072	U		
SESPMNT	B1P2K1	YAKIMA BARRICADE	PERIMETER	AT	27-Sep-07	Pu-239/240	0.000000114	pCi/m3	0.00000042	0.00000072	U		
SESPMNT	B1PT02	YAKIMA BARRICADE	PERIMETER	AT	04-Jan-08	Pu-239/240	0.000000475	pCi/m3	0.00000062	0.00000081	U		
SESPMNT	B1LVH7	100 AREAS	ONSITE	AT	27-Mar-07	Sr-90	0.000000629	pCi/m3	0.000013	0.000015	U		
SESPMNT	B1MY45	100 AREAS	ONSITE	AT	02-Jul-07	Sr-90	0.000000336	pCi/m3	0.0000098	0.000013	U		
SESPMNT	B1P1Y3	100 AREAS	ONSITE	AT	25-Sep-07	Sr-90	0.000000508	pCi/m3	0.000011	0.000012	U		
SESPMNT	B1PR91	100 AREAS	ONSITE	AT	02-Jan-08	Sr-90	-0.00000557	pCi/m3	0.000011	0.000013	U		
SESPMNT	B1LVK6	200 E AREA	ONSITE	AT	04-Apr-07	Sr-90	0.00000341	pCi/m3	0.000022	0.000025	U		
SESPMNT	B1MY67	200 E AREA	ONSITE	AT	12-Jun-07	Sr-90	0.00000485	pCi/m3	0.000025	0.000033	U		
SESPMNT	B1P212	200 E AREA	ONSITE	AT	02-Oct-07	Sr-90	-0.00000834	pCi/m3	0.000039	0.000039	U		
SESPMNT	B1PRC3	200 E AREA	ONSITE	AT	26-Dec-07	Sr-90	-0.0000319	pCi/m3	0.000046	0.000046	U		
SESPMNT	B1LVM9	200 W SOUTH EAST	ONSITE	AT	04-Apr-07	Sr-90	0.00000104	pCi/m3	0.000021	0.000021	U		
SESPMNT	B1MY87	200 W SOUTH EAST	ONSITE	AT	25-Jun-07	Sr-90	-0.00000621	pCi/m3	0.0000098	0.000023	U		
SESPMNT	B1P235	200 W SOUTH EAST	ONSITE	AT	02-Oct-07	Sr-90	0.00000192	pCi/m3	0.000014	0.000018	U		
SESPMNT	B1PRF6	200 W SOUTH EAST	ONSITE	AT	26-Dec-07	Sr-90	-0.0000107	pCi/m3	0.000029	0.000033	U		
SESPMNT	B1LVR9	300 AREA	ONSITE	AT	29-Mar-07	Sr-90	-0.00000766	pCi/m3	0.000031	0.000031	U		
SESPMNT	B1MYC3	300 AREA	ONSITE	AT	06-Jul-07	Sr-90	-0.00000991	pCi/m3	0.000018	0.000018	U		
SESPMNT	B1P265	300 AREA	ONSITE	AT	26-Sep-07	Sr-90	0.0000015	pCi/m3	0.000021	0.000021	U		
SESPMNT	B1PRK6	300 AREA	ONSITE	AT	03-Jan-08	Sr-90	-0.0000134	pCi/m3	0.000017	0.000021	U		
SESPMNT	B1LV28	300 NE	ONSITE	AT	29-Mar-07	Sr-90	0.00000609	pCi/m3	0.000072	0.000085	U		The CRDL was not met.
SESPMNT	B1MXN5	300 NE	ONSITE	AT	06-Jul-07	Sr-90	-0.0000234	pCi/m3	0.000049	0.000066	U		
SESPMNT	B1P1K7	300 NE	ONSITE	AT	26-Sep-07	Sr-90	-0.0000264	pCi/m3	0.000044	0.000058	U		
SESPMNT	B1PR15	300 NE	ONSITE	AT	03-Jan-08	Sr-90	0.0000844	pCi/m3	0.000062	0.000072	U		
SESPMNT	B1LV35	300 TRENCH	ONSITE	AT	29-Mar-07	Sr-90	0.0000154	pCi/m3	0.000083	0.000094	U		The CRDL was not met.
SESPMNT	B1MXP3	300 TRENCH	ONSITE	AT	06-Jul-07	Sr-90	-0.0000334	pCi/m3	0.00005	0.00005	U		

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## AIR - COMPOSITES AND H-3

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1P1L4	300 TRENCH	ONSITE	AT	26-Sep-07	Sr-90	-0.0000144	pCi/m3	0.000051	0.000051	U		
SESPMNT	B1PR23	300 TRENCH	ONSITE	AT	03-Jan-08	Sr-90	0.0000184	pCi/m3	0.000071	0.000076	U		
SESPMNT	B1LVV8	400 AREA	ONSITE	AT	28-Mar-07	Sr-90	0.0000213	pCi/m3	0.000019	0.000021	U		
SESPMNT	B1MYF5	400 AREA	ONSITE	AT	02-Jul-07	Sr-90	0.0000145	pCi/m3	0.000011	0.000012	U		
SESPMNT	B1P284	400 AREA	ONSITE	AT	25-Sep-07	Sr-90	0.00000837	pCi/m3	0.0000079	0.0000091	U		
SESPMNT	B1PRM8	400 AREA	ONSITE	AT	02-Jan-08	Sr-90	0.00000444	pCi/m3	0.000011	0.000013	U		
SESPMNT	B1LW95	BASIN CITY SCHOOL	COMMUNITY	AT	06-Apr-07	Sr-90	-0.00000784	pCi/m3	0.000089	0.00033	U		Sample failed, tracer yield is below acceptance criteria. The CRDL was not met.
SESPMNT	B1MY4	BASIN CITY SCHOOL	COMMUNITY	AT	28-Jun-07	Sr-90	-0.0000793	pCi/m3	0.00007	0.000077	U		
SESPMNT	B1P2R1	BASIN CITY SCHOOL	COMMUNITY	AT	04-Oct-07	Sr-90	-0.00000676	pCi/m3	0.000069	0.000069	U		
SESPMNT	B1PT55	BASIN CITY SCHOOL	COMMUNITY	AT	28-Dec-07	Sr-90	-0.0000671	pCi/m3	0.000088	0.000097	U		
SESPMNT	B1LW24	BYERS LANDING	PERIMETER	AT	06-Apr-07	Sr-90	-0.0000122	pCi/m3	0.000029	0.000053	U		
SESPMNT	B1MYN3	BYERS LANDING	PERIMETER	AT	28-Jun-07	Sr-90	-0.0000131	pCi/m3	0.0000025	0.000065	U		
SESPMNT	B1P2H0	BYERS LANDING	PERIMETER	AT	04-Oct-07	Sr-90	0.0000368	pCi/m3	0.000059	0.000064	U		
SESPMNT	B1PRW9	BYERS LANDING	PERIMETER	AT	28-Dec-07	Sr-90	-0.0000375	pCi/m3	0.000059	0.000059	U		
SESPMNT	B1LW16	DOGWOOD MET TOWER	PERIMETER	AT	06-Apr-07	Sr-90	0.000022	pCi/m3	0.000035	0.00005	U		
SESPMNT	B1MYM6	DOGWOOD MET TOWER	PERIMETER	AT	28-Jun-07	Sr-90	0.0000313	pCi/m3	0.000069	0.00007	U		
SESPMNT	B1P2F2	DOGWOOD MET TOWER	PERIMETER	AT	04-Oct-07	Sr-90	-0.0000314	pCi/m3	0.000056	0.00006	U		
SESPMNT	B1PRW1	DOGWOOD MET TOWER	PERIMETER	AT	28-Dec-07	Sr-90	-0.000028	pCi/m3	0.000082	0.000082	U		
SESPMNT	B1LWL3	HANFORD TOWNSITE	ONSITE	AT	28-Mar-07	Sr-90	0.0000111	pCi/m3	0.000029	0.000029	U		
SESPMNT	B1N028	HANFORD TOWNSITE	ONSITE	AT	02-Jul-07	Sr-90	0.00000246	pCi/m3	0.000013	0.000021	U		
SESPMNT	B1P2W7	HANFORD TOWNSITE	ONSITE	AT	25-Sep-07	Sr-90	-0.00000173	pCi/m3	0.000016	0.000018	U		
SESPMNT	B1PT91	HANFORD TOWNSITE	ONSITE	AT	02-Jan-08	Sr-90	-0.0000066	pCi/m3	0.000015	0.000023	U		
SESPMNT	B1LWB3	LESLIE GROVES-RCHLND	COMMUNITY	AT	05-Apr-07	Sr-90	0.0000149	pCi/m3	0.000049	0.000062	U		The CRDL was not met.
SESPMNT	B1N001	LESLIE GROVES-RCHLND	COMMUNITY	AT	27-Jun-07	Sr-90	0.0000141	pCi/m3	0.000071	0.000079	U		
SESPMNT	B1P2R9	LESLIE GROVES-RCHLND	COMMUNITY	AT	03-Oct-07	Sr-90	-0.0000686	pCi/m3	0.000055	0.000063	U		
SESPMNT	B1PT63	LESLIE GROVES-RCHLND	COMMUNITY	AT	27-Dec-07	Sr-90	-0.0000225	pCi/m3	0.000078	0.000078	U		
SESPMNT	B1LW32	PROSSER BARRICADE	PERIMETER	AT	03-Apr-07	Sr-90	0.00000754	pCi/m3	0.000028	0.000036	U		
SESPMNT	B1MYP0	PROSSER BARRICADE	PERIMETER	AT	03-Jul-07	Sr-90	-0.0000161	pCi/m3	0.000017	0.000027	U		
SESPMNT	B1P2H8	PROSSER BARRICADE	PERIMETER	AT	27-Sep-07	Sr-90	-5.99E-08	pCi/m3	0.000028	0.00003	U		
SESPMNT	B1PRX7	PROSSER BARRICADE	PERIMETER	AT	04-Jan-08	Sr-90	-0.0000115	pCi/m3	0.00003	0.00003	U		
SESPMNT	B1LW08	RINGOLD MET TOWER	PERIMETER	AT	06-Apr-07	Sr-90	-0.00000988	pCi/m3	0.000037	0.00004	U		
SESPMNT	B1MYL9	RINGOLD MET TOWER	PERIMETER	AT	28-Jun-07	Sr-90	-0.0000177	pCi/m3	0.000028	0.000042	U		
SESPMNT	B1P2D4	RINGOLD MET TOWER	PERIMETER	AT	04-Oct-07	Sr-90	0.0000122	pCi/m3	0.000032	0.000035	U		
SESPMNT	B1PRV3	RINGOLD MET TOWER	PERIMETER	AT	28-Dec-07	Sr-90	-0.0000101	pCi/m3	0.000015	0.000031	U		
SESPMNT	B1LW73	TRI CITIES	COMMUNITY	AT	06-Apr-07	Sr-90	0.0000491	pCi/m3	0.000072	0.000078	U		Sample failed, tracer yield is below acceptance criteria.
SESPMNT	B1MYW3	TRI CITIES	COMMUNITY	AT	28-Jun-07	Sr-90	-0.00000209	pCi/m3	0.00001	0.00002	U		
SESPMNT	B1P2M9	TRI CITIES	COMMUNITY	AT	04-Oct-07	Sr-90	0.00000712	pCi/m3	0.000013	0.000015	U		
SESPMNT	B1PT32	TRI CITIES	COMMUNITY	AT	28-Dec-07	Sr-90	-0.0000218	pCi/m3	0.000019	0.000022	U		
SESPMNT	B1LW00	W END OF FIR ROAD	PERIMETER	AT	06-Apr-07	Sr-90	-0.00000852	pCi/m3	0.000045	0.000067	U		The CRDL was not met.
SESPMNT	B1MYL2	W END OF FIR ROAD	PERIMETER	AT	28-Jun-07	Sr-90	-0.0000791	pCi/m3	0.000071	0.000078	U		
SESPMNT	B1P2C6	W END OF FIR ROAD	PERIMETER	AT	04-Oct-07	Sr-90	-0.0000242	pCi/m3	0.000066	0.000066	U		
SESPMNT	B1PRT5	W END OF FIR ROAD	PERIMETER	AT	28-Dec-07	Sr-90	-0.0000346	pCi/m3	0.00005	0.000062	U		
SESPMNT	B1LW58	WAHLUKE SLOPE	PERIMETER	AT	05-Apr-07	Sr-90	0.00000339	pCi/m3	0.000031	0.000031	U		
SESPMNT	B1MYV0	WAHLUKE SLOPE	PERIMETER	AT	27-Jun-07	Sr-90	-0.00000337	pCi/m3	0.0000034	0.000022	U		
SESPMNT	B1P2L4	WAHLUKE SLOPE	PERIMETER	AT	03-Oct-07	Sr-90	0.0000107	pCi/m3	0.000015	0.000018	U		
SESPMNT	B1PT17	WAHLUKE SLOPE	PERIMETER	AT	27-Dec-07	Sr-90	-0.0000172	pCi/m3	0.00002	0.000023	U		
SESPMNT	B1LVY3	WYE BARRICADE	ONSITE	AT	28-Mar-07	Sr-90	-0.0000676	pCi/m3	0.000081	0.00011	U		The CRDL was not met.
SESPMNT	B1MYK4	WYE BARRICADE	ONSITE	AT	02-Jul-07	Sr-90	-0.0000557	pCi/m3	0.000039	0.000048	U		
SESPMNT	B1P2B9	WYE BARRICADE	ONSITE	AT	25-Sep-07	Sr-90	-0.0000239	pCi/m3	0.000034	0.000037	U		
SESPMNT	B1PRR7	WYE BARRICADE	ONSITE	AT	02-Jan-08	Sr-90	-0.00001	pCi/m3	0.000057	0.000058	U		
SESPMNT	B1LW88	YAKIMA	DISTANT	AT	03-Apr-07	Sr-90	-0.0000953	pCi/m3	0.000069	0.000079	U		The CRDL was not met.
SESPMNT	B1MYX6	YAKIMA	DISTANT	AT	03-Jul-07	Sr-90	0.00000644	pCi/m3	0.000047	0.000058	U		
SESPMNT	B1P2P4	YAKIMA	DISTANT	AT	27-Sep-07	Sr-90	-0.0000491	pCi/m3	0.000078	0.000078	U		
SESPMNT	B1PT47	YAKIMA	DISTANT	AT	21-Dec-07	Sr-90	0.000000485	pCi/m3	0.000064	0.000064	U		
SESPMNT	B1LW45	YAKIMA BARRICADE	PERIMETER	AT	03-Apr-07	Sr-90	0.00000504	pCi/m3	0.000014	0.000018	U		
SESPMNT	B1MYR5	YAKIMA BARRICADE	PERIMETER	AT	03-Jul-07	Sr-90	0.00000977	pCi/m3	0.000017	0.000018	U		
SESPMNT	B1P2K1	YAKIMA BARRICADE	PERIMETER	AT	27-Sep-07	Sr-90	0.0000123	pCi/m3	0.000018	0.000021	U		
SESPMNT	B1PT02	YAKIMA BARRICADE	PERIMETER	AT	04-Jan-08	Sr-90	-0.0000159	pCi/m3	0.00002	0.000023	U		
SESPMNT	B1LVK6	200 E AREA	ONSITE	AT	04-Apr-07	U-234	-0.00000348	pCi/m3	0.000004	0.00012	U		
SESPMNT	B1MY67	200 E AREA	ONSITE	AT	12-Jun-07	U-234	0.0000142	pCi/m3	0.0000067	0.00014	U		
SESPMNT	B1P212	200 E AREA	ONSITE	AT	02-Oct-07	U-234	-7.19E-09	pCi/m3	0.0000041	0.00011	U		
SESPMNT	B1PRC3	200 E AREA	ONSITE	AT	26-Dec-07	U-234	0.0000283	pCi/m3	0.0000065	0.0000079	U		

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## AIR - COMPOSITES AND H-3

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1LVR1	200 W AREA	ONSITE	AT	04-Apr-07	U-234	-0.0000224	pCi/m3	0.0000049	0.00025	U		
SESPMNT	B1MYB6	200 W AREA	ONSITE	AT	25-Jun-07	U-234	-0.0000159	pCi/m3	0.0000099	0.00028	U		
SESPMNT	B1P257	200 W AREA	ONSITE	AT	02-Oct-07	U-234	-0.00000804	pCi/m3	0.000008	0.00022	U		
SESPMNT	B1PRJ8	200 W AREA	ONSITE	AT	26-Dec-07	U-234	0.0000187	pCi/m3	0.0000068	0.0000074			
SESPMNT	B1LVM9	200 W SOUTH EAST	ONSITE	AT	04-Apr-07	U-234	0.00000765	pCi/m3	0.0000041	0.000084	U		
SESPMNT	B1MY87	200 W SOUTH EAST	ONSITE	AT	25-Jun-07	U-234	-0.00000113	pCi/m3	0.0000029	0.000085	U		
SESPMNT	B1P235	200 W SOUTH EAST	ONSITE	AT	02-Oct-07	U-234	0.00000965	pCi/m3	0.0000038	0.000072	U		
SESPMNT	B1PRF6	200 W SOUTH EAST	ONSITE	AT	26-Dec-07	U-234	0.0000103	pCi/m3	0.0000031	0.0000035			
SESPMNT	B1LVR9	300 AREA	ONSITE	AT	29-Mar-07	U-234	0.0000164	pCi/m3	0.0000054	0.000094	U		
SESPMNT	B1MYC3	300 AREA	ONSITE	AT	06-Jul-07	U-234	0.0000125	pCi/m3	0.000004	0.000076	U		
SESPMNT	B1P265	300 AREA	ONSITE	AT	26-Sep-07	U-234	0.0000197	pCi/m3	0.0000052	0.000087	U		
SESPMNT	B1PRK6	300 AREA	ONSITE	AT	03-Jan-08	U-234	0.0000288	pCi/m3	0.0000049	0.0000067			
SESPMNT	B1LV28	300 NE	ONSITE	AT	29-Mar-07	U-234	0.00000359	pCi/m3	0.000012	0.0003	U		
SESPMNT	B1MXN5	300 NE	ONSITE	AT	06-Jul-07	U-234	-0.00000605	pCi/m3	0.0000075	0.00022	U		
SESPMNT	B1P1K7	300 NE	ONSITE	AT	26-Sep-07	U-234	0.000027	pCi/m3	0.000015	0.00027	U		
SESPMNT	B1PR15	300 NE	ONSITE	AT	03-Jan-08	U-234	0.0000229	pCi/m3	0.0000085	0.0000092			
SESPMNT	B1LV35	300 TRENCH	ONSITE	AT	29-Mar-07	U-234	0.00000299	pCi/m3	0.000011	0.00025	U		
SESPMNT	B1MXP3	300 TRENCH	ONSITE	AT	06-Jul-07	U-234	0.00000981	pCi/m3	0.0000093	0.00022	U		
SESPMNT	B1P1L4	300 TRENCH	ONSITE	AT	26-Sep-07	U-234	0.00000494	pCi/m3	0.0000091	0.00023	U		
SESPMNT	B1PR23	300 TRENCH	ONSITE	AT	03-Jan-08	U-234	0.0000432	pCi/m3	0.0000092	0.000011			
SESPMNT	B1LVM1	B POND	ONSITE	AT	04-Apr-07	U-234	-0.0000141	pCi/m3	0.0000076	0.00023	U		
SESPMNT	B1MY80	B POND	ONSITE	AT	25-Jun-07	U-234	-0.0000233	pCi/m3	0.0000054	0.00025	U		
SESPMNT	B1P227	B POND	ONSITE	AT	02-Oct-07	U-234	-0.00000813	pCi/m3	0.0000065	0.00021	U		
SESPMNT	B1PRD8	B POND	ONSITE	AT	26-Dec-07	U-234	0.0000206	pCi/m3	0.0000067	0.0000074			
SESPMNT	B1LW95	BASIN CITY SCHOOL	COMMUNITY	AT	06-Apr-07	U-234	0.000015	pCi/m3	0.000012	0.00024	U		
SESPMNT	B1MY4	BASIN CITY SCHOOL	COMMUNITY	AT	28-Jun-07	U-234	-0.0000138	pCi/m3	0.0000094	0.00026	U		
SESPMNT	B1P2R1	BASIN CITY SCHOOL	COMMUNITY	AT	04-Oct-07	U-234	0.00000466	pCi/m3	0.000009	0.00022	U		
SESPMNT	B1PT55	BASIN CITY SCHOOL	COMMUNITY	AT	28-Dec-07	U-234	0.0000293	pCi/m3	0.0000089	0.00001			
SESPMNT	B1LW24	BYERS LANDING	PERIMETER	AT	06-Apr-07	U-234	-0.00000027	pCi/m3	0.0000086	0.00024	U		
SESPMNT	B1MYN3	BYERS LANDING	PERIMETER	AT	28-Jun-07	U-234	-0.000000906	pCi/m3	0.000011	0.00028	U		
SESPMNT	B1P2H0	BYERS LANDING	PERIMETER	AT	04-Oct-07	U-234	0.0000151	pCi/m3	0.00001	0.00022	U		
SESPMNT	B1PRW9	BYERS LANDING	PERIMETER	AT	28-Dec-07	U-234	0.0000322	pCi/m3	0.0000092	0.00001			
SESPMNT	B1LW16	DOGWOOD MET TOWER	PERIMETER	AT	06-Apr-07	U-234	-0.0000195	pCi/m3	0.0000053	0.00024	U		
SESPMNT	B1MYM6	DOGWOOD MET TOWER	PERIMETER	AT	28-Jun-07	U-234	-0.0000035	pCi/m3	0.0000091	0.00026	U		
SESPMNT	B1P2F2	DOGWOOD MET TOWER	PERIMETER	AT	04-Oct-07	U-234	0.0000202	pCi/m3	0.00001	0.00021	U		
SESPMNT	B1PRW1	DOGWOOD MET TOWER	PERIMETER	AT	28-Dec-07	U-234	0.0000262	pCi/m3	0.0000082	0.0000091			
SESPMNT	B1LWB3	LESLIE GROVES-RCHLND	COMMUNITY	AT	05-Apr-07	U-234	-0.00000868	pCi/m3	0.0000079	0.00024	U		
SESPMNT	B1N001	LESLIE GROVES-RCHLND	COMMUNITY	AT	27-Jun-07	U-234	-0.0000119	pCi/m3	0.0000095	0.00028	U		
SESPMNT	B1P2R9	LESLIE GROVES-RCHLND	COMMUNITY	AT	03-Oct-07	U-234	0.00000076	pCi/m3	0.0000096	0.00024	U		
SESPMNT	B1PT63	LESLIE GROVES-RCHLND	COMMUNITY	AT	27-Dec-07	U-234	0.0000224	pCi/m3	0.0000081	0.0000088			
SESPMNT	B1LW32	PROSSER BARRICADE	PERIMETER	AT	03-Apr-07	U-234	-0.00000616	pCi/m3	0.000004	0.00013	U		
SESPMNT	B1MYP0	PROSSER BARRICADE	PERIMETER	AT	03-Jul-07	U-234	-0.00000361	pCi/m3	0.000004	0.00013	U		
SESPMNT	B1P2H8	PROSSER BARRICADE	PERIMETER	AT	27-Sep-07	U-234	-0.00000268	pCi/m3	0.0000049	0.00013	U		
SESPMNT	B1PRX7	PROSSER BARRICADE	PERIMETER	AT	04-Jan-08	U-234	0.0000155	pCi/m3	0.0000042	0.0000048			
SESPMNT	B1LW00	W END OF FIR ROAD	PERIMETER	AT	06-Apr-07	U-234	-0.00000576	pCi/m3	0.0000082	0.00024	U		
SESPMNT	B1MYL2	W END OF FIR ROAD	PERIMETER	AT	28-Jun-07	U-234	-0.0000254	pCi/m3	0.0000078	0.00029	U		
SESPMNT	B1P2C6	W END OF FIR ROAD	PERIMETER	AT	04-Oct-07	U-234	0.00000432	pCi/m3	0.0000093	0.00024	U		
SESPMNT	B1PRT5	W END OF FIR ROAD	PERIMETER	AT	28-Dec-07	U-234	0.0000263	pCi/m3	0.0000082	0.0000091			
SESPMNT	B1LVY3	WYE BARRICADE	ONSITE	AT	28-Mar-07	U-234	-0.0000155	pCi/m3	0.0000065	0.00023	U		
SESPMNT	B1MYK4	WYE BARRICADE	ONSITE	AT	02-Jul-07	U-234	-0.0000159	pCi/m3	0.0000048	0.00021	U		
SESPMNT	B1P2B9	WYE BARRICADE	ONSITE	AT	25-Sep-07	U-234	-0.0000104	pCi/m3	0.0000054	0.00019	U		
SESPMNT	B1PRR7	WYE BARRICADE	ONSITE	AT	02-Jan-08	U-234	0.0000309	pCi/m3	0.0000092	0.00001			
SESPMNT	B1LW88	YAKIMA	DISTANT	AT	03-Apr-07	U-234	-0.00000906	pCi/m3	0.0000096	0.00026	U		
SESPMNT	B1MYX6	YAKIMA	DISTANT	AT	03-Jul-07	U-234	-0.0000127	pCi/m3	0.0000063	0.00024	U		
SESPMNT	B1P2P4	YAKIMA	DISTANT	AT	27-Sep-07	U-234	-0.00000345	pCi/m3	0.000011	0.00027	U		
SESPMNT	B1PT47	YAKIMA	DISTANT	AT	21-Dec-07	U-234	0.000013	pCi/m3	0.0000065	0.0000068			
SESPMNT	B1LVK6	200 E AREA	ONSITE	AT	04-Apr-07	U-235	-0.00000127	pCi/m3	0.00000089	0.0000067	U		
SESPMNT	B1MY67	200 E AREA	ONSITE	AT	12-Jun-07	U-235	0.00000528	pCi/m3	0.0000031	0.0000083	U		
SESPMNT	B1P212	200 E AREA	ONSITE	AT	02-Oct-07	U-235	-0.000000837	pCi/m3	0.00000096	0.0000059	U		
SESPMNT	B1PRC3	200 E AREA	ONSITE	AT	26-Dec-07	U-235	0.00000215	pCi/m3	0.0000019	0.0000019	U		
SESPMNT	B1LVR1	200 W AREA	ONSITE	AT	04-Apr-07	U-235	-0.00000199	pCi/m3	0.0000013	0.000014	U		
SESPMNT	B1MYB6	200 W AREA	ONSITE	AT	25-Jun-07	U-235	-0.000000873	pCi/m3	0.000003	0.000015	U		
SESPMNT	B1P257	200 W AREA	ONSITE	AT	02-Oct-07	U-235	-0.00000229	pCi/m3	0.0000015	0.000012	U		
SESPMNT	B1PRJ8	200 W AREA	ONSITE	AT	26-Dec-07	U-235	0.000000586	pCi/m3	0.0000017	0.0000017	U		
SESPMNT	B1LVM9	200 W SOUTH EAST	ONSITE	AT	04-Apr-07	U-235	-3.13E-08	pCi/m3	0.0000012	0.0000047	U		
SESPMNT	B1MY87	200 W SOUTH EAST	ONSITE	AT	25-Jun-07	U-235	0.000000708	pCi/m3	0.0000013	0.0000049	U		

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## AIR - COMPOSITES AND H-3

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1P235	200 W SOUTH EAST	ONSITE	AT	02-Oct-07	U-235	0.000000277	pCi/m3	0.00000097	0.0000041	U		
SESPMNT	B1PRF6	200 W SOUTH EAST	ONSITE	AT	26-Dec-07	U-235	0.00000022	pCi/m3	0.00000076	0.0000076	U		
SESPMNT	B1LVR9	300 AREA	ONSITE	AT	29-Mar-07	U-235	0.00000037	pCi/m3	0.0000016	0.0000054	U		
SESPMNT	B1MYC3	300 AREA	ONSITE	AT	06-Jul-07	U-235	-0.000000456	pCi/m3	0.00000097	0.0000043	U		
SESPMNT	B1P265	300 AREA	ONSITE	AT	26-Sep-07	U-235	0.000000534	pCi/m3	0.0000012	0.0000049	U		
SESPMNT	B1PRK6	300 AREA	ONSITE	AT	03-Jan-08	U-235	0.000000199	pCi/m3	0.0000011	0.0000011	U		
SESPMNT	B1LV28	300 NE	ONSITE	AT	29-Mar-07	U-235	-0.00000241	pCi/m3	0.0000016	0.000017	U		
SESPMNT	B1MXN5	300 NE	ONSITE	AT	06-Jul-07	U-235	0.000000227	pCi/m3	0.0000031	0.000013	U		
SESPMNT	B1P1K7	300 NE	ONSITE	AT	26-Sep-07	U-235	0.000012	pCi/m3	0.0000072	0.000017	U		
SESPMNT	B1PR15	300 NE	ONSITE	AT	03-Jan-08	U-235	-0.00000241	pCi/m3	0.0000034	0.0000034	U		
SESPMNT	B1LV35	300 TRENCH	ONSITE	AT	29-Mar-07	U-235	0.0000017	pCi/m3	0.0000035	0.000014	U		
SESPMNT	B1MXP3	300 TRENCH	ONSITE	AT	06-Jul-07	U-235	0.000000373	pCi/m3	0.0000026	0.000012	U		
SESPMNT	B1P1L4	300 TRENCH	ONSITE	AT	26-Sep-07	U-235	-0.000000664	pCi/m3	0.0000026	0.000013	U		
SESPMNT	B1PR23	300 TRENCH	ONSITE	AT	03-Jan-08	U-235	7.19E-11	pCi/m3	0.0000014	0.0000014	U		
SESPMNT	B1LVM1	B POND	ONSITE	AT	04-Apr-07	U-235	-0.000000842	pCi/m3	0.0000023	0.000013	U		
SESPMNT	B1MY80	B POND	ONSITE	AT	25-Jun-07	U-235	-0.0000026	pCi/m3	0.0000028	0.000014	U		
SESPMNT	B1P227	B POND	ONSITE	AT	02-Oct-07	U-235	-0.00000132	pCi/m3	0.0000019	0.000012	U		
SESPMNT	B1PRD8	B POND	ONSITE	AT	26-Dec-07	U-235	-5.28E-11	pCi/m3	0.0000015	0.0000015	U		
SESPMNT	B1LW95	BASIN CITY SCHOOL	COMMUNITY	AT	06-Apr-07	U-235	0.00000553	pCi/m3	0.000005	0.000014	U		
SESPMNT	B1MYY4	BASIN CITY SCHOOL	COMMUNITY	AT	28-Jun-07	U-235	-0.00000337	pCi/m3	0.0000018	0.000014	U		
SESPMNT	B1P2R1	BASIN CITY SCHOOL	COMMUNITY	AT	04-Oct-07	U-235	-0.00000173	pCi/m3	0.0000015	0.000012	U		
SESPMNT	B1PT55	BASIN CITY SCHOOL	COMMUNITY	AT	28-Dec-07	U-235	0.00000326	pCi/m3	0.0000032	0.0000032	U		
SESPMNT	B1LW24	BYERS LANDING	PERIMETER	AT	06-Apr-07	U-235	-0.00000124	pCi/m3	0.0000022	0.000013	U		
SESPMNT	B1MYN3	BYERS LANDING	PERIMETER	AT	28-Jun-07	U-235	-0.000000547	pCi/m3	0.0000037	0.000016	U		
SESPMNT	B1P2H0	BYERS LANDING	PERIMETER	AT	04-Oct-07	U-235	-0.00000173	pCi/m3	0.000002	0.000012	U		
SESPMNT	B1PRW9	BYERS LANDING	PERIMETER	AT	28-Dec-07	U-235	0.00000193	pCi/m3	0.0000029	0.0000029	U		
SESPMNT	B1LW16	DOGWOOD MET TOWER	PERIMETER	AT	06-Apr-07	U-235	-0.00000305	pCi/m3	0.0000016	0.000013	U		
SESPMNT	B1MYM6	DOGWOOD MET TOWER	PERIMETER	AT	28-Jun-07	U-235	0.00000087	pCi/m3	0.0000042	0.000015	U		
SESPMNT	B1P2F2	DOGWOOD MET TOWER	PERIMETER	AT	04-Oct-07	U-235	8.14E-08	pCi/m3	0.0000025	0.000012	U		
SESPMNT	B1PRW1	DOGWOOD MET TOWER	PERIMETER	AT	28-Dec-07	U-235	0.00000187	pCi/m3	0.0000025	0.0000025	U		
SESPMNT	B1LWB3	LESLIE GROVES-RCHLND	COMMUNITY	AT	05-Apr-07	U-235	-0.00000109	pCi/m3	0.0000028	0.000013	U		
SESPMNT	B1N001	LESLIE GROVES-RCHLND	COMMUNITY	AT	27-Jun-07	U-235	0.000000334	pCi/m3	0.000004	0.000016	U		
SESPMNT	B1P2R9	LESLIE GROVES-RCHLND	COMMUNITY	AT	03-Oct-07	U-235	-0.000000148	pCi/m3	0.0000026	0.000013	U		
SESPMNT	B1PT63	LESLIE GROVES-RCHLND	COMMUNITY	AT	27-Dec-07	U-235	1.05E-10	pCi/m3	0.000002	0.000002	U		
SESPMNT	B1LW32	PROSSER BARRICADE	PERIMETER	AT	03-Apr-07	U-235	-0.00000107	pCi/m3	0.0000009	0.0000073	U		
SESPMNT	B1MYP0	PROSSER BARRICADE	PERIMETER	AT	03-Jul-07	U-235	-0.000000736	pCi/m3	0.000001	0.000007	U		
SESPMNT	B1P2H8	PROSSER BARRICADE	PERIMETER	AT	27-Sep-07	U-235	-0.000000323	pCi/m3	0.0000016	0.0000076	U		
SESPMNT	B1PRX7	PROSSER BARRICADE	PERIMETER	AT	04-Jan-08	U-235	0.00000138	pCi/m3	0.0000014	0.0000014	U		
SESPMNT	B1LW00	W END OF FIR ROAD	PERIMETER	AT	06-Apr-07	U-235	3.66E-08	pCi/m3	0.0000028	0.000013	U		
SESPMNT	B1MYL2	W END OF FIR ROAD	PERIMETER	AT	28-Jun-07	U-235	-0.00000301	pCi/m3	0.0000038	0.000016	U		
SESPMNT	B1P2C6	W END OF FIR ROAD	PERIMETER	AT	04-Oct-07	U-235	-0.000000139	pCi/m3	0.0000027	0.000014	U		
SESPMNT	B1PRT5	W END OF FIR ROAD	PERIMETER	AT	28-Dec-07	U-235	0.000000584	pCi/m3	0.0000026	0.0000026	U		
SESPMNT	B1LVY3	WYE BARRICADE	ONSITE	AT	28-Mar-07	U-235	-0.00000244	pCi/m3	0.000013	0.000013	U		
SESPMNT	B1MYK4	WYE BARRICADE	ONSITE	AT	02-Jul-07	U-235	-0.00000172	pCi/m3	0.0000014	0.000012	U		
SESPMNT	B1P2B9	WYE BARRICADE	ONSITE	AT	25-Sep-07	U-235	-0.00000158	pCi/m3	0.0000013	0.000011	U		
SESPMNT	B1PRR7	WYE BARRICADE	ONSITE	AT	02-Jan-08	U-235	0.00000116	pCi/m3	0.000002	0.000002	U		
SESPMNT	B1LW88	YAKIMA	DISTANT	AT	03-Apr-07	U-235	0.00000186	pCi/m3	0.0000051	0.000015	U		
SESPMNT	B1MYX6	YAKIMA	DISTANT	AT	03-Jul-07	U-235	-0.00000247	pCi/m3	0.0000015	0.000013	U		
SESPMNT	B1P2P4	YAKIMA	DISTANT	AT	27-Sep-07	U-235	-0.000000175	pCi/m3	0.0000033	0.000015	U		
SESPMNT	B1PT47	YAKIMA	DISTANT	AT	21-Dec-07	U-235	-0.00000113	pCi/m3	0.0000023	0.0000023	U		
SESPMNT	B1LVK6	200 E AREA	ONSITE	AT	04-Apr-07	U-238	0.000012	pCi/m3	0.0000041	0.0000048			
SESPMNT	B1MY67	200 E AREA	ONSITE	AT	12-Jun-07	U-238	0.0000181	pCi/m3	0.0000053	0.0000063			
SESPMNT	B1P212	200 E AREA	ONSITE	AT	02-Oct-07	U-238	0.0000169	pCi/m3	0.0000045	0.0000054			
SESPMNT	B1PRC3	200 E AREA	ONSITE	AT	26-Dec-07	U-238	0.0000237	pCi/m3	0.000006	0.000007			
SESPMNT	B1LVR1	200 W AREA	ONSITE	AT	04-Apr-07	U-238	0.0000112	pCi/m3	0.0000058	0.000007			
SESPMNT	B1MYB6	200 W AREA	ONSITE	AT	25-Jun-07	U-238	0.0000173	pCi/m3	0.0000094	0.000011			
SESPMNT	B1P257	200 W AREA	ONSITE	AT	02-Oct-07	U-238	0.0000207	pCi/m3	0.000007	0.0000083			
SESPMNT	B1PRJ8	200 W AREA	ONSITE	AT	26-Dec-07	U-238	0.0000258	pCi/m3	0.0000083	0.0000092			
SESPMNT	B1LVM9	200 W SOUTH EAST	ONSITE	AT	04-Apr-07	U-238	0.0000198	pCi/m3	0.0000042	0.0000053			
SESPMNT	B1MY87	200 W SOUTH EAST	ONSITE	AT	25-Jun-07	U-238	0.0000103	pCi/m3	0.0000031	0.0000037			
SESPMNT	B1P235	200 W SOUTH EAST	ONSITE	AT	02-Oct-07	U-238	0.0000198	pCi/m3	0.0000041	0.0000052			
SESPMNT	B1PRF6	200 W SOUTH EAST	ONSITE	AT	26-Dec-07	U-238	0.0000121	pCi/m3	0.0000033	0.0000038			
SESPMNT	B1LVR9	300 AREA	ONSITE	AT	29-Mar-07	U-238	0.0000212	pCi/m3	0.0000046	0.0000059			
SESPMNT	B1MYC3	300 AREA	ONSITE	AT	06-Jul-07	U-238	0.0000183	pCi/m3	0.0000037	0.0000048			
SESPMNT	B1P265	300 AREA	ONSITE	AT	26-Sep-07	U-238	0.000032	pCi/m3	0.0000053	0.0000073			
SESPMNT	B1PRK6	300 AREA	ONSITE	AT	03-Jan-08	U-238	0.0000292	pCi/m3	0.000005	0.0000067			

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## AIR - COMPOSITES AND H-3

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1LV28	300 NE	ONSITE	AT	29-Mar-07	U-238	0.0000332	pCi/m3	0.000011	0.000013			
SESPMNT	B1MXN5	300 NE	ONSITE	AT	06-Jul-07	U-238	0.0000136	pCi/m3	0.0000061	0.0000072			
SESPMNT	B1P1K7	300 NE	ONSITE	AT	26-Sep-07	U-238	0.0000267	pCi/m3	0.00001	0.000012			
SESPMNT	B1PR15	300 NE	ONSITE	AT	03-Jan-08	U-238	0.0000313	pCi/m3	0.0000096	0.000011			
SESPMNT	B1LV35	300 TRENCH	ONSITE	AT	29-Mar-07	U-238	0.0000272	pCi/m3	0.000011	0.000012			
SESPMNT	B1MXP3	300 TRENCH	ONSITE	AT	06-Jul-07	U-238	0.0000303	pCi/m3	0.0000084	0.00001			
SESPMNT	B1P1L4	300 TRENCH	ONSITE	AT	26-Sep-07	U-238	0.0000344	pCi/m3	0.0000093	0.000011			
SESPMNT	B1PR23	300 TRENCH	ONSITE	AT	03-Jan-08	U-238	0.0000379	pCi/m3	0.0000086	0.00001			
SESPMNT	B1LVM1	B POND	ONSITE	AT	04-Apr-07	U-238	0.0000101	pCi/m3	0.0000062	0.0000072			
SESPMNT	B1MY80	B POND	ONSITE	AT	25-Jun-07	U-238	0.00000657	pCi/m3	0.0000052	0.0000064			
SESPMNT	B1P227	B POND	ONSITE	AT	02-Oct-07	U-238	0.0000188	pCi/m3	0.0000065	0.0000077			
SESPMNT	B1PRD8	B POND	ONSITE	AT	26-Dec-07	U-238	0.0000195	pCi/m3	0.0000065	0.0000072			
SESPMNT	B1LW95	BASIN CITY SCHOOL	COMMUNITY	AT	06-Apr-07	U-238	0.0000182	pCi/m3	0.0000083	0.0000094			
SESPMNT	B1MY4	BASIN CITY SCHOOL	COMMUNITY	AT	28-Jun-07	U-238	0.0000176	pCi/m3	0.0000089	0.00001			
SESPMNT	B1P2R1	BASIN CITY SCHOOL	COMMUNITY	AT	04-Oct-07	U-238	0.0000253	pCi/m3	0.0000078	0.0000093			
SESPMNT	B1PT55	BASIN CITY SCHOOL	COMMUNITY	AT	28-Dec-07	U-238	0.0000248	pCi/m3	0.0000082	0.0000091			
SESPMNT	B1LW24	BYERS LANDING	PERIMETER	AT	06-Apr-07	U-238	0.0000178	pCi/m3	0.0000073	0.0000085			
SESPMNT	B1MYN3	BYERS LANDING	PERIMETER	AT	28-Jun-07	U-238	0.0000194	pCi/m3	0.000011	0.000012			
SESPMNT	B1P2H0	BYERS LANDING	PERIMETER	AT	04-Oct-07	U-238	0.0000449	pCi/m3	0.00001	0.000013			
SESPMNT	B1PRW9	BYERS LANDING	PERIMETER	AT	28-Dec-07	U-238	0.000027	pCi/m3	0.0000084	0.0000094			
SESPMNT	B1LW16	DOGWOOD MET TOWER	PERIMETER	AT	06-Apr-07	U-238	0.0000106	pCi/m3	0.000006	0.0000071			
SESPMNT	B1MYM6	DOGWOOD MET TOWER	PERIMETER	AT	28-Jun-07	U-238	0.000031	pCi/m3	0.0000094	0.000011			
SESPMNT	B1P2F2	DOGWOOD MET TOWER	PERIMETER	AT	04-Oct-07	U-238	0.0000428	pCi/m3	0.00001	0.000012			
SESPMNT	B1PRW1	DOGWOOD MET TOWER	PERIMETER	AT	28-Dec-07	U-238	0.0000237	pCi/m3	0.0000078	0.0000086			
SESPMNT	B1LWB3	LESLIE GROVES-RCHLND	COMMUNITY	AT	05-Apr-07	U-238	0.0000196	pCi/m3	0.0000078	0.0000091			
SESPMNT	B1N001	LESLIE GROVES-RCHLND	COMMUNITY	AT	27-Jun-07	U-238	0.0000242	pCi/m3	0.000011	0.000012			
SESPMNT	B1P2R9	LESLIE GROVES-RCHLND	COMMUNITY	AT	03-Oct-07	U-238	0.0000385	pCi/m3	0.0000098	0.000012			
SESPMNT	B1PT63	LESLIE GROVES-RCHLND	COMMUNITY	AT	27-Dec-07	U-238	0.0000203	pCi/m3	0.0000078	0.0000084			
SESPMNT	B1LW32	PROSSER BARRICADE	PERIMETER	AT	03-Apr-07	U-238	0.00000974	pCi/m3	0.0000041	0.0000048			
SESPMNT	B1MYP0	PROSSER BARRICADE	PERIMETER	AT	03-Jul-07	U-238	0.0000136	pCi/m3	0.0000043	0.0000051			
SESPMNT	B1P2H8	PROSSER BARRICADE	PERIMETER	AT	27-Sep-07	U-238	0.0000161	pCi/m3	0.0000052	0.0000061			
SESPMNT	B1PRX7	PROSSER BARRICADE	PERIMETER	AT	04-Jan-08	U-238	0.0000172	pCi/m3	0.0000044	0.0000051			
SESPMNT	B1LW00	W END OF FIR ROAD	PERIMETER	AT	06-Apr-07	U-238	0.0000183	pCi/m3	0.0000073	0.0000086			
SESPMNT	B1MYL2	W END OF FIR ROAD	PERIMETER	AT	28-Jun-07	U-238	0.0000171	pCi/m3	0.0000086	0.0000099			
SESPMNT	B1P2C6	W END OF FIR ROAD	PERIMETER	AT	04-Oct-07	U-238	0.0000369	pCi/m3	0.0000097	0.000012			
SESPMNT	B1PRT5	W END OF FIR ROAD	PERIMETER	AT	28-Dec-07	U-238	0.0000199	pCi/m3	0.0000069	0.0000076			
SESPMNT	B1LVY3	WYE BARRICADE	ONSITE	AT	28-Mar-07	U-238	0.0000177	pCi/m3	0.0000074	0.0000086			
SESPMNT	B1MYK4	WYE BARRICADE	ONSITE	AT	02-Jul-07	U-238	0.00000695	pCi/m3	0.0000043	0.0000053			
SESPMNT	B1P2B9	WYE BARRICADE	ONSITE	AT	25-Sep-07	U-238	0.000014	pCi/m3	0.0000055	0.0000065			
SESPMNT	B1PRR7	WYE BARRICADE	ONSITE	AT	02-Jan-08	U-238	0.0000227	pCi/m3	0.0000078	0.0000086			
SESPMNT	B1LW88	YAKIMA	DISTANT	AT	03-Apr-07	U-238	0.0000097	pCi/m3	0.0000085	0.0000094	U		
SESPMNT	B1MYX6	YAKIMA	DISTANT	AT	03-Jul-07	U-238	0.0000141	pCi/m3	0.0000062	0.0000074			
SESPMNT	B1P2P4	YAKIMA	DISTANT	AT	27-Sep-07	U-238	0.0000235	pCi/m3	0.0000092	0.000011			
SESPMNT	B1PT47	YAKIMA	DISTANT	AT	21-Dec-07	U-238	0.0000125	pCi/m3	0.0000077	0.0000079			
SESPMNT	B1M568	100 K AREA	ONSITE	AT	15-Jan-07	H-3	3.3	pCi/m3	0.47	0.67			
SESPMNT	B1MC75	100 K AREA	ONSITE	AT	13-Feb-07	H-3	6.59	pCi/m3	0.6	1.1			The matrix blank is failed due to a high result.
SESPMNT	B1MPC5	100 K AREA	ONSITE	AT	12-Mar-07	H-3	1.43	pCi/m3	0.39	0.53			
SESPMNT	B1N496	100 K AREA	ONSITE	AT	10-Apr-07	H-3	3.06	pCi/m3	0.58	0.76			
SESPMNT	B1NFY6	100 K AREA	ONSITE	AT	08-May-07	H-3	0.875	pCi/m3	0.4	0.53			The matrix blank is failed due to high result.
SESPMNT	B1NRM9	100 K AREA	ONSITE	AT	06-Jun-07	H-3	2.35	pCi/m3	0.56	0.7			
SESPMNT	B1P327	100 K AREA	ONSITE	AT	02-Jul-07	H-3	2.65	pCi/m3	0.59	0.81			
SESPMNT	B1P7Y2	100 K AREA	ONSITE	AT	27-Jul-07	H-3	2.62	pCi/m3	0.84	1.1			
SESPMNT	B1PK12	100 K AREA	ONSITE	AT	24-Aug-07							NO SAMPLE. VACUUM LINE TO SILICA GEL COLUMNS DISCONNECTED, FIXED.	
SESPMNT	B1PM98	100 K AREA	ONSITE	AT	25-Sep-07	H-3	2.25	pCi/m3	0.64	0.81			
SESPMNT	B1R111	100 K AREA	ONSITE	AT	24-Oct-07	H-3	1.07	pCi/m3	0.58	0.72	U		
SESPMNT	B1R934	100 K AREA	ONSITE	AT	19-Nov-07	H-3	4.52	pCi/m3	0.69	1			
SESPMNT	B1RPT7	100 K AREA	ONSITE	AT	20-Dec-07	H-3	2.38	pCi/m3	0.46	0.61			
SESPMNT	B1M569	100 N-1325 CRIB	ONSITE	AT	15-Jan-07	H-3	3.84	pCi/m3	0.45	0.7			
SESPMNT	B1MC76	100 N-1325 CRIB	ONSITE	AT	13-Feb-07	H-3	2.2	pCi/m3	0.38	0.54			The matrix blank is failed due to a high result.
SESPMNT	B1MPC6	100 N-1325 CRIB	ONSITE	AT	12-Mar-07	H-3	1.55	pCi/m3	0.4	0.55			
SESPMNT	B1N497	100 N-1325 CRIB	ONSITE	AT	10-Apr-07	H-3	6.15	pCi/m3	0.74	1.1			
SESPMNT	B1NFY7	100 N-1325 CRIB	ONSITE	AT	08-May-07	H-3	3.88	pCi/m3	0.66	0.92			The matrix blank is failed due to high result.
SESPMNT	B1NRN0	100 N-1325 CRIB	ONSITE	AT	06-Jun-07	H-3	3.98	pCi/m3	0.69	0.92			
SESPMNT	B1P328	100 N-1325 CRIB	ONSITE	AT	02-Jul-07	H-3	4.25	pCi/m3	0.71	1			
SESPMNT	B1P7Y3	100 N-1325 CRIB	ONSITE	AT	27-Jul-07	H-3	4.44	pCi/m3	0.9	1.2			

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## AIR - COMPOSITES AND H-3

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1PK13	100 N-1325 CRIB	ONSITE	AT	24-Aug-07	H-3	3.54	pCi/m3	0.88	1.2			
SESPMNT	B1PM99	100 N-1325 CRIB	ONSITE	AT	25-Sep-07	H-3	3.54	pCi/m3	0.8	1			
SESPMNT	B1R112	100 N-1325 CRIB	ONSITE	AT	24-Oct-07	H-3	2.05	pCi/m3	0.67	0.84			
SESPMNT	B1R935	100 N-1325 CRIB	ONSITE	AT	19-Nov-07	H-3	0.874	pCi/m3	0.47	0.65	U		
SESPMNT	B1RPT8	100 N-1325 CRIB	ONSITE	AT	20-Dec-07	H-3	4	pCi/m3	0.6	0.86			
SESPMNT	B1LWV7	200 ESE	ONSITE	AT	09-Jan-07	H-3	7.81	pCi/m3	0.74	1.3			
SESPMNT	B1MBF8	200 ESE	ONSITE	AT	06-Feb-07	H-3	1.38	pCi/m3	0.33	0.45			
SESPMNT	B1MLR4	200 ESE	ONSITE	AT	06-Mar-07	H-3	2.93	pCi/m3	0.58	0.81			
SESPMNT	B1N083	200 ESE	ONSITE	AT	04-Apr-07	H-3	1.97	pCi/m3	0.43	0.51			
SESPMNT	B1NDN3	200 ESE	ONSITE	AT	01-May-07	H-3		pCi/m3			U		The matrix blank is failed due to high result.
SESPMNT	B1NK35	200 ESE	ONSITE	AT	29-May-07	H-3	3.01	pCi/m3	0.58	0.76			The matrix blank is failed due to a high blank.
SESPMNT	B1NWB3	200 ESE	ONSITE	AT	25-Jun-07	H-3	2.88	pCi/m3	0.69	0.86			
SESPMNT	B1P444	200 ESE	ONSITE	AT	23-Jul-07	H-3	0.617	pCi/m3	0.47	0.68	U		
SESPMNT	B1PD85	200 ESE	ONSITE	AT	21-Aug-07							NO SAMPLE. FLOW REGULATOR BAD, NO FLOW. CHANGED OUT.	
SESPMNT	B1PLL3	200 ESE	ONSITE	AT	18-Sep-07	H-3	1.62	pCi/m3	0.63	0.85			
SESPMNT	B1PYC3	200 ESE	ONSITE	AT	16-Oct-07	H-3	1.02	pCi/m3	0.57	0.77	U		
SESPMNT	B1R8L2	200 ESE	ONSITE	AT	09-Nov-07	H-3	1.32	pCi/m3	0.42	0.51		PUMP REPLACED. ASSUMED END FLOW EQUALS START FLOW.	
SESPMNT	B1RN49	200 ESE	ONSITE	AT	10-Dec-07	H-3	1.76	pCi/m3	0.45	0.57			
SESPMNT	B1LWV8	200 TEL. EXCHANGE	ONSITE	AT	09-Jan-07	H-3	1.24	pCi/m3	0.39	0.48			
SESPMNT	B1MBF9	200 TEL. EXCHANGE	ONSITE	AT	06-Feb-07	H-3	6.82	pCi/m3	0.64	1.1		PUMP REPLACED 1/24/07, EXPOSURE HOURS NOT RECORDED AND WERE CALCULATED MANUALLY.	
SESPMNT	B1MLR5	200 TEL. EXCHANGE	ONSITE	AT	06-Mar-07	H-3	5.77	pCi/m3	0.71	1.1			
SESPMNT	B1N084	200 TEL. EXCHANGE	ONSITE	AT	04-Apr-07	H-3	10.2	pCi/m3	0.64	0.96			
SESPMNT	B1NDN4	200 TEL. EXCHANGE	ONSITE	AT	01-May-07	H-3		pCi/m3			U		The matrix blank is failed due to high result.
SESPMNT	B1NK36	200 TEL. EXCHANGE	ONSITE	AT	29-May-07	H-3	1.5	pCi/m3	0.46	0.57			The matrix blank is failed due to a high blank.
SESPMNT	B1NWB4	200 TEL. EXCHANGE	ONSITE	AT	25-Jun-07	H-3	1.73	pCi/m3	0.53	0.66			
SESPMNT	B1P445	200 TEL. EXCHANGE	ONSITE	AT	23-Jul-07	H-3	0.778	pCi/m3	0.5	0.71	U		
SESPMNT	B1PD86	200 TEL. EXCHANGE	ONSITE	AT	21-Aug-07	H-3	1.18	pCi/m3	0.53	0.71			
SESPMNT	B1PLL4	200 TEL. EXCHANGE	ONSITE	AT	18-Sep-07	H-3	4.15	pCi/m3	0.8	1.1			
SESPMNT	B1PYC4	200 TEL. EXCHANGE	ONSITE	AT	16-Oct-07	H-3	0.555	pCi/m3	0.46	0.65	U		
SESPMNT	B1R8L3	200 TEL. EXCHANGE	ONSITE	AT	09-Nov-07	H-3	0.521	pCi/m3	0.42	0.5	U		
SESPMNT	B1RN50	200 TEL. EXCHANGE	ONSITE	AT	10-Dec-07	H-3	3.3	pCi/m3	0.56	0.77			
SESPMNT	B1M572	300 NE	ONSITE	AT	17-Jan-07	H-3	10.8	pCi/m3	0.78	1.6			
SESPMNT	B1MC79	300 NE	ONSITE	AT	14-Feb-07	H-3	6.36	pCi/m3	0.63	1.1			The matrix blank is failed due to a high result.
SESPMNT	B1MPC9	300 NE	ONSITE	AT	14-Mar-07	H-3	11.4	pCi/m3	0.99	1.8			The matrix blank is failed due to a high result.
SESPMNT	B1N4B0	300 NE	ONSITE	AT	11-Apr-07	H-3	7.37	pCi/m3	0.9	1.4		REPLACED MICRO-VALVE.	
SESPMNT	B1NH00	300 NE	ONSITE	AT	09-May-07							NO SAMPLE. REPLACED PUMP/MICRO VALVE BUT UNABLE TO ADJUST TO 190 ML/M.	
SESPMNT	B1NRN3	300 NE	ONSITE	AT	07-Jun-07	H-3	11.2	pCi/m3	1.4	2.1		ON 5/23/07 UNABLE TO CHECK FLOW AND REPLACED MICRO-VALVE, ADJUSTED TO 190 ML/M WITH 334.3 EXPOSURE HOURS.	
SESPMNT	B1P331	300 NE	ONSITE	AT	06-Jul-07	H-3	9.41	pCi/m3	1.1	1.7			
SESPMNT	B1P7Y6	300 NE	ONSITE	AT	07-Aug-07	H-3	4.47	pCi/m3	0.79	1.1			
SESPMNT	B1PK16	300 NE	ONSITE	AT	30-Aug-07	H-3	11.3	pCi/m3	1.3	2			
SESPMNT	B1PMB2	300 NE	ONSITE	AT	26-Sep-07	H-3	13.2	pCi/m3	1.4	2.3			
SESPMNT	B1R115	300 NE	ONSITE	AT	25-Oct-07	H-3	14.4	pCi/m3	1.3	2.4			
SESPMNT	B1R938	300 NE	ONSITE	AT	20-Nov-07	H-3	8.1	pCi/m3	1.5	2.1			
SESPMNT	B1RPV1	300 NE	ONSITE	AT	19-Dec-07	H-3	2.56	pCi/m3	0.49	0.65			
SESPMNT	B1M570	300 SOUTH GATE	ONSITE	AT	17-Jan-07	H-3	20.7	pCi/m3	1.4	3			
SESPMNT	B1M576	300 SOUTH GATE	ONSITE	AT	17-Jan-07	H-3	17.4	pCi/m3	1	2.4			
SESPMNT	B1MC77	300 SOUTH GATE	ONSITE	AT	14-Feb-07	H-3	5.44	pCi/m3	0.6	0.98			The matrix blank is failed due to a high result.
SESPMNT	B1MC83	300 SOUTH GATE	ONSITE	AT	14-Feb-07	H-3	8.43	pCi/m3	0.93	1.5			The matrix blank is failed due to a high result.
SESPMNT	B1MPC7	300 SOUTH GATE	ONSITE	AT	14-Mar-07	H-3	11	pCi/m3	0.96	1.7			The matrix blank is failed due to a high result.
SESPMNT	B1MPD3	300 SOUTH GATE	ONSITE	AT	14-Mar-07	H-3	7.4	pCi/m3	0.84	1.3			The matrix blank is failed due to a high result.
SESPMNT	B1N498	300 SOUTH GATE	ONSITE	AT	11-Apr-07	H-3	3.98	pCi/m3	0.66	0.9			
SESPMNT	B1N4B4	300 SOUTH GATE	ONSITE	AT	11-Apr-07	H-3	9.86	pCi/m3	0.95	1.6			
SESPMNT	B1NFY8	300 SOUTH GATE	ONSITE	AT	09-May-07	H-3	17.7	pCi/m3	1.8	3			The matrix blank is failed due to a high blank.
SESPMNT	B1NH04	300 SOUTH GATE	ONSITE	AT	09-May-07	H-3	5.79	pCi/m3	0.75	1.1			The matrix blank is failed due to a high blank.
SESPMNT	B1NRN1	300 SOUTH GATE	ONSITE	AT	07-Jun-07	H-3	8.67	pCi/m3	0.95	1.5			
SESPMNT	B1NRN7	300 SOUTH GATE	ONSITE	AT	07-Jun-07	H-3	13.6	pCi/m3	1.4	2.3			
SESPMNT	B1P329	300 SOUTH GATE	ONSITE	AT	06-Jul-07	H-3	5.2	pCi/m3	0.85	1.2			
SESPMNT	B1P335	300 SOUTH GATE	ONSITE	AT	06-Jul-07	H-3	6.32	pCi/m3	0.92	1.3			

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## AIR - COMPOSITES AND H-3

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1P7Y4	300 SOUTH GATE	ONSITE	AT	07-Aug-07	H-3	11.8	pCi/m3	1.4	2.1			
SESPMNT	B1P800	300 SOUTH GATE	ONSITE	AT	07-Aug-07	H-3	9.43	pCi/m3	1.2	1.8			
SESPMNT	B1PK14	300 SOUTH GATE	ONSITE	AT	30-Aug-07	H-3	0.0809	pCi/m3	0.11	0.14	U		
SESPMNT	B1PK20	300 SOUTH GATE	ONSITE	AT	30-Aug-07	H-3	8.94	pCi/m3	1.1	1.7			
SESPMNT	B1PMB0	300 SOUTH GATE	ONSITE	AT	26-Sep-07	H-3	10.2	pCi/m3	1.7	2.3			
SESPMNT	B1PMB6	300 SOUTH GATE	ONSITE	AT	26-Sep-07	H-3	6.65	pCi/m3	0.97	1.4			
SESPMNT	B1R113	300 SOUTH GATE	ONSITE	AT	25-Oct-07	H-3	8.86	pCi/m3	1.2	1.8			
SESPMNT	B1R120	300 SOUTH GATE	ONSITE	AT	25-Oct-07	H-3	5.12	pCi/m3	0.85	1.2			
SESPMNT	B1R936	300 SOUTH GATE	ONSITE	AT	20-Nov-07	H-3	2.08	pCi/m3	0.73	0.91			
SESPMNT	B1R942	300 SOUTH GATE	ONSITE	AT	20-Nov-07	H-3	12.8	pCi/m3	1.9	2.8			
SESPMNT	B1RPT9	300 SOUTH GATE	ONSITE	AT	19-Dec-07	H-3	2.41	pCi/m3	0.46	0.62			
SESPMNT	B1RPV5	300 SOUTH GATE	ONSITE	AT	19-Dec-07	H-3	3.71	pCi/m3	0.55	0.79			
SESPMNT	B1M579	300 SOUTH WEST	ONSITE	AT	17-Jan-07	H-3	10.8	pCi/m3	0.86	1.6			
SESPMNT	B1MC86	300 SOUTH WEST	ONSITE	AT	14-Feb-07	H-3	14.8	pCi/m3	1.2	2.3			The matrix blank is failed due to a high result.
SESPMNT	B1MPD6	300 SOUTH WEST	ONSITE	AT	14-Mar-07	H-3	12	pCi/m3	1	1.9			The matrix blank is failed due to a high result.
SESPMNT	B1N487	300 SOUTH WEST	ONSITE	AT	11-Apr-07	H-3	29.1	pCi/m3	1.6	4.1			
SESPMNT	B1NH07	300 SOUTH WEST	ONSITE	AT	09-May-07	H-3	4.69	pCi/m3	0.81	1.1			The matrix blank is failed due to a high blank.
SESPMNT	B1NRPO	300 SOUTH WEST	ONSITE	AT	07-Jun-07	H-3	17.7	pCi/m3	1.4	2.7			
SESPMNT	B1P338	300 SOUTH WEST	ONSITE	AT	06-Jul-07	H-3	9	pCi/m3	1	1.6			
SESPMNT	B1P803	300 SOUTH WEST	ONSITE	AT	07-Aug-07	H-3	11.5	pCi/m3	1.4	2.1			
SESPMNT	B1PK23	300 SOUTH WEST	ONSITE	AT	30-Aug-07	H-3	23.3	pCi/m3	1.7	3.5			
SESPMNT	B1PMB9	300 SOUTH WEST	ONSITE	AT	26-Sep-07	H-3	10.9	pCi/m3	1.3	2			
SESPMNT	B1R123	300 SOUTH WEST	ONSITE	AT	25-Oct-07	H-3	5.88	pCi/m3	0.94	1.3			
SESPMNT	B1R945	300 SOUTH WEST	ONSITE	AT	20-Nov-07	H-3	10.3	pCi/m3	1	1.8			
SESPMNT	B1RPV8	300 SOUTH WEST	ONSITE	AT	19-Dec-07	H-3	4.1	pCi/m3	0.63	0.89			
SESPMNT	B1M571	300 TRENCH	ONSITE	AT	17-Jan-07	H-3	16.6	pCi/m3	1.1	2.4			
SESPMNT	B1MC78	300 TRENCH	ONSITE	AT	14-Feb-07	H-3	3.74	pCi/m3	0.56	0.82			
SESPMNT	B1MPC8	300 TRENCH	ONSITE	AT	14-Mar-07	H-3	6.88	pCi/m3	0.78	1.2			The matrix blank is failed due to a high result.
SESPMNT	B1N499	300 TRENCH	ONSITE	AT	11-Apr-07	H-3	9.65	pCi/m3	0.93	1.6			
SESPMNT	B1NFY9	300 TRENCH	ONSITE	AT	09-May-07	H-3	14.6	pCi/m3	1.1	2.2			The matrix blank is failed due to a high blank.
SESPMNT	B1NRN2	300 TRENCH	ONSITE	AT	07-Jun-07	H-3	12.5	pCi/m3	1.2	2.1		PUMP REPLACED. ASSUMED END FLOW EQUALS START FLOW.	
SESPMNT	B1P330	300 TRENCH	ONSITE	AT	06-Jul-07	H-3	7.11	pCi/m3	0.92	1.3			
SESPMNT	B1P7Y5	300 TRENCH	ONSITE	AT	07-Aug-07	H-3	3.58	pCi/m3	0.77	1			
SESPMNT	B1PK15	300 TRENCH	ONSITE	AT	30-Aug-07	H-3	10.8	pCi/m3	1.2	1.9			
SESPMNT	B1PMB1	300 TRENCH	ONSITE	AT	26-Sep-07	H-3	13.4	pCi/m3	1.3	2.3			
SESPMNT	B1R114	300 TRENCH	ONSITE	AT	25-Oct-07	H-3	3.99	pCi/m3	0.81	1.1			
SESPMNT	B1R937	300 TRENCH	ONSITE	AT	20-Nov-07	H-3	4.84	pCi/m3	0.97	1.3			
SESPMNT	B1RPV0	300 TRENCH	ONSITE	AT	19-Dec-07	H-3	9.4	pCi/m3	1.8	2.4			
SESPMNT	B1M578	300 WATER INTAKE	ONSITE	AT	17-Jan-07	H-3	11.1	pCi/m3	0.78	1.6			
SESPMNT	B1MC85	300 WATER INTAKE	ONSITE	AT	14-Feb-07	H-3	5.78	pCi/m3	0.64	1			The matrix blank is failed due to a high result.
SESPMNT	B1MPD5	300 WATER INTAKE	ONSITE	AT	14-Mar-07	H-3	5.64	pCi/m3	0.74	1.1		PUMP REPLACED. ASSUMED END FLOW EQUALS START FLOW.	The matrix blank is failed due to a high result.
SESPMNT	B1N4B6	300 WATER INTAKE	ONSITE	AT	11-Apr-07	H-3	4.31	pCi/m3	0.76	1			
SESPMNT	B1NH06	300 WATER INTAKE	ONSITE	AT	09-May-07	H-3	5.13	pCi/m3	0.76	1.1			The matrix blank is failed due to a high blank.
SESPMNT	B1NRN9	300 WATER INTAKE	ONSITE	AT	07-Jun-07	H-3	14.7	pCi/m3	1.3	2.3			
SESPMNT	B1P337	300 WATER INTAKE	ONSITE	AT	06-Jul-07	H-3	7.18	pCi/m3	0.97	1.4			
SESPMNT	B1P802	300 WATER INTAKE	ONSITE	AT	07-Aug-07	H-3	2.73	pCi/m3	0.65	0.83			
SESPMNT	B1PK22	300 WATER INTAKE	ONSITE	AT	30-Aug-07	H-3	5.17	pCi/m3	0.84	1.1			
SESPMNT	B1PMB8	300 WATER INTAKE	ONSITE	AT	26-Sep-07	H-3	3.77	pCi/m3	0.82	1.1			
SESPMNT	B1R122	300 WATER INTAKE	ONSITE	AT	25-Oct-07	H-3	0.831	pCi/m3	0.65	0.81	U		
SESPMNT	B1R944	300 WATER INTAKE	ONSITE	AT	20-Nov-07	H-3	0.721	pCi/m3	0.58	0.71	U		
SESPMNT	B1RPV7	300 WATER INTAKE	ONSITE	AT	19-Dec-07	H-3	3.74	pCi/m3	0.63	0.87			
SESPMNT	B1M573	400 E	ONSITE	AT	15-Jan-07	H-3	3.13	pCi/m3	0.49	0.67			
SESPMNT	B1MC80	400 E	ONSITE	AT	13-Feb-07	H-3	3.36	pCi/m3	0.46	0.69			The matrix blank is failed due to a high result.
SESPMNT	B1MPD0	400 E	ONSITE	AT	12-Mar-07	H-3	3.88	pCi/m3	0.58	0.84			
SESPMNT	B1N4B1	400 E	ONSITE	AT	10-Apr-07	H-3	15.1	pCi/m3	1.1	2.2			
SESPMNT	B1NH01	400 E	ONSITE	AT	08-May-07	H-3	4.64	pCi/m3	0.77	1.1			The matrix blank is failed due to high result.
SESPMNT	B1NRN4	400 E	ONSITE	AT	06-Jun-07	H-3	1.41	pCi/m3	0.44	0.54		PUMP REPLACED 5/22/07, EXPOSURE HOURS NOT RECORDED AND WERE CALCULATED MANUALLY.	
SESPMNT	B1P332	400 E	ONSITE	AT	02-Jul-07	H-3	7.39	pCi/m3	0.86	1.3			
SESPMNT	B1P7Y7	400 E	ONSITE	AT	27-Jul-07	H-3	5.18	pCi/m3	0.95	1.3		EXPOSURE HOURS RECALCULATED BASED ON DATES/TIMES ON AND OFF.	
SESPMNT	B1PK17	400 E	ONSITE	AT	24-Aug-07	H-3	0.929	pCi/m3	0.66	0.93	U		



## ENVIRONMENTAL SURVEILLANCE DATA CY07

## AIR - COMPOSITES AND H-3

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1PMB3	400 E	ONSITE	AT	25-Sep-07	H-3	2.15	pCi/m3	0.65	0.82			
SESPMNT	B1R116	400 E	ONSITE	AT	24-Oct-07	H-3	3.16	pCi/m3	0.91	1.2			
SESPMNT	B1R939	400 E	ONSITE	AT	19-Nov-07	H-3	3.46	pCi/m3	0.9	1.2			
SESPMNT	B1RPV2	400 E	ONSITE	AT	20-Dec-07	H-3	2.63	pCi/m3	0.52	0.69			
SESPMNT	B1LWW3	BASIN CITY SCHOOL	COMMUNITY	AT	11-Jan-07	H-3	16.4	pCi/m3	1.1	2.4			
SESPMNT	B1MBH4	BASIN CITY SCHOOL	COMMUNITY	AT	08-Feb-07	H-3	5.31	pCi/m3	0.55	0.92			
SESPMNT	B1MLT0	BASIN CITY SCHOOL	COMMUNITY	AT	08-Mar-07	H-3	2.91	pCi/m3	0.57	0.79			
SESPMNT	B1N089	BASIN CITY SCHOOL	COMMUNITY	AT	06-Apr-07	H-3	5.87	pCi/m3	0.54	0.72			
SESPMNT	B1NDN9	BASIN CITY SCHOOL	COMMUNITY	AT	03-May-07	H-3	2.73	pCi/m3	0.56	0.76			The matrix blank is failed due to high result.
SESPMNT	B1NK41	BASIN CITY SCHOOL	COMMUNITY	AT	31-May-07	H-3	2.75	pCi/m3	0.62	0.79			The matrix blank is failed due to a high blank.
SESPMNT	B1NWB9	BASIN CITY SCHOOL	COMMUNITY	AT	28-Jun-07	H-3	1.76	pCi/m3	0.6	0.74			
SESPMNT	B1P450	BASIN CITY SCHOOL	COMMUNITY	AT	24-Jul-07	H-3	1.15	pCi/m3	0.77	1.1	U		
SESPMNT	B1PD91	BASIN CITY SCHOOL	COMMUNITY	AT	23-Aug-07	H-3	0.781	pCi/m3	0.66	0.95	U		
SESPMNT	B1PLL9	BASIN CITY SCHOOL	COMMUNITY	AT	21-Sep-07	H-3	1.07	pCi/m3	0.61	0.76	U		
SESPMNT	B1PYC9	BASIN CITY SCHOOL	COMMUNITY	AT	19-Oct-07	H-3	1.28	pCi/m3	0.66	0.9			
SESPMNT	B1R8L8	BASIN CITY SCHOOL	COMMUNITY	AT	14-Nov-07	H-3	2.86	pCi/m3	0.65	0.82		FAULTY VALVE, REPLACED MICRO-VALUE TO H-3 COLUMN.	
SESPMNT	B1RN55	BASIN CITY SCHOOL	COMMUNITY	AT	12-Dec-07	H-3	1.65	pCi/m3	0.64	0.79			
SESPMNT	B1M577	BATTELLE COMPLEX	PERIMETER	AT	17-Jan-07	H-3	17.8	pCi/m3	1.2	2.6			
SESPMNT	B1MC84	BATTELLE COMPLEX	PERIMETER	AT	14-Feb-07	H-3	19.7	pCi/m3	1.1	2.8			The matrix blank is failed due to a high result.
SESPMNT	B1MPD4	BATTELLE COMPLEX	PERIMETER	AT	14-Mar-07	H-3	8.72	pCi/m3	0.85	1.5			The matrix blank is failed due to a high result.
SESPMNT	B1N485	BATTELLE COMPLEX	PERIMETER	AT	11-Apr-07	H-3	10.3	pCi/m3	0.94	1.7			
SESPMNT	B1NH05	BATTELLE COMPLEX	PERIMETER	AT	09-May-07	H-3	8.87	pCi/m3	0.93	1.5			The matrix blank is failed due to a high blank.
SESPMNT	B1NRN8	BATTELLE COMPLEX	PERIMETER	AT	07-Jun-07	H-3	8.31	pCi/m3	0.96	1.5			
SESPMNT	B1P336	BATTELLE COMPLEX	PERIMETER	AT	06-Jul-07	H-3	4.51	pCi/m3	0.78	1			
SESPMNT	B1P801	BATTELLE COMPLEX	PERIMETER	AT	07-Aug-07	H-3	22.4	pCi/m3	1.8	3.4			
SESPMNT	B1PK21	BATTELLE COMPLEX	PERIMETER	AT	30-Aug-07	H-3	10.3	pCi/m3	1.4	2			
SESPMNT	B1PMB7	BATTELLE COMPLEX	PERIMETER	AT	26-Sep-07	H-3	8.95	pCi/m3	1.1	1.7			
SESPMNT	B1R121	BATTELLE COMPLEX	PERIMETER	AT	25-Oct-07	H-3	5.61	pCi/m3	0.93	1.3			
SESPMNT	B1R943	BATTELLE COMPLEX	PERIMETER	AT	20-Nov-07	H-3	3.03	pCi/m3	0.61	0.81			
SESPMNT	B1RPV6	BATTELLE COMPLEX	PERIMETER	AT	19-Dec-07	H-3	5.12	pCi/m3	0.69	1			
SESPMNT	B1LWW1	BYERS LANDING	PERIMETER	AT	11-Jan-07	H-3	7.23	pCi/m3	0.74	1.2			
SESPMNT	B1MBH2	BYERS LANDING	PERIMETER	AT	08-Feb-07	H-3	2.23	pCi/m3	0.42	0.59		PUMP REPLACED.	
SESPMNT	B1MLR8	BYERS LANDING	PERIMETER	AT	08-Mar-07	H-3	8.1	pCi/m3	0.89	1.4			
SESPMNT	B1N087	BYERS LANDING	PERIMETER	AT	06-Apr-07	H-3	4.23	pCi/m3	0.57	0.71			
SESPMNT	B1NDN7	BYERS LANDING	PERIMETER	AT	03-May-07	H-3	3.28	pCi/m3	0.72	0.96			The matrix blank is failed due to high result.
SESPMNT	B1NK39	BYERS LANDING	PERIMETER	AT	31-May-07	H-3	4.01	pCi/m3	0.74	0.97			The matrix blank is failed due to a high blank.
SESPMNT	B1NWB7	BYERS LANDING	PERIMETER	AT	28-Jun-07	H-3	3.28	pCi/m3	0.81	1			
SESPMNT	B1P448	BYERS LANDING	PERIMETER	AT	24-Jul-07	H-3	2.36	pCi/m3	0.79	1.1			
SESPMNT	B1PD89	BYERS LANDING	PERIMETER	AT	23-Aug-07	H-3	1.18	pCi/m3	0.64	0.89	U		
SESPMNT	B1PLL7	BYERS LANDING	PERIMETER	AT	21-Sep-07	H-3	0.679	pCi/m3	0.68	0.84	U		
SESPMNT	B1PYC7	BYERS LANDING	PERIMETER	AT	19-Oct-07	H-3	1.31	pCi/m3	0.63	0.87			
SESPMNT	B1R8L6	BYERS LANDING	PERIMETER	AT	14-Nov-07	H-3	2.3	pCi/m3	0.57	0.71			
SESPMNT	B1RN63	BYERS LANDING	PERIMETER	AT	12-Dec-07	H-3	1.76	pCi/m3	0.5	0.63			
SESPMNT	B1LWW0	DOGWOOD MET TOWER	PERIMETER	AT	11-Jan-07	H-3	3.97	pCi/m3	0.57	0.8			
SESPMNT	B1MBH1	DOGWOOD MET TOWER	PERIMETER	AT	08-Feb-07	H-3	63.9	pCi/m3	1.8	8.3			
SESPMNT	B1MLR7	DOGWOOD MET TOWER	PERIMETER	AT	08-Mar-07	H-3	9.79	pCi/m3	1.3	2			
SESPMNT	B1N086	DOGWOOD MET TOWER	PERIMETER	AT	06-Apr-07	H-3	5.75	pCi/m3	0.55	0.73			
SESPMNT	B1NDN6	DOGWOOD MET TOWER	PERIMETER	AT	03-May-07	H-3	2.92	pCi/m3	0.64	0.85			The matrix blank is failed due to high result.
SESPMNT	B1NK38	DOGWOOD MET TOWER	PERIMETER	AT	31-May-07	H-3	6.38	pCi/m3	0.91	1.3			The matrix blank is failed due to a high blank.
SESPMNT	B1NWB6	DOGWOOD MET TOWER	PERIMETER	AT	28-Jun-07	H-3	14.7	pCi/m3	1.3	2.3			
SESPMNT	B1P447	DOGWOOD MET TOWER	PERIMETER	AT	24-Jul-07	H-3	1.02	pCi/m3	0.66	0.92	U		
SESPMNT	B1PD88	DOGWOOD MET TOWER	PERIMETER	AT	23-Aug-07	H-3	1.32	pCi/m3	0.65	0.88			
SESPMNT	B1PLL6	DOGWOOD MET TOWER	PERIMETER	AT	21-Sep-07	H-3	2.04	pCi/m3	0.72	0.89			
SESPMNT	B1PYC6	DOGWOOD MET TOWER	PERIMETER	AT	19-Oct-07	H-3	2.38	pCi/m3	0.96	1.3			
SESPMNT	B1R8L5	DOGWOOD MET TOWER	PERIMETER	AT	14-Nov-07	H-3	4.34	pCi/m3	0.67	0.93			
SESPMNT	B1RN52	DOGWOOD MET TOWER	PERIMETER	AT	12-Dec-07	H-3	2.14	pCi/m3	0.45	0.6			
SESPMNT	B1LWW4	LESLIE GROVES-RCHLND	COMMUNITY	AT	10-Jan-07	H-3	20	pCi/m3	1.3	2.9			
SESPMNT	B1MBH5	LESLIE GROVES-RCHLND	COMMUNITY	AT	07-Feb-07	H-3	17	pCi/m3	1	2.4			
SESPMNT	B1MLT1	LESLIE GROVES-RCHLND	COMMUNITY	AT	07-Mar-07	H-3	9.22	pCi/m3	0.94	1.6			
SESPMNT	B1N090	LESLIE GROVES-RCHLND	COMMUNITY	AT	05-Apr-07	H-3	29.8	pCi/m3	2.2	3.1			
SESPMNT	B1NDP0	LESLIE GROVES-RCHLND	COMMUNITY	AT	02-May-07	H-3		pCi/m3			U	ON 4/18/07 0800 PUMP REPLACED WITH 110 HOURS ON TOTALIZER, ADDED TO 341.7 HOURS FROM 5/2/07.	The matrix blank is failed due to high result.
SESPMNT	B1NK42	LESLIE GROVES-RCHLND	COMMUNITY	AT	30-May-07	H-3	3.43	pCi/m3	0.55	0.75			The matrix blank is failed due to a high blank.

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## AIR - COMPOSITES AND H-3

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1NWC0	LESLIE GROVES-RCHLND	COMMUNITY	AT	27-Jun-07	H-3	17.2	pCi/m3	1.5	2.7			
SESPMNT	B1P451	LESLIE GROVES-RCHLND	COMMUNITY	AT	27-Jul-07	H-3	2.82	pCi/m3	0.81	1.1			
SESPMNT	B1PD92	LESLIE GROVES-RCHLND	COMMUNITY	AT	22-Aug-07	H-3	9.84	pCi/m3	1.4	2		OBSERVED 313 HOURS AT STATION. PUMP CHANGED ON 8/9/07, ADDED 192.6 PER NOT ON 8/9/07 TRIP LOG.	
SESPMNT	B1PLM0	LESLIE GROVES-RCHLND	COMMUNITY	AT	19-Sep-07	H-3	0.976	pCi/m3	0.72	0.97	U		
SESPMNT	B1PYD0	LESLIE GROVES-RCHLND	COMMUNITY	AT	18-Oct-07	H-3	14.5	pCi/m3	1.9	2.9			
SESPMNT	B1R8L9	LESLIE GROVES-RCHLND	COMMUNITY	AT	13-Nov-07	H-3	7.5	pCi/m3	1.2	1.7			
SESPMNT	B1RN56	LESLIE GROVES-RCHLND	COMMUNITY	AT	11-Dec-07	H-3	3	pCi/m3	0.58	0.77			
SESPMNT	B1M574	PROSSER BARRICADE	PERIMETER	AT	18-Jan-07	H-3	9.68	pCi/m3	0.72	1.4			
SESPMNT	B1MC81	PROSSER BARRICADE	PERIMETER	AT	16-Feb-07	H-3	1.55	pCi/m3	0.4	0.54			The matrix blank is failed due to a high result.
SESPMNT	B1MPD1	PROSSER BARRICADE	PERIMETER	AT	16-Mar-07	H-3	9.88	pCi/m3	0.88	1.6			The matrix blank is failed due to a high result.
SESPMNT	B1N4B2	PROSSER BARRICADE	PERIMETER	AT	12-Apr-07	H-3	0.53	pCi/m3	0.43	0.53	U		
SESPMNT	B1NH02	PROSSER BARRICADE	PERIMETER	AT	11-May-07	H-3	6.46	pCi/m3	0.76	1.2			
SESPMNT	B1NRN5	PROSSER BARRICADE	PERIMETER	AT	08-Jun-07	H-3	2.66	pCi/m3	0.62	0.78			The matrix blank is failed due to a high blank.
SESPMNT	B1P333	PROSSER BARRICADE	PERIMETER	AT	06-Jul-07	H-3	2.41	pCi/m3	0.64	0.8			
SESPMNT	B1P7Y8	PROSSER BARRICADE	PERIMETER	AT	06-Aug-07	H-3	48.7	pCi/m3	8.2	11			
SESPMNT	B1PK18	PROSSER BARRICADE	PERIMETER	AT	31-Aug-07	H-3	2.01	pCi/m3	0.71	0.89			
SESPMNT	B1PMB4	PROSSER BARRICADE	PERIMETER	AT	27-Sep-07	H-3	0.365	pCi/m3	0.47	0.65	U		
SESPMNT	B1R117	PROSSER BARRICADE	PERIMETER	AT	26-Oct-07	H-3	4.62	pCi/m3	0.75	1			
SESPMNT	B1R940	PROSSER BARRICADE	PERIMETER	AT	21-Nov-07	H-3	1.03	pCi/m3	0.84	1	U		
SESPMNT	B1RPV3	PROSSER BARRICADE	PERIMETER	AT	21-Dec-07	H-3	0.881	pCi/m3	0.38	0.47			
SESPMNT	B1LWV9	RINGOLD MET TOWER	PERIMETER	AT	11-Jan-07	H-3	6.15	pCi/m3	0.68	1.1			
SESPMNT	B1MBH0	RINGOLD MET TOWER	PERIMETER	AT	08-Feb-07	H-3	17.6	pCi/m3	0.95	2.4			
SESPMNT	B1MLR6	RINGOLD MET TOWER	PERIMETER	AT	08-Mar-07	H-3	6.23	pCi/m3	0.82	1.2			
SESPMNT	B1N085	RINGOLD MET TOWER	PERIMETER	AT	06-Apr-07							NO SAMPLE. PUMP REPLACED, ASSUMED END FLOW EQUALS START FLOW.	
SESPMNT	B1NDN5	RINGOLD MET TOWER	PERIMETER	AT	03-May-07	H-3	0.0992	pCi/m3	0.096	0.13	U		The matrix blank is failed due to high result.
SESPMNT	B1NK37	RINGOLD MET TOWER	PERIMETER	AT	31-May-07	H-3	6.84	pCi/m3	0.91	1.3			The matrix blank is failed due to a high blank.
SESPMNT	B1NWB5	RINGOLD MET TOWER	PERIMETER	AT	28-Jun-07	H-3	4.42	pCi/m3	0.92	1.2			
SESPMNT	B1P446	RINGOLD MET TOWER	PERIMETER	AT	24-Jul-07	H-3	1.6	pCi/m3	0.76	1.1			
SESPMNT	B1PD87	RINGOLD MET TOWER	PERIMETER	AT	23-Aug-07	H-3	4.11	pCi/m3	1	1.4			
SESPMNT	B1PLL5	RINGOLD MET TOWER	PERIMETER	AT	21-Sep-07	H-3	3.71	pCi/m3	0.9	1.2			
SESPMNT	B1PYC5	RINGOLD MET TOWER	PERIMETER	AT	19-Oct-07	H-3	2.25	pCi/m3	0.68	0.91			
SESPMNT	B1R8L4	RINGOLD MET TOWER	PERIMETER	AT	14-Nov-07	H-3	2.67	pCi/m3	0.68	0.85			
SESPMNT	B1RN51	RINGOLD MET TOWER	PERIMETER	AT	12-Dec-07	H-3	1.4	pCi/m3	0.42	0.53			
SESPMNT	B1LWW7	W END OF FIR ROAD	PERIMETER	AT	11-Jan-07	H-3	4.05	pCi/m3	0.58	0.82			
SESPMNT	B1MBH6	W END OF FIR ROAD	PERIMETER	AT	08-Feb-07	H-3	3.13	pCi/m3	0.49	0.71			
SESPMNT	B1MLT2	W END OF FIR ROAD	PERIMETER	AT	08-Mar-07	H-3	12.9	pCi/m3	1.1	2			
SESPMNT	B1N091	W END OF FIR ROAD	PERIMETER	AT	06-Apr-07	H-3	14.3	pCi/m3	0.78	1.2			
SESPMNT	B1NDT6	W END OF FIR ROAD	PERIMETER	AT	03-May-07	H-3	6.43	pCi/m3	0.84	1.3			The matrix blank is failed due to high result.
SESPMNT	B1NK43	W END OF FIR ROAD	PERIMETER	AT	31-May-07	H-3	8.49	pCi/m3	0.95	1.5			The matrix blank is failed due to a high blank.
SESPMNT	B1NWC1	W END OF FIR ROAD	PERIMETER	AT	28-Jun-07	H-3	5.88	pCi/m3	0.91	1.2			
SESPMNT	B1P452	W END OF FIR ROAD	PERIMETER	AT	24-Jul-07	H-3	1.2	pCi/m3	0.77	1.1	U		
SESPMNT	B1PD93	W END OF FIR ROAD	PERIMETER	AT	23-Aug-07	H-3	3.22	pCi/m3	0.97	1.3			
SESPMNT	B1PLY9	W END OF FIR ROAD	PERIMETER	AT	21-Sep-07	H-3	2.18	pCi/m3	0.71	0.89			
SESPMNT	B1PYD3	W END OF FIR ROAD	PERIMETER	AT	19-Oct-07	H-3	2.66	pCi/m3	0.66	0.91			
SESPMNT	B1R8M0	W END OF FIR ROAD	PERIMETER	AT	14-Nov-07	H-3	1.57	pCi/m3	0.47	0.58			
SESPMNT	B1RN57	W END OF FIR ROAD	PERIMETER	AT	12-Dec-07	H-3	3.5	pCi/m3	0.6	0.82			
SESPMNT	B1LWW2	WAHLUKE SLOPE	PERIMETER	AT	10-Jan-07	H-3	0.338	pCi/m3	0.3	0.36	U		
SESPMNT	B1MBH3	WAHLUKE SLOPE	PERIMETER	AT	07-Feb-07	H-3	2.94	pCi/m3	0.41	0.61			
SESPMNT	B1MLR9	WAHLUKE SLOPE	PERIMETER	AT	07-Mar-07	H-3	1.52	pCi/m3	0.46	0.61			
SESPMNT	B1N088	WAHLUKE SLOPE	PERIMETER	AT	05-Apr-07	H-3	3.56	pCi/m3	0.49	0.6			
SESPMNT	B1NDN8	WAHLUKE SLOPE	PERIMETER	AT	02-May-07	H-3		pCi/m3			U		The matrix blank is failed due to high result.
SESPMNT	B1NK40	WAHLUKE SLOPE	PERIMETER	AT	30-May-07	H-3	2.27	pCi/m3	0.56	0.7			The matrix blank is failed due to a high blank.
SESPMNT	B1NWB8	WAHLUKE SLOPE	PERIMETER	AT	27-Jun-07	H-3	2.57	pCi/m3	0.64	0.82			
SESPMNT	B1P449	WAHLUKE SLOPE	PERIMETER	AT	27-Jul-07	H-3	4.97	pCi/m3	0.67	1			
SESPMNT	B1PD90	WAHLUKE SLOPE	PERIMETER	AT	22-Aug-07	H-3	6.12	pCi/m3	1	1.4			
SESPMNT	B1PLL8	WAHLUKE SLOPE	PERIMETER	AT	19-Sep-07	H-3	4.25	pCi/m3	0.94	1.3			
SESPMNT	B1PYC8	WAHLUKE SLOPE	PERIMETER	AT	18-Oct-07	H-3	4.57	pCi/m3	0.8	1.1			
SESPMNT	B1R8L7	WAHLUKE SLOPE	PERIMETER	AT	13-Nov-07	H-3	1.96	pCi/m3	0.54	0.67			
SESPMNT	B1RN54	WAHLUKE SLOPE	PERIMETER	AT	11-Dec-07	H-3	1.21	pCi/m3	0.38	0.48			
SESPMNT	B1M575	YAKIMA	DISTANT	AT	18-Jan-07	H-3	5.84	pCi/m3	0.55	0.95			
SESPMNT	B1MC82	YAKIMA	DISTANT	AT	16-Feb-07	H-3	2.35	pCi/m3	0.4	0.58			The matrix blank is failed due to a high result.
SESPMNT	B1MPD2	YAKIMA	DISTANT	AT	16-Mar-07	H-3	2.28	pCi/m3	0.48	0.66			The matrix blank is failed due to a high result.

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## AIR - COMPOSITES AND H-3

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1N4B3	YAKIMA	DISTANT	AT	12-Apr-07	H-3	0.76	pCi/m3	0.41	0.51	U		
SESPMNT	B1NH03	YAKIMA	DISTANT	AT	11-May-07	H-3	8.61	pCi/m3	0.85	1.4			The matrix blank is failed due to a high blank.
SESPMNT	B1NRN6	YAKIMA	DISTANT	AT	08-Jun-07	H-3	2.25	pCi/m3	0.59	0.73			
SESPMNT	B1P334	YAKIMA	DISTANT	AT	06-Jul-07	H-3	5.08	pCi/m3	0.83	1.1			
SESPMNT	B1P7Y9	YAKIMA	DISTANT	AT	06-Aug-07	H-3	3.45	pCi/m3	0.89	1.1		OBSERVED ZERO END FLOW, ASSUMED START FLOW EQUALS END FLOW, PUMP REPLACED.	
SESPMNT	B1PK19	YAKIMA	DISTANT	AT	31-Aug-07	H-3	9.75	pCi/m3	1.2	1.8			
SESPMNT	B1PMB5	YAKIMA	DISTANT	AT	27-Sep-07	H-3	0.747	pCi/m3	0.49	0.68	U		
SESPMNT	B1R118	YAKIMA	DISTANT	AT	26-Oct-07	H-3	2.14	pCi/m3	0.63	0.79			
SESPMNT	B1R941	YAKIMA	DISTANT	AT	21-Nov-07	H-3	0.503	pCi/m3	0.54	0.66	U		
SESPMNT	B1RPV4	YAKIMA	DISTANT	AT	21-Dec-07	H-3	1.18	pCi/m3	0.36	0.46			

**Water**

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## WATER - COLUMBIA RIVER COMPOSITES

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1LWM6	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	31-Jan-07	ALPHA	0.722 pCi/L		0.68	0.7	U		
SESPMNT	B1MBC4	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	01-Mar-07	ALPHA	0.467 pCi/L		0.63	0.69	U		
SESPMNT	B1MLN0	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	29-Mar-07	ALPHA	1.41 pCi/L		0.93	0.99			
SESPMNT	B1N043	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	09-May-07	ALPHA	0.258 pCi/L		0.54	0.6	U		
SESPMNT	B1NFW6	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	07-Jun-07	ALPHA	0.489 pCi/L		0.8	0.85	U		
SESPMNT	B1NRK9	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	03-Jul-07	ALPHA	0.228 pCi/L		0.28	0.38	U		
SESPMNT	B1P2Y0	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	02-Aug-07	ALPHA	-0.0643 pCi/L		0.43	0.5	U		
SESPMNT	B1PCB6	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	05-Sep-07	ALPHA	1.33 pCi/L		0.89	0.99			
SESPMNT	B1PKH3	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	26-Sep-07	ALPHA	1.29 pCi/L		0.91	1			
SESPMNT	B1PTB6	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	06-Nov-07	ALPHA	1.09 pCi/L		0.84	0.92			
SESPMNT	B1R802	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	04-Dec-07	ALPHA	0.312 pCi/L		0.56	0.62	U		
SESPMNT	B1RMD5	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	03-Jan-08	ALPHA	0.581 pCi/L		0.66	0.72	U		
SESPMNT	B1LWN8	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	31-Jan-07	ALPHA	0.228 pCi/L		0.55	0.56	U		
SESPMNT	B1MBD6	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	01-Mar-07	ALPHA	0.404 pCi/L		0.64	0.7	U		
SESPMNT	B1MLP2	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	29-Mar-07	ALPHA	1.47 pCi/L		0.89	0.95			
SESPMNT	B1N057	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	09-May-07	ALPHA	0.0863 pCi/L		0.43	0.5	U		
SESPMNT	B1NFX6	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	07-Jun-07	ALPHA	0.476 pCi/L		0.71	0.77	U		
SESPMNT	B1NRL9	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	03-Jul-07	ALPHA	0.523 pCi/L		0.36	0.46			
SESPMNT	B1P302	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	02-Aug-07	ALPHA	0.642 pCi/L		0.67	0.73	U		
SESPMNT	B1PCC8	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	05-Sep-07	ALPHA	0.603 pCi/L		0.65	0.72	U		
SESPMNT	B1PKJ3	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	26-Sep-07	ALPHA	0.74 pCi/L		0.77	0.83	U		
SESPMNT	B1PTD0	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	06-Nov-07	ALPHA	0.591 pCi/L		0.68	0.74	U		
SESPMNT	B1R812	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	04-Dec-07	ALPHA	0.214 pCi/L		0.53	0.59	U		
SESPMNT	B1RMF7	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	03-Jan-08	ALPHA	0.0626 pCi/L		0.41	0.48	U		
SESPMNT	B1LWM6	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	31-Jan-07	BETA	1.53 pCi/L		1.5	1.8	U		
SESPMNT	B1MBC4	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	01-Mar-07	BETA	1.46 pCi/L		1.4	1.8	U		
SESPMNT	B1MLN0	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	29-Mar-07	BETA	4.18 pCi/L		1.6	1.7			
SESPMNT	B1N043	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	09-May-07	BETA	0.696 pCi/L		1.3	1.7	U		
SESPMNT	B1NFW6	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	07-Jun-07	BETA	1.91 pCi/L		1.3	1.8	U		
SESPMNT	B1NRK9	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	03-Jul-07	BETA	0.248 pCi/L		1.3	1.6	U		
SESPMNT	B1P2Y0	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	02-Aug-07	BETA	1.52 pCi/L		1.5	1.8	U		
SESPMNT	B1PCB6	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	05-Sep-07	BETA	1.38 pCi/L		1.3	1.7	U		
SESPMNT	B1PKH3	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	26-Sep-07	BETA	0.641 pCi/L		1.3	1.7	U		
SESPMNT	B1PTB6	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	06-Nov-07	BETA	1.02 pCi/L		1.3	1.6	U		
SESPMNT	B1R802	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	04-Dec-07	BETA	0.265 pCi/L		1.1	1.5	U		
SESPMNT	B1RMD5	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	03-Jan-08	BETA	-0.29 pCi/L		1.2	1.6	U		
SESPMNT	B1LWN8	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	31-Jan-07	BETA	0.496 pCi/L		1.4	1.7	U		
SESPMNT	B1MBD6	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	01-Mar-07	BETA	1 pCi/L		1.2	1.7	U		
SESPMNT	B1MLP2	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	29-Mar-07	BETA	3.29 pCi/L		1.4	1.5			
SESPMNT	B1N057	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	09-May-07	BETA	2.35 pCi/L		1.4	1.8	U		
SESPMNT	B1NFX6	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	07-Jun-07	BETA	0.252 pCi/L		1.3	1.7	U		
SESPMNT	B1NRL9	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	03-Jul-07	BETA	0.199 pCi/L		1.3	1.7	U		
SESPMNT	B1P302	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	02-Aug-07	BETA	0.432 pCi/L		1.2	1.6	U		
SESPMNT	B1PCC8	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	05-Sep-07	BETA	0.375 pCi/L		1.3	1.7	U		
SESPMNT	B1PKJ3	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	26-Sep-07	BETA	1.07 pCi/L		1.4	1.7	U		
SESPMNT	B1PTD0	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	06-Nov-07	BETA	0.774 pCi/L		1.4	1.7	U		
SESPMNT	B1R812	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	04-Dec-07	BETA	2.01 pCi/L		1.4	1.8	U		
SESPMNT	B1RMF7	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	03-Jan-08	BETA	1.01 pCi/L		1.4	1.7	U		
SESPMNT	B1LWN2	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	31-Jan-07	Lo H-3	23.5 pCi/L		6.1	8.7			
SESPMNT	B1MBD0	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	01-Mar-07	Lo H-3	22.2 pCi/L		5.1	7.6			
SESPMNT	B1MLN6	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	29-Mar-07	Lo H-3	26.9 pCi/L		6.1	9.4			
SESPMNT	B1N050	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	09-May-07	Lo H-3	29.8 pCi/L		8.7	10			
SESPMNT	B1NFX1	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	07-Jun-07	Lo H-3	19 pCi/L		5.4	8.4			
SESPMNT	B1NRL4	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	03-Jul-07	Lo H-3	19.4 pCi/L		5.4	8.2			
SESPMNT	B1P2Y6	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	02-Aug-07	Lo H-3	36 pCi/L		7.1	11			
SESPMNT	B1PCC2	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	05-Sep-07	Lo H-3	28.9 pCi/L		7.9	12			
SESPMNT	B1PKH8	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	26-Sep-07	Lo H-3	40.9 pCi/L		8.2	12			
SESPMNT	B1PTC3	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	06-Nov-07	Lo H-3	34.8 pCi/L		9.1	12			
SESPMNT	B1R807	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	04-Dec-07	Mid Level H-3	55.1 pCi/L		12	26			Samples analyzed by mid-level tritium procedure.
SESPMNT	B1RMF1	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	03-Jan-08	Mid Level H-3	40.8 pCi/L		12	25			Samples analyzed by mid-level tritium procedure.
SESPMNT	B1LWP4	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	31-Jan-07	Lo H-3	40.7 pCi/L		6.8	11			
SESPMNT	B1MBF2	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	01-Mar-07	Lo H-3	59.6 pCi/L		7	13			
SESPMNT	B1MLP8	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	29-Mar-07	Lo H-3	35.5 pCi/L		6.5	11			
SESPMNT	B1N064	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	09-May-07	Lo H-3	40.1 pCi/L		7.3	11			

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## WATER - COLUMBIA RIVER COMPOSITES

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1NFX1	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	07-Jun-07	Lo H-3	25 pCi/L		5.9	9.3			
SESPMNT	B1NRM4	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	03-Jul-07	Lo H-3	49.6 pCi/L		7.5	13			
SESPMNT	B1P308	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	02-Aug-07	Lo H-3	57.4 pCi/L		8.4	15			
SESPMNT	B1PCD4	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	05-Sep-07	Lo H-3	51.2 pCi/L		8.9	14			
SESPMNT	B1PKJ8	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	26-Sep-07	Lo H-3	130 pCi/L		11	26			
SESPMNT	B1PTD7	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	06-Nov-07	Lo H-3	56.8 pCi/L		8.3	14			
SESPMNT	B1R817	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	04-Dec-07	Mid Level H-3	92.6 pCi/L		13	28			Samples analyzed by mid-level tritium procedure.
SESPMNT	B1RMH3	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	03-Jan-08	Mid Level H-3	136 pCi/L		14	32			Samples analyzed by mid-level tritium procedure.
SESPMNT	B1LWM6	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	31-Jan-07	Sr-90	0.0417 pCi/L		0.015	0.031			
SESPMNT	B1MBC4	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	01-Mar-07	Sr-90	0.0331 pCi/L		0.016	0.032			
SESPMNT	B1MLN0	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	29-Mar-07	Sr-90	0.0844 pCi/L		0.053	0.059	U		
SESPMNT	B1N043	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	09-May-07	Sr-90	0.0429 pCi/L		0.02	0.034			
SESPMNT	B1NFW6	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	07-Jun-07	Sr-90	0.0342 pCi/L		0.018	0.033			
SESPMNT	B1NRK9	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	03-Jul-07	Sr-90	0.0486 pCi/L		0.017	0.032			
SESPMNT	B1P2Y0	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	02-Aug-07	Sr-90	0.0514 pCi/L		0.018	0.034			The batch blank failed.
SESPMNT	B1PCB6	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	05-Sep-07	Sr-90	0.0826 pCi/L		0.026	0.039			
SESPMNT	B1PKH3	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	26-Sep-07	Sr-90	0.0997 pCi/L		0.027	0.041			
SESPMNT	B1PTB6	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	06-Nov-07	Sr-90	0.0751 pCi/L		0.022	0.037			
SESPMNT	B1R802	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	04-Dec-07	Sr-90	0.0596 pCi/L		0.022	0.036			
SESPMNT	B1RMD5	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	03-Jan-08	Sr-90	0.0549 pCi/L		0.023	0.036			
SESPMNT	B1LWN8	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	31-Jan-07	Sr-90	0.0521 pCi/L		0.015	0.031			
SESPMNT	B1MBD6	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	01-Mar-07	Sr-90	0.0516 pCi/L		0.015	0.032			
SESPMNT	B1MLP2	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	29-Mar-07	Sr-90	0.0528 pCi/L		0.033	0.043	U		
SESPMNT	B1N057	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	09-May-07	Sr-90	0.0455 pCi/L		0.02	0.034			
SESPMNT	B1NFX6	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	07-Jun-07	Sr-90	0.0304 pCi/L		0.017	0.032	U		
SESPMNT	B1NRL9	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	03-Jul-07	Sr-90	0.0272 pCi/L		0.016	0.031	U		
SESPMNT	B1P302	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	02-Aug-07	Sr-90	0.0514 pCi/L		0.019	0.034			The batch blank failed.
SESPMNT	B1PCC8	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	05-Sep-07	Sr-90	0.0482 pCi/L		0.019	0.034			
SESPMNT	B1PKJ3	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	26-Sep-07	Sr-90	0.0496 pCi/L		0.021	0.034			
SESPMNT	B1PTD0	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	06-Nov-07	Sr-90	0.0752 pCi/L		0.023	0.037			
SESPMNT	B1R812	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	04-Dec-07	Sr-90	0.0544 pCi/L		0.025	0.038			
SESPMNT	B1RMF7	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	03-Jan-08	Sr-90	0.0551 pCi/L		0.024	0.037			
SESPMNT	B1LWM6	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	31-Jan-07	Tc-99	0.0584 pCi/L		0.21	0.37	U		
SESPMNT	B1MBC4	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	01-Mar-07	Tc-99	-0.0989 pCi/L		0.21	0.37	U		
SESPMNT	B1MLN0	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	29-Mar-07	Tc-99	0.42 pCi/L		0.22	0.39	U		
SESPMNT	B1N043	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	09-May-07	Tc-99	0.389 pCi/L		0.21	0.37	U		
SESPMNT	B1NFW6	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	07-Jun-07	Tc-99	0.278 pCi/L		0.21	0.37	U		
SESPMNT	B1NRK9	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	03-Jul-07	Tc-99	0.316 pCi/L		0.22	0.37	U		
SESPMNT	B1P2Y0	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	02-Aug-07	Tc-99	0.2 pCi/L		0.21	0.36	U		
SESPMNT	B1PCB6	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	05-Sep-07	Tc-99	0.761 pCi/L		0.22	0.39			
SESPMNT	B1PKH3	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	26-Sep-07	Tc-99	1.06 pCi/L		0.24	0.43			
SESPMNT	B1PTB6	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	06-Nov-07	Tc-99	0.0693 pCi/L		0.21	0.37	U		
SESPMNT	B1R802	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	04-Dec-07	Tc-99	0.264 pCi/L		0.22	0.38	U		
SESPMNT	B1RMD5	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	03-Jan-08	Tc-99	0.436 pCi/L		0.22	0.39	U		
SESPMNT	B1LWN8	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	31-Jan-07	Tc-99	0.693 pCi/L		0.23	0.4			
SESPMNT	B1MBD6	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	01-Mar-07	Tc-99	0.205 pCi/L		0.22	0.39	U		
SESPMNT	B1MLP2	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	29-Mar-07	Tc-99	0.739 pCi/L		0.23	0.39			
SESPMNT	B1N057	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	09-May-07	Tc-99	0.807 pCi/L		0.22	0.39			
SESPMNT	B1NFX6	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	07-Jun-07	Tc-99	0.227 pCi/L		0.22	0.38	U		
SESPMNT	B1NRL9	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	03-Jul-07	Tc-99	-0.0425 pCi/L		0.21	0.36	U		
SESPMNT	B1P302	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	02-Aug-07	Tc-99	0.508 pCi/L		0.22	0.38			
SESPMNT	B1PCC8	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	05-Sep-07	Tc-99	0.535 pCi/L		0.22	0.38			
SESPMNT	B1PKJ3	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	26-Sep-07	Tc-99	0.673 pCi/L		0.23	0.41			
SESPMNT	B1PTD0	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	06-Nov-07	Tc-99	-0.057 pCi/L		0.21	0.37	U		
SESPMNT	B1R812	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	04-Dec-07	Tc-99	0.134 pCi/L		0.21	0.37	U		
SESPMNT	B1RMF7	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	03-Jan-08	Tc-99	0.24 pCi/L		0.22	0.38	U		
SESPMNT	B1LWM6	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	31-Jan-07	U-234	0.25 pCi/L		0.038	0.094			
SESPMNT	B1MBC4	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	01-Mar-07	U-234	0.246 pCi/L		0.038	0.093			
SESPMNT	B1MLN0	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	29-Mar-07	U-234	0.206 pCi/L		0.034	0.09			
SESPMNT	B1N043	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	09-May-07	U-234	0.229 pCi/L		0.036	0.092			
SESPMNT	B1NFW6	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	07-Jun-07	U-234	0.146 pCi/L		0.031	0.086			
SESPMNT	B1NRK9	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	03-Jul-07	U-234	0.156 pCi/L		0.033	0.087			
SESPMNT	B1P2Y0	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	02-Aug-07	U-234	0.164 pCi/L		0.031	0.086			
SESPMNT	B1PCB6	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	05-Sep-07	U-234	0.19 pCi/L		0.033	0.089			

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## WATER - COLUMBIA RIVER COMPOSITES

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1PKH3	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	26-Sep-07	U-234	0.225	pCi/L	0.035	0.091			
SESPMNT	B1PTB6	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	06-Nov-07	U-234	0.188	pCi/L	0.033	0.088			
SESPMNT	B1R802	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	04-Dec-07	U-234	0.22	pCi/L	0.034	0.047			
SESPMNT	B1RMD5	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	03-Jan-08	U-234	0.282	pCi/L	0.039	0.057			
SESPMNT	B1LWN8	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	31-Jan-07	U-234	0.271	pCi/L	0.038	0.095			
SESPMNT	B1MBD6	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	01-Mar-07	U-234	0.273	pCi/L	0.045	0.098			
SESPMNT	B1MLP2	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	29-Mar-07	U-234	0.265	pCi/L	0.038	0.095			
SESPMNT	B1N057	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	09-May-07	U-234	0.232	pCi/L	0.036	0.092			
SESPMNT	B1NFX6	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	07-Jun-07	U-234	0.164	pCi/L	0.038	0.089			
SESPMNT	B1NRL9	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	03-Jul-07	U-234	0.242	pCi/L	0.036	0.093			
SESPMNT	B1P302	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	02-Aug-07	U-234	0.232	pCi/L	0.038	0.091			
SESPMNT	B1PCC8	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	05-Sep-07	U-234	0.228	pCi/L	0.04	0.094			
SESPMNT	B1PKJ3	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	26-Sep-07	U-234	0.28	pCi/L	0.039	0.097			
SESPMNT	B1PTD0	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	06-Nov-07	U-234	0.246	pCi/L	0.04	0.094			
SESPMNT	B1R812	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	04-Dec-07	U-234	0.263	pCi/L	0.037	0.054			
SESPMNT	B1RMF7	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	03-Jan-08	U-234	0.276	pCi/L	0.037	0.056			
SESPMNT	B1LWM6	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	31-Jan-07	U-235	0.000465	pCi/L	0.0091	0.043	U		
SESPMNT	B1MBC4	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	01-Mar-07	U-235	-0.00547	pCi/L	0.0074	0.043	U		
SESPMNT	B1MLN0	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	29-Mar-07	U-235	-0.00731	pCi/L	0.007	0.043	U		
SESPMNT	B1N043	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	09-May-07	U-235	-0.00222	pCi/L	0.0083	0.043	U		
SESPMNT	B1NFW6	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	07-Jun-07	U-235	-0.00889	pCi/L	0.0059	0.042	U		
SESPMNT	B1NRK9	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	03-Jul-07	U-235	-0.00557	pCi/L	0.0081	0.043	U		
SESPMNT	B1P2Y0	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	02-Aug-07	U-235	-0.00842	pCi/L	0.0083	0.043	U		
SESPMNT	B1PCB6	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	05-Sep-07	U-235	-0.00841	pCi/L	0.0067	0.043	U		
SESPMNT	B1PKH3	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	26-Sep-07	U-235	-0.00748	pCi/L	0.0064	0.043	U		
SESPMNT	B1PTB6	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	06-Nov-07	U-235	-0.0137	pCi/L	0.0041	0.043	U		
SESPMNT	B1R802	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	04-Dec-07	U-235	0.00651	pCi/L	0.0069	0.007	U		
SESPMNT	B1RMD5	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	03-Jan-08	U-235	0.0115	pCi/L	0.0081	0.0082			
SESPMNT	B1LWN8	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	31-Jan-07	U-235	-0.00638	pCi/L	0.0071	0.043	U		
SESPMNT	B1MBD6	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	01-Mar-07	U-235	-0.0046	pCi/L	0.0095	0.043	U		
SESPMNT	B1MLP2	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	29-Mar-07	U-235	-0.0087	pCi/L	0.0072	0.043	U		
SESPMNT	B1N057	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	09-May-07	U-235	0.00218	pCi/L	0.0093	0.043	U		
SESPMNT	B1NFX6	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	07-Jun-07	U-235	-0.00969	pCi/L	0.0069	0.043	U		
SESPMNT	B1NRL9	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	03-Jul-07	U-235	-0.01	pCi/L	0.0067	0.043	U		
SESPMNT	B1P302	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	02-Aug-07	U-235	-0.000966	pCi/L	0.0097	0.043	U		
SESPMNT	B1PCC8	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	05-Sep-07	U-235	-0.00473	pCi/L	0.0086	0.043	U		
SESPMNT	B1PKJ3	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	26-Sep-07	U-235	-0.00275	pCi/L	0.008	0.043	U		
SESPMNT	B1PTD0	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	06-Nov-07	U-235	-0.00796	pCi/L	0.0067	0.043	U		
SESPMNT	B1R812	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	04-Dec-07	U-235	0.00506	pCi/L	0.0057	0.0057	U		
SESPMNT	B1RMF7	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	03-Jan-08	U-235	0.0195	pCi/L	0.01	0.011			
SESPMNT	B1LWM6	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	31-Jan-07	U-238	0.225	pCi/L	0.034	0.084			
SESPMNT	B1MBC4	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	01-Mar-07	U-238	0.204	pCi/L	0.033	0.082			
SESPMNT	B1MLN0	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	29-Mar-07	U-238	0.183	pCi/L	0.031	0.08			
SESPMNT	B1N043	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	09-May-07	U-238	0.169	pCi/L	0.031	0.08			
SESPMNT	B1NFW6	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	07-Jun-07	U-238	0.191	pCi/L	0.034	0.082			
SESPMNT	B1NRK9	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	03-Jul-07	U-238	0.155	pCi/L	0.032	0.079			
SESPMNT	B1P2Y0	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	02-Aug-07	U-238	0.124	pCi/L	0.026	0.075			
SESPMNT	B1PCB6	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	05-Sep-07	U-238	0.169	pCi/L	0.03	0.079			
SESPMNT	B1PKH3	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	26-Sep-07	U-238	0.16	pCi/L	0.028	0.078			
SESPMNT	B1PTB6	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	06-Nov-07	U-238	0.16	pCi/L	0.03	0.079			
SESPMNT	B1R802	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	04-Dec-07	U-238	0.18	pCi/L	0.031	0.041			
SESPMNT	B1RMD5	PRIEST RAPIDS-RIVER	OFFSITE	SW	N	RIVER	UNFILTERED	03-Jan-08	U-238	0.193	pCi/L	0.032	0.043			
SESPMNT	B1LWN8	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	31-Jan-07	U-238	0.199	pCi/L	0.032	0.081			
SESPMNT	B1MBD6	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	01-Mar-07	U-238	0.25	pCi/L	0.042	0.089			
SESPMNT	B1MLP2	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	29-Mar-07	U-238	0.218	pCi/L	0.034	0.083			
SESPMNT	B1N057	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	09-May-07	U-238	0.174	pCi/L	0.032	0.08			
SESPMNT	B1NFX6	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	07-Jun-07	U-238	0.167	pCi/L	0.037	0.082			
SESPMNT	B1NRL9	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	03-Jul-07	U-238	0.18	pCi/L	0.03	0.08			
SESPMNT	B1P302	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	02-Aug-07	U-238	0.176	pCi/L	0.032	0.079			
SESPMNT	B1PCC8	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	05-Sep-07	U-238	0.159	pCi/L	0.033	0.08			
SESPMNT	B1PKJ3	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	26-Sep-07	U-238	0.231	pCi/L	0.034	0.084			
SESPMNT	B1PTD0	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	06-Nov-07	U-238	0.209	pCi/L	0.036	0.083			
SESPMNT	B1R812	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	04-Dec-07	U-238	0.19	pCi/L	0.031	0.042			
SESPMNT	B1RMF7	RICH.PMPHS HRM 46.4	OFFSITE	SW	N	RIVER	UNFILTERED	03-Jan-08	U-238	0.248	pCi/L	0.035	0.051			





**ENVIRONMENTAL SURVEILLANCE DATA CY07**  
**RIVER FLOW(a)**

OWNER ID	SAMP SITE NAME	SAMP DATE	FLOW RATE	FLOW RATE UNITS
SESPMNT	BELOW PRIEST RAPIDS	12-Jul-07	158000	CFS
SESPMNT	BELOW PRIEST RAPIDS	13-Jul-07	161000	CFS
SESPMNT	BELOW PRIEST RAPIDS	14-Jul-07	174000	CFS
SESPMNT	BELOW PRIEST RAPIDS	15-Jul-07	152000	CFS
SESPMNT	BELOW PRIEST RAPIDS	16-Jul-07	154000	CFS
SESPMNT	BELOW PRIEST RAPIDS	17-Jul-07	143000	CFS
SESPMNT	BELOW PRIEST RAPIDS	18-Jul-07	143000	CFS
SESPMNT	BELOW PRIEST RAPIDS	19-Jul-07	118000	CFS
SESPMNT	BELOW PRIEST RAPIDS	20-Jul-07	135000	CFS
SESPMNT	BELOW PRIEST RAPIDS	21-Jul-07	132000	CFS
SESPMNT	BELOW PRIEST RAPIDS	22-Jul-07	142000	CFS
SESPMNT	BELOW PRIEST RAPIDS	23-Jul-07	133000	CFS
SESPMNT	BELOW PRIEST RAPIDS	24-Jul-07	123000	CFS
SESPMNT	BELOW PRIEST RAPIDS	25-Jul-07	134000	CFS
SESPMNT	BELOW PRIEST RAPIDS	26-Jul-07	162000	CFS
SESPMNT	BELOW PRIEST RAPIDS	27-Jul-07	155000	CFS
SESPMNT	BELOW PRIEST RAPIDS	28-Jul-07	128000	CFS
SESPMNT	BELOW PRIEST RAPIDS	29-Jul-07	106000	CFS
SESPMNT	BELOW PRIEST RAPIDS	30-Jul-07	138000	CFS
SESPMNT	BELOW PRIEST RAPIDS	31-Jul-07	145000	CFS
SESPMNT	BELOW PRIEST RAPIDS	01-Aug-07	155000	CFS
SESPMNT	BELOW PRIEST RAPIDS	02-Aug-07	143000	CFS
SESPMNT	BELOW PRIEST RAPIDS	03-Aug-07	109000	CFS
SESPMNT	BELOW PRIEST RAPIDS	04-Aug-07	124000	CFS
SESPMNT	BELOW PRIEST RAPIDS	05-Aug-07	91900	CFS
SESPMNT	BELOW PRIEST RAPIDS	06-Aug-07	106000	CFS
SESPMNT	BELOW PRIEST RAPIDS	07-Aug-07	108000	CFS
SESPMNT	BELOW PRIEST RAPIDS	08-Aug-07	134000	CFS
SESPMNT	BELOW PRIEST RAPIDS	09-Aug-07	127000	CFS
SESPMNT	BELOW PRIEST RAPIDS	10-Aug-07	142000	CFS
SESPMNT	BELOW PRIEST RAPIDS	11-Aug-07	104000	CFS
SESPMNT	BELOW PRIEST RAPIDS	12-Aug-07	112000	CFS
SESPMNT	BELOW PRIEST RAPIDS	13-Aug-07	141000	CFS
SESPMNT	BELOW PRIEST RAPIDS	14-Aug-07	137000	CFS
SESPMNT	BELOW PRIEST RAPIDS	15-Aug-07	139000	CFS
SESPMNT	BELOW PRIEST RAPIDS	16-Aug-07	117000	CFS
SESPMNT	BELOW PRIEST RAPIDS	17-Aug-07	95900	CFS
SESPMNT	BELOW PRIEST RAPIDS	18-Aug-07	110000	CFS
SESPMNT	BELOW PRIEST RAPIDS	19-Aug-07	74400	CFS
SESPMNT	BELOW PRIEST RAPIDS	20-Aug-07	86800	CFS
SESPMNT	BELOW PRIEST RAPIDS	21-Aug-07	108000	CFS
SESPMNT	BELOW PRIEST RAPIDS	22-Aug-07	124000	CFS
SESPMNT	BELOW PRIEST RAPIDS	23-Aug-07	126000	CFS
SESPMNT	BELOW PRIEST RAPIDS	24-Aug-07	107000	CFS
SESPMNT	BELOW PRIEST RAPIDS	25-Aug-07	91000	CFS
SESPMNT	BELOW PRIEST RAPIDS	26-Aug-07	73300	CFS
SESPMNT	BELOW PRIEST RAPIDS	27-Aug-07	111000	CFS
SESPMNT	BELOW PRIEST RAPIDS	28-Aug-07	99700	CFS
SESPMNT	BELOW PRIEST RAPIDS	29-Aug-07	96000	CFS
SESPMNT	BELOW PRIEST RAPIDS	30-Aug-07	117000	CFS
SESPMNT	BELOW PRIEST RAPIDS	31-Aug-07	126000	CFS
SESPMNT	BELOW PRIEST RAPIDS	01-Sep-07	93100	CFS
SESPMNT	BELOW PRIEST RAPIDS	02-Sep-07	74300	CFS
SESPMNT	BELOW PRIEST RAPIDS	03-Sep-07	75700	CFS
SESPMNT	BELOW PRIEST RAPIDS	04-Sep-07	100000	CFS
SESPMNT	BELOW PRIEST RAPIDS	05-Sep-07	88100	CFS
SESPMNT	BELOW PRIEST RAPIDS	06-Sep-07	67500	CFS
SESPMNT	BELOW PRIEST RAPIDS	07-Sep-07	40700	CFS
SESPMNT	BELOW PRIEST RAPIDS	08-Sep-07	40500	CFS

OWNER ID	SAMP SITE NAME	SAMP DATE	FLOW RATE	FLOW RATE UNITS
SESPMNT	BELOW PRIEST RAPIDS	09-Sep-07	40300	CFS
SESPMNT	BELOW PRIEST RAPIDS	10-Sep-07	68000	CFS
SESPMNT	BELOW PRIEST RAPIDS	11-Sep-07	77200	CFS
SESPMNT	BELOW PRIEST RAPIDS	12-Sep-07	59200	CFS
SESPMNT	BELOW PRIEST RAPIDS	13-Sep-07	79900	CFS
SESPMNT	BELOW PRIEST RAPIDS	14-Sep-07	70500	CFS
SESPMNT	BELOW PRIEST RAPIDS	15-Sep-07	59700	CFS
SESPMNT	BELOW PRIEST RAPIDS	16-Sep-07	47800	CFS
SESPMNT	BELOW PRIEST RAPIDS	17-Sep-07	61000	CFS
SESPMNT	BELOW PRIEST RAPIDS	18-Sep-07	71800	CFS
SESPMNT	BELOW PRIEST RAPIDS	19-Sep-07	68100	CFS
SESPMNT	BELOW PRIEST RAPIDS	20-Sep-07	67100	CFS
SESPMNT	BELOW PRIEST RAPIDS	21-Sep-07	61600	CFS
SESPMNT	BELOW PRIEST RAPIDS	22-Sep-07	42400	CFS
SESPMNT	BELOW PRIEST RAPIDS	23-Sep-07	40600	CFS
SESPMNT	BELOW PRIEST RAPIDS	24-Sep-07	48900	CFS
SESPMNT	BELOW PRIEST RAPIDS	25-Sep-07	70000	CFS
SESPMNT	BELOW PRIEST RAPIDS	26-Sep-07	69100	CFS
SESPMNT	BELOW PRIEST RAPIDS	27-Sep-07	62300	CFS
SESPMNT	BELOW PRIEST RAPIDS	28-Sep-07	61700	CFS
SESPMNT	BELOW PRIEST RAPIDS	29-Sep-07	42400	CFS
SESPMNT	BELOW PRIEST RAPIDS	30-Sep-07	40700	CFS
SESPMNT	BELOW PRIEST RAPIDS	01-Oct-07	65900	CFS
SESPMNT	BELOW PRIEST RAPIDS	02-Oct-07	66600	CFS
SESPMNT	BELOW PRIEST RAPIDS	03-Oct-07	78100	CFS
SESPMNT	BELOW PRIEST RAPIDS	04-Oct-07	82500	CFS
SESPMNT	BELOW PRIEST RAPIDS	05-Oct-07	69900	CFS
SESPMNT	BELOW PRIEST RAPIDS	06-Oct-07	51200	CFS
SESPMNT	BELOW PRIEST RAPIDS	07-Oct-07	38300	CFS
SESPMNT	BELOW PRIEST RAPIDS	08-Oct-07	61100	CFS
SESPMNT	BELOW PRIEST RAPIDS	09-Oct-07	79300	CFS
SESPMNT	BELOW PRIEST RAPIDS	10-Oct-07	74100	CFS
SESPMNT	BELOW PRIEST RAPIDS	11-Oct-07	86900	CFS
SESPMNT	BELOW PRIEST RAPIDS	12-Oct-07	70900	CFS
SESPMNT	BELOW PRIEST RAPIDS	13-Oct-07	66900	CFS
SESPMNT	BELOW PRIEST RAPIDS	14-Oct-07	49500	CFS
SESPMNT	BELOW PRIEST RAPIDS	15-Oct-07	62800	CFS
SESPMNT	BELOW PRIEST RAPIDS	16-Oct-07	64500	CFS
SESPMNT	BELOW PRIEST RAPIDS	17-Oct-07	80900	CFS
SESPMNT	BELOW PRIEST RAPIDS	18-Oct-07	72400	CFS
SESPMNT	BELOW PRIEST RAPIDS	19-Oct-07	64800	CFS
SESPMNT	BELOW PRIEST RAPIDS	20-Oct-07	63500	CFS
SESPMNT	BELOW PRIEST RAPIDS	21-Oct-07	52100	CFS
SESPMNT	BELOW PRIEST RAPIDS	22-Oct-07	64600	CFS
SESPMNT	BELOW PRIEST RAPIDS	23-Oct-07	65700	CFS
SESPMNT	BELOW PRIEST RAPIDS	24-Oct-07	65800	CFS
SESPMNT	BELOW PRIEST RAPIDS	25-Oct-07	65900	CFS
SESPMNT	BELOW PRIEST RAPIDS	26-Oct-07	63700	CFS
SESPMNT	BELOW PRIEST RAPIDS	27-Oct-07	74100	CFS
SESPMNT	BELOW PRIEST RAPIDS	28-Oct-07	60600	CFS
SESPMNT	BELOW PRIEST RAPIDS	29-Oct-07	64600	CFS
SESPMNT	BELOW PRIEST RAPIDS	30-Oct-07	65200	CFS
SESPMNT	BELOW PRIEST RAPIDS	31-Oct-07	71200	CFS
SESPMNT	BELOW PRIEST RAPIDS	01-Nov-07	69800	CFS
SESPMNT	BELOW PRIEST RAPIDS	02-Nov-07	80400	CFS
SESPMNT	BELOW PRIEST RAPIDS	03-Nov-07	65200	CFS
SESPMNT	BELOW PRIEST RAPIDS	04-Nov-07	61000	CFS
SESPMNT	BELOW PRIEST RAPIDS	05-Nov-07	69700	CFS
SESPMNT	BELOW PRIEST RAPIDS	06-Nov-07	71500	CFS

OWNER ID	SAMP SITE NAME	SAMP DATE	FLOW RATE	FLOW RATE UNITS
SESPMNT	BELOW PRIEST RAPIDS	07-Nov-07	68200	CFS
SESPMNT	BELOW PRIEST RAPIDS	08-Nov-07	72800	CFS
SESPMNT	BELOW PRIEST RAPIDS	09-Nov-07	59800	CFS
SESPMNT	BELOW PRIEST RAPIDS	10-Nov-07	74900	CFS
SESPMNT	BELOW PRIEST RAPIDS	11-Nov-07	82800	CFS
SESPMNT	BELOW PRIEST RAPIDS	12-Nov-07	87300	CFS
SESPMNT	BELOW PRIEST RAPIDS	13-Nov-07	109000	CFS
SESPMNT	BELOW PRIEST RAPIDS	14-Nov-07	107000	CFS
SESPMNT	BELOW PRIEST RAPIDS	15-Nov-07	113000	CFS
SESPMNT	BELOW PRIEST RAPIDS	16-Nov-07	87200	CFS
SESPMNT	BELOW PRIEST RAPIDS	17-Nov-07	60800	CFS
SESPMNT	BELOW PRIEST RAPIDS	18-Nov-07	54300	CFS
SESPMNT	BELOW PRIEST RAPIDS	19-Nov-07	73600	CFS
SESPMNT	BELOW PRIEST RAPIDS	20-Nov-07	68100	CFS
SESPMNT	BELOW PRIEST RAPIDS	21-Nov-07	81100	CFS
SESPMNT	BELOW PRIEST RAPIDS	22-Nov-07	68900	CFS
SESPMNT	BELOW PRIEST RAPIDS	23-Nov-07	70800	CFS
SESPMNT	BELOW PRIEST RAPIDS	24-Nov-07	79000	CFS
SESPMNT	BELOW PRIEST RAPIDS	25-Nov-07	81000	CFS
SESPMNT	BELOW PRIEST RAPIDS	26-Nov-07	119000	CFS
SESPMNT	BELOW PRIEST RAPIDS	27-Nov-07	110000	CFS
SESPMNT	BELOW PRIEST RAPIDS	28-Nov-07	93800	CFS
SESPMNT	BELOW PRIEST RAPIDS	29-Nov-07	95700	CFS
SESPMNT	BELOW PRIEST RAPIDS	30-Nov-07	93800	CFS
SESPMNT	BELOW PRIEST RAPIDS	01-Dec-07	95400	CFS
SESPMNT	BELOW PRIEST RAPIDS	02-Dec-07	73700	CFS
SESPMNT	BELOW PRIEST RAPIDS	03-Dec-07	68400	CFS
SESPMNT	BELOW PRIEST RAPIDS	04-Dec-07	59000	CFS
SESPMNT	BELOW PRIEST RAPIDS	05-Dec-07	54300	CFS
SESPMNT	BELOW PRIEST RAPIDS	06-Dec-07	80200	CFS
SESPMNT	BELOW PRIEST RAPIDS	07-Dec-07	85900	CFS
SESPMNT	BELOW PRIEST RAPIDS	08-Dec-07	110000	CFS
SESPMNT	BELOW PRIEST RAPIDS	09-Dec-07	73300	CFS
SESPMNT	BELOW PRIEST RAPIDS	10-Dec-07	134000	CFS
SESPMNT	BELOW PRIEST RAPIDS	11-Dec-07	100000	CFS
SESPMNT	BELOW PRIEST RAPIDS	12-Dec-07	81900	CFS
SESPMNT	BELOW PRIEST RAPIDS	13-Dec-07	96200	CFS
SESPMNT	BELOW PRIEST RAPIDS	14-Dec-07	102000	CFS
SESPMNT	BELOW PRIEST RAPIDS	15-Dec-07	77300	CFS
SESPMNT	BELOW PRIEST RAPIDS	16-Dec-07	57900	CFS
SESPMNT	BELOW PRIEST RAPIDS	17-Dec-07	64100	CFS
SESPMNT	BELOW PRIEST RAPIDS	18-Dec-07	83500	CFS
SESPMNT	BELOW PRIEST RAPIDS	19-Dec-07	119000	CFS
SESPMNT	BELOW PRIEST RAPIDS	20-Dec-07	108000	CFS
SESPMNT	BELOW PRIEST RAPIDS	21-Dec-07	122000	CFS
SESPMNT	BELOW PRIEST RAPIDS	22-Dec-07	95900	CFS
SESPMNT	BELOW PRIEST RAPIDS	23-Dec-07	86700	CFS
SESPMNT	BELOW PRIEST RAPIDS	24-Dec-07	79300	CFS
SESPMNT	BELOW PRIEST RAPIDS	25-Dec-07	76800	CFS
SESPMNT	BELOW PRIEST RAPIDS	26-Dec-07	95500	CFS
SESPMNT	BELOW PRIEST RAPIDS	27-Dec-07	131000	CFS
SESPMNT	BELOW PRIEST RAPIDS	28-Dec-07	126000	CFS
SESPMNT	BELOW PRIEST RAPIDS	29-Dec-07	87700	CFS
SESPMNT	BELOW PRIEST RAPIDS	30-Dec-07	64900	CFS
SESPMNT	BELOW PRIEST RAPIDS	31-Dec-07	92700	CFS

(a) Preliminary daily average Columbia River flow data are provided by the USGS.

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## WATER - COLUMBIA RIVER TRANSECTS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1P733	100 N -1 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Sr-90	0.0833 pCi/L		0.023	0.037		WATER DEPTH 4.5 FT.	
SESPSPEC	B1P723	100 N -1 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Sr-90	0.0815 pCi/L		0.022	0.037		WATER DEPTH 4.5 FT.	
SESPMNT	B1P735	100 N -2 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Sr-90	0.0534 pCi/L		0.021	0.035		WATER DEPTH 10 FT.	
SESPMNT	B1P777	100 N -3 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Sr-90	0.0432 pCi/L		0.022	0.035		WATER DEPTH 24 FT.	
SESPMNT	B1P737	100 N -5 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Sr-90	0.0442 pCi/L		0.022	0.035		WATER DEPTH 24 FT.	
SESPMNT	B1P779	100 N -7 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Sr-90	0.0561 pCi/L		0.023	0.036		WATER DEPTH 14 FT.	
SESPMNT	B1P775	100 N -10 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Sr-90	0.0737 pCi/L		0.025	0.039		WATER DEPTH 5 FT.	
SESPMNT	B1P7H0	100 N SHORE HRM 8.4	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Sr-90	0.289 pCi/L		0.029	0.069		WATER DEPTH 4 FT.	
SESPMNT	B1P7H5	100 N SHORE HRM 8.9	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Sr-90	0.3 pCi/L		0.033	0.073		WATER DEPTH 5 FT.	
SESPMNT	B1P7J0	100 N SHORE HRM 9.2	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Sr-90	0.0523 pCi/L		0.018	0.033		WATER DEPTH 2 FT.	
SESPMNT	B1P7J5	100 N SHORE HRM 9.8	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Sr-90	0.013 pCi/L		0.017	0.031	U	WATER DEPTH 3 FT.	
SESPMNT	B1P751	300 AREA -1 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Sr-90	0.0406 pCi/L		0.021	0.035		WATER DEPTH 3 FT.	
SESPMNT	B1P753	300 AREA -2 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Sr-90	0.0499 pCi/L		0.019	0.033		WATER DEPTH 10 FT.	
SESPMNT	B1P755	300 AREA -3 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Sr-90	0.0441 pCi/L		0.018	0.033		WATER DEPTH 27 FT.	
SESPMNT	B1P757	300 AREA -5 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Sr-90	0.0501 pCi/L		0.018	0.033		WATER DEPTH 3 FT.	
SESPMNT	B1P759	300 AREA -7 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Sr-90	0.0226 pCi/L		0.02	0.033	U	WATER DEPTH 12 FT.	
SESPMNT	B1P761	300 AREA-10 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Sr-90	0.0314 pCi/L		0.017	0.031		WATER DEPTH 5 FT.	
SESPMNT	B1P7K0	300 AREA SHR HRM41.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Sr-90	0.0512 pCi/L		0.018	0.033		WATER DEPTH 2.5 FT.	
SESPMNT	B1P7L0	300 AREA SHR HRM42.9	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Sr-90	0.0539 pCi/L		0.02	0.034		WATER DEPTH 2.5 FT.	
SESPMNT	B1P7M4	300 AREA SPR DR 42-2	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Sr-90	0.0485 pCi/L		0.021	0.034		WATER DEPTH 2.5 FT.	
SESPMNT	B1P7K5	300 AREA SPRING 42-2	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Sr-90	0.0408 pCi/L		0.018	0.032		WATER DEPTH 4 FT.	
SESPMNT	B1P741	HANFRD TS-1 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Sr-90	0.0586 pCi/L		0.03	0.04		WATER DEPTH 5 FT.	
SESPMNT	B1P743	HANFRD TS-2 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Sr-90	0.0485 pCi/L		0.024	0.037		WATER DEPTH 8 FT.	
SESPMNT	B1P749	HANFRD TS-3 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Sr-90	0.0803 pCi/L		0.028	0.041		WATER DEPTH 18 FT.	
SESPMNT	B1P739	HANFRD TS-5 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Sr-90	0.055 pCi/L		0.022	0.036		WATER DEPTH 33 FT.	
SESPMNT	B1P745	HANFRD TS-7 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Sr-90	0.0246 pCi/L		0.021	0.034	U	WATER DEPTH 15 FT.	
SESPMNT	B1P747	HANFRD TS-10 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Sr-90	0.0648 pCi/L		0.025	0.038		WATER DEPTH 4 FT.	
SESPMNT	B1P781	HANFRD TWNSITE HRM26	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Sr-90	0.0576 pCi/L		0.025	0.037		WATER DEPTH 2 FT.	
SESPMNT	B1P784	HANFRD TWNSITE HRM27	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Sr-90	0.0584 pCi/L		0.019	0.034		WATER DEPTH 6 FT.	
SESPMNT	B1P7L5	HANFRD TWNSITE HRM28	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Sr-90					U	WATER DEPTH 3 FT.	The analyst inadvertently combined samples B1P787 and B1P7L5 during the preparation steps.
SESPMNT	B1P787	HANFRD TWNSITE HRM30	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Sr-90					U	WATER DEPTH 4 FT.	The analyst inadvertently combined samples B1P787 and B1P7L5 during the preparation steps.
SESPSPEC	B1MM90	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	Sr-90	0.0554 pCi/L		0.039	0.05	U	WATER DEPTH 3 FT.	
SESPMNT	B1MMB0	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	Sr-90	0.0488 pCi/L		0.031	0.043	U	WATER DEPTH 3 FT.	
SESPMNT	B1NH61	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Jun-07	Sr-90	0.0267 pCi/L		0.015	0.031	U	WATER DEPTH 8 FT.	
SESPMNT	B1P763	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Sr-90	0.0606 pCi/L		0.02	0.034		WATER DEPTH 6.4 FT.	
SESPSPEC	B1R8M1	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	Sr-90	0.0448 pCi/L		0.023	0.035		WATER DEPTH 4.6 FT.	
SESPMNT	B1R8N1	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	Sr-90	0.0505 pCi/L		0.023	0.036		WATER DEPTH 4.6 FT.	
SESPMNT	B1MMB2	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	Sr-90	0.0492 pCi/L		0.027	0.039		WATER DEPTH 14 FT. DUE TO BROKEN ANCHOR WINCH, SAMPLE COLLECTED APPROXIMATELY 4 FEET BELOW SURFACE.	
SESPMNT	B1NH63	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Jun-07	Sr-90	0.0158 pCi/L		0.023	0.036	U	WATER DEPTH 13 FT.	
SESPMNT	B1P765	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Sr-90	0.0482 pCi/L		0.036	0.044	U	WATER DEPTH 12 FT.	
SESPMNT	B1R8N3	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	Sr-90	0.0457 pCi/L		0.023	0.037		WATER DEPTH 12.5 FT.	
SESPMNT	B1MMB4	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	Sr-90	0.0452 pCi/L		0.03	0.04	U	WATER DEPTH 18 FT. DUE TO BROKEN ANCHOR WINCH, SAMPLE COLLECTED APPROXIMATELY 4 FEET BELOW SURFACE, NOT AT MID-DEPTH.	
SESPMNT	B1NH65	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Jun-07	Sr-90		pCi/L			U	WATER DEPTH 19 FT.	The sample is failed, analytical lab tech poured B1NH65 into B1NH67.
SESPMNT	B1P767	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Sr-90	0.045 pCi/L		0.019	0.033		WATER DEPTH 17 FT.	
SESPMNT	B1R8N5	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	Sr-90	0.0458 pCi/L		0.021	0.035		WATER DEPTH 16.3 FT.	
SESPMNT	B1MMB6	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	Sr-90	0.0526 pCi/L		0.024	0.037		WATER DEPTH 3 FT.	
SESPMNT	B1NH67	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Jun-07	Sr-90		pCi/L			U	WATER DEPTH 10 FT.	The sample is failed, analytical lab tech poured B1NH65 into B1NH67.
SESPMNT	B1P769	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Sr-90	0.0359 pCi/L		0.021	0.034	U	WATER DEPTH 19.4 FT.	
SESPMNT	B1R8N7	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	Sr-90	0.0554 pCi/L		0.022	0.035		WATER DEPTH 1.7 FT.	
SESPMNT	B1MMB8	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	Sr-90	0.0655 pCi/L		0.019	0.034		WATER DEPTH 15.7 FT.	

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## WATER - COLUMBIA RIVER TRANSECTS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1NH69	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Jun-07	Sr-90	0.0385 pCi/L		0.016	0.031		WATER DEPTH 15 FT.	
SESPMNT	B1P771	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Sr-90	0.0364 pCi/L		0.021	0.034		WATER DEPTH 22 FT.	
SESPMNT	B1R8N9	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	Sr-90	0.0483 pCi/L		0.02	0.034		WATER DEPTH 21.3 FT.	
SESPMNT	B1MMCO	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	Sr-90	0.0488 pCi/L		0.022	0.035		WATER DEPTH 1.8 FT.	
SESPMNT	B1NH71	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Jun-07	Sr-90	0.0316 pCi/L		0.016	0.031		WATER DEPTH 4 FT.	
SESPMNT	B1P773	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Sr-90	0.0412 pCi/L		0.019	0.033		WATER DEPTH 4.6 FT.	
SESPMNT	B1R8P1	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	Sr-90	0.0641 pCi/L		0.022	0.036		WATER DEPTH 2 FT.	
SESPMNT	B1MMC8	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	Sr-90	0.0421 pCi/L		0.025	0.037	U	WATER DEPTH 3.6 FT.	
SESPMNT	B1NH79	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Jun-07	Sr-90	0.0179 pCi/L		0.014	0.03	U	WATER DEPTH 3 FT.	
SESPMNT	B1P7F0	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Sr-90	0.0414 pCi/L		0.02	0.034		WATER DEPTH 3 FT.	
SESPMNT	B1R8P9	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	Sr-90	0.0447 pCi/L		0.018	0.033		WATER DEPTH 2 FT.	
SESPMNT	B1MMC8	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	Sr-90	0.0791 pCi/L		0.036	0.046		WATER DEPTH 20 FT.	
SESPMNT	B1NH77	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Jun-07	Sr-90	0.0385 pCi/L		0.015	0.031		WATER DEPTH 5 FT.	
SESPMNT	B1P7D8	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Sr-90	0.0354 pCi/L		0.018	0.032		WATER DEPTH 9.5 FT.	
SESPMNT	B1R8P7	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	Sr-90	0.0743 pCi/L		0.022	0.036		WATER DEPTH 1.1 FT.	
SESPMNT	B1MMC4	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	Sr-90	0.0643 pCi/L		0.031	0.042		WATER DEPTH 8.4 FT.	
SESPMNT	B1NH75	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Jun-07	Sr-90	0.0262 pCi/L		0.014	0.03	U	WATER DEPTH 4 FT.	
SESPMNT	B1P7D6	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Sr-90	0.0349 pCi/L		0.019	0.033		WATER DEPTH 2 FT.	
SESPMNT	B1R8P3	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	Sr-90	0.0566 pCi/L		0.024	0.036		WATER DEPTH 2.7 FT.	
SESPMNT	B1MMC2	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	Sr-90	0.0398 pCi/L		0.02	0.034		WATER DEPTH 2.1 FT.	
SESPMNT	B1NH73	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Jun-07	Sr-90	0.0297 pCi/L		0.018	0.032	U	WATER DEPTH 4 FT.	
SESPMNT	B1P7D4	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Sr-90	0.0318 pCi/L		0.018	0.032	U	WATER DEPTH 3 FT.	
SESPMNT	B1R8P5	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	Sr-90	0.0484 pCi/L		0.02	0.034		WATER DEPTH 4.1 FT.	
SESPMNT	B1MM92	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	26-Mar-07	Sr-90	0.0488 pCi/L		0.024	0.036		WATER DEPTH 25.2 FT, HIGH WATER.	
SESPMNT	B1NH53	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	04-Jun-07	Sr-90	0.0564 pCi/L		0.028	0.039		WATER DEPTH 8 FT.	
SESPMNT	B1P731	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Sr-90	0.0467 pCi/L		0.021	0.035		WATER DEPTH 14 FT.	
SESPMNT	B1R8M3	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Dec-07	Sr-90	0.0492 pCi/L		0.023	0.035		WATER DEPTH 6.2 FT.	
SESPMNT	B1MM94	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	26-Mar-07	Sr-90	0.0557 pCi/L		0.023	0.036		WATER DEPTH 17 FT.	
SESPMNT	B1NH55	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	04-Jun-07	Sr-90	0.0489 pCi/L		0.023	0.036		WATER DEPTH 17 FT.	
SESPMNT	B1P727	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Sr-90	0.0489 pCi/L		0.019	0.034		WATER DEPTH 17 FT.	
SESPMNT	B1R8M5	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Dec-07	Sr-90	0.0582 pCi/L		0.022	0.036		WATER DEPTH 15.4 FT.	
SESPMNT	B1MM96	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	26-Mar-07	Sr-90	0.0793 pCi/L		0.03	0.041		WATER DEPTH 8.1 FT.	
SESPMNT	B1NH57	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	04-Jun-07	Sr-90	0.0445 pCi/L		0.025	0.037		WATER DEPTH 23 FT.	
SESPMNT	B1P729	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Sr-90	0.049 pCi/L		0.02	0.035		WATER DEPTH 24 FT.	
SESPMNT	B1R8M7	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Dec-07	Sr-90	0.0538 pCi/L		0.025	0.036		WATER DEPTH 24.8 FT.	
SESPMNT	B1MM98	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	26-Mar-07	Sr-90	0.0361 pCi/L		0.031	0.041	U	WATER DEPTH 8 FT, HIGH WATER.	
SESPMNT	B1NH59	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	04-Jun-07	Sr-90	0.0474 pCi/L		0.022	0.035		WATER DEPTH 6 FT.	
SESPMNT	B1P725	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Sr-90	0.0439 pCi/L		0.021	0.035		WATER DEPTH 5 FT.	
SESPMNT	B1R8M9	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Dec-07	Sr-90	0.0608 pCi/L		0.021	0.035		WATER DEPTH 7.1 FT.	
SESPMNT	B1P741	HANFRD TS-1 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Tc-99	1.73 pCi/L		0.24	0.44		WATER DEPTH 5 FT.	
SESPMNT	B1P781	HANFRD TWNSITE HRM26	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Tc-99	0.835 pCi/L		0.23	0.4		WATER DEPTH 2 FT.	
SESPMNT	B1P784	HANFRD TWNSITE HRM27	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Tc-99	1.63 pCi/L		0.25	0.45		WATER DEPTH 6 FT.	
SESPMNT	B1P7L5	HANFRD TWNSITE HRM28	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Tc-99	1.75 pCi/L		0.24	0.45		WATER DEPTH 3 FT.	
SESPMNT	B1P787	HANFRD TWNSITE HRM30	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Tc-99	1.28 pCi/L		0.24	0.42		WATER DEPTH 4 FT.	
SESPMNT	B1P734	100 N -1 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Lo H-3	30.4 pCi/L		5.7	8.7		WATER DEPTH 4.5 FT.	
SESPSPEC	B1P724	100 N -1 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Lo H-3	32.1 pCi/L		5.7	9		WATER DEPTH 4.5 FT.	
SESPMNT	B1P736	100 N -2 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Lo H-3	29.6 pCi/L		6.2	8.9		WATER DEPTH 10 FT.	
SESPMNT	B1P778	100 N -3 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Lo H-3	24.9 pCi/L		6.9	8.5		WATER DEPTH 24 FT.	
SESPMNT	B1P738	100 N -5 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Lo H-3	19.3 pCi/L		4.9	7		WATER DEPTH 24 FT.	
SESPMNT	B1P780	100 N -7 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Lo H-3	22.6 pCi/L		5.3	7.6		WATER DEPTH 14 FT.	
SESPMNT	B1P776	100 N -10 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Lo H-3	20.8 pCi/L		5.2	7.4		WATER DEPTH 5 FT.	
SESPMNT	B1P7H1	100 N SHORE HRM 8.4	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Lo H-3	32.4 pCi/L		5.8	9.1		WATER DEPTH 4 FT.	
SESPMNT	B1P7H6	100 N SHORE HRM 8.9	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Lo H-3	23.8 pCi/L		5.4	7.8		WATER DEPTH 5 FT.	
SESPMNT	B1P7J1	100 N SHORE HRM 9.2	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Lo H-3	26 pCi/L		5.4	8.1		WATER DEPTH 2 FT.	
SESPMNT	B1P7J6	100 N SHORE HRM 9.8	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Lo H-3	37.2 pCi/L		6	9.8		WATER DEPTH 3 FT.	
SESPMNT	B1P752	300 AREA -1 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Lo H-3	80.9 pCi/L		9.5	18		WATER DEPTH 3 FT.	
SESPMNT	B1P754	300 AREA -2 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Lo H-3	75.3 pCi/L		12	18		WATER DEPTH 10 FT.	
SESPMNT	B1P756	300 AREA -3 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Lo H-3	30.7 pCi/L		7.1	10		WATER DEPTH 27 FT.	
SESPMNT	B1P758	300 AREA -5 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Lo H-3	31.9 pCi/L		6.9	10		WATER DEPTH 3 FT.	
SESPMNT	B1P762	300 AREA -10 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Lo H-3	36.4 pCi/L		8.4	11		WATER DEPTH 5 FT.	
SESPMNT	B1P760	300 AREA -7 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Lo H-3	38.8 pCi/L		9.2	12		WATER DEPTH 12 FT.	
SESPMNT	B1P7K1	300 AREA SHR HRM41.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Lo H-3	132 pCi/L		11	26		WATER DEPTH 2.5 FT.	
SESPMNT	B1P7L1	300 AREA SHR HRM42.9	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Lo H-3	143 pCi/L		12	28		WATER DEPTH 2.5 FT.	
SESPMNT	B1P7M5	300 AREA SPR DR 42-2	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Lo H-3	523 pCi/L		21	92		WATER DEPTH 2.5 FT.	
SESPMNT	B1P7K6	300 AREA SPRING 42-2	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Lo H-3	1210 pCi/L		33	210		WATER DEPTH 4 FT.	

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## WATER - COLUMBIA RIVER TRANSECTS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1P742	HANFRD TS-1 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Lo H-3	863 pCi/L		26	150		WATER DEPTH 5 FT.	
SESPMNT	B1P744	HANFRD TS-2 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Lo H-3	400 pCi/L		22	72		WATER DEPTH 8 FT.	
SESPMNT	B1P750	HANFRD TS-3 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Lo H-3	35.6 pCi/L		7.4	11		WATER DEPTH 18 FT.	
SESPMNT	B1P740	HANFRD TS-5 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Lo H-3	29.4 pCi/L		8.8	11		WATER DEPTH 33 FT.	
SESPMNT	B1P746	HANFRD TS-7 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Lo H-3	33.3 pCi/L		9.6	11		WATER DEPTH 15 FT.	
SESPMNT	B1P748	HANFRD TS-10 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Lo H-3	22.4 pCi/L		6.1	8.7		WATER DEPTH 4 FT.	
SESPMNT	B1P782	HANFRD TWNSITE HRM26	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Lo H-3	35.4 pCi/L		7.1	11		WATER DEPTH 2 FT.	
SESPMNT	B1P785	HANFRD TWNSITE HRM27	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Lo H-3	28.8 pCi/L		6.9	9.8		WATER DEPTH 6 FT.	
SESPMNT	B1P7L6	HANFRD TWNSITE HRM28	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Lo H-3	1210 pCi/L		31	210		WATER DEPTH 3 FT.	
SESPMNT	B1P788	HANFRD TWNSITE HRM30	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Lo H-3	477 pCi/L		24	85		WATER DEPTH 4 FT.	
SESPSPEC	B1MM91	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	Lo H-3	23.6 pCi/L		5.4	7.9		WATER DEPTH 3 FT.	
SESPMNT	B1MMB1	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	Lo H-3	28.2 pCi/L		5.8	8.6		WATER DEPTH 3 FT.	
SESPMNT	B1NH62	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Jun-07	Lo H-3	38.2 pCi/L		6.1	10		WATER DEPTH 8 FT.	
SESPMNT	B1P764	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Lo H-3	38.7 pCi/L		7.5	11		WATER DEPTH 6.4 FT.	
SESPSPEC	B1R8M2	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	Lo H-3	160 pCi/L		12	31		WATER DEPTH 4.6 FT.	The blank result is over the CRDL and is considered failed. High blank of 23.3 +/- 4.46 pCi/L
SESPMNT	B1R8N2	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	Lo H-3	114 pCi/L		10	23		WATER DEPTH 4.6 FT.	The blank result is over the CRDL and is considered failed. High blank of 23.3 +/- 4.46 pCi/L
SESPMNT	B1MMB3	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	Lo H-3	24.1 pCi/L		5.5	8.1		WATER DEPTH 14 FT. DUE TO BROKEN ANCHOR WINCH, SAMPLE COLLECTED APPROXIMATELY 4 FEET BELOW SURFACE.	
SESPMNT	B1NH64	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Jun-07	Lo H-3	37.7 pCi/L		6.3	10		WATER DEPTH 12 FT.	
SESPMNT	B1P766	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Lo H-3	47 pCi/L		8.9	13		WATER DEPTH 13 FT.	
SESPMNT	B1R8N4	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	Lo H-3	108 pCi/L		10	22		WATER DEPTH 12.5 FT.	The blank result is over the CRDL and is considered failed. High blank of 23.3 +/- 4.46 pCi/L
SESPMNT	B1MMB5	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	Lo H-3	20.6 pCi/L		5.2	7.4		WATER DEPTH 18 FT. DUE TO BROKEN ANCHOR WINCH, SAMPLE COLLECTED APPROXIMATELY 4 FEET BELOW SURFACE, NOT AT MID-DEPTH.	
SESPMNT	B1NH66	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Jun-07	Lo H-3	22.3 pCi/L		5.5	7.8		WATER DEPTH 19 FT.	
SESPMNT	B1P768	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Lo H-3	27.7 pCi/L		7.2	9.5		WATER DEPTH 17 FT.	
SESPMNT	B1R8N6	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	Lo H-3	63.7 pCi/L		8.5	15		WATER DEPTH 16.3 FT.	The blank result is over the CRDL and is considered failed. High blank of 23.3 +/- 4.46 pCi/L
SESPMNT	B1MMB7	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	Lo H-3	14.9 pCi/L		4.8	6.7		WATER DEPTH 3 FT.	
SESPMNT	B1NH68	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Jun-07	Lo H-3	28 pCi/L		5.7	8.5		WATER DEPTH 10 FT.	
SESPMNT	B1P770	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Lo H-3	28.8 pCi/L		6.2	9.2		WATER DEPTH 19.4 FT.	
SESPMNT	B1R8N8	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	Lo H-3	67.8 pCi/L		8.4	16		WATER DEPTH 1.7 FT.	The blank result is over the CRDL and is considered failed. High blank of 23.3 +/- 4.46 pCi/L
SESPMNT	B1MMB9	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	Lo H-3	19.9 pCi/L		5	7.3		WATER DEPTH 15.7 FT.	
SESPMNT	B1NH70	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Jun-07	Lo H-3	21.9 pCi/L		5.6	7.8		WATER DEPTH 15 FT.	
SESPMNT	B1P772	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Lo H-3	30 pCi/L		6.4	9.4		WATER DEPTH 22 FT.	
SESPMNT	B1R8P0	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	Lo H-3	71.1 pCi/L		8.7	16		WATER DEPTH 21.3 FT.	The blank result is over the CRDL and is considered failed. High blank of 23.3 +/- 4.46 pCi/L
SESPMNT	B1MMC1	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	Lo H-3	22 pCi/L		6.4	8.2		WATER DEPTH 1.8 FT.	
SESPMNT	B1NH72	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Jun-07	Lo H-3	24.8 pCi/L		5.5	8		WATER DEPTH 4 FT.	
SESPMNT	B1P774	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Lo H-3	38.3 pCi/L		7.1	11		WATER DEPTH 4.6 FT.	
SESPMNT	B1R8P2	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	Lo H-3	61.6 pCi/L		8.4	15		WATER DEPTH 2 FT.	The blank result is over the CRDL and is considered failed. High blank of 23.3 +/- 4.46 pCi/L
SESPMNT	B1MMC9	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	Lo H-3	26.4 pCi/L		5.5	8.3		WATER DEPTH 3.6 FT.	
SESPMNT	B1NH80	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Jun-07	Lo H-3	43.9 pCi/L		6.7	11		WATER DEPTH 3 FT.	
SESPMNT	B1P7F1	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Lo H-3	44.4 pCi/L		7.6	12		WATER DEPTH 3 FT.	
SESPMNT	B1R8R0	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	Lo H-3	143 pCi/L		11	28		WATER DEPTH 2 FT.	The blank result is over the CRDL and is considered failed. High blank of 23.3 +/- 4.46 pCi/L

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## WATER - COLUMBIA RIVER TRANSECTS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1MMC7	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	Lo H-3	33 pCi/L		5.8	9.3		WATER DEPTH 2.0 FT.	
SESPMNT	B1NH78	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Jun-07	Lo H-3	41.3 pCi/L		6.3	11		WATER DEPTH 5 FT.	
SESPMNT	B1P7D9	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Lo H-3	45.4 pCi/L		10	13		WATER DEPTH 9.5 FT.	
SESPMNT	B1R8P8	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	Lo H-3	138 pCi/L		11	27		WATER DEPTH 1.1 FT.	The blank result is over the CRDL and is considered failed. High blank of 23.3 +/- 4.46 pCi/L
SESPMNT	B1MMC5	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	Lo H-3	18.8 pCi/L		5.2	7.3		WATER DEPTH 8.4 FT.	
SESPMNT	B1NH76	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Jun-07	Lo H-3	75.1 pCi/L		9.5	16		WATER DEPTH 4 FT.	
SESPMNT	B1P7D7	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Lo H-3	44.9 pCi/L		7.9	12		WATER DEPTH 2 FT.	
SESPMNT	B1R8P4	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	Lo H-3	350 pCi/L		17	63		WATER DEPTH 2.7 FT.	The blank result is over the CRDL and is considered failed. High blank of 23.3 +/- 4.46 pCi/L
SESPMNT	B1R8P4	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	H-3	115 pCi/L		130	130	U	WATER DEPTH 2.7 FT.	
SESPMNT	B1MMC3	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	Lo H-3	30.6 pCi/L		6.8	9.4		WATER DEPTH 2.1 FT.	
SESPMNT	B1NH74	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Jun-07	Lo H-3	68.8 pCi/L		8	15		WATER DEPTH 4 FT.	
SESPMNT	B1P7D5	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Lo H-3	39.9 pCi/L		7.4	11		WATER DEPTH 3 FT.	
SESPMNT	B1R8P6	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	Lo H-3	140 pCi/L		11	27		WATER DEPTH 4.1 FT.	The blank result is over the CRDL and is considered failed. High blank of 23.3 +/- 4.46 pCi/L
SESPMNT	B1MM93	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	26-Mar-07	Lo H-3	17.3 pCi/L		5.2	7.1		WATER DEPTH 25.2 FT, HIGH WATER.	
SESPMNT	B1NH54	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	04-Jun-07	Lo H-3	29.6 pCi/L		5.6	9.3		WATER DEPTH 8 FT.	
SESPMNT	B1P732	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Lo H-3	25.9 pCi/L		6.9	8.7		WATER DEPTH 14 FT.	
SESPMNT	B1R8M4	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Dec-07	Lo H-3	49.6 pCi/L		7.7	13		WATER DEPTH 6.2 FT.	The blank result is over the CRDL and is considered failed. High blank of 23.3 +/- 4.46 pCi/L
SESPMNT	B1MM95	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	26-Mar-07	Lo H-3	16.6 pCi/L		5	6.9		WATER DEPTH 17 FT.	
SESPMNT	B1NH56	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	04-Jun-07	Lo H-3	22.3 pCi/L		6.1	8.8		WATER DEPTH 17 FT.	
SESPMNT	B1P728	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Lo H-3	24.4 pCi/L		5.5	7.9		WATER DEPTH 17 FT.	
SESPMNT	B1R8M6	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Dec-07	Lo H-3	36.2 pCi/L		7.1	11		WATER DEPTH 15.4 FT.	The blank result is over the CRDL and is considered failed. High blank of 23.3 +/- 4.46 pCi/L
SESPMNT	B1MM97	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	26-Mar-07	Lo H-3	12.9 pCi/L		4.8	6.5		WATER DEPTH 8.1 FT.	
SESPMNT	B1NH58	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	04-Jun-07	Lo H-3	55.4 pCi/L		7	13		WATER DEPTH 23 FT.	
SESPMNT	B1P730	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Lo H-3	23.1 pCi/L		5.8	7.9		WATER DEPTH 24 FT.	
SESPMNT	B1R8M8	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Dec-07	Lo H-3	37.2 pCi/L		7	11		WATER DEPTH 24.8 FT.	The blank result is over the CRDL and is considered failed. High blank of 23.3 +/- 4.46 pCi/L
SESPMNT	B1MM99	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	26-Mar-07	Lo H-3	20 pCi/L		5.3	7.5		WATER DEPTH 8 FT, HIGH WATER.	
SESPMNT	B1NH60	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	04-Jun-07	Lo H-3	72.1 pCi/L		8	16		WATER DEPTH 6 FT.	
SESPMNT	B1P726	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Lo H-3	21.7 pCi/L		5.1	7.4		WATER DEPTH 5 FT.	
SESPMNT	B1R8N0	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Dec-07	Lo H-3	47 pCi/L		7.5	12		WATER DEPTH 7.1 FT.	The blank result is over the CRDL and is considered failed. High blank of 23.3 +/- 4.46 pCi/L
SESPMNT	B1P733	100 N -1 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	U-234	0.213 pCi/L		0.034	0.089		WATER DEPTH 4.5 FT.	
SESPSPEC	B1P723	100 N -1 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	U-234	0.168 pCi/L		0.031	0.086		WATER DEPTH 4.5 FT.	
SESPMNT	B1P735	100 N -2 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	U-234	0.162 pCi/L		0.03	0.085		WATER DEPTH 10 FT.	
SESPMNT	B1P777	100 N -3 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	U-234	0.213 pCi/L		0.034	0.089		WATER DEPTH 24 FT.	
SESPMNT	B1P737	100 N -5 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	U-234	0.176 pCi/L		0.032	0.087		WATER DEPTH 24 FT.	
SESPMNT	B1P779	100 N -7 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	U-234	0.183 pCi/L		0.031	0.086		WATER DEPTH 14 FT.	
SESPMNT	B1P775	100 N -10 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	U-234	0.232 pCi/L		0.035	0.09		WATER DEPTH 5 FT.	
SESPMNT	B1P7H0	100 N SHORE HRM 8.4	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	U-234	0.165 pCi/L		0.03	0.086		WATER DEPTH 4 FT.	
SESPMNT	B1P7H5	100 N SHORE HRM 8.9	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	U-234	0.17 pCi/L		0.031	0.086		WATER DEPTH 5 FT.	
SESPMNT	B1P7J0	100 N SHORE HRM 9.2	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	U-234	0.219 pCi/L		0.041	0.092		WATER DEPTH 2 FT.	
SESPMNT	B1P7J5	100 N SHORE HRM 9.8	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	U-234	0.206 pCi/L		0.039	0.091		WATER DEPTH 3 FT.	
SESPMNT	B1P751	300 AREA -1 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	U-234	0.365 pCi/L		0.043	0.1		WATER DEPTH 3 FT.	
SESPMNT	B1P753	300 AREA -2 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	U-234	0.24 pCi/L		0.036	0.092		WATER DEPTH 10 FT.	
SESPMNT	B1P755	300 AREA -3 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	U-234	0.213 pCi/L		0.033	0.09		WATER DEPTH 27 FT.	
SESPMNT	B1P757	300 AREA -5 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	U-234	0.192 pCi/L		0.042	0.092		WATER DEPTH 3 FT.	
SESPMNT	B1P759	300 AREA -7 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	U-234	0.254 pCi/L		0.037	0.094		WATER DEPTH 12 FT.	
SESPMNT	B1P761	300 AREA -10 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	U-234	0.929 pCi/L		0.067	0.17		WATER DEPTH 5 FT.	
SESPMNT	B1P7K0	300 AREA SHR HRM41.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	U-234	0.18 pCi/L		0.034	0.088		WATER DEPTH 2.5 FT.	
SESPMNT	B1P7L0	300 AREA SHR HRM42.9	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	U-234	0.514 pCi/L		0.054	0.12		WATER DEPTH 2.5 FT.	
SESPMNT	B1P7M4	300 AREA SPR DR 42-2	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	U-234	0.605 pCi/L		0.058	0.13		WATER DEPTH 2.5 FT.	
SESPMNT	B1P7K5	300 AREA SPRING 42-2	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	U-234	0.456 pCi/L		0.05	0.12		WATER DEPTH 4 FT.	
SESPMNT	B1P741	HANFRD TS-1 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	U-234	0.219 pCi/L		0.039	0.093		WATER DEPTH 5 FT.	

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## WATER - COLUMBIA RIVER TRANSECTS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1P743	HANFRD TS-2 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	U-234	0.21 pCi/L		0.039	0.092		WATER DEPTH 8 FT.	
SESPMNT	B1P749	HANFRD TS-3 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	U-234	0.18 pCi/L		0.031	0.087		WATER DEPTH 18 FT.	
SESPMNT	B1P739	HANFRD TS-5 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	U-234	0.196 pCi/L		0.034	0.089		WATER DEPTH 33 FT.	
SESPMNT	B1P745	HANFRD TS-7 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	U-234	0.201 pCi/L		0.04	0.092		WATER DEPTH 15 FT.	
SESPMNT	B1P747	HANFRD TS-10 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	U-234	0.216 pCi/L		0.038	0.092		WATER DEPTH 4 FT.	
SESPMNT	B1P781	HANFRD TWNSITE HRM26	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	U-234	0.208 pCi/L		0.035	0.09		WATER DEPTH 2 FT.	
SESPMNT	B1P784	HANFRD TWNSITE HRM27	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	U-234	0.215 pCi/L		0.037	0.091		WATER DEPTH 6 FT.	
SESPMNT	B1P7L5	HANFRD TWNSITE HRM28	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	U-234	0.273 pCi/L		0.04	0.095		WATER DEPTH 3 FT.	
SESPMNT	B1P787	HANFRD TWNSITE HRM30	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	U-234	0.332 pCi/L		0.056	0.11		WATER DEPTH 4 FT.	
SESPSPEC	B1MM90	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	U-234	0.227 pCi/L		0.041	0.094		WATER DEPTH 3 FT.	
SESPMNT	B1MMB0	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	U-234	0.225 pCi/L		0.042	0.094		WATER DEPTH 3 FT.	
SESPMNT	B1NH61	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Jun-07	U-234	0.155 pCi/L		0.029	0.086		WATER DEPTH 8 FT.	
SESPMNT	B1P763	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	U-234	0.206 pCi/L		0.035	0.09		WATER DEPTH 6.4 FT.	
SESPSPEC	B1R8M1	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	U-234	0.397 pCi/L		0.047	0.11		WATER DEPTH 4.6 FT.	
SESPMNT	B1R8N1	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	U-234	0.415 pCi/L		0.048	0.11		WATER DEPTH 4.6 FT.	
SESPMNT	B1MMB2	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	U-234	0.211 pCi/L		0.035	0.091		WATER DEPTH 14 FT. DUE TO BROKEN ANCHOR WINCH. SAMPLE COLLECTED APPROXIMATELY 4 FEET BELOW SURFACE.	
SESPMNT	B1NH63	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Jun-07	U-234	0.203 pCi/L		0.034	0.09		WATER DEPTH 13 FT.	
SESPMNT	B1P765	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	U-234	0.174 pCi/L		0.032	0.087		WATER DEPTH 12 FT.	
SESPMNT	B1R8N3	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	U-234	0.31 pCi/L		0.041	0.099		WATER DEPTH 12.5 FT.	
SESPMNT	B1MMB4	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	U-234	0.221 pCi/L		0.037	0.092		WATER DEPTH 18 FT. DUE TO BROKEN ANCHOR WINCH. SAMPLE COLLECTED APPROXIMATELY 4 FEET BELOW SURFACE, NOT AT MID-DEPTH.	
SESPMNT	B1NH65	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Jun-07	U-234	0.179 pCi/L		0.032	0.088		WATER DEPTH 19 FT.	
SESPMNT	B1P767	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	U-234	0.24 pCi/L		0.051	0.1		WATER DEPTH 17 FT.	
SESPMNT	B1R8N5	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	U-234	0.24 pCi/L		0.037	0.093		WATER DEPTH 16.3 FT.	
SESPMNT	B1MMB6	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	U-234	0.172 pCi/L		0.031	0.087		WATER DEPTH 3 FT.	
SESPMNT	B1NH67	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Jun-07	U-234	0.192 pCi/L		0.032	0.088		WATER DEPTH 10 FT.	
SESPMNT	B1P769	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	U-234	0.205 pCi/L		0.035	0.09		WATER DEPTH 19.4 FT.	
SESPMNT	B1R8N7	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	U-234	0.253 pCi/L		0.037	0.093		WATER DEPTH 1.7 FT.	
SESPMNT	B1MMB8	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	U-234	0.199 pCi/L		0.033	0.089		WATER DEPTH 15.7 FT.	
SESPMNT	B1NH69	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Jun-07	U-234	0.173 pCi/L		0.032	0.088		WATER DEPTH 15 FT.	
SESPMNT	B1P771	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	U-234	0.181 pCi/L		0.032	0.087		WATER DEPTH 22 FT.	
SESPMNT	B1R8N9	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	U-234	0.285 pCi/L		0.04	0.097		WATER DEPTH 21.3 FT.	
SESPMNT	B1MMC0	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	U-234	0.486 pCi/L		0.05	0.12		WATER DEPTH 1.8 FT.	
SESPMNT	B1NH71	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Jun-07	U-234	0.312 pCi/L		0.042	0.1		WATER DEPTH 4 FT.	
SESPMNT	B1P773	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	U-234	0.33 pCi/L		0.041	0.1		WATER DEPTH 4.6 FT.	
SESPMNT	B1R8P1	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	U-234	0.605 pCi/L		0.055	0.13		WATER DEPTH 2 FT.	
SESPMNT	B1MMC8	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	U-234	0.237 pCi/L		0.036	0.092		WATER DEPTH 3.6 FT.	
SESPMNT	B1NH79	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Jun-07	U-234	0.206 pCi/L		0.034	0.09		WATER DEPTH 3 FT.	
SESPMNT	B1P7F0	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	U-234	0.229 pCi/L		0.036	0.092		WATER DEPTH 3 FT.	
SESPMNT	B1R8P9	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	U-234	0.489 pCi/L		0.051	0.12		WATER DEPTH 2 FT.	
SESPMNT	B1MMC6	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	U-234	0.235 pCi/L		0.038	0.093		WATER DEPTH 2.0 FT.	
SESPMNT	B1NH77	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Jun-07	U-234	0.208 pCi/L		0.035	0.09		WATER DEPTH 5 FT.	
SESPMNT	B1P7D8	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	U-234	0.201 pCi/L		0.036	0.09		WATER DEPTH 9.5 FT.	
SESPMNT	B1R8P7	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	U-234	0.491 pCi/L		0.051	0.12		WATER DEPTH 1.1 FT.	
SESPMNT	B1MMC4	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	U-234	0.206 pCi/L		0.035	0.09		WATER DEPTH 8.4 FT.	
SESPMNT	B1NH75	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Jun-07	U-234	0.181 pCi/L		0.032	0.088		WATER DEPTH 4 FT.	
SESPMNT	B1P7D6	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	U-234	0.192 pCi/L		0.034	0.089		WATER DEPTH 2 FT.	
SESPMNT	B1R8P3	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	U-234	0.442 pCi/L		0.049	0.11		WATER DEPTH 2.7 FT.	
SESPMNT	B1MMC2	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	U-234	0.226 pCi/L		0.036	0.091		WATER DEPTH 2.1 FT.	
SESPMNT	B1NH73	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Jun-07	U-234	0.208 pCi/L		0.034	0.09		WATER DEPTH 4 FT.	
SESPMNT	B1P7D4	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	U-234	0.194 pCi/L		0.033	0.089		WATER DEPTH 3 FT.	
SESPMNT	B1R8P5	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	U-234	0.381 pCi/L		0.043	0.11		WATER DEPTH 4.1 FT.	
SESPMNT	B1MM92	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	26-Mar-07	U-234	0.209 pCi/L		0.034	0.09		WATER DEPTH 25.2 FT, HIGH WATER.	
SESPMNT	B1NH53	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	04-Jun-07	U-234	0.194 pCi/L		0.033	0.089		WATER DEPTH 8 FT.	
SESPMNT	B1P731	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	U-234	0.181 pCi/L		0.042	0.091		WATER DEPTH 14 FT.	
SESPMNT	B1R8M3	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Dec-07	U-234	0.313 pCi/L		0.046	0.1		WATER DEPTH 6.2 FT.	

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## WATER - COLUMBIA RIVER TRANSECTS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1MM94	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	26-Mar-07	U-234	0.189 pCi/L		0.032	0.088		WATER DEPTH 17 FT.	
SESPMNT	B1NH55	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	04-Jun-07	U-234	0.168 pCi/L		0.031	0.087		WATER DEPTH 17 FT.	
SESPMNT	B1P727	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	U-234	0.21 pCi/L		0.036	0.09		WATER DEPTH 17 FT.	
SESPMNT	B1R8M5	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Dec-07	U-234	0.27 pCi/L		0.039	0.096		WATER DEPTH 15.4 FT.	
SESPMNT	B1MM96	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	26-Mar-07	U-234	0.207 pCi/L		0.034	0.09		WATER DEPTH 8.1 FT.	
SESPMNT	B1NH57	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	04-Jun-07	U-234	0.194 pCi/L		0.034	0.089		WATER DEPTH 23 FT.	
SESPMNT	B1P729	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	U-234	0.218 pCi/L		0.035	0.09		WATER DEPTH 24 FT.	
SESPMNT	B1R8M7	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Dec-07	U-234	0.213 pCi/L		0.034	0.09		WATER DEPTH 24.8 FT.	
SESPMNT	B1MM98	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	26-Mar-07	U-234	0.216 pCi/L		0.035	0.091		WATER DEPTH 8 FT, HIGH WATER.	
SESPMNT	B1NH59	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	04-Jun-07	U-234	0.218 pCi/L		0.034	0.091		WATER DEPTH 6 FT.	
SESPMNT	B1P725	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	U-234	0.199 pCi/L		0.036	0.1		WATER DEPTH 5 FT.	
SESPMNT	B1R8M9	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Dec-07	U-234	0.216 pCi/L		0.036	0.091		WATER DEPTH 7.1 FT.	
SESPMNT	B1P733	100 N -1 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	U-235	-0.00628 pCi/L		0.0068	0.043	U	WATER DEPTH 4.5 FT.	
SESPSPEC	B1P723	100 N -1 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	U-235	-0.00216 pCi/L		0.0087	0.043	U	WATER DEPTH 4.5 FT.	
SESPMNT	B1P735	100 N -2 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	U-235	-0.00536 pCi/L		0.007	0.043	U	WATER DEPTH 10 FT.	
SESPMNT	B1P777	100 N -3 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	U-235	-0.011 pCi/L		0.005	0.043	U	WATER DEPTH 24 FT.	
SESPMNT	B1P737	100 N -5 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	U-235	-0.00347 pCi/L		0.0079	0.043	U	WATER DEPTH 24 FT.	
SESPMNT	B1P779	100 N -7 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	U-235	-0.0103 pCi/L		0.007	0.043	U	WATER DEPTH 14 FT.	
SESPMNT	B1P775	100 N -10 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	U-235	-0.00508 pCi/L		0.0072	0.043	U	WATER DEPTH 5 FT.	
SESPMNT	B1P7H0	100 N SHORE HRM 8.4	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	U-235	-0.0128 pCi/L		0.0036	0.043	U	WATER DEPTH 4 FT.	
SESPMNT	B1P7H5	100 N SHORE HRM 8.9	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	U-235	-0.00664 pCi/L		0.0066	0.043	U	WATER DEPTH 5 FT.	
SESPMNT	B1P7J0	100 N SHORE HRM 9.2	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	U-235	-0.0109 pCi/L		0.0064	0.043	U	WATER DEPTH 2 FT.	
SESPMNT	B1P7J5	100 N SHORE HRM 9.8	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	U-235	-0.00295 pCi/L		0.0095	0.043	U	WATER DEPTH 3 FT.	
SESPMNT	B1P751	300 AREA -1 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	U-235	-0.0052 pCi/L		0.0071	0.043	U	WATER DEPTH 3 FT.	
SESPMNT	B1P753	300 AREA -2 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	U-235	-0.0087 pCi/L		0.0064	0.043	U	WATER DEPTH 10 FT.	
SESPMNT	B1P755	300 AREA -3 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	U-235	-0.00777 pCi/L		0.0061	0.043	U	WATER DEPTH 27 FT.	
SESPMNT	B1P757	300 AREA -5 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	U-235	-0.00677 pCi/L		0.0089	0.043	U	WATER DEPTH 3 FT.	
SESPMNT	B1P759	300 AREA -7 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	U-235	-0.00472 pCi/L		0.0075	0.043	U	WATER DEPTH 12 FT.	
SESPMNT	B1P761	300 AREA-10 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	U-235	0.0148 pCi/L		0.013	0.044	U	WATER DEPTH 5 FT.	
SESPMNT	B1P7K0	300 AREA SHR HRM41.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	U-235	-0.00794 pCi/L		0.0072	0.043	U	WATER DEPTH 2.5 FT.	
SESPMNT	B1P7L0	300 AREA SHR HRM42.9	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	U-235	0.0165 pCi/L		0.013	0.044	U	WATER DEPTH 2.5 FT.	
SESPMNT	B1P7M4	300 AREA SPR DR 42-2	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	U-235	0.0126 pCi/L		0.012	0.044	U	WATER DEPTH 2.5 FT.	
SESPMNT	B1P7K5	300 AREA SPRING 42-2	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	U-235	0.00201 pCi/L		0.0096	0.043	U	WATER DEPTH 4 FT.	
SESPMNT	B1P741	HANFRD TS-1 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	U-235	-0.00749 pCi/L		0.0077	0.043	U	WATER DEPTH 5 FT.	
SESPMNT	B1P743	HANFRD TS-2 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	U-235	-0.00168 pCi/L		0.0098	0.044	U	WATER DEPTH 8 FT.	
SESPMNT	B1P749	HANFRD TS-3 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	U-235	-0.00429 pCi/L		0.0077	0.043	U	WATER DEPTH 18 FT.	
SESPMNT	B1P739	HANFRD TS-5 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	U-235	-0.00297 pCi/L		0.0083	0.043	U	WATER DEPTH 33 FT.	
SESPMNT	B1P745	HANFRD TS-7 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	U-235	-0.00425 pCi/L		0.0092	0.043	U	WATER DEPTH 15 FT.	
SESPMNT	B1P747	HANFRD TS-10 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	U-235	-0.00736 pCi/L		0.0088	0.043	U	WATER DEPTH 4 FT.	
SESPMNT	B1P781	HANFRD TWNSITE HRM26	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	U-235	0.0193 pCi/L		0.014	0.045	U	WATER DEPTH 2 FT.	
SESPMNT	B1P784	HANFRD TWNSITE HRM27	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	U-235	-0.00827 pCi/L		0.0064	0.043	U	WATER DEPTH 6 FT.	
SESPMNT	B1P7L5	HANFRD TWNSITE HRM28	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	U-235	-0.00846 pCi/L		0.0062	0.043	U	WATER DEPTH 3 FT.	
SESPMNT	B1P787	HANFRD TWNSITE HRM30	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	U-235	0.0503 pCi/L		0.024	0.049		WATER DEPTH 4 FT.	
SESPSPEC	B1MM90	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	U-235	-0.008 pCi/L		0.0082	0.043	U	WATER DEPTH 3 FT.	
SESPMNT	B1MMB0	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	U-235	-0.00485 pCi/L		0.0087	0.043	U	WATER DEPTH 3 FT.	
SESPMNT	B1NH61	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Jun-07	U-235	-0.00878 pCi/L		0.0058	0.043	U	WATER DEPTH 8 FT.	
SESPMNT	B1P763	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	U-235	-0.0121 pCi/L		0.0052	0.043	U	WATER DEPTH 6.4 FT.	
SESPSPEC	B1R8M1	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	U-235	0.00189 pCi/L		0.011	0.044	U	WATER DEPTH 4.6 FT.	
SESPMNT	B1R8N1	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	U-235	-0.00446 pCi/L		0.0089	0.043	U	WATER DEPTH 4.6 FT.	
SESPMNT	B1MMB2	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	U-235	-0.00681 pCi/L		0.007	0.043	U	WATER DEPTH 14 FT. DUE TO BROKEN ANCHOR WINCH, SAMPLE COLLECTED APPROXIMATELY 4 FEET BELOW SURFACE.	
SESPMNT	B1NH63	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Jun-07	U-235	-0.0122 pCi/L		0.0044	0.043	U	WATER DEPTH 13 FT.	
SESPMNT	B1P765	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	U-235	-0.011 pCi/L		0.005	0.043	U	WATER DEPTH 12 FT.	
SESPMNT	B1R8N3	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	U-235	-0.00715 pCi/L		0.008	0.043	U	WATER DEPTH 12.5 FT.	
SESPMNT	B1MMB4	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	U-235	-0.00771 pCi/L		0.0068	0.043	U	WATER DEPTH 18 FT. DUE TO BROKEN ANCHOR WINCH, SAMPLE COLLECTED APPROXIMATELY 4 FEET BELOW SURFACE, NOT AT MID-DEPTH.	
SESPMNT	B1NH65	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Jun-07	U-235	-0.00472 pCi/L		0.0075	0.043	U	WATER DEPTH 19 FT.	

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## WATER - COLUMBIA RIVER TRANSECTS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1P767	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	U-235	-0.00507 pCi/L		0.011	0.044	U	WATER DEPTH 17 FT.	
SESPMNT	B1R8N5	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	U-235	0.00116 pCi/L		0.0095	0.043	U	WATER DEPTH 16.3 FT.	
SESPMNT	B1MMB6	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	U-235	-0.00413 pCi/L		0.0074	0.043	U	WATER DEPTH 3 FT.	
SESPMNT	B1NH67	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Jun-07	U-235	-0.0159 pCi/L		0.0041	0.043	U	WATER DEPTH 10 FT.	
SESPMNT	B1P769	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	U-235	-0.00665 pCi/L		0.0071	0.043	U	WATER DEPTH 19.4 FT.	
SESPMNT	B1R8N7	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	U-235	-0.00611 pCi/L		0.0082	0.043	U	WATER DEPTH 1.7 FT.	
SESPMNT	B1MMB8	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	U-235	-0.00737 pCi/L		0.0065	0.043	U	WATER DEPTH 15.7 FT.	
SESPMNT	B1NH69	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Jun-07	U-235	-0.007 pCi/L		0.0068	0.043	U	WATER DEPTH 15 FT.	
SESPMNT	B1P771	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	U-235	-0.0123 pCi/L		0.0059	0.043	U	WATER DEPTH 22 FT.	
SESPMNT	B1R8N9	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	U-235	-0.00303 pCi/L		0.0086	0.043	U	WATER DEPTH 21.3 FT.	
SESPMNT	B1MMC0	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	U-235	0.0109 pCi/L		0.011	0.044	U	WATER DEPTH 1.8 FT.	
SESPMNT	B1NH71	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Jun-07	U-235	-0.0042 pCi/L		0.0075	0.043	U	WATER DEPTH 4 FT.	
SESPMNT	B1P773	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	U-235	-0.00034 pCi/L		0.0086	0.043	U	WATER DEPTH 4.6 FT.	
SESPMNT	B1R8P1	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	U-235	0.00718 pCi/L		0.011	0.044	U	WATER DEPTH 2 FT.	
SESPMNT	B1MMC8	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	U-235	-0.00116 pCi/L		0.0089	0.043	U	WATER DEPTH 3.6 FT.	
SESPMNT	B1NH79	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Jun-07	U-235	-0.00477 pCi/L		0.0079	0.043	U	WATER DEPTH 3 FT.	
SESPMNT	B1P7F0	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	U-235	-0.00587 pCi/L		0.0076	0.043	U	WATER DEPTH 3 FT.	
SESPMNT	B1R8P9	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	U-235	-0.00189 pCi/L		0.0085	0.043	U	WATER DEPTH 2 FT.	
SESPMNT	B1MMC6	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	U-235	-0.00948 pCi/L		0.0074	0.043	U	WATER DEPTH 2.0 FT.	
SESPMNT	B1NH77	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Jun-07	U-235	-0.011 pCi/L		0.0066	0.043	U	WATER DEPTH 5 FT.	
SESPMNT	B1P7D8	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	U-235	-0.00472 pCi/L		0.0079	0.043	U	WATER DEPTH 9.5 FT.	
SESPMNT	B1R8P7	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	U-235	-0.00073 pCi/L		0.0088	0.043	U	WATER DEPTH 1.1 FT.	
SESPMNT	B1MMC4	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	U-235	-0.00675 pCi/L		0.0075	0.043	U	WATER DEPTH 8.4 FT.	
SESPMNT	B1NH75	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Jun-07	U-235	-0.00747 pCi/L		0.0076	0.043	U	WATER DEPTH 4 FT.	
SESPMNT	B1P7D6	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	U-235	-0.00498 pCi/L		0.0073	0.043	U	WATER DEPTH 2 FT.	
SESPMNT	B1R8P3	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	U-235	-0.00074 pCi/L		0.0088	0.043	U	WATER DEPTH 2.7 FT.	
SESPMNT	B1MMC2	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	U-235	-0.00644 pCi/L		0.0097	0.043	U	WATER DEPTH 2.1 FT.	
SESPMNT	B1NH73	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Jun-07	U-235	-0.00858 pCi/L		0.0065	0.043	U	WATER DEPTH 4 FT.	
SESPMNT	B1P7D4	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	U-235	-0.00787 pCi/L		0.0065	0.043	U	WATER DEPTH 3 FT.	
SESPMNT	B1R8P5	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	U-235	0.00242 pCi/L		0.0092	0.043	U	WATER DEPTH 4.1 FT.	
SESPMNT	B1MM92	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	26-Mar-07	U-235	-0.0122 pCi/L		0.0049	0.043	U	WATER DEPTH 25.2 FT, HIGH WATER.	
SESPMNT	B1NH53	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	04-Jun-07	U-235	-0.00468 pCi/L		0.0075	0.043	U	WATER DEPTH 8 FT.	
SESPMNT	B1P731	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	U-235	0.00627 pCi/L		0.016	0.045	U	WATER DEPTH 14 FT.	
SESPMNT	B1R8M3	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Dec-07	U-235	0.028 pCi/L		0.016	0.046	U	WATER DEPTH 6.2 FT.	
SESPMNT	B1MM94	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	26-Mar-07	U-235	-0.0086 pCi/L		0.006	0.043	U	WATER DEPTH 17 FT.	
SESPMNT	B1NH55	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	04-Jun-07	U-235	-0.0136 pCi/L		0.0072	0.043	U	WATER DEPTH 17 FT.	
SESPMNT	B1P727	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	U-235	-0.00585 pCi/L		0.0076	0.043	U	WATER DEPTH 17 FT.	
SESPMNT	B1R8M5	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Dec-07	U-235	-0.0122 pCi/L		0.0063	0.043	U	WATER DEPTH 15.4 FT.	
SESPMNT	B1MM96	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	26-Mar-07	U-235	-0.00739 pCi/L		0.0069	0.043	U	WATER DEPTH 8.1 FT.	
SESPMNT	B1NH57	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	04-Jun-07	U-235	-0.00859 pCi/L		0.0081	0.043	U	WATER DEPTH 23 FT.	
SESPMNT	B1P729	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	U-235	-0.00864 pCi/L		0.0088	0.043	U	WATER DEPTH 24 FT.	
SESPMNT	B1R8M7	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Dec-07	U-235	-0.00268 pCi/L		0.0096	0.043	U	WATER DEPTH 24.8 FT.	
SESPMNT	B1MM98	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	26-Mar-07	U-235	0.000589 pCi/L		0.0089	0.043	U	WATER DEPTH 8 FT, HIGH WATER.	
SESPMNT	B1NH59	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	04-Jun-07	U-235	-0.00625 pCi/L		0.0069	0.043	U	WATER DEPTH 6 FT.	
SESPMNT	B1P725	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	U-235	-0.013 pCi/L		0.0063	0.05	U	WATER DEPTH 5 FT.	
SESPMNT	B1R8M9	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Dec-07	U-235	-0.00594 pCi/L		0.0075	0.043	U	WATER DEPTH 7.1 FT.	
SESPMNT	B1P733	100 N -1 HRM 9.5	ON SITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	U-238	0.166 pCi/L		0.029	0.078		WATER DEPTH 4.5 FT.	
SESPSPEC	B1P723	100 N -1 HRM 9.5	ON SITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	U-238	0.157 pCi/L		0.029	0.078		WATER DEPTH 4.5 FT.	
SESPMNT	B1P735	100 N -2 HRM 9.5	ON SITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	U-238	0.173 pCi/L		0.029	0.078		WATER DEPTH 10 FT.	
SESPMNT	B1P777	100 N -3 HRM 9.5	ON SITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	U-238	0.157 pCi/L		0.029	0.077		WATER DEPTH 24 FT.	
SESPMNT	B1P737	100 N -5 HRM 9.5	ON SITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	U-238	0.158 pCi/L		0.029	0.078		WATER DEPTH 24 FT.	
SESPMNT	B1P779	100 N -7 HRM 9.5	ON SITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	U-238	0.157 pCi/L		0.027	0.077		WATER DEPTH 14 FT.	
SESPMNT	B1P775	100 N -10 HRM 9.5	ON SITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	U-238	0.21 pCi/L		0.032	0.081		WATER DEPTH 5 FT.	
SESPMNT	B1P7H0	100 N SHORE HRM 8.4	ON SITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	U-238	0.172 pCi/L		0.03	0.078		WATER DEPTH 4 FT.	
SESPMNT	B1P7H5	100 N SHORE HRM 8.9	ON SITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	U-238	0.172 pCi/L		0.03	0.078		WATER DEPTH 5 FT.	
SESPMNT	B1P7J0	100 N SHORE HRM 9.2	ON SITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	U-238	0.169 pCi/L		0.035	0.081		WATER DEPTH 2 FT.	
SESPMNT	B1P7J5	100 N SHORE HRM 9.8	ON SITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	U-238	0.167 pCi/L		0.034	0.08		WATER DEPTH 3 FT.	
SESPMNT	B1P751	300 AREA -1 HRM 43.1	ON SITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	U-238	0.315 pCi/L		0.039	0.092		WATER DEPTH 3 FT.	
SESPMNT	B1P753	300 AREA -2 HRM 43.1	ON SITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	U-238	0.208 pCi/L		0.033	0.082		WATER DEPTH 10 FT.	
SESPMNT	B1P755	300 AREA -3 HRM 43.1	ON SITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	U-238	0.16 pCi/L		0.028	0.078		WATER DEPTH 27 FT.	
SESPMNT	B1P757	300 AREA -5 HRM 43.1	ON SITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	U-238	0.201 pCi/L		0.041	0.086		WATER DEPTH 3 FT.	
SESPMNT	B1P759	300 AREA -7 HRM 43.1	ON SITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	U-238	0.215 pCi/L		0.033	0.083		WATER DEPTH 12 FT.	
SESPMNT	B1P761	300 AREA-10 HRM 43.1	ON SITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	U-238	0.73 pCi/L		0.059	0.14		WATER DEPTH 5 FT.	
SESPMNT	B1P7K0	300 AREA SHR HRM41.5	ON SITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	U-238	0.175 pCi/L		0.032	0.08		WATER DEPTH 2.5 FT.	
SESPMNT	B1P7L0	300 AREA SHR HRM42.9	ON SITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	U-238	0.447 pCi/L		0.05	0.11		WATER DEPTH 2.5 FT.	



## ENVIRONMENTAL SURVEILLANCE DATA CY07

## WATER - COLUMBIA RIVER TRANSECTS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1P7M4	300 AREA SPR DR 42.2	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	U-238	0.558 pCi/L		0.056	0.12		WATER DEPTH 2.5 FT.	
SESPMNT	B1P7K5	300 AREA SPRING 42.2	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	U-238	0.408 pCi/L		0.048	0.1		WATER DEPTH 4 FT.	
SESPMNT	B1P741	HANFRD TS-1 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	U-238	0.157 pCi/L		0.035	0.081		WATER DEPTH 5 FT.	
SESPMNT	B1P743	HANFRD TS-2 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	U-238	0.175 pCi/L		0.035	0.082		WATER DEPTH 8 FT.	
SESPMNT	B1P749	HANFRD TS-3 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	U-238	0.132 pCi/L		0.026	0.076		WATER DEPTH 18 FT.	
SESPMNT	B1P739	HANFRD TS-5 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	U-238	0.149 pCi/L		0.029	0.078		WATER DEPTH 33 FT.	
SESPMNT	B1P745	HANFRD TS-7 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	U-238	0.167 pCi/L		0.035	0.081		WATER DEPTH 15 FT.	
SESPMNT	B1P747	HANFRD TS-10 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	U-238	0.169 pCi/L		0.032	0.08		WATER DEPTH 4 FT.	
SESPMNT	B1P781	HANFRD TWNSITE HRM26	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	U-238	0.152 pCi/L		0.029	0.078		WATER DEPTH 2 FT.	
SESPMNT	B1P784	HANFRD TWNSITE HRM27	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	U-238	0.178 pCi/L		0.032	0.081		WATER DEPTH 6 FT.	
SESPMNT	B1P7L5	HANFRD TWNSITE HRM28	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	U-238	0.196 pCi/L		0.033	0.081		WATER DEPTH 3 FT.	
SESPMNT	B1P787	HANFRD TWNSITE HRM30	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	U-238	0.208 pCi/L		0.043	0.086		WATER DEPTH 4 FT.	
SESPMNT	B1MMC8	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	U-238	0.198 pCi/L		0.032	0.081		WATER DEPTH 3.6 FT.	
SESPMNT	B1NH79	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Jun-07	U-238	0.169 pCi/L		0.03	0.079		WATER DEPTH 3 FT.	
SESPMNT	B1P7F0	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	U-238	0.168 pCi/L		0.03	0.079		WATER DEPTH 3 FT.	
SESPMNT	B1R8P9	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	U-238	0.437 pCi/L		0.048	0.11		WATER DEPTH 2 FT.	
SESPMNT	B1MMC6	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	U-238	0.179 pCi/L		0.033	0.081		WATER DEPTH 2.0 FT.	
SESPMNT	B1NH77	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Jun-07	U-238	0.168 pCi/L		0.03	0.079		WATER DEPTH 5 FT.	
SESPMNT	B1P7D8	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	U-238	0.148 pCi/L		0.03	0.078		WATER DEPTH 9.5 FT.	
SESPMNT	B1R8P7	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	U-238	0.447 pCi/L		0.048	0.11		WATER DEPTH 1.1 FT.	
SESPMNT	B1MMC4	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	U-238	0.17 pCi/L		0.032	0.08		WATER DEPTH 8.4 FT.	
SESPMNT	B1NH75	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Jun-07	U-238	0.159 pCi/L		0.029	0.078		WATER DEPTH 4 FT.	
SESPMNT	B1P7D6	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	U-238	0.158 pCi/L		0.03	0.079		WATER DEPTH 2 FT.	
SESPMNT	B1R8P3	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	U-238	0.384 pCi/L		0.045	0.1		WATER DEPTH 2.7 FT.	
SESPMNT	B1MMC2	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	U-238	0.202 pCi/L		0.033	0.082		WATER DEPTH 2.1 FT.	
SESPMNT	B1NH73	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Jun-07	U-238	0.167 pCi/L		0.029	0.079		WATER DEPTH 4 FT.	
SESPMNT	B1P7D4	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	U-238	0.161 pCi/L		0.03	0.079		WATER DEPTH 3 FT.	
SESPMNT	B1R8P5	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	U-238	0.34 pCi/L		0.04	0.094		WATER DEPTH 4.1 FT.	
SESPSPEC	B1MM90	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	U-238	0.15 pCi/L		0.033	0.079		WATER DEPTH 3 FT.	
SESPMNT	B1MMB0	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	U-238	0.2 pCi/L		0.038	0.084		WATER DEPTH 3 FT.	
SESPMNT	B1NH61	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Jun-07	U-238	0.167 pCi/L		0.029	0.079		WATER DEPTH 8 FT.	
SESPMNT	B1P763	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	U-238	0.173 pCi/L		0.031	0.08		WATER DEPTH 6.4 FT.	
SESPSPEC	B1R8M1	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	U-238	0.342 pCi/L		0.043	0.095		WATER DEPTH 4.6 FT.	
SESPMNT	B1R8N1	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	U-238	0.323 pCi/L		0.042	0.094		WATER DEPTH 4.6 FT.	
SESPMNT	B1MMC0	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	U-238	0.374 pCi/L		0.043	0.099		WATER DEPTH 1.8 FT.	
SESPMNT	B1NH71	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Jun-07	U-238	0.278 pCi/L		0.039	0.089		WATER DEPTH 4 FT.	
SESPMNT	B1P773	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	U-238	0.302 pCi/L		0.039	0.091		WATER DEPTH 4.6 FT.	
SESPMNT	B1R8P1	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	U-238	0.468 pCi/L		0.048	0.11		WATER DEPTH 2 FT.	
SESPMNT	B1MMB2	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	U-238	0.192 pCi/L		0.032	0.081		WATER DEPTH 14 FT. DUE TO BROKEN ANCHOR WINCH. SAMPLE COLLECTED APPROXIMATELY 4 FEET BELOW SURFACE.	
SESPMNT	B1NH63	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Jun-07	U-238	0.164 pCi/L		0.029	0.079		WATER DEPTH 13 FT.	
SESPMNT	B1P765	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	U-238	0.15 pCi/L		0.028	0.078		WATER DEPTH 12 FT.	
SESPMNT	B1R8N3	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	U-238	0.282 pCi/L		0.039	0.089		WATER DEPTH 12.5 FT.	
SESPMNT	B1MMB4	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	U-238	0.178 pCi/L		0.032	0.08		WATER DEPTH 18 FT. DUE TO BROKEN ANCHOR WINCH. SAMPLE COLLECTED APPROXIMATELY 4 FEET BELOW SURFACE, NOT AT MID-DEPTH.	
SESPMNT	B1NH65	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Jun-07	U-238	0.136 pCi/L		0.027	0.077		WATER DEPTH 19 FT.	
SESPMNT	B1P767	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	U-238	0.192 pCi/L		0.045	0.087		WATER DEPTH 17 FT.	
SESPMNT	B1R8N5	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	U-238	0.209 pCi/L		0.034	0.083		WATER DEPTH 16.3 FT.	
SESPMNT	B1MMB6	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	U-238	0.176 pCi/L		0.029	0.079		WATER DEPTH 3 FT.	
SESPMNT	B1NH67	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Jun-07	U-238	0.171 pCi/L		0.03	0.079		WATER DEPTH 10 FT.	
SESPMNT	B1P769	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	U-238	0.163 pCi/L		0.03	0.079		WATER DEPTH 19.4 FT.	
SESPMNT	B1R8N7	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	U-238	0.213 pCi/L		0.033	0.083		WATER DEPTH 1.7 FT.	
SESPMNT	B1MMB8	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	U-238	0.21 pCi/L		0.033	0.083		WATER DEPTH 15.7 FT.	
SESPMNT	B1NH69	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Jun-07	U-238	0.142 pCi/L		0.028	0.077		WATER DEPTH 15 FT.	
SESPMNT	B1P771	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	U-238	0.164 pCi/L		0.029	0.078		WATER DEPTH 22 FT.	
SESPMNT	B1R8N9	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	U-238	0.168 pCi/L		0.031	0.079		WATER DEPTH 21.3 FT.	
SESPMNT	B1MM92	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	26-Mar-07	U-238	0.164 pCi/L		0.03	0.079		WATER DEPTH 25.2 FT. HIGH WATER.	

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## WATER - COLUMBIA RIVER TRANSECTS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1NH53	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	04-Jun-07	U-238	0.14 pCi/L		0.028	0.077		WATER DEPTH 8 FT.	
SESPMNT	B1P731	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	U-238	0.149 pCi/L		0.04	0.082		WATER DEPTH 14 FT.	
SESPMNT	B1R8M3	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Dec-07	U-238	0.244 pCi/L		0.039	0.087		WATER DEPTH 6.2 FT.	
SESPMNT	B1MM94	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	26-Mar-07	U-238	0.164 pCi/L		0.029	0.079		WATER DEPTH 17 FT.	
SESPMNT	B1NH55	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	04-Jun-07	U-238	0.161 pCi/L		0.031	0.079		WATER DEPTH 17 FT.	
SESPMNT	B1P727	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	U-238	0.141 pCi/L		0.03	0.077		WATER DEPTH 17 FT.	
SESPMNT	B1R8M5	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Dec-07	U-238	0.168 pCi/L		0.031	0.079		WATER DEPTH 15.4 FT.	
SESPMNT	B1MM96	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	26-Mar-07	U-238	0.18 pCi/L		0.031	0.08		WATER DEPTH 8.1 FT.	
SESPMNT	B1NH57	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	04-Jun-07	U-238	0.162 pCi/L		0.029	0.079		WATER DEPTH 23 FT.	
SESPMNT	B1P729	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	U-238	0.183 pCi/L		0.031	0.08		WATER DEPTH 24 FT.	
SESPMNT	B1R8M7	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Dec-07	U-238	0.203 pCi/L		0.033	0.082		WATER DEPTH 24.8 FT.	
SESPMNT	B1MM98	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	26-Mar-07	U-238	0.186 pCi/L		0.031	0.08		WATER DEPTH 8 FT, HIGH WATER.	
SESPMNT	B1NH59	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	04-Jun-07	U-238	0.175 pCi/L		0.03	0.08		WATER DEPTH 6 FT.	
SESPMNT	B1P725	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	U-238	0.165 pCi/L		0.031	0.089		WATER DEPTH 5 FT.	
SESPMNT	B1R8M9	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Dec-07	U-238	0.219 pCi/L		0.034	0.084		WATER DEPTH 7.1 FT.	
SESPMNT	B1P707	100 N -1 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Ag	0.00258 ug/L				BCX	WATER DEPTH 4.5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P780	100 N -1 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Ag	0.002 ug/L				UX	WATER DEPTH 4.5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P708	100 N -2 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Ag	0.00348 ug/L				BCX	WATER DEPTH 10 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P781	100 N -2 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Ag	0.002 ug/L				UX	WATER DEPTH 10 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P709	100 N -3 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Ag	0.002 ug/L				UX	WATER DEPTH 24 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P782	100 N -3 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Ag	0.002 ug/L				UX	WATER DEPTH 24 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P710	100 N -5 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Ag	0.002 ug/L				UX	WATER DEPTH 24 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P783	100 N -5 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Ag	0.002 ug/L				UX	WATER DEPTH 24 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P711	100 N -7 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Ag	0.00229 ug/L				BCX	WATER DEPTH 14 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P784	100 N -7 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Ag	0.002 ug/L				UX	WATER DEPTH 14 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P712	100 N -10 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Ag	0.002 ug/L				UX	WATER DEPTH 5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P785	100 N -10 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Ag	0.002 ug/L				UX	WATER DEPTH 5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7H3	100 N SHORE HRM 8.4	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Ag	0.002 ug/L				UX	WATER DEPTH 4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7H4	100 N SHORE HRM 8.4	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Ag	0.002 ug/L				UX	WATER DEPTH 4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7H8	100 N SHORE HRM 8.9	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Ag	0.002 ug/L				UX	WATER DEPTH 5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7H9	100 N SHORE HRM 8.9	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Ag	0.002 ug/L				UX	WATER DEPTH 5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7J3	100 N SHORE HRM 9.2	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Ag	0.002 ug/L				UX	WATER DEPTH 2 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7J4	100 N SHORE HRM 9.2	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Ag	0.002 ug/L				UX	WATER DEPTH 2 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7J8	100 N SHORE HRM 9.8	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Ag	0.002 ug/L				UX	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7J9	100 N SHORE HRM 9.8	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Ag	0.002 ug/L				UX	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P704	300 AREA -1 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Ag	0.00497 ug/L				BCX	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C2	300 AREA -1 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Ag	0.002 ug/L				UX	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P705	300 AREA -2 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Ag	0.002 ug/L				UX	WATER DEPTH 10 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C3	300 AREA -2 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Ag	0.002 ug/L				UX	WATER DEPTH 10 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P706	300 AREA -3 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Ag	0.00253 ug/L				BCX	WATER DEPTH 27 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C4	300 AREA -3 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Ag	0.00219 ug/L				BCX	WATER DEPTH 27 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P6Y5	300 AREA -5 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Ag	0.002 ug/L				UX	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C5	300 AREA -5 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Ag	0.00201 ug/L				BCX	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P6Y6	300 AREA -7 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Ag	0.00292 ug/L				BCX	WATER DEPTH 12 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C6	300 AREA -7 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Ag	0.002 ug/L				UX	WATER DEPTH 12 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P6Y7	300 AREA -10 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Ag	0.002 ug/L				UX	WATER DEPTH 5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C7	300 AREA -10 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Ag	0.002 ug/L				UX	WATER DEPTH 5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7K3	300 AREA SHR HRM41.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Ag	0.002 ug/L				UX	WATER DEPTH 2.5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7K4	300 AREA SHR HRM41.5	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Ag	0.002 ug/L				UX	WATER DEPTH 2.5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7L3	300 AREA SHR HRM42.9	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Ag	0.002 ug/L				UX	WATER DEPTH 2.5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7L4	300 AREA SHR HRM42.9	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Ag	0.00215 ug/L				BCX	WATER DEPTH 2.5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7M7	300 AREA SPR DR 42-2	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Ag	0.002 ug/L				UX	WATER DEPTH 2.5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7M8	300 AREA SPR DR 42-2	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Ag	0.002 ug/L				UX	WATER DEPTH 2.5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7K8	300 AREA SPRING 42-2	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Ag	0.002 ug/L				UX	WATER DEPTH 4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7K9	300 AREA SPRING 42-2	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Ag	0.002 ug/L				UX	WATER DEPTH 4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P6Y8	HANFRD TS-1 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Ag	0.00357 ug/L				BX	WATER DEPTH 5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C8	HANFRD TS-1 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Ag	0.00265 ug/L				BX	WATER DEPTH 5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P6Y9	HANFRD TS-2 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Ag	0.002 ug/L				UX	WATER DEPTH 8 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C9	HANFRD TS-2 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Ag	0.002 ug/L				UX	WATER DEPTH 8 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P700	HANFRD TS-3 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Ag	0.002 ug/L				UX	WATER DEPTH 18 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7D0	HANFRD TS-3 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Ag	0.002 ug/L				UX	WATER DEPTH 18 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P701	HANFRD TS-5 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Ag	0.00273 ug/L				BX	WATER DEPTH 33 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7D1	HANFRD TS-5 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Ag	0.002 ug/L				UX	WATER DEPTH 33 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P702	HANFRD TS-7 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Ag	0.002 ug/L				UX	WATER DEPTH 15 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7D2	HANFRD TS-7 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Ag	0.002 ug/L				UX	WATER DEPTH 15 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P703	HANFRD TS-10 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Ag	0.00345 ug/L				BX	WATER DEPTH 4 FT.	RESULT NOT BLANK CORRECTED.

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## WATER - COLUMBIA RIVER TRANSECTS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1P7D3	HANFRD TS-10 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Ag	0.002 ug/L				UX	WATER DEPTH 4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P790	HANFRD TWNSITE HRM26	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Ag	0.002 ug/L				UX	WATER DEPTH 2 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P793	HANFRD TWNSITE HRM26	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Ag	0.002 ug/L				UX	WATER DEPTH 2 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P791	HANFRD TWNSITE HRM27	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Ag	0.002 ug/L				UX	WATER DEPTH 6 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P794	HANFRD TWNSITE HRM27	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Ag	0.00241 ug/L				BX	WATER DEPTH 6 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7L8	HANFRD TWNSITE HRM28	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Ag	0.00229 ug/L				BX	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7L9	HANFRD TWNSITE HRM28	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Ag	0.002 ug/L				UX	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P792	HANFRD TWNSITE HRM30	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Ag	0.0046 ug/L				BX	WATER DEPTH 4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P795	HANFRD TWNSITE HRM30	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Ag	0.002 ug/L				UX	WATER DEPTH 4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7F9	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Ag	0.00397 ug/L				BX	WATER DEPTH 3 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7F5	RICH.PMPHS HRM 43.5	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Ag	0.00203 ug/L				BX	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7F8	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Ag	0.002 ug/L				UX	WATER DEPTH 9.5 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7F4	RICH.PMPHS HRM 43.9	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Ag	0.002 ug/L				UX	WATER DEPTH 9.5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7F7	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Ag	0.002 ug/L				UX	WATER DEPTH 2 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7F3	RICH.PMPHS HRM 45.0	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Ag	0.002 ug/L				UX	WATER DEPTH 2 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7F6	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Ag	0.00319 ug/L				BX	WATER DEPTH 3 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7F2	RICH.PMPHS HRM 45.8	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Ag	0.00216 ug/L				BX	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P716	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Ag	0.00349 ug/L				BX	WATER DEPTH 6.4 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7B6	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Ag	0.00267 ug/L				BX	WATER DEPTH 6.4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P717	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Ag	0.002 ug/L				UX	WATER DEPTH 12 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7B7	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Ag	0.002 ug/L				UX	WATER DEPTH 12 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P718	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Ag	0.00303 ug/L				BX	WATER DEPTH 17 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7B8	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Ag	0.00347 ug/L				BX	WATER DEPTH 17 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P719	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Ag	0.0028 ug/L				BX	WATER DEPTH 19.4 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7B9	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Ag	0.00232 ug/L				BX	WATER DEPTH 19.4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P720	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Ag	0.002 ug/L				UX	WATER DEPTH 22 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C0	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Ag	0.002 ug/L				UX	WATER DEPTH 22 FT.	RESULT NOT BLANK CORRECTED.

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## WATER - COLUMBIA RIVER TRANSECTS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1P721	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Ag	0.00231 ug/L				BX	WATER DEPTH 4.6 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C1	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Ag	0.00263 ug/L				BX	WATER DEPTH 4.6 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P715	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Ag	0.00375 ug/L				BX	WATER DEPTH 14 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P799	VERNITA-1 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Ag	0.00263 ug/L				BX	WATER DEPTH 14 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P713	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Ag	0.002 ug/L				UX	WATER DEPTH 17 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P797	VERNITA-2 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Ag	0.002 ug/L				UX	WATER DEPTH 17 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P714	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Ag	0.0031 ug/L				BX	WATER DEPTH 24 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P798	VERNITA-3 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Ag	0.002 ug/L				UX	WATER DEPTH 24 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P722	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Ag	0.002 ug/L				UX	WATER DEPTH 5 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P796	VERNITA-4 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Ag	0.002 ug/L				UX	WATER DEPTH 5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P707	100 N -1 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	As	0.612 ug/L				X	WATER DEPTH 4.5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7B0	100 N -1 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	As	0.586 ug/L				X	WATER DEPTH 4.5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P708	100 N -2 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	As	0.65 ug/L				X	WATER DEPTH 10 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7B1	100 N -2 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	As	0.578 ug/L				X	WATER DEPTH 10 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P709	100 N -3 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	As	0.63 ug/L				X	WATER DEPTH 24 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7B2	100 N -3 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	As	0.575 ug/L				X	WATER DEPTH 24 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P710	100 N -5 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	As	0.619 ug/L				X	WATER DEPTH 24 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7B3	100 N -5 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	As	0.574 ug/L				X	WATER DEPTH 24 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P711	100 N -7 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	As	0.651 ug/L				X	WATER DEPTH 14 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7B4	100 N -7 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	As	0.553 ug/L				X	WATER DEPTH 14 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P712	100 N -10 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	As	0.666 ug/L				X	WATER DEPTH 5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7B5	100 N -10 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	As	0.542 ug/L				X	WATER DEPTH 5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7H3	100 N SHORE HRM 8.4	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	As	0.602 ug/L				X	WATER DEPTH 4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7H4	100 N SHORE HRM 8.4	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	As	0.573 ug/L				X	WATER DEPTH 4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7H8	100 N SHORE HRM 8.9	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	As	0.613 ug/L				X	WATER DEPTH 5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7H9	100 N SHORE HRM 8.9	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	As	0.585 ug/L				X	WATER DEPTH 5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7J3	100 N SHORE HRM 9.2	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	As	0.617 ug/L				X	WATER DEPTH 2 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7J4	100 N SHORE HRM 9.2	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	As	0.558 ug/L				X	WATER DEPTH 2 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7J8	100 N SHORE HRM 9.8	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	As	0.605 ug/L				X	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7J9	100 N SHORE HRM 9.8	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	As	0.611 ug/L				X	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P704	300 AREA -1 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	As	0.612 ug/L				X	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C2	300 AREA -1 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	As	0.575 ug/L				X	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P705	300 AREA -2 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	As	0.567 ug/L				X	WATER DEPTH 10 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C3	300 AREA -2 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	As	0.564 ug/L				X	WATER DEPTH 10 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P706	300 AREA -3 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	As	0.554 ug/L				X	WATER DEPTH 27 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C4	300 AREA -3 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	As	0.516 ug/L				X	WATER DEPTH 27 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P6Y5	300 AREA -5 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	As	0.563 ug/L				X	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C5	300 AREA -5 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	As	0.554 ug/L				X	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P6Y6	300 AREA -7 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	As	0.627 ug/L				X	WATER DEPTH 12 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C6	300 AREA -7 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	As	0.588 ug/L				X	WATER DEPTH 12 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P6Y7	300 AREA -10 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	As	1.19 ug/L				X	WATER DEPTH 5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C7	300 AREA -10 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	As	1.16 ug/L				X	WATER DEPTH 5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7K3	300 AREA SHR HRM41.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	As	0.583 ug/L				X	WATER DEPTH 2.5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7K4	300 AREA SHR HRM41.5	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	As	0.564 ug/L				X	WATER DEPTH 2.5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7L3	300 AREA SHR HRM42.9	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	As	0.587 ug/L				X	WATER DEPTH 2.5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7L4	300 AREA SHR HRM42.9	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	As	0.614 ug/L				X	WATER DEPTH 2.5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7M7	300 AREA SPR DR 42-2	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	As	0.723 ug/L				X	WATER DEPTH 2.5 FT.	RESULT NOT BLANK CORRECTED.

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## WATER - COLUMBIA RIVER TRANSECTS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1P7M8	300 AREA SPR DR 42.2	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	As	0.74 ug/L				X	WATER DEPTH 2.5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7K8	300 AREA SPRING 42.2	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	As	1.06 ug/L				X	WATER DEPTH 4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7K9	300 AREA SPRING 42.2	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	As	0.993 ug/L				X	WATER DEPTH 4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P6Y8	HANFRD TS-1 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	As	0.682 ug/L				X	WATER DEPTH 5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C8	HANFRD TS-1 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	As	0.61 ug/L				X	WATER DEPTH 5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P6Y9	HANFRD TS-2 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	As	0.587 ug/L				X	WATER DEPTH 8 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C9	HANFRD TS-2 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	As	0.55 ug/L				X	WATER DEPTH 8 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P700	HANFRD TS-3 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	As	0.551 ug/L				X	WATER DEPTH 18 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7D0	HANFRD TS-3 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	As	0.553 ug/L				X	WATER DEPTH 18 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P701	HANFRD TS-5 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	As	0.558 ug/L				X	WATER DEPTH 33 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7D1	HANFRD TS-5 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	As	0.529 ug/L				X	WATER DEPTH 33 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P702	HANFRD TS-7 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	As	0.592 ug/L				X	WATER DEPTH 15 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7D2	HANFRD TS-7 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	As	0.525 ug/L				X	WATER DEPTH 15 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P703	HANFRD TS-10 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	As	0.635 ug/L				X	WATER DEPTH 4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7D3	HANFRD TS-10 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	As	0.593 ug/L				X	WATER DEPTH 4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P790	HANFRD TWNSITE HRM26	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	As	0.584 ug/L				X	WATER DEPTH 2 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P793	HANFRD TWNSITE HRM26	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	As	0.576 ug/L				X	WATER DEPTH 2 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P791	HANFRD TWNSITE HRM27	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	As	0.544 ug/L				X	WATER DEPTH 6 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P794	HANFRD TWNSITE HRM27	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	As	0.531 ug/L				X	WATER DEPTH 6 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7L8	HANFRD TWNSITE HRM28	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	As	0.68 ug/L				X	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7L9	HANFRD TWNSITE HRM28	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	As	0.68 ug/L				X	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P792	HANFRD TWNSITE HRM30	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	As	0.617 ug/L				X	WATER DEPTH 4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P795	HANFRD TWNSITE HRM30	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	As	0.609 ug/L				X	WATER DEPTH 4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P716	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	As	0.575 ug/L				X	WATER DEPTH 6.4 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7B6	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	As	0.508 ug/L				X	WATER DEPTH 6.4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P717	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	As	0.521 ug/L				X	WATER DEPTH 12 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7B7	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	As	0.551 ug/L				X	WATER DEPTH 12 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P718	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	As	0.57 ug/L				X	WATER DEPTH 17 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7B8	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	As	0.555 ug/L				X	WATER DEPTH 17 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P719	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	As	0.577 ug/L				X	WATER DEPTH 19.4 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7B9	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	As	0.572 ug/L				X	WATER DEPTH 19.4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P720	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	As	0.548 ug/L				X	WATER DEPTH 22 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C0	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	As	0.556 ug/L				X	WATER DEPTH 22 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P721	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	As	0.788 ug/L				X	WATER DEPTH 4.6 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C1	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	As	0.713 ug/L				X	WATER DEPTH 4.6 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7F9	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	As	0.672 ug/L				X	WATER DEPTH 3 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7F5	RICH.PMPHS HRM 43.5	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	As	0.585 ug/L				X	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## WATER - COLUMBIA RIVER TRANSECTS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1P7F8	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	As	0.513 ug/L				X	WATER DEPTH 9.5 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7F4	RICH.PMPHS HRM 43.9	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	As	0.415 ug/L				X	WATER DEPTH 9.5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7F7	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	As	0.587 ug/L				X	WATER DEPTH 2 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7F3	RICH.PMPHS HRM 45.0	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	As	0.488 ug/L				X	WATER DEPTH 2 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7F6	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	As	0.565 ug/L				X	WATER DEPTH 3 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7F2	RICH.PMPHS HRM 45.8	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	As	0.552 ug/L				X	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P715	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	As	0.523 ug/L				X	WATER DEPTH 14 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P799	VERNITA-1 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	As	0.565 ug/L				X	WATER DEPTH 14 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P713	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	As	0.516 ug/L				X	WATER DEPTH 17 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P797	VERNITA-2 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	As	0.501 ug/L				X	WATER DEPTH 17 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P714	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	As	0.63 ug/L				X	WATER DEPTH 24 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P798	VERNITA-3 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	As	0.605 ug/L				X	WATER DEPTH 24 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P722	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	As	0.55 ug/L				X	WATER DEPTH 5 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P796	VERNITA-4 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	As	0.548 ug/L				X	WATER DEPTH 5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P707	100 N -1 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Be	0.008 ug/L				UX	WATER DEPTH 4.5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7B0	100 N -1 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Be	0.008 ug/L				UX	WATER DEPTH 4.5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P712	100 N -10 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Be	0.008 ug/L				UX	WATER DEPTH 5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7B5	100 N -10 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Be	0.008 ug/L				UX	WATER DEPTH 5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P708	100 N -2 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Be	0.008 ug/L				UX	WATER DEPTH 10 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7B1	100 N -2 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Be	0.008 ug/L				UX	WATER DEPTH 10 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P709	100 N -3 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Be	0.008 ug/L				UX	WATER DEPTH 24 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7B2	100 N -3 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Be	0.008 ug/L				UX	WATER DEPTH 24 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P710	100 N -5 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Be	0.008 ug/L				UX	WATER DEPTH 24 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7B3	100 N -5 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Be	0.008 ug/L				UX	WATER DEPTH 24 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P711	100 N -7 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Be	0.008 ug/L				UX	WATER DEPTH 14 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7B4	100 N -7 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Be	0.00844 ug/L				BX	WATER DEPTH 14 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7H3	100 N SHORE HRM 8.4	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Be	0.008 ug/L				UX	WATER DEPTH 4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7H4	100 N SHORE HRM 8.4	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Be	0.008 ug/L				UX	WATER DEPTH 4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7H8	100 N SHORE HRM 8.9	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Be	0.008 ug/L				UX	WATER DEPTH 5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7H9	100 N SHORE HRM 8.9	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Be	0.008 ug/L				UX	WATER DEPTH 5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7J3	100 N SHORE HRM 9.2	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Be	0.008 ug/L				UX	WATER DEPTH 2 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7J4	100 N SHORE HRM 9.2	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Be	0.008 ug/L				UX	WATER DEPTH 2 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7J8	100 N SHORE HRM 9.8	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Be	0.008 ug/L				UX	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7J9	100 N SHORE HRM 9.8	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Be	0.008 ug/L				UX	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P704	300 AREA -1 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Be	0.0127 ug/L				BX	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C2	300 AREA -1 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Be	0.008 ug/L				UX	WATER DEPTH 10 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P705	300 AREA -2 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Be	0.008 ug/L				UX	WATER DEPTH 10 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C3	300 AREA -2 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Be	0.008 ug/L				UX	WATER DEPTH 10 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P706	300 AREA -3 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Be	0.0131 ug/L				BX	WATER DEPTH 27 FT.	RESULT NOT BLANK CORRECTED.

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## WATER - COLUMBIA RIVER TRANSECTS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1P7C4	300 AREA -3 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Be	0.008 ug/L				UX	WATER DEPTH 27 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P6V5	300 AREA -5 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Be	0.0132 ug/L				BX	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C5	300 AREA -5 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Be	0.008 ug/L				UX	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P6V6	300 AREA -7 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Be	0.008 ug/L				UX	WATER DEPTH 12 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C6	300 AREA -7 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Be	0.008 ug/L				UX	WATER DEPTH 12 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P6V7	300 AREA-10 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Be	0.008 ug/L				UX	WATER DEPTH 5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C7	300 AREA-10 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Be	0.008 ug/L				UX	WATER DEPTH 5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7K3	300 AREA SHR HRM41.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Be	0.008 ug/L				UX	WATER DEPTH 2.5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7K4	300 AREA SHR HRM41.5	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Be	0.008 ug/L				UX	WATER DEPTH 2.5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7L3	300 AREA SHR HRM42.9	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Be	0.008 ug/L				UX	WATER DEPTH 2.5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7L4	300 AREA SHR HRM42.9	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Be	0.008 ug/L				UX	WATER DEPTH 2.5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7M7	300 AREA SPR DR 42-2	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Be	0.008 ug/L				UX	WATER DEPTH 2.5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7M8	300 AREA SPR DR 42-2	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Be	0.008 ug/L				UX	WATER DEPTH 2.5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7K8	300 AREA SPRING 42-2	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Be	0.008 ug/L				UX	WATER DEPTH 4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7K9	300 AREA SPRING 42-2	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Be	0.008 ug/L				UX	WATER DEPTH 4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P6V8	HANFRD TS-1 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Be	0.008 ug/L				UX	WATER DEPTH 5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C8	HANFRD TS-1 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Be	0.008 ug/L				UX	WATER DEPTH 5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P703	HANFRD TS-10 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Be	0.008 ug/L				UX	WATER DEPTH 4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7D3	HANFRD TS-10 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Be	0.008 ug/L				UX	WATER DEPTH 4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P6V9	HANFRD TS-2 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Be	0.008 ug/L				UX	WATER DEPTH 8 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C9	HANFRD TS-2 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Be	0.008 ug/L				UX	WATER DEPTH 8 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P700	HANFRD TS-3 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Be	0.008 ug/L				UX	WATER DEPTH 18 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7D0	HANFRD TS-3 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Be	0.008 ug/L				UX	WATER DEPTH 18 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P701	HANFRD TS-5 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Be	0.008 ug/L				UX	WATER DEPTH 33 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7D1	HANFRD TS-5 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Be	0.008 ug/L				UX	WATER DEPTH 33 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P702	HANFRD TS-7 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Be	0.008 ug/L				UX	WATER DEPTH 15 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7D2	HANFRD TS-7 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Be	0.008 ug/L				UX	WATER DEPTH 15 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P790	HANFRD TWNSITE HRM26	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Be	0.008 ug/L				UX	WATER DEPTH 2 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P793	HANFRD TWNSITE HRM26	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Be	0.008 ug/L				UX	WATER DEPTH 2 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P791	HANFRD TWNSITE HRM27	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Be	0.008 ug/L				UX	WATER DEPTH 6 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P794	HANFRD TWNSITE HRM27	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Be	0.008 ug/L				UX	WATER DEPTH 6 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7L8	HANFRD TWNSITE HRM28	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Be	0.008 ug/L				UX	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7L9	HANFRD TWNSITE HRM28	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Be	0.008 ug/L				UX	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P792	HANFRD TWNSITE HRM30	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Be	0.008 ug/L				UX	WATER DEPTH 4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P795	HANFRD TWNSITE HRM30	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Be	0.008 ug/L				UX	WATER DEPTH 4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P716	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Be	0.008 ug/L				UX	WATER DEPTH 6.4 FT.	RESULT NOT BLANK CORRECTED.
																MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	
SESPMNT	B1P7B6	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Be	0.008 ug/L				UX	WATER DEPTH 6.4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P717	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Be	0.008 ug/L				UX	WATER DEPTH 12 FT.	RESULT NOT BLANK CORRECTED.
																MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	
SESPMNT	B1P7B7	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Be	0.008 ug/L				UX	WATER DEPTH 12 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P718	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Be	0.008 ug/L				UX	WATER DEPTH 17 FT.	RESULT NOT BLANK CORRECTED.
																MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	
SESPMNT	B1P7B8	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Be	0.008 ug/L				UX	WATER DEPTH 17 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P719	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Be	0.008 ug/L				UX	WATER DEPTH 19.4 FT.	RESULT NOT BLANK CORRECTED.
																MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	
SESPMNT	B1P7B9	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Be	0.008 ug/L				UX	WATER DEPTH 19.4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P720	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Be	0.008 ug/L				UX	WATER DEPTH 22 FT.	RESULT NOT BLANK CORRECTED.
																MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	
SESPMNT	B1P7C0	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Be	0.008 ug/L				UX	WATER DEPTH 22 FT.	RESULT NOT BLANK CORRECTED.

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## WATER - COLUMBIA RIVER TRANSECTS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1P721	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Be	0.008 ug/L				UX	WATER DEPTH 4.6 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C1	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Be	0.008 ug/L				UX	WATER DEPTH 4.6 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7F9	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Be	0.008 ug/L				UX	WATER DEPTH 3 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7F5	RICH.PMPHS HRM 43.5	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Be	0.008 ug/L				UX	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7F8	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Be	0.008 ug/L				UX	WATER DEPTH 9.5 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7F4	RICH.PMPHS HRM 43.9	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Be	0.008 ug/L				UX	WATER DEPTH 9.5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7F7	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Be	0.008 ug/L				UX	WATER DEPTH 2 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7F3	RICH.PMPHS HRM 45.0	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Be	0.008 ug/L				UX	WATER DEPTH 2 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7F6	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Be	0.008 ug/L				UX	WATER DEPTH 3 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7F2	RICH.PMPHS HRM 45.8	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Be	0.008 ug/L				UX	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P715	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Be	0.008 ug/L				UX	WATER DEPTH 14 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P799	VERNITA-1 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Be	0.008 ug/L				UX	WATER DEPTH 14 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P713	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Be	0.008 ug/L				UX	WATER DEPTH 17 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P797	VERNITA-2 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Be	0.008 ug/L				UX	WATER DEPTH 17 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P714	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Be	0.008 ug/L				UX	WATER DEPTH 24 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P798	VERNITA-3 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Be	0.008 ug/L				UX	WATER DEPTH 24 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P722	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Be	0.008 ug/L				UX	WATER DEPTH 5 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P796	VERNITA-4 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Be	0.008 ug/L				UX	WATER DEPTH 5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P707	100 N -1 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Cd	0.0173 ug/L				BX	WATER DEPTH 4.5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7B0	100 N -1 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Cd	0.00824 ug/L				BX	WATER DEPTH 4.5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P708	100 N -2 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Cd	0.0227 ug/L				BX	WATER DEPTH 10 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7B1	100 N -2 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Cd	0.0117 ug/L				BX	WATER DEPTH 10 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P709	100 N -3 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Cd	0.0192 ug/L				BX	WATER DEPTH 24 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7B2	100 N -3 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Cd	0.0102 ug/L				BX	WATER DEPTH 24 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P710	100 N -5 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Cd	0.0139 ug/L				BX	WATER DEPTH 24 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7B3	100 N -5 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Cd	0.00965 ug/L				BX	WATER DEPTH 24 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P711	100 N -7 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Cd	0.0203 ug/L				BX	WATER DEPTH 14 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7B4	100 N -7 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Cd	0.0075 ug/L				BX	WATER DEPTH 14 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P712	100 N -10 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Cd	0.0158 ug/L				BX	WATER DEPTH 5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7B5	100 N -10 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Cd	0.00395 ug/L				BCX	WATER DEPTH 5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7H3	100 N SHORE HRM 8.4	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Cd	0.0171 ug/L				BX	WATER DEPTH 4 FT.	RESULT NOT BLANK CORRECTED.



## ENVIRONMENTAL SURVEILLANCE DATA CY07

## WATER - COLUMBIA RIVER TRANSECTS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1P7H4	100 N SHORE HRM 8.4	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Cd	0.0114 ug/L				BX	WATER DEPTH 4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7H8	100 N SHORE HRM 8.9	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Cd	0.0179 ug/L				BX	WATER DEPTH 5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7H9	100 N SHORE HRM 8.9	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Cd	0.00886 ug/L				BX	WATER DEPTH 5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7J3	100 N SHORE HRM 9.2	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Cd	0.0116 ug/L				BX	WATER DEPTH 2 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7J4	100 N SHORE HRM 9.2	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Cd	0.0107 ug/L				BX	WATER DEPTH 2 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7J8	100 N SHORE HRM 9.8	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Cd	0.012 ug/L				BX	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7J9	100 N SHORE HRM 9.8	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Cd	0.00675 ug/L				BX	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P704	300 AREA -1 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cd	0.0235 ug/L				BX	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C2	300 AREA -1 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cd	0.0237 ug/L				BX	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P705	300 AREA -2 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cd	0.0122 ug/L				BX	WATER DEPTH 10 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C3	300 AREA -2 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cd	0.0105 ug/L				BX	WATER DEPTH 10 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P706	300 AREA -3 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cd	0.0166 ug/L				BX	WATER DEPTH 27 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C4	300 AREA -3 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cd	0.00708 ug/L				BX	WATER DEPTH 27 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P6Y5	300 AREA -5 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cd	0.0162 ug/L				BX	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C5	300 AREA -5 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cd	0.00926 ug/L				BX	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P6Y6	300 AREA -7 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cd	0.0164 ug/L				BX	WATER DEPTH 12 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C6	300 AREA -7 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cd	0.0115 ug/L				BX	WATER DEPTH 12 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P6Y7	300 AREA-10 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cd	0.0132 ug/L				BX	WATER DEPTH 5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C7	300 AREA-10 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cd	0.0151 ug/L				BX	WATER DEPTH 5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7K3	300 AREA SHR HRM41.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cd	0.0204 ug/L				BX	WATER DEPTH 2.5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7K4	300 AREA SHR HRM41.5	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cd	0.0141 ug/L				BX	WATER DEPTH 2.5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7L3	300 AREA SHR HRM42.9	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cd	0.0186 ug/L				BX	WATER DEPTH 2.5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7L4	300 AREA SHR HRM42.9	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cd	0.0124 ug/L				BX	WATER DEPTH 2.5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7M7	300 AREA SPR DR 42-2	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cd	0.0124 ug/L				BX	WATER DEPTH 2.5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7M8	300 AREA SPR DR 42-2	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cd	0.012 ug/L				BX	WATER DEPTH 2.5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7K8	300 AREA SPRING 42-2	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cd	0.0191 ug/L				BX	WATER DEPTH 4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7K9	300 AREA SPRING 42-2	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cd	0.0122 ug/L				BX	WATER DEPTH 4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P6Y8	HANFRD TS-1 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Cd	0.0152 ug/L				BX	WATER DEPTH 5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C8	HANFRD TS-1 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Cd	0.00853 ug/L				BX	WATER DEPTH 5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P6Y9	HANFRD TS-2 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Cd	0.0107 ug/L				BX	WATER DEPTH 8 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C9	HANFRD TS-2 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Cd	0.00944 ug/L				BX	WATER DEPTH 8 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P700	HANFRD TS-3 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Cd	0.0118 ug/L				BX	WATER DEPTH 18 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7D0	HANFRD TS-3 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Cd	0.008 ug/L				BX	WATER DEPTH 18 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P701	HANFRD TS-5 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Cd	0.0136 ug/L				BX	WATER DEPTH 33 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7D1	HANFRD TS-5 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Cd	0.00577 ug/L				BX	WATER DEPTH 33 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P702	HANFRD TS-7 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Cd	0.0134 ug/L				BX	WATER DEPTH 15 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7D2	HANFRD TS-7 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Cd	0.00911 ug/L				BX	WATER DEPTH 15 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P790	HANFRD TWSITE HRM26	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Cd	0.0175 ug/L				BX	WATER DEPTH 2 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P793	HANFRD TWSITE HRM26	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Cd	0.00769 ug/L				BX	WATER DEPTH 2 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P791	HANFRD TWSITE HRM27	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Cd	0.0155 ug/L				BX	WATER DEPTH 6 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P794	HANFRD TWSITE HRM27	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Cd	0.00984 ug/L				BX	WATER DEPTH 6 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7L8	HANFRD TWSITE HRM28	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Cd	0.0125 ug/L				BX	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7L9	HANFRD TWSITE HRM28	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Cd	0.0121 ug/L				BX	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P792	HANFRD TWSITE HRM30	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Cd	0.0124 ug/L				BX	WATER DEPTH 4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P795	HANFRD TWSITE HRM30	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Cd	0.00795 ug/L				BX	WATER DEPTH 4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P703	HANFRD TS-10 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Cd	0.0132 ug/L				BX	WATER DEPTH 4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7D3	HANFRD TS-10 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Cd	0.0091 ug/L				BX	WATER DEPTH 4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P716	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cd	0.013 ug/L				BX	WATER DEPTH 6.4 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7B6	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cd	0.0108 ug/L				BX	WATER DEPTH 6.4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P717	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cd	0.014 ug/L				BX	WATER DEPTH 12 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7B7	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cd	0.00957 ug/L				BX	WATER DEPTH 12 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P718	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cd	0.0159 ug/L				BX	WATER DEPTH 17 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7B8	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cd	0.0119 ug/L				BX	WATER DEPTH 17 FT.	RESULT NOT BLANK CORRECTED.

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## WATER - COLUMBIA RIVER TRANSECTS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1P719	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cd	0.0138 ug/L				BX	WATER DEPTH 19.4 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7B9	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cd	0.00673 ug/L				BX	WATER DEPTH 19.4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P720	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cd	0.0143 ug/L				BX	WATER DEPTH 22 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C0	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cd	0.0107 ug/L				BX	WATER DEPTH 22 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P721	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cd	0.0142 ug/L				BX	WATER DEPTH 4.6 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C1	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cd	0.00832 ug/L				BX	WATER DEPTH 4.6 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7F9	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cd	0.0531 ug/L				X	WATER DEPTH 3 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7F5	RICH.PMPHS HRM 43.5	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cd	0.0127 ug/L				BX	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7F8	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cd	0.0128 ug/L				BX	WATER DEPTH 9.5 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7F4	RICH.PMPHS HRM 43.9	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cd	0.00604 ug/L				BX	WATER DEPTH 9.5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7F7	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cd	0.0144 ug/L				BX	WATER DEPTH 2 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7F3	RICH.PMPHS HRM 45.0	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cd	0.00756 ug/L				BX	WATER DEPTH 2 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7F6	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cd	0.0101 ug/L				BX	WATER DEPTH 3 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7F2	RICH.PMPHS HRM 45.8	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cd	0.00785 ug/L				BX	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P715	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Cd	0.0163 ug/L				BX	WATER DEPTH 14 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P799	VERNITA-1 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Cd	0.00973 ug/L				BX	WATER DEPTH 14 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P713	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Cd	0.0135 ug/L				BX	WATER DEPTH 17 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P797	VERNITA-2 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Cd	0.00521 ug/L				BX	WATER DEPTH 17 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P714	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Cd	0.0163 ug/L				BX	WATER DEPTH 24 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P798	VERNITA-3 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Cd	0.0149 ug/L				BX	WATER DEPTH 24 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P722	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Cd	0.0167 ug/L				BX	WATER DEPTH 5 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P796	VERNITA-4 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Cd	0.00736 ug/L				BX	WATER DEPTH 5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P707	100 N -1 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Cr	0.389 ug/L				X	WATER DEPTH 4.5 FT.	RESULT NOT BLANK CORRECTED.

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## WATER - COLUMBIA RIVER TRANSECTS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1P7B0	100 N -1 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Cr	0.11 ug/L				X	WATER DEPTH 4.5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P708	100 N -2 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Cr	0.148 ug/L				X	WATER DEPTH 10 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7B1	100 N -2 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Cr	0.17 ug/L				X	WATER DEPTH 10 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P709	100 N -3 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Cr	0.158 ug/L				X	WATER DEPTH 24 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7B2	100 N -3 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Cr	0.138 ug/L				X	WATER DEPTH 24 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P710	100 N -5 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Cr	0.167 ug/L				X	WATER DEPTH 24 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7B3	100 N -5 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Cr	0.13 ug/L				X	WATER DEPTH 24 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P711	100 N -7 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Cr	0.154 ug/L				X	WATER DEPTH 14 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7B4	100 N -7 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Cr	0.126 ug/L				X	WATER DEPTH 14 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P712	100 N -10 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Cr	0.211 ug/L				X	WATER DEPTH 5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7B5	100 N -10 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Cr	0.117 ug/L				X	WATER DEPTH 5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7H3	100 N SHORE HRM 8.4	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Cr	0.217 ug/L				X	WATER DEPTH 4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7H4	100 N SHORE HRM 8.4	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Cr	0.113 ug/L				X	WATER DEPTH 4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7H8	100 N SHORE HRM 8.9	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Cr	0.207 ug/L				X	WATER DEPTH 5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7H9	100 N SHORE HRM 8.9	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Cr	0.199 ug/L				X	WATER DEPTH 5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7J3	100 N SHORE HRM 9.2	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Cr	0.172 ug/L				X	WATER DEPTH 2 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7J4	100 N SHORE HRM 9.2	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Cr	0.0945 ug/L				BX	WATER DEPTH 2 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7J8	100 N SHORE HRM 9.8	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Cr	0.152 ug/L				X	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7J9	100 N SHORE HRM 9.8	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Cr	0.163 ug/L				X	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P704	300 AREA -1 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cr	0.237 ug/L				X	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C2	300 AREA -1 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cr	0.228 ug/L				X	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P705	300 AREA -2 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cr	0.182 ug/L				X	WATER DEPTH 10 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C3	300 AREA -2 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cr	0.153 ug/L				X	WATER DEPTH 10 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P706	300 AREA -3 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cr	0.198 ug/L				X	WATER DEPTH 27 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C4	300 AREA -3 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cr	0.0897 ug/L				BX	WATER DEPTH 27 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P6Y5	300 AREA -5 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cr	0.118 ug/L				X	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C5	300 AREA -5 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cr	0.0998 ug/L				BX	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P6Y6	300 AREA -7 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cr	0.16 ug/L				X	WATER DEPTH 12 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C6	300 AREA -7 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cr	0.163 ug/L				X	WATER DEPTH 12 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P6Y7	300 AREA -10 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cr	0.293 ug/L				X	WATER DEPTH 5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C7	300 AREA -10 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cr	0.466 ug/L				X	WATER DEPTH 5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7K3	300 AREA SHR HRM41.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cr	0.307 ug/L				X	WATER DEPTH 2.5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7K4	300 AREA SHR HRM41.5	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cr	0.165 ug/L				X	WATER DEPTH 2.5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7L3	300 AREA SHR HRM42.9	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cr	0.275 ug/L				X	WATER DEPTH 2.5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7L4	300 AREA SHR HRM42.9	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cr	0.21 ug/L				X	WATER DEPTH 2.5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7M7	300 AREA SPR DR 42.2	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cr	0.287 ug/L				X	WATER DEPTH 2.5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7M8	300 AREA SPR DR 42.2	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cr	0.349 ug/L				X	WATER DEPTH 2.5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7K8	300 AREA SPRING 42.2	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cr	0.437 ug/L				X	WATER DEPTH 4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7K9	300 AREA SPRING 42.2	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cr	0.392 ug/L				X	WATER DEPTH 4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P6Y8	HANFRD TS-1 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Cr	0.111 ug/L				X	WATER DEPTH 5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C8	HANFRD TS-1 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Cr	0.0876 ug/L				BX	WATER DEPTH 5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P6Y9	HANFRD TS-2 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Cr	0.083 ug/L				UX	WATER DEPTH 8 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C9	HANFRD TS-2 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Cr	0.136 ug/L				X	WATER DEPTH 8 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P700	HANFRD TS-3 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Cr	0.133 ug/L				X	WATER DEPTH 18 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7D0	HANFRD TS-3 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Cr	0.083 ug/L				UX	WATER DEPTH 18 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P701	HANFRD TS-5 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Cr	0.083 ug/L				UX	WATER DEPTH 33 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7D1	HANFRD TS-5 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Cr	0.083 ug/L				UX	WATER DEPTH 33 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P702	HANFRD TS-7 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Cr	0.131 ug/L				X	WATER DEPTH 15 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7D2	HANFRD TS-7 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Cr	0.083 ug/L				UX	WATER DEPTH 15 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P703	HANFRD TS-10 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Cr	0.129 ug/L				X	WATER DEPTH 4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7D3	HANFRD TS-10 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Cr	0.083 ug/L				UX	WATER DEPTH 4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P790	HANFRD TWSITE HRM26	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Cr	0.128 ug/L				X	WATER DEPTH 2 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P793	HANFRD TWSITE HRM26	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Cr	0.083 ug/L				UX	WATER DEPTH 2 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P791	HANFRD TWSITE HRM27	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Cr	0.083 ug/L				UX	WATER DEPTH 6 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P794	HANFRD TWSITE HRM27	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Cr	0.083 ug/L				UX	WATER DEPTH 6 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7L8	HANFRD TWSITE HRM28	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Cr	0.134 ug/L				X	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7L9	HANFRD TWSITE HRM28	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Cr	0.158 ug/L				X	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P792	HANFRD TWSITE HRM30	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Cr	0.083 ug/L				UX	WATER DEPTH 4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P795	HANFRD TWSITE HRM30	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Cr	0.083 ug/L				UX	WATER DEPTH 4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P716	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cr	0.0871 ug/L				BX	WATER DEPTH 6.4 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7B6	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cr	0.083 ug/L				UX	WATER DEPTH 6.4 FT.	RESULT NOT BLANK CORRECTED.

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## WATER - COLUMBIA RIVER TRANSECTS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1P717	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cr	0.083 ug/L				UX	WATER DEPTH 12 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7B7	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cr	0.083 ug/L				UX	WATER DEPTH 12 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P718	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cr	0.106 ug/L				X	WATER DEPTH 17 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7B8	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cr	0.083 ug/L				UX	WATER DEPTH 17 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P719	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cr	0.0865 ug/L				BX	WATER DEPTH 19.4 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7B9	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cr	0.083 ug/L				UX	WATER DEPTH 19.4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P720	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cr	0.083 ug/L				UX	WATER DEPTH 22 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C0	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cr	0.083 ug/L				UX	WATER DEPTH 22 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P721	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cr	0.148 ug/L				X	WATER DEPTH 4.6 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C1	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cr	0.083 ug/L				UX	WATER DEPTH 4.6 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7F9	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cr	0.208 ug/L				X	WATER DEPTH 3 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7F5	RICH.PMPHS HRM 43.5	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cr	0.083 ug/L				UX	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7F8	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cr	0.083 ug/L				UX	WATER DEPTH 9.5 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7F4	RICH.PMPHS HRM 43.9	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cr	0.083 ug/L				UX	WATER DEPTH 9.5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7F7	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cr	0.083 ug/L				UX	WATER DEPTH 2 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7F3	RICH.PMPHS HRM 45.0	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cr	0.083 ug/L				UX	WATER DEPTH 2 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7F6	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cr	0.083 ug/L				UX	WATER DEPTH 3 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7F2	RICH.PMPHS HRM 45.8	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cr	0.083 ug/L				UX	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P715	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Cr	0.083 ug/L				UX	WATER DEPTH 14 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P799	VERNITA-1 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Cr	0.083 ug/L				UX	WATER DEPTH 14 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P713	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Cr	0.083 ug/L				UX	WATER DEPTH 17 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P797	VERNITA-2 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Cr	0.083 ug/L				UX	WATER DEPTH 17 FT.	RESULT NOT BLANK CORRECTED.

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## WATER - COLUMBIA RIVER TRANSECTS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1P714	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Cr	0.083 ug/L				UX	WATER DEPTH 24 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P798	VERNITA-3 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Cr	0.083 ug/L				UX	WATER DEPTH 24 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P722	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Cr	0.083 ug/L				UX	WATER DEPTH 5 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P796	VERNITA-4 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Cr	0.083 ug/L				UX	WATER DEPTH 5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P707	100 N -1 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Cu	0.665 ug/L				X	WATER DEPTH 4.5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P780	100 N -1 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Cu	0.759 ug/L				X	WATER DEPTH 4.5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P708	100 N -2 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Cu	0.665 ug/L				X	WATER DEPTH 10 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P781	100 N -2 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Cu	0.715 ug/L				X	WATER DEPTH 10 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P709	100 N -3 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Cu	0.68 ug/L				X	WATER DEPTH 24 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P782	100 N -3 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Cu	0.816 ug/L				X	WATER DEPTH 24 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P710	100 N -5 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Cu	0.788 ug/L				X	WATER DEPTH 24 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P783	100 N -5 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Cu	0.678 ug/L				X	WATER DEPTH 24 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P711	100 N -7 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Cu	0.956 ug/L				X	WATER DEPTH 14 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P784	100 N -7 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Cu	0.781 ug/L				X	WATER DEPTH 14 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P712	100 N -10 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Cu	0.668 ug/L				X	WATER DEPTH 5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P785	100 N -10 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Cu	0.766 ug/L				X	WATER DEPTH 5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7H3	100 N SHORE HRM 8.4	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Cu	0.653 ug/L				X	WATER DEPTH 4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7H4	100 N SHORE HRM 8.4	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Cu	2.13 ug/L				X	WATER DEPTH 4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7H8	100 N SHORE HRM 8.9	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Cu	0.632 ug/L				X	WATER DEPTH 5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7H9	100 N SHORE HRM 8.9	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Cu	0.632 ug/L				X	WATER DEPTH 5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7J3	100 N SHORE HRM 9.2	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Cu	0.645 ug/L				X	WATER DEPTH 2 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7J4	100 N SHORE HRM 9.2	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Cu	0.64 ug/L				X	WATER DEPTH 2 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7J8	100 N SHORE HRM 9.8	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Cu	0.658 ug/L				X	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7J9	100 N SHORE HRM 9.8	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Cu	0.639 ug/L				X	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P704	300 AREA -1 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cu	2.22 ug/L				X	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C2	300 AREA -1 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cu	0.726 ug/L				X	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P705	300 AREA -2 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cu	0.627 ug/L				X	WATER DEPTH 10 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C3	300 AREA -2 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cu	0.574 ug/L				X	WATER DEPTH 10 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P706	300 AREA -3 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cu	0.65 ug/L				X	WATER DEPTH 27 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C4	300 AREA -3 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cu	0.579 ug/L				X	WATER DEPTH 27 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P6Y5	300 AREA -5 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cu	0.688 ug/L				X	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C5	300 AREA -5 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cu	0.647 ug/L				X	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P6Y6	300 AREA -7 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cu	0.68 ug/L				X	WATER DEPTH 12 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C6	300 AREA -7 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cu	0.58 ug/L				X	WATER DEPTH 12 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P6Y7	300 AREA-10 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cu	1.23 ug/L				X	WATER DEPTH 5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C7	300 AREA-10 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cu	0.9 ug/L				X	WATER DEPTH 5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7K3	300 AREA SHR HRM41.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cu	0.619 ug/L				X	WATER DEPTH 2.5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7K4	300 AREA SHR HRM41.5	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cu	0.563 ug/L				X	WATER DEPTH 2.5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7L3	300 AREA SHR HRM42.9	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cu	0.61 ug/L				X	WATER DEPTH 2.5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7L4	300 AREA SHR HRM42.9	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cu	0.596 ug/L				X	WATER DEPTH 2.5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7M7	300 AREA SPR DR 42-2	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cu	0.609 ug/L				X	WATER DEPTH 2.5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7M8	300 AREA SPR DR 42-2	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cu	0.538 ug/L				X	WATER DEPTH 2.5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7K8	300 AREA SPRING 42-2	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cu	0.591 ug/L				X	WATER DEPTH 4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7K9	300 AREA SPRING 42-2	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cu	0.557 ug/L				X	WATER DEPTH 4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P6Y8	HANFRD TS-1 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Cu	0.659 ug/L				X	WATER DEPTH 5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C8	HANFRD TS-1 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Cu	0.612 ug/L				X	WATER DEPTH 5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P6Y9	HANFRD TS-2 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Cu	0.649 ug/L				X	WATER DEPTH 8 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C9	HANFRD TS-2 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Cu	0.572 ug/L				X	WATER DEPTH 8 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P700	HANFRD TS-3 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Cu	0.626 ug/L				X	WATER DEPTH 18 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7D0	HANFRD TS-3 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Cu	0.603 ug/L				X	WATER DEPTH 18 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P701	HANFRD TS-5 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Cu	0.688 ug/L				X	WATER DEPTH 33 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7D1	HANFRD TS-5 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Cu	0.729 ug/L				X	WATER DEPTH 33 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P702	HANFRD TS-7 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Cu	0.705 ug/L				X	WATER DEPTH 15 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7D2	HANFRD TS-7 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Cu	0.639 ug/L				X	WATER DEPTH 15 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P703	HANFRD TS-10 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Cu	0.786 ug/L				X	WATER DEPTH 4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7D3	HANFRD TS-10 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Cu	0.707 ug/L				X	WATER DEPTH 4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P790	HANFRD TWSITE HRM26	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Cu	0.678 ug/L				X	WATER DEPTH 2 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P793	HANFRD TWSITE HRM26	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Cu	0.651 ug/L				X	WATER DEPTH 2 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P791	HANFRD TWSITE HRM27	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Cu	0.604 ug/L				X	WATER DEPTH 6 FT.	RESULT NOT BLANK CORRECTED.

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## WATER - COLUMBIA RIVER TRANSECTS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1P794	HANFRD TWNSITE HRM27	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Cu	0.616 ug/L				X	WATER DEPTH 6 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7L8	HANFRD TWNSITE HRM28	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Cu	0.621 ug/L				X	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7L9	HANFRD TWNSITE HRM28	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Cu	0.558 ug/L				X	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P792	HANFRD TWNSITE HRM30	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Cu	0.681 ug/L				X	WATER DEPTH 4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P795	HANFRD TWNSITE HRM30	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Cu	0.603 ug/L				X	WATER DEPTH 4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P716	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cu	0.676 ug/L				X	WATER DEPTH 6.4 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7B6	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cu	0.695 ug/L				X	WATER DEPTH 6.4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P717	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cu	0.937 ug/L				X	WATER DEPTH 12 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7B7	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cu	0.598 ug/L				X	WATER DEPTH 12 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P718	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cu	0.698 ug/L				X	WATER DEPTH 17 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7B8	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cu	0.688 ug/L				X	WATER DEPTH 17 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P719	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cu	0.705 ug/L				X	WATER DEPTH 19.4 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7B9	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cu	0.668 ug/L				X	WATER DEPTH 19.4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P720	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cu	0.761 ug/L				X	WATER DEPTH 22 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C0	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cu	0.743 ug/L				X	WATER DEPTH 22 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P721	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cu	0.947 ug/L				X	WATER DEPTH 4.6 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C1	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cu	0.916 ug/L				X	WATER DEPTH 4.6 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7F9	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cu	1.75 ug/L				X	WATER DEPTH 3 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7F5	RICH.PMPHS HRM 43.5	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cu	0.669 ug/L				X	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7F8	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cu	0.615 ug/L				X	WATER DEPTH 9.5 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7F4	RICH.PMPHS HRM 43.9	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cu	0.429 ug/L				X	WATER DEPTH 9.5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7F7	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cu	0.77 ug/L				X	WATER DEPTH 2 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7F3	RICH.PMPHS HRM 45.0	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cu	0.654 ug/L				X	WATER DEPTH 2 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7F6	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cu	0.624 ug/L				X	WATER DEPTH 3 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7F2	RICH.PMPHS HRM 45.8	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Cu	0.541 ug/L				X	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## WATER - COLUMBIA RIVER TRANSECTS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1P715	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Cu	0.653 ug/L				X	WATER DEPTH 14 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P799	VERNITA-1 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Cu	0.848 ug/L				X	WATER DEPTH 14 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P713	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Cu	0.622 ug/L				X	WATER DEPTH 17 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P797	VERNITA-2 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Cu	0.725 ug/L				X	WATER DEPTH 17 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P714	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Cu	0.769 ug/L				X	WATER DEPTH 24 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P798	VERNITA-3 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Cu	0.888 ug/L				X	WATER DEPTH 24 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P722	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Cu	0.704 ug/L				X	WATER DEPTH 5 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P796	VERNITA-4 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Cu	0.701 ug/L				X	WATER DEPTH 5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P707	100 N -1 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Ni	0.603 ug/L				X	WATER DEPTH 4.5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P780	100 N -1 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Ni	1.01 ug/L				X	WATER DEPTH 4.5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P708	100 N -2 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Ni	0.657 ug/L				X	WATER DEPTH 10 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P781	100 N -2 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Ni	0.828 ug/L				X	WATER DEPTH 10 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P709	100 N -3 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Ni	0.654 ug/L				X	WATER DEPTH 24 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P782	100 N -3 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Ni	0.677 ug/L				X	WATER DEPTH 24 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P710	100 N -5 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Ni	0.695 ug/L				X	WATER DEPTH 24 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P783	100 N -5 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Ni	0.967 ug/L				X	WATER DEPTH 24 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P711	100 N -7 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Ni	0.689 ug/L				X	WATER DEPTH 14 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P784	100 N -7 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Ni	1.01 ug/L				X	WATER DEPTH 14 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P712	100 N -10 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Ni	0.695 ug/L				X	WATER DEPTH 5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P785	100 N -10 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Ni	0.784 ug/L				X	WATER DEPTH 5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7H3	100 N SHORE HRM 8.4	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Ni	0.617 ug/L				X	WATER DEPTH 4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7H4	100 N SHORE HRM 8.4	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Ni	0.746 ug/L				X	WATER DEPTH 4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7H8	100 N SHORE HRM 8.9	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Ni	0.678 ug/L				X	WATER DEPTH 5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7H9	100 N SHORE HRM 8.9	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Ni	0.945 ug/L				X	WATER DEPTH 5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7J3	100 N SHORE HRM 9.2	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Ni	0.633 ug/L				X	WATER DEPTH 2 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7J4	100 N SHORE HRM 9.2	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Ni	0.806 ug/L				X	WATER DEPTH 2 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7J8	100 N SHORE HRM 9.8	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Ni	0.61 ug/L				X	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7J9	100 N SHORE HRM 9.8	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Ni	0.903 ug/L				X	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P704	300 AREA -1 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Ni	0.677 ug/L				X	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C2	300 AREA -1 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Ni	0.781 ug/L				X	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P705	300 AREA -2 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Ni	0.568 ug/L				X	WATER DEPTH 10 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C3	300 AREA -2 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Ni	0.669 ug/L				X	WATER DEPTH 10 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P706	300 AREA -3 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Ni	0.612 ug/L				X	WATER DEPTH 27 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C4	300 AREA -3 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Ni	0.623 ug/L				X	WATER DEPTH 27 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P6V5	300 AREA -5 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Ni	0.699 ug/L				X	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C5	300 AREA -5 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Ni	0.648 ug/L				X	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P6V6	300 AREA -7 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Ni	0.62 ug/L				X	WATER DEPTH 12 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C6	300 AREA -7 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Ni	0.654 ug/L				X	WATER DEPTH 12 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P6V7	300 AREA-10 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Ni	0.741 ug/L				X	WATER DEPTH 5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C7	300 AREA-10 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Ni	0.86 ug/L				X	WATER DEPTH 5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7K3	300 AREA SHR HRM41.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Ni	0.57 ug/L				X	WATER DEPTH 2.5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7K4	300 AREA SHR HRM41.5	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Ni	0.616 ug/L				X	WATER DEPTH 2.5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7L3	300 AREA SHR HRM42.9	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Ni	0.594 ug/L				X	WATER DEPTH 2.5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7L4	300 AREA SHR HRM42.9	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Ni	0.7 ug/L				X	WATER DEPTH 2.5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7M7	300 AREA SPR DR 42.2	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Ni	0.606 ug/L				X	WATER DEPTH 2.5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7M8	300 AREA SPR DR 42.2	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Ni	0.662 ug/L				X	WATER DEPTH 2.5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7K8	300 AREA SPRING 42.2	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Ni	0.638 ug/L				X	WATER DEPTH 4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7K9	300 AREA SPRING 42.2	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Ni	0.7 ug/L				X	WATER DEPTH 4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P6Y8	HANFRD TS-1 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Ni	0.597 ug/L				X	WATER DEPTH 5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C8	HANFRD TS-1 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Ni	0.675 ug/L				X	WATER DEPTH 5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P6Y9	HANFRD TS-2 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Ni	0.58 ug/L				X	WATER DEPTH 8 FT.	RESULT NOT BLANK CORRECTED.

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## WATER - COLUMBIA RIVER TRANSECTS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1P7C9	HANFRD TS-2 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Ni	0.567 ug/L				X	WATER DEPTH 8 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P700	HANFRD TS-3 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Ni	0.56 ug/L				X	WATER DEPTH 18 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7D0	HANFRD TS-3 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Ni	0.658 ug/L				X	WATER DEPTH 18 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P701	HANFRD TS-5 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Ni	0.599 ug/L				X	WATER DEPTH 33 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7D1	HANFRD TS-5 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Ni	0.698 ug/L				X	WATER DEPTH 33 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P702	HANFRD TS-7 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Ni	0.593 ug/L				X	WATER DEPTH 15 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7D2	HANFRD TS-7 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Ni	0.606 ug/L				X	WATER DEPTH 15 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P703	HANFRD TS-10 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Ni	0.641 ug/L				X	WATER DEPTH 4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7D3	HANFRD TS-10 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Ni	0.568 ug/L				X	WATER DEPTH 4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P790	HANFRD TWNSITE HRM26	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Ni	0.556 ug/L				X	WATER DEPTH 2 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P793	HANFRD TWNSITE HRM26	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Ni	0.814 ug/L				X	WATER DEPTH 2 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P791	HANFRD TWNSITE HRM27	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Ni	0.559 ug/L				X	WATER DEPTH 6 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P794	HANFRD TWNSITE HRM27	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Ni	0.83 ug/L				X	WATER DEPTH 6 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7L8	HANFRD TWNSITE HRM28	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Ni	0.548 ug/L				X	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7L9	HANFRD TWNSITE HRM28	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Ni	0.592 ug/L				X	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P792	HANFRD TWNSITE HRM30	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Ni	0.591 ug/L				X	WATER DEPTH 4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P795	HANFRD TWNSITE HRM30	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Ni	0.687 ug/L				X	WATER DEPTH 4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P716	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Ni	0.583 ug/L				X	WATER DEPTH 6.4 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7B6	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Ni	0.717 ug/L				X	WATER DEPTH 6.4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P717	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Ni	1.04 ug/L				X	WATER DEPTH 12 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7B7	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Ni	0.649 ug/L				X	WATER DEPTH 12 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P718	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Ni	0.587 ug/L				X	WATER DEPTH 17 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7B8	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Ni	0.894 ug/L				X	WATER DEPTH 17 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P719	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Ni	0.602 ug/L				X	WATER DEPTH 19.4 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7B9	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Ni	0.694 ug/L				X	WATER DEPTH 19.4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P720	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Ni	0.65 ug/L				X	WATER DEPTH 22 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C0	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Ni	0.774 ug/L				X	WATER DEPTH 22 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P721	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Ni	0.667 ug/L				X	WATER DEPTH 4.6 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C1	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Ni	0.807 ug/L				X	WATER DEPTH 4.6 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7F9	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Ni	0.891 ug/L				X	WATER DEPTH 3 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7F5	RICH.PMPHS HRM 43.5	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Ni	0.848 ug/L				X	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7F8	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Ni	0.469 ug/L				X	WATER DEPTH 9.5 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7F4	RICH.PMPHS HRM 43.9	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Ni	0.46 ug/L				X	WATER DEPTH 9.5 FT.	RESULT NOT BLANK CORRECTED.



## ENVIRONMENTAL SURVEILLANCE DATA CY07

## WATER - COLUMBIA RIVER TRANSECTS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1P7F7	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Ni	0.567 ug/L				X	WATER DEPTH 2 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7F3	RICH.PMPHS HRM 45.0	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Ni	0.654 ug/L				X	WATER DEPTH 2 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7F6	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Ni	0.497 ug/L				X	WATER DEPTH 3 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7F2	RICH.PMPHS HRM 45.8	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Ni	0.58 ug/L				X	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P715	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Ni	0.557 ug/L				X	WATER DEPTH 14 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P799	VERNITA-1 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Ni	0.632 ug/L				X	WATER DEPTH 14 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P713	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Ni	0.518 ug/L				X	WATER DEPTH 17 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P797	VERNITA-2 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Ni	0.666 ug/L				X	WATER DEPTH 17 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P714	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Ni	0.624 ug/L				X	WATER DEPTH 24 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P798	VERNITA-3 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Ni	0.708 ug/L				X	WATER DEPTH 24 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P722	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Ni	0.538 ug/L				X	WATER DEPTH 5 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P796	VERNITA-4 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Ni	0.51 ug/L				X	WATER DEPTH 5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P707	100 N -1 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Pb	0.119 ug/L				X	WATER DEPTH 4.5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7B0	100 N -1 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Pb	0.0609 ug/L				X	WATER DEPTH 4.5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P708	100 N -2 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Pb	0.127 ug/L				X	WATER DEPTH 10 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7B1	100 N -2 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Pb	0.058 ug/L				X	WATER DEPTH 10 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P709	100 N -3 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Pb	0.129 ug/L				X	WATER DEPTH 24 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7B2	100 N -3 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Pb	0.0665 ug/L				X	WATER DEPTH 24 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P710	100 N -5 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Pb	0.17 ug/L				X	WATER DEPTH 24 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7B3	100 N -5 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Pb	0.0574 ug/L				X	WATER DEPTH 24 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P711	100 N -7 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Pb	0.223 ug/L				X	WATER DEPTH 14 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7B4	100 N -7 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Pb	0.0563 ug/L				X	WATER DEPTH 14 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P712	100 N -10 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Pb	0.13 ug/L				X	WATER DEPTH 5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7B5	100 N -10 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Pb	0.0752 ug/L				X	WATER DEPTH 5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7H3	100 N SHORE HRM 8.4	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Pb	0.103 ug/L				X	WATER DEPTH 4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7H4	100 N SHORE HRM 8.4	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Pb	0.0516 ug/L				X	WATER DEPTH 4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7H8	100 N SHORE HRM 8.9	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Pb	0.11 ug/L				X	WATER DEPTH 5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7H9	100 N SHORE HRM 8.9	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Pb	0.0403 ug/L				X	WATER DEPTH 5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7J3	100 N SHORE HRM 9.2	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Pb	0.101 ug/L				X	WATER DEPTH 2 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7J4	100 N SHORE HRM 9.2	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Pb	0.0391 ug/L				X	WATER DEPTH 2 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7J8	100 N SHORE HRM 9.8	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Pb	0.113 ug/L				X	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7J9	100 N SHORE HRM 9.8	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Pb	0.0454 ug/L				X	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P704	300 AREA -1 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Pb	0.313 ug/L				X	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C2	300 AREA -1 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Pb	0.0317 ug/L				X	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P705	300 AREA -2 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Pb	0.0698 ug/L				X	WATER DEPTH 10 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C3	300 AREA -2 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Pb	0.022 ug/L				X	WATER DEPTH 10 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P706	300 AREA -3 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Pb	0.0782 ug/L				X	WATER DEPTH 27 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C4	300 AREA -3 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Pb	0.0237 ug/L				X	WATER DEPTH 27 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P6Y5	300 AREA -5 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Pb	0.0978 ug/L				X	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C5	300 AREA -5 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Pb	0.0319 ug/L				X	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P6Y6	300 AREA -7 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Pb	0.0894 ug/L				X	WATER DEPTH 12 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C6	300 AREA -7 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Pb	0.024 ug/L				X	WATER DEPTH 12 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P6Y7	300 AREA-10 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Pb	0.162 ug/L				X	WATER DEPTH 5 FT.	RESULT NOT BLANK CORRECTED.

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## WATER - COLUMBIA RIVER TRANSECTS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1P7C7	300 AREA-10 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Pb	0.0508 ug/L				X	WATER DEPTH 5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7K3	300 AREA SHR HRM41.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Pb	0.0616 ug/L				X	WATER DEPTH 2.5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7K4	300 AREA SHR HRM41.5	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Pb	0.0206 ug/L				X	WATER DEPTH 2.5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7L3	300 AREA SHR HRM42.9	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Pb	0.0631 ug/L				X	WATER DEPTH 2.5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7L4	300 AREA SHR HRM42.9	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Pb	0.0287 ug/L				X	WATER DEPTH 2.5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7M7	300 AREA SPR DR 42-2	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Pb	0.065 ug/L				X	WATER DEPTH 2.5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7M8	300 AREA SPR DR 42-2	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Pb	0.0205 ug/L				X	WATER DEPTH 2.5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7K8	300 AREA SPRING 42-2	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Pb	0.0587 ug/L				X	WATER DEPTH 4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7K9	300 AREA SPRING 42-2	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Pb	0.0302 ug/L				X	WATER DEPTH 4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P6Y8	HANFRD TS-1 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Pb	0.0808 ug/L				X	WATER DEPTH 5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C8	HANFRD TS-1 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Pb	0.0398 ug/L				X	WATER DEPTH 5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P6Y9	HANFRD TS-2 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Pb	0.0779 ug/L				X	WATER DEPTH 8 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C9	HANFRD TS-2 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Pb	0.0297 ug/L				X	WATER DEPTH 8 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P700	HANFRD TS-3 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Pb	0.0809 ug/L				X	WATER DEPTH 18 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7D0	HANFRD TS-3 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Pb	0.041 ug/L				X	WATER DEPTH 18 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P701	HANFRD TS-5 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Pb	0.101 ug/L				X	WATER DEPTH 33 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7D1	HANFRD TS-5 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Pb	0.0425 ug/L				X	WATER DEPTH 33 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P702	HANFRD TS-7 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Pb	0.115 ug/L				X	WATER DEPTH 15 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7D2	HANFRD TS-7 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Pb	0.0373 ug/L				X	WATER DEPTH 15 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P703	HANFRD TS-10 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Pb	0.165 ug/L				X	WATER DEPTH 4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7D3	HANFRD TS-10 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Pb	0.0579 ug/L				X	WATER DEPTH 4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P790	HANFRD TWNSITE HRM26	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Pb	0.0919 ug/L				X	WATER DEPTH 2 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P793	HANFRD TWNSITE HRM26	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Pb	0.0362 ug/L				X	WATER DEPTH 2 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P791	HANFRD TWNSITE HRM27	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Pb	0.0769 ug/L				X	WATER DEPTH 6 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P794	HANFRD TWNSITE HRM27	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Pb	0.0405 ug/L				X	WATER DEPTH 6 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7L8	HANFRD TWNSITE HRM28	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Pb	0.0715 ug/L				X	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7L9	HANFRD TWNSITE HRM28	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Pb	0.027 ug/L				X	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P792	HANFRD TWNSITE HRM30	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Pb	0.0892 ug/L				X	WATER DEPTH 4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P795	HANFRD TWNSITE HRM30	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Pb	0.0362 ug/L				X	WATER DEPTH 4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P716	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Pb	0.0771 ug/L				X	WATER DEPTH 6.4 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7B6	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Pb	0.0441 ug/L				X	WATER DEPTH 6.4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P717	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Pb	0.0832 ug/L				X	WATER DEPTH 12 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7B7	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Pb	0.0456 ug/L				X	WATER DEPTH 12 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P718	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Pb	0.0963 ug/L				X	WATER DEPTH 17 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7B8	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Pb	0.0393 ug/L				X	WATER DEPTH 17 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P719	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Pb	0.114 ug/L				X	WATER DEPTH 19.4 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7B9	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Pb	0.0361 ug/L				X	WATER DEPTH 19.4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P720	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Pb	0.125 ug/L				X	WATER DEPTH 22 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C0	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Pb	0.0432 ug/L				X	WATER DEPTH 22 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P721	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Pb	0.129 ug/L				X	WATER DEPTH 4.6 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C1	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Pb	0.0612 ug/L				X	WATER DEPTH 4.6 FT.	RESULT NOT BLANK CORRECTED.

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## WATER - COLUMBIA RIVER TRANSECTS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1P7F9	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Pb	0.538 ug/L				X	WATER DEPTH 3 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7F5	RICH.PMPHS HRM 43.5	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Pb	0.0386 ug/L				X	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7F8	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Pb	0.0933 ug/L				X	WATER DEPTH 9.5 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7F4	RICH.PMPHS HRM 43.9	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Pb	0.0254 ug/L				X	WATER DEPTH 9.5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7F7	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Pb	0.0966 ug/L				X	WATER DEPTH 2 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7F3	RICH.PMPHS HRM 45.0	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Pb	0.0349 ug/L				X	WATER DEPTH 2 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7F6	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Pb	0.0757 ug/L				X	WATER DEPTH 3 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7F2	RICH.PMPHS HRM 45.8	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Pb	0.026 ug/L				X	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P715	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Pb	0.109 ug/L				X	WATER DEPTH 14 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P799	VERNITA-1 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Pb	0.0778 ug/L				X	WATER DEPTH 14 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P713	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Pb	0.112 ug/L				X	WATER DEPTH 17 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P797	VERNITA-2 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Pb	0.0603 ug/L				X	WATER DEPTH 17 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P714	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Pb	0.139 ug/L				X	WATER DEPTH 24 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P798	VERNITA-3 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Pb	0.0794 ug/L				X	WATER DEPTH 24 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P722	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Pb	0.132 ug/L				X	WATER DEPTH 5 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P796	VERNITA-4 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Pb	0.0465 ug/L				X	WATER DEPTH 5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P707	100 N -1 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Sb	0.178 ug/L				X	WATER DEPTH 4.5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7B0	100 N -1 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Sb	0.258 ug/L				X	WATER DEPTH 4.5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P708	100 N -2 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Sb	0.145 ug/L				X	WATER DEPTH 10 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7B1	100 N -2 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Sb	0.19 ug/L				X	WATER DEPTH 10 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P709	100 N -3 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Sb	0.143 ug/L				X	WATER DEPTH 24 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7B2	100 N -3 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Sb	0.191 ug/L				X	WATER DEPTH 24 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P710	100 N -5 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Sb	0.144 ug/L				X	WATER DEPTH 24 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7B3	100 N -5 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Sb	0.238 ug/L				X	WATER DEPTH 24 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P711	100 N -7 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Sb	0.142 ug/L				X	WATER DEPTH 14 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7B4	100 N -7 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Sb	0.365 ug/L				X	WATER DEPTH 14 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P712	100 N -10 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Sb	0.14 ug/L				X	WATER DEPTH 5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7B5	100 N -10 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Sb	0.229 ug/L				X	WATER DEPTH 5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7H3	100 N SHORE HRM 8.4	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Sb	0.148 ug/L				X	WATER DEPTH 4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7H4	100 N SHORE HRM 8.4	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Sb	0.228 ug/L				X	WATER DEPTH 4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7H8	100 N SHORE HRM 8.9	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Sb	0.143 ug/L				X	WATER DEPTH 5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7H9	100 N SHORE HRM 8.9	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Sb	0.223 ug/L				X	WATER DEPTH 5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7J3	100 N SHORE HRM 9.2	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Sb	0.145 ug/L				X	WATER DEPTH 2 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7J4	100 N SHORE HRM 9.2	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Sb	0.225 ug/L				X	WATER DEPTH 2 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7J8	100 N SHORE HRM 9.8	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Sb	0.145 ug/L				X	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## WATER - COLUMBIA RIVER TRANSECTS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1P7J9	100 N SHORE HRM 9.8	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Sb	0.175 ug/L				X	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P704	300 AREA -1 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Sb	0.138 ug/L				X	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C2	300 AREA -1 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Sb	0.16 ug/L				X	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P705	300 AREA -2 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Sb	0.143 ug/L				X	WATER DEPTH 10 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C3	300 AREA -2 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Sb	0.147 ug/L				X	WATER DEPTH 10 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P706	300 AREA -3 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Sb	0.157 ug/L				X	WATER DEPTH 27 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C4	300 AREA -3 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Sb	0.16 ug/L				X	WATER DEPTH 27 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P6Y5	300 AREA -5 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Sb	0.145 ug/L				X	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C5	300 AREA -5 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Sb	0.186 ug/L				X	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P6Y6	300 AREA -7 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Sb	0.145 ug/L				X	WATER DEPTH 12 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C6	300 AREA -7 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Sb	0.17 ug/L				X	WATER DEPTH 12 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P6Y7	300 AREA-10 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Sb	0.15 ug/L				X	WATER DEPTH 5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C7	300 AREA-10 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Sb	0.23 ug/L				X	WATER DEPTH 5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7K3	300 AREA SHR HRM41.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Sb	0.181 ug/L				X	WATER DEPTH 2.5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7K4	300 AREA SHR HRM41.5	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Sb	0.169 ug/L				X	WATER DEPTH 2.5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7L3	300 AREA SHR HRM42.9	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Sb	0.157 ug/L				X	WATER DEPTH 2.5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7L4	300 AREA SHR HRM42.9	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Sb	0.177 ug/L				X	WATER DEPTH 2.5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7M7	300 AREA SPR DR 42-2	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Sb	0.143 ug/L				X	WATER DEPTH 2.5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7M8	300 AREA SPR DR 42-2	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Sb	0.183 ug/L				X	WATER DEPTH 2.5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7K8	300 AREA SPRING 42-2	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Sb	0.148 ug/L				X	WATER DEPTH 4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7K9	300 AREA SPRING 42-2	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Sb	0.167 ug/L				X	WATER DEPTH 4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P6Y8	HANFRD TS-1 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Sb	0.158 ug/L				X	WATER DEPTH 5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C8	HANFRD TS-1 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Sb	0.182 ug/L				X	WATER DEPTH 5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P6Y9	HANFRD TS-2 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Sb	0.151 ug/L				X	WATER DEPTH 8 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C9	HANFRD TS-2 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Sb	0.158 ug/L				X	WATER DEPTH 8 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P700	HANFRD TS-3 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Sb	0.144 ug/L				X	WATER DEPTH 18 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7D0	HANFRD TS-3 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Sb	0.168 ug/L				X	WATER DEPTH 18 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P701	HANFRD TS-5 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Sb	0.148 ug/L				X	WATER DEPTH 33 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7D1	HANFRD TS-5 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Sb	0.228 ug/L				X	WATER DEPTH 33 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P702	HANFRD TS-7 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Sb	0.15 ug/L				X	WATER DEPTH 15 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7D2	HANFRD TS-7 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Sb	0.16 ug/L				X	WATER DEPTH 15 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P703	HANFRD TS-10 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Sb	0.15 ug/L				X	WATER DEPTH 4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7D3	HANFRD TS-10 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Sb	0.164 ug/L				X	WATER DEPTH 4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P790	HANFRD TWNSITE HRM26	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Sb	0.146 ug/L				X	WATER DEPTH 2 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P793	HANFRD TWNSITE HRM26	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Sb	0.199 ug/L				X	WATER DEPTH 2 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P791	HANFRD TWNSITE HRM27	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Sb	0.141 ug/L				X	WATER DEPTH 6 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P794	HANFRD TWNSITE HRM27	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Sb	0.191 ug/L				X	WATER DEPTH 6 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7L8	HANFRD TWNSITE HRM28	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Sb	0.145 ug/L				X	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7L9	HANFRD TWNSITE HRM28	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Sb	0.166 ug/L				X	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P792	HANFRD TWNSITE HRM30	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Sb	0.158 ug/L				X	WATER DEPTH 4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P795	HANFRD TWNSITE HRM30	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Sb	0.186 ug/L				X	WATER DEPTH 4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P716	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Sb	0.146 ug/L				X	WATER DEPTH 6.4 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7B6	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Sb	0.187 ug/L				X	WATER DEPTH 6.4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P717	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Sb	0.136 ug/L				X	WATER DEPTH 12 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7B7	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Sb	0.179 ug/L				X	WATER DEPTH 12 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P718	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Sb	0.154 ug/L				X	WATER DEPTH 17 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7B8	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Sb	0.213 ug/L				X	WATER DEPTH 17 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P719	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Sb	0.149 ug/L				X	WATER DEPTH 19.4 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7B9	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Sb	0.195 ug/L				X	WATER DEPTH 19.4 FT.	RESULT NOT BLANK CORRECTED.

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## WATER - COLUMBIA RIVER TRANSECTS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1P720	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Sb	0.146 ug/L				X	WATER DEPTH 22 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C0	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Sb	0.193 ug/L				X	WATER DEPTH 22 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P721	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Sb	0.157 ug/L				X	WATER DEPTH 4.6 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C1	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Sb	0.186 ug/L				X	WATER DEPTH 4.6 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7F9	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Sb	0.123 ug/L				X	WATER DEPTH 3 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7F5	RICH.PMPHS HRM 43.5	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Sb	0.203 ug/L				X	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7F8	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Sb	0.121 ug/L				X	WATER DEPTH 9.5 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7F4	RICH.PMPHS HRM 43.9	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Sb	0.13 ug/L				X	WATER DEPTH 9.5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7F7	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Sb	0.16 ug/L				X	WATER DEPTH 2 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7F3	RICH.PMPHS HRM 45.0	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Sb	0.169 ug/L				X	WATER DEPTH 2 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7F6	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Sb	0.139 ug/L				X	WATER DEPTH 3 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7F2	RICH.PMPHS HRM 45.8	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Sb	0.158 ug/L				X	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P715	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Sb	0.142 ug/L				X	WATER DEPTH 14 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P799	VERNITA-1 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Sb	0.18 ug/L				X	WATER DEPTH 14 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P713	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Sb	0.13 ug/L				X	WATER DEPTH 17 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P797	VERNITA-2 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Sb	0.19 ug/L				X	WATER DEPTH 17 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P714	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Sb	0.149 ug/L				YX	WATER DEPTH 24 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED. CONFIRMED BY SECOND ANALYSIS.
SESPMNT	B1P798	VERNITA-3 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Sb	0.29 ug/L				YX	WATER DEPTH 24 FT.	RESULT NOT BLANK CORRECTED. CONFIRMED BY SECOND ANALYSIS.
SESPMNT	B1P722	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Sb	0.131 ug/L				X	WATER DEPTH 5 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P796	VERNITA-4 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Sb	0.149 ug/L				X	WATER DEPTH 5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P707	100 N -1 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Se	0.115 ug/L				BX	WATER DEPTH 4.5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7B0	100 N -1 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Se	0.159 ug/L				BX	WATER DEPTH 4.5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P708	100 N -2 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Se	0.183 ug/L				BX	WATER DEPTH 10 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7B1	100 N -2 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Se	0.161 ug/L				BX	WATER DEPTH 10 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P709	100 N -3 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Se	0.244 ug/L				BX	WATER DEPTH 24 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7B2	100 N -3 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Se	0.118 ug/L				BX	WATER DEPTH 24 FT.	RESULT NOT BLANK CORRECTED.

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## WATER - COLUMBIA RIVER TRANSECTS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1P710	100 N -5 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Se	0.145 ug/L				BX	WATER DEPTH 24 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7B3	100 N -5 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Se	0.161 ug/L				BX	WATER DEPTH 24 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P711	100 N -7 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Se	0.198 ug/L				BX	WATER DEPTH 14 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7B4	100 N -7 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Se	0.448 ug/L				BX	WATER DEPTH 14 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P712	100 N -10 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Se	0.235 ug/L				BX	WATER DEPTH 5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7B5	100 N -10 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Se	0.145 ug/L				BX	WATER DEPTH 5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7H3	100 N SHORE HRM 8.4	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Se	0.203 ug/L				BX	WATER DEPTH 4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7H4	100 N SHORE HRM 8.4	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Se	0.244 ug/L				BX	WATER DEPTH 4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7H8	100 N SHORE HRM 8.9	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Se	0.155 ug/L				BX	WATER DEPTH 5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7H9	100 N SHORE HRM 8.9	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Se	0.324 ug/L				BX	WATER DEPTH 5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7J3	100 N SHORE HRM 9.2	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Se	0.0623 ug/L				BX	WATER DEPTH 2 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7J4	100 N SHORE HRM 9.2	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Se	0.0636 ug/L				BX	WATER DEPTH 2 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7J8	100 N SHORE HRM 9.8	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Se	0.222 ug/L				BX	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7J9	100 N SHORE HRM 9.8	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Se	0.0802 ug/L				BX	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P704	300 AREA -1 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Se	0.174 ug/L				BX	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C2	300 AREA -1 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Se	0.134 ug/L				BX	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P705	300 AREA -2 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Se	0.176 ug/L				BX	WATER DEPTH 10 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C3	300 AREA -2 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Se	0.233 ug/L				BX	WATER DEPTH 10 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P706	300 AREA -3 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Se	0.154 ug/L				BX	WATER DEPTH 27 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C4	300 AREA -3 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Se	0.201 ug/L				BX	WATER DEPTH 27 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P6V5	300 AREA -5 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Se	0.145 ug/L				BX	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C5	300 AREA -5 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Se	0.251 ug/L				BX	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P6V6	300 AREA -7 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Se	0.0457 ug/L				BX	WATER DEPTH 12 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C6	300 AREA -7 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Se	0.114 ug/L				BX	WATER DEPTH 12 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P6V7	300 AREA-10 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Se	0.494 ug/L				BX	WATER DEPTH 5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C7	300 AREA-10 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Se	0.759 ug/L				X	WATER DEPTH 5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7K3	300 AREA SHR HRM41.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Se	0.204 ug/L				BX	WATER DEPTH 2.5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7K4	300 AREA SHR HRM41.5	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Se	0.02 ug/L				UX	WATER DEPTH 2.5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7L3	300 AREA SHR HRM42.9	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Se	0.222 ug/L				BX	WATER DEPTH 2.5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7L4	300 AREA SHR HRM42.9	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Se	0.227 ug/L				BX	WATER DEPTH 2.5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7M7	300 AREA SPR DR 42.2	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Se	0.318 ug/L				BX	WATER DEPTH 2.5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7M8	300 AREA SPR DR 42.2	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Se	0.45 ug/L				BX	WATER DEPTH 2.5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7K8	300 AREA SPRING 42.2	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Se	0.412 ug/L				BX	WATER DEPTH 4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7K9	300 AREA SPRING 42.2	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Se	0.456 ug/L				BX	WATER DEPTH 4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P6V8	HANFRD TS-1 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Se	0.105 ug/L				BX	WATER DEPTH 5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C8	HANFRD TS-1 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Se	0.261 ug/L				BX	WATER DEPTH 5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P6V9	HANFRD TS-2 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Se	0.171 ug/L				BX	WATER DEPTH 8 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C9	HANFRD TS-2 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Se	0.104 ug/L				BX	WATER DEPTH 8 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P700	HANFRD TS-3 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Se	0.0921 ug/L				BX	WATER DEPTH 18 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7D0	HANFRD TS-3 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Se	0.113 ug/L				BX	WATER DEPTH 18 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P701	HANFRD TS-5 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Se	0.11 ug/L				BX	WATER DEPTH 33 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7D1	HANFRD TS-5 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Se	0.136 ug/L				BX	WATER DEPTH 33 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P702	HANFRD TS-7 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Se	0.101 ug/L				BX	WATER DEPTH 15 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7D2	HANFRD TS-7 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Se	0.19 ug/L				BX	WATER DEPTH 15 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P703	HANFRD TS-10 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Se	0.181 ug/L				BX	WATER DEPTH 4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7D3	HANFRD TS-10 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Se	0.18 ug/L				BX	WATER DEPTH 4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P790	HANFRD TWNSITE HRM26	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Se	0.0926 ug/L				BX	WATER DEPTH 2 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P793	HANFRD TWNSITE HRM26	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Se	0.063 ug/L				BX	WATER DEPTH 2 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P791	HANFRD TWNSITE HRM27	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Se	0.129 ug/L				BX	WATER DEPTH 6 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P794	HANFRD TWNSITE HRM27	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Se	0.126 ug/L				BX	WATER DEPTH 6 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7L8	HANFRD TWNSITE HRM28	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Se	0.117 ug/L				BX	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7L9	HANFRD TWNSITE HRM28	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Se	0.186 ug/L				BX	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P792	HANFRD TWNSITE HRM30	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Se	0.146 ug/L				BX	WATER DEPTH 4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P795	HANFRD TWNSITE HRM30	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Se	0.157 ug/L				BX	WATER DEPTH 4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P716	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Se	0.126 ug/L				BX	WATER DEPTH 6.4 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7B6	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Se	0.0806 ug/L				BX	WATER DEPTH 6.4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P717	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Se	0.08 ug/L				BX	WATER DEPTH 12 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7B7	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Se	0.107 ug/L				BX	WATER DEPTH 12 FT.	RESULT NOT BLANK CORRECTED.

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## WATER - COLUMBIA RIVER TRANSECTS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1P718	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Se	0.107 ug/L				BX	WATER DEPTH 17 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7B8	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Se	0.165 ug/L				BX	WATER DEPTH 17 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P719	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Se	0.17 ug/L				BX	WATER DEPTH 19.4 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7B9	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Se	0.132 ug/L				BX	WATER DEPTH 19.4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P720	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Se	0.153 ug/L				BX	WATER DEPTH 22 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C0	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Se	0.0975 ug/L				BX	WATER DEPTH 22 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P721	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Se	0.25 ug/L				BX	WATER DEPTH 4.6 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C1	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Se	0.205 ug/L				BX	WATER DEPTH 4.6 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7F9	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Se	0.0853 ug/L				BX	WATER DEPTH 3 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7F5	RICH.PMPHS HRM 43.5	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Se	0.0891 ug/L				BX	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7F8	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Se	0.0633 ug/L				BX	WATER DEPTH 9.5 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7F4	RICH.PMPHS HRM 43.9	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Se	0.0908 ug/L				BX	WATER DEPTH 9.5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7F7	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Se	0.179 ug/L				BX	WATER DEPTH 2 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7F3	RICH.PMPHS HRM 45.0	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Se	0.02 ug/L				UX	WATER DEPTH 2 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7F6	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Se	0.02 ug/L				UX	WATER DEPTH 3 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7F2	RICH.PMPHS HRM 45.8	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Se	0.105 ug/L				BX	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P715	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Se	0.1 ug/L				BX	WATER DEPTH 14 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P799	VERNITA-1 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Se	0.214 ug/L				BX	WATER DEPTH 14 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P713	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Se	0.209 ug/L				BX	WATER DEPTH 17 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P797	VERNITA-2 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Se	0.119 ug/L				BX	WATER DEPTH 17 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P714	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Se	0.158 ug/L				BX	WATER DEPTH 24 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P798	VERNITA-3 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Se	0.199 ug/L				BX	WATER DEPTH 24 FT.	RESULT NOT BLANK CORRECTED.

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## WATER - COLUMBIA RIVER TRANSECTS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1P722	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Se	0.154 ug/L				BX	WATER DEPTH 5 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P796	VERNITA-4 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Se	0.125 ug/L				BX	WATER DEPTH 5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P707	100 N -1 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	TI	0.0167 ug/L				BX	WATER DEPTH 4.5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P780	100 N -1 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	TI	0.0162 ug/L				BX	WATER DEPTH 4.5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P708	100 N -2 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	TI	0.0161 ug/L				BX	WATER DEPTH 10 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P781	100 N -2 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	TI	0.0147 ug/L				BX	WATER DEPTH 10 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P709	100 N -3 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	TI	0.0166 ug/L				BX	WATER DEPTH 24 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P782	100 N -3 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	TI	0.0156 ug/L				BX	WATER DEPTH 24 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P710	100 N -5 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	TI	0.0153 ug/L				BX	WATER DEPTH 24 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P783	100 N -5 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	TI	0.0158 ug/L				BX	WATER DEPTH 24 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P711	100 N -7 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	TI	0.0161 ug/L				BX	WATER DEPTH 14 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P784	100 N -7 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	TI	0.015 ug/L				BX	WATER DEPTH 14 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P712	100 N -10 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	TI	0.0154 ug/L				BX	WATER DEPTH 5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P785	100 N -10 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	TI	0.0143 ug/L				BX	WATER DEPTH 5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7H3	100 N SHORE HRM 8.4	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	TI	0.0168 ug/L				BX	WATER DEPTH 4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7H4	100 N SHORE HRM 8.4	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	TI	0.015 ug/L				BX	WATER DEPTH 4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7H8	100 N SHORE HRM 8.9	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	TI	0.0145 ug/L				BX	WATER DEPTH 5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7H9	100 N SHORE HRM 8.9	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	TI	0.0156 ug/L				BX	WATER DEPTH 5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7J3	100 N SHORE HRM 9.2	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	TI	0.0165 ug/L				BX	WATER DEPTH 2 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7J4	100 N SHORE HRM 9.2	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	TI	0.0149 ug/L				BX	WATER DEPTH 2 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7J8	100 N SHORE HRM 9.8	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	TI	0.0165 ug/L				BX	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7J9	100 N SHORE HRM 9.8	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	TI	0.0148 ug/L				BX	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P704	300 AREA -1 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	TI	0.017 ug/L				BX	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C2	300 AREA -1 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	TI	0.0174 ug/L				BX	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P705	300 AREA -2 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	TI	0.0159 ug/L				BX	WATER DEPTH 10 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C3	300 AREA -2 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	TI	0.0163 ug/L				BX	WATER DEPTH 10 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P706	300 AREA -3 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	TI	0.0149 ug/L				BX	WATER DEPTH 27 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C4	300 AREA -3 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	TI	0.0153 ug/L				BX	WATER DEPTH 27 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P6Y5	300 AREA -5 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	TI	0.0163 ug/L				BX	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C5	300 AREA -5 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	TI	0.0151 ug/L				BX	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P6Y6	300 AREA -7 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	TI	0.0162 ug/L				BX	WATER DEPTH 12 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C6	300 AREA -7 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	TI	0.0154 ug/L				BX	WATER DEPTH 12 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P6Y7	300 AREA-10 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	TI	0.0135 ug/L				BX	WATER DEPTH 5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C7	300 AREA-10 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	TI	0.0125 ug/L				BX	WATER DEPTH 5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7K3	300 AREA SHR HRM41.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	TI	0.0164 ug/L				BX	WATER DEPTH 2.5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7K4	300 AREA SHR HRM41.5	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	TI	0.0159 ug/L				BX	WATER DEPTH 2.5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7L3	300 AREA SHR HRM42.9	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	TI	0.0151 ug/L				BX	WATER DEPTH 2.5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7L4	300 AREA SHR HRM42.9	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	TI	0.0149 ug/L				BX	WATER DEPTH 2.5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7M7	300 AREA SPR DR 42-2	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	TI	0.0163 ug/L				BX	WATER DEPTH 2.5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7M8	300 AREA SPR DR 42-2	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	TI	0.016 ug/L				BX	WATER DEPTH 2.5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7K8	300 AREA SPRING 42-2	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	TI	0.0149 ug/L				BX	WATER DEPTH 4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7K9	300 AREA SPRING 42-2	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	TI	0.015 ug/L				BX	WATER DEPTH 4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P6Y8	HANFRD TS-1 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	TI	0.0154 ug/L				BX	WATER DEPTH 5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C8	HANFRD TS-1 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	TI	0.0143 ug/L				BX	WATER DEPTH 5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P6Y9	HANFRD TS-2 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	TI	0.0163 ug/L				BX	WATER DEPTH 8 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C9	HANFRD TS-2 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	TI	0.0142 ug/L				BX	WATER DEPTH 8 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P700	HANFRD TS-3 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	TI	0.0155 ug/L				BX	WATER DEPTH 18 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7D0	HANFRD TS-3 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	TI	0.0141 ug/L				BX	WATER DEPTH 18 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P701	HANFRD TS-5 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	TI	0.017 ug/L				BX	WATER DEPTH 33 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7D1	HANFRD TS-5 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	TI	0.0143 ug/L				BX	WATER DEPTH 33 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P702	HANFRD TS-7 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	TI	0.0158 ug/L				BX	WATER DEPTH 15 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7D2	HANFRD TS-7 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	TI	0.0138 ug/L				BX	WATER DEPTH 15 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P703	HANFRD TS-10 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	TI	0.0149 ug/L				BX	WATER DEPTH 4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7D3	HANFRD TS-10 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	TI	0.0133 ug/L				BX	WATER DEPTH 4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P790	HANFRD TWSITE HRM26	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	TI	0.0165 ug/L				BX	WATER DEPTH 2 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P793	HANFRD TWSITE HRM26	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	TI	0.0149 ug/L				BX	WATER DEPTH 2 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P791	HANFRD TWSITE HRM27	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	TI	0.0152 ug/L				BX	WATER DEPTH 6 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P794	HANFRD TWSITE HRM27	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	TI	0.0145 ug/L				BX	WATER DEPTH 6 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7L8	HANFRD TWSITE HRM28	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	TI	0.0153 ug/L				BX	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7L9	HANFRD TWSITE HRM28	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	TI	0.0137 ug/L				BX	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P792	HANFRD TWSITE HRM30	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	TI	0.0162 ug/L				BX	WATER DEPTH 4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P795	HANFRD TWSITE HRM30	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	TI	0.0143 ug/L				BX	WATER DEPTH 4 FT.	RESULT NOT BLANK CORRECTED.



## ENVIRONMENTAL SURVEILLANCE DATA CY07

## WATER - COLUMBIA RIVER TRANSECTS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1P716	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	TI	0.0165 ug/L				BX	WATER DEPTH 6.4 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7B6	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	TI	0.014 ug/L				BX	WATER DEPTH 6.4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P717	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	TI	0.0152 ug/L				BX	WATER DEPTH 12 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7B7	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	TI	0.015 ug/L				BX	WATER DEPTH 12 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P718	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	TI	0.0159 ug/L				BX	WATER DEPTH 17 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7B8	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	TI	0.0157 ug/L				BX	WATER DEPTH 17 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P719	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	TI	0.0158 ug/L				BX	WATER DEPTH 19.4 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7B9	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	TI	0.0156 ug/L				BX	WATER DEPTH 19.4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P720	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	TI	0.0153 ug/L				BX	WATER DEPTH 22 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C0	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	TI	0.0163 ug/L				BX	WATER DEPTH 22 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P721	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	TI	0.0164 ug/L				BX	WATER DEPTH 4.6 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C1	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	TI	0.0141 ug/L				BX	WATER DEPTH 4.6 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7F9	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	TI	0.0192 ug/L				BX	WATER DEPTH 3 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7F5	RICH.PMPHS HRM 43.5	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	TI	0.0162 ug/L				BX	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7F8	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	TI	0.0127 ug/L				BX	WATER DEPTH 9.5 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7F4	RICH.PMPHS HRM 43.9	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	TI	0.0115 ug/L				BX	WATER DEPTH 9.5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7F7	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	TI	0.0159 ug/L				BX	WATER DEPTH 2 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7F3	RICH.PMPHS HRM 45.0	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	TI	0.0127 ug/L				BX	WATER DEPTH 2 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7F6	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	TI	0.0133 ug/L				BX	WATER DEPTH 3 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7F2	RICH.PMPHS HRM 45.8	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	TI	0.0135 ug/L				BX	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P715	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	TI	0.0145 ug/L				BX	WATER DEPTH 14 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P799	VERNITA-1 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	TI	0.0156 ug/L				BX	WATER DEPTH 14 FT.	RESULT NOT BLANK CORRECTED.

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## WATER - COLUMBIA RIVER TRANSECTS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1P713	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	TI	0.0138 ug/L				BX	WATER DEPTH 17 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P797	VERNITA-2 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	TI	0.0128 ug/L				BX	WATER DEPTH 17 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P714	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	TI	0.0165 ug/L				BX	WATER DEPTH 24 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P798	VERNITA-3 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	TI	0.0153 ug/L				BX	WATER DEPTH 24 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P722	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	TI	0.0136 ug/L				BX	WATER DEPTH 5 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P796	VERNITA-4 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	TI	0.0142 ug/L				BX	WATER DEPTH 5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P707	100 N -1 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Zn	1.87 ug/L				X	WATER DEPTH 4.5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P780	100 N -1 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Zn	1.89 ug/L				X	WATER DEPTH 4.5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P708	100 N -2 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Zn	1.6 ug/L				X	WATER DEPTH 10 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P781	100 N -2 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Zn	1.81 ug/L				X	WATER DEPTH 10 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P709	100 N -3 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Zn	1.78 ug/L				X	WATER DEPTH 24 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P782	100 N -3 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Zn	2.24 ug/L				X	WATER DEPTH 24 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P710	100 N -5 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Zn	2.37 ug/L				X	WATER DEPTH 24 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P783	100 N -5 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Zn	2.1 ug/L				X	WATER DEPTH 24 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P711	100 N -7 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Zn	3.09 ug/L				X	WATER DEPTH 14 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P784	100 N -7 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Zn	2.59 ug/L				X	WATER DEPTH 14 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P712	100 N -10 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Zn	1.72 ug/L				X	WATER DEPTH 5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P785	100 N -10 HRM 9.5	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Zn	1.68 ug/L				X	WATER DEPTH 5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7H3	100 N SHORE HRM 8.4	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Zn	1.39 ug/L				X	WATER DEPTH 4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7H4	100 N SHORE HRM 8.4	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Zn	1.36 ug/L				X	WATER DEPTH 4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7H8	100 N SHORE HRM 8.9	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Zn	1.46 ug/L				X	WATER DEPTH 5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7H9	100 N SHORE HRM 8.9	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Zn	1.02 ug/L				X	WATER DEPTH 5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7J3	100 N SHORE HRM 9.2	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Zn	1.35 ug/L				X	WATER DEPTH 2 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7J4	100 N SHORE HRM 9.2	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Zn	1.06 ug/L				X	WATER DEPTH 2 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7J8	100 N SHORE HRM 9.8	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Zn	1.57 ug/L				X	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7J9	100 N SHORE HRM 9.8	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Zn	1.27 ug/L				X	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P704	300 AREA -1 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Zn	4.2 ug/L				X	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C2	300 AREA -1 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Zn	1.05 ug/L				X	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P705	300 AREA -2 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Zn	1.14 ug/L				X	WATER DEPTH 10 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C3	300 AREA -2 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Zn	0.789 ug/L				X	WATER DEPTH 10 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P706	300 AREA -3 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Zn	1.29 ug/L				X	WATER DEPTH 27 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C4	300 AREA -3 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Zn	0.889 ug/L				X	WATER DEPTH 27 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P6Y5	300 AREA -5 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Zn	1.32 ug/L				X	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C5	300 AREA -5 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Zn	1.13 ug/L				X	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P6Y6	300 AREA -7 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Zn	1.28 ug/L				X	WATER DEPTH 12 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C6	300 AREA -7 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Zn	0.888 ug/L				X	WATER DEPTH 12 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P6Y7	300 AREA-10 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Zn	1.78 ug/L				X	WATER DEPTH 5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C7	300 AREA-10 HRM 43.1	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Zn	1.35 ug/L				X	WATER DEPTH 5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7K3	300 AREA SHR HRM41.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Zn	1.26 ug/L				X	WATER DEPTH 2.5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7K4	300 AREA SHR HRM41.5	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Zn	0.812 ug/L				X	WATER DEPTH 2.5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7L3	300 AREA SHR HRM42.9	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Zn	1.1 ug/L				X	WATER DEPTH 2.5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7L4	300 AREA SHR HRM42.9	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Zn	0.82 ug/L				X	WATER DEPTH 2.5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7M7	300 AREA SPR DR 42-2	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Zn	1.03 ug/L				X	WATER DEPTH 2.5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7M8	300 AREA SPR DR 42-2	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Zn	0.858 ug/L				X	WATER DEPTH 2.5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7K8	300 AREA SPRING 42-2	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Zn	1.03 ug/L				X	WATER DEPTH 4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7K9	300 AREA SPRING 42-2	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Zn	0.94 ug/L				X	WATER DEPTH 4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P6Y8	HANFRD TS-1 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Zn	1.31 ug/L				X	WATER DEPTH 5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C8	HANFRD TS-1 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Zn	1.1 ug/L				X	WATER DEPTH 5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P6Y9	HANFRD TS-2 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Zn	1.25 ug/L				X	WATER DEPTH 8 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C9	HANFRD TS-2 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Zn	0.82 ug/L				X	WATER DEPTH 8 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P700	HANFRD TS-3 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Zn	1.24 ug/L				X	WATER DEPTH 18 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7D0	HANFRD TS-3 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Zn	1.03 ug/L				X	WATER DEPTH 18 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P701	HANFRD TS-5 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Zn	1.49 ug/L				X	WATER DEPTH 33 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7D1	HANFRD TS-5 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Zn	1.31 ug/L				X	WATER DEPTH 33 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P702	HANFRD TS-7 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Zn	1.53 ug/L				X	WATER DEPTH 15 FT.	RESULT NOT BLANK CORRECTED.

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## WATER - COLUMBIA RIVER TRANSECTS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1P7D2	HANFRD TS-7 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Zn	1.24 ug/L				X	WATER DEPTH 15 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7D3	HANFRD TS-10 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Zn	2.32 ug/L				X	WATER DEPTH 4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7D3	HANFRD TS-10 HRM 28.7	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Zn	1.4 ug/L				X	WATER DEPTH 4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P790	HANFRD TWNSITE HRM26	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Zn	1.27 ug/L				X	WATER DEPTH 2 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P793	HANFRD TWNSITE HRM26	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Zn	1.01 ug/L				X	WATER DEPTH 2 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P791	HANFRD TWNSITE HRM27	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Zn	1.18 ug/L				X	WATER DEPTH 6 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P794	HANFRD TWNSITE HRM27	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Zn	0.891 ug/L				X	WATER DEPTH 6 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7L8	HANFRD TWNSITE HRM28	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Zn	1.02 ug/L				X	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7L9	HANFRD TWNSITE HRM28	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Zn	0.735 ug/L				X	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P792	HANFRD TWNSITE HRM30	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Zn	1.26 ug/L				X	WATER DEPTH 4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P795	HANFRD TWNSITE HRM30	ONSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	28-Aug-07	Zn	1.04 ug/L				X	WATER DEPTH 4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P716	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Zn	1.23 ug/L				X	WATER DEPTH 6.4 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7B6	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Zn	1.38 ug/L				X	WATER DEPTH 6.4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P717	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Zn	1.29 ug/L				X	WATER DEPTH 12 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7B7	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Zn	1.15 ug/L				X	WATER DEPTH 12 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P718	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Zn	1.35 ug/L				X	WATER DEPTH 17 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7B8	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Zn	1.47 ug/L				X	WATER DEPTH 17 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P719	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Zn	1.33 ug/L				X	WATER DEPTH 19.4 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7B9	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Zn	1.11 ug/L				X	WATER DEPTH 19.4 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P720	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Zn	1.56 ug/L				X	WATER DEPTH 22 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C0	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Zn	1.67 ug/L				X	WATER DEPTH 22 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P721	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Zn	1.58 ug/L				X	WATER DEPTH 4.6 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7C1	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Zn	1.81 ug/L				X	WATER DEPTH 4.6 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7F9	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Zn	6.41 ug/L				X	WATER DEPTH 3 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7F5	RICH.PMPHS HRM 43.5	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Zn	1.86 ug/L				X	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7F8	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Zn	1.74 ug/L				X	WATER DEPTH 9.5 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7F4	RICH.PMPHS HRM 43.9	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Zn	1.01 ug/L				X	WATER DEPTH 9.5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7F7	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Zn	1.89 ug/L				X	WATER DEPTH 2 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7F3	RICH.PMPHS HRM 45.0	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Zn	1.53 ug/L				X	WATER DEPTH 2 FT.	RESULT NOT BLANK CORRECTED.

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## WATER - COLUMBIA RIVER TRANSECTS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1P7F6	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Zn	1.09 ug/L				X	WATER DEPTH 3 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7F2	RICH.PMPHS HRM 45.8	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	29-Aug-07	Zn	0.815 ug/L				X	WATER DEPTH 3 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P715	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Zn	2.46 ug/L				X	WATER DEPTH 14 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P799	VERNITA-1 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Zn	1.97 ug/L				X	WATER DEPTH 14 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P713	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Zn	1.52 ug/L				X	WATER DEPTH 17 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P797	VERNITA-2 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Zn	1.82 ug/L				X	WATER DEPTH 17 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P714	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Zn	1.93 ug/L				YX	WATER DEPTH 24 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED. CONFIRMED BY SECOND ANALYSIS.
SESPMNT	B1P798	VERNITA-3 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Zn	2.97 ug/L				YX	WATER DEPTH 24 FT.	RESULT NOT BLANK CORRECTED. CONFIRMED BY SECOND ANALYSIS.
SESPMNT	B1P722	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Zn	1.91 ug/L				X	WATER DEPTH 5 FT. MERCURY ANALYSIS CANCELLED, SAMPLED USING WRONG BOTTLE TYPE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P796	VERNITA-4 HRM 0.3	OFFSITE	SW	Y	RIVER	TRANSECT	RAW GRAB	27-Aug-07	Zn	1.39 ug/L				X	WATER DEPTH 5 FT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1MTW2	100 N -1 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	CHLORIDE	0.81 mg/L					WATER DEPTH 4.5 FT.	
SESPMNT	B1MTW4	100 N -2 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	CHLORIDE	0.83 mg/L					WATER DEPTH 10 FT.	
SESPMNT	B1MTW6	100 N -3 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	CHLORIDE	0.76 mg/L					WATER DEPTH 24 FT.	
SESPMNT	B1MTW8	100 N -5 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	CHLORIDE	0.79 mg/L					WATER DEPTH 24 FT.	
SESPMNT	B1MTX0	100 N -7 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	CHLORIDE	0.83 mg/L					WATER DEPTH 14 FT.	
SESPMNT	B1MTX2	100 N -10 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	CHLORIDE	1.1 mg/L					WATER DEPTH 5 FT.	
SESPMNT	B1MTX4	100 N SHORE HRM 8.4	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	CHLORIDE	0.79 mg/L					WATER DEPTH 4 FT.	
SESPMNT	B1MTX6	100 N SHORE HRM 8.9	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	CHLORIDE	0.79 mg/L					WATER DEPTH 5 FT.	
SESPMNT	B1MTX8	100 N SHORE HRM 9.2	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	CHLORIDE	0.81 mg/L					WATER DEPTH 2 FT.	
SESPMNT	B1MTY0	100 N SHORE HRM 9.8	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	CHLORIDE	0.8 mg/L					WATER DEPTH 3 FT.	
SESPMNT	B1MV40	300 AREA -1 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	CHLORIDE	1 mg/L					WATER DEPTH 3 FT.	
SESPMNT	B1MV42	300 AREA -2 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	CHLORIDE	0.84 mg/L					WATER DEPTH 10 FT.	
SESPMNT	B1MV44	300 AREA -3 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	CHLORIDE	0.81 mg/L					WATER DEPTH 27 FT.	
SESPMNT	B1MV46	300 AREA -5 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	CHLORIDE	0.88 mg/L					WATER DEPTH 3 FT.	
SESPMNT	B1MV48	300 AREA -7 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	CHLORIDE	1 mg/L					WATER DEPTH 12 FT.	
SESPMNT	B1MV50	300 AREA-10 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	CHLORIDE	3.5 mg/L					WATER DEPTH 5 FT.	
SESPMNT	B1MV52	300 AREA SHR HRM41.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	CHLORIDE	0.86 mg/L					WATER DEPTH 2.5 FT.	
SESPMNT	B1MV54	300 AREA SHR HRM42.9	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	CHLORIDE	1.2 mg/L					WATER DEPTH 2.5 FT.	
SESPMNT	B1MV56	300 AREA SPR DR 42-2	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	CHLORIDE	1.5 mg/L					WATER DEPTH 2.5 FT.	
SESPMNT	B1MV58	300 AREA SPRING 42-2	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	CHLORIDE	2.3 mg/L					WATER DEPTH 4 FT.	
SESPMNT	B1MV00	HANFRD TS-1 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	CHLORIDE	0.91 mg/L					WATER DEPTH 5 FT.	
SESPMNT	B1MV02	HANFRD TS-2 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	CHLORIDE	0.92 mg/L					WATER DEPTH 8 FT.	
SESPMNT	B1MV04	HANFRD TS-3 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	CHLORIDE	0.77 mg/L					WATER DEPTH 18 FT.	
SESPMNT	B1MV06	HANFRD TS-5 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	CHLORIDE	0.74 mg/L					WATER DEPTH 33 FT.	
SESPMNT	B1MV08	HANFRD TS-7 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	CHLORIDE	0.79 mg/L					WATER DEPTH 15 FT.	
SESPMNT	B1MV10	HANFRD TS-10 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	CHLORIDE	0.85 mg/L					WATER DEPTH 4 FT.	
SESPMNT	B1MV12	HANFRD TWNSITE HRM26	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	CHLORIDE	0.79 mg/L					WATER DEPTH 2 FT.	
SESPMNT	B1MV14	HANFRD TWNSITE HRM27	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	CHLORIDE	0.79 mg/L					WATER DEPTH 6 FT.	
SESPMNT	B1MV16	HANFRD TWNSITE HRM28	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	CHLORIDE	1 mg/L					WATER DEPTH 3 FT.	
SESPMNT	B1MV18	HANFRD TWNSITE HRM30	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	CHLORIDE	0.83 mg/L					WATER DEPTH 4 FT.	
SESPMNT	B1MCK0	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	CHLORIDE	1.3 mg/L				CN	WATER DEPTH 3 FT.	
SESPMNT	B1MTT0	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Jun-07	CHLORIDE	0.85 mg/L				N	WATER DEPTH 8 FT.	
SESPMNT	B1MV20	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	CHLORIDE	0.81 mg/L					WATER DEPTH 6.4 FT.	
SESPMNT	B1MV70	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	CHLORIDE	1.3 mg/L					WATER DEPTH 4.6 FT.	

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## WATER - COLUMBIA RIVER TRANSECTS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1MCK2	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	CHLORIDE	1.1 mg/L				C	WATER DEPTH 14 FT. DUE TO BROKEN ANCHOR WINCH, SAMPLE COLLECTED APPROXIMATELY 4 FEET BELOW SURFACE.	
SESPMNT	B1MTT2	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Jun-07	CHLORIDE	0.84 mg/L				N	WATER DEPTH 13 FT.	
SESPMNT	B1MV22	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	CHLORIDE	0.75 mg/L					WATER DEPTH 12 FT.	
SESPMNT	B1MV72	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	CHLORIDE	1.1 mg/L					WATER DEPTH 12.5 FT.	
SESPMNT	B1MCK4	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	CHLORIDE	1.1 mg/L				CN	WATER DEPTH 18 FT. DUE TO BROKEN ANCHOR WINCH, SAMPLE COLLECTED APPROXIMATELY 4 FEET BELOW SURFACE, NOT AT MID-DEPTH.	
SESPMNT	B1MTT4	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Jun-07	CHLORIDE	0.92 mg/L				N	WATER DEPTH 19 FT.	
SESPMNT	B1MV24	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	CHLORIDE	0.76 mg/L					WATER DEPTH 17 FT.	
SESPMNT	B1MV74	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	CHLORIDE	1 mg/L					WATER DEPTH 16.3 FT.	
SESPMNT	B1MCK6	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	CHLORIDE	1.2 mg/L				CN	WATER DEPTH 3 FT.	
SESPMNT	B1MTT6	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Jun-07	CHLORIDE	0.85 mg/L				N	WATER DEPTH 10 FT.	
SESPMNT	B1MV26	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	CHLORIDE	0.77 mg/L					WATER DEPTH 19.4 FT.	
SESPMNT	B1MV76	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	CHLORIDE	1.1 mg/L					WATER DEPTH 1.7 FT.	
SESPMNT	B1MCK8	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	CHLORIDE	1.2 mg/L				CN	WATER DEPTH 15.7 FT.	
SESPMNT	B1MTT8	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Jun-07	CHLORIDE	0.86 mg/L				N	WATER DEPTH 15 FT.	
SESPMNT	B1MV28	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	CHLORIDE	0.8 mg/L					WATER DEPTH 22 FT.	
SESPMNT	B1MV78	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	CHLORIDE	1.1 mg/L					WATER DEPTH 21.3 FT.	
SESPMNT	B1MCL0	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	CHLORIDE	2.3 mg/L				CN	WATER DEPTH 1.8 FT.	
SESPMNT	B1MTV0	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Jun-07	CHLORIDE	1.4 mg/L				N	WATER DEPTH 4 FT.	
SESPMNT	B1MV30	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	CHLORIDE	1.5 mg/L					WATER DEPTH 4.6 FT.	
SESPMNT	B1MV80	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	CHLORIDE	2.6 mg/L					WATER DEPTH 2 FT.	
SESPMNT	B1MCL2	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	CHLORIDE	1.1 mg/L				CN	WATER DEPTH 3.6 FT.	
SESPMNT	B1MTV2	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Jun-07	CHLORIDE	0.84 mg/L				N	WATER DEPTH 3 FT.	
SESPMNT	B1MV32	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	CHLORIDE	1 mg/L					WATER DEPTH 3 FT.	
SESPMNT	B1MV82	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	CHLORIDE	2.4 mg/L					WATER DEPTH 2 FT.	
SESPMNT	B1MCL4	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	CHLORIDE	1.2 mg/L				CN	WATER DEPTH 2.0 FT.	
SESPMNT	B1MTV4	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Jun-07	CHLORIDE	0.85 mg/L				N	WATER DEPTH 5 FT.	
SESPMNT	B1MV34	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	CHLORIDE	0.89 mg/L					WATER DEPTH 9.5 FT.	
SESPMNT	B1MV84	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	CHLORIDE	1.8 mg/L					WATER DEPTH 1.1 FT.	
SESPMNT	B1MCL6	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	CHLORIDE	1.1 mg/L				CN	WATER DEPTH 8.4 FT.	
SESPMNT	B1MTV6	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Jun-07	CHLORIDE	0.85 mg/L				N	WATER DEPTH 4 FT.	
SESPMNT	B1MV36	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	CHLORIDE	0.79 mg/L					WATER DEPTH 2 FT.	
SESPMNT	B1MV86	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	CHLORIDE	1.3 mg/L					WATER DEPTH 2.7 FT.	
SESPMNT	B1MCL8	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	CHLORIDE	1.3 mg/L				CN	WATER DEPTH 2.1 FT.	
SESPMNT	B1MTV8	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Jun-07	CHLORIDE	0.84 mg/L				N	WATER DEPTH 4 FT.	
SESPMNT	B1MV38	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	CHLORIDE	0.81 mg/L					WATER DEPTH 3 FT.	
SESPMNT	B1MV86	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	CHLORIDE	1.4 mg/L					WATER DEPTH 4.1 FT.	
SESPMNT	B1MCJ2	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	26-Mar-07	CHLORIDE	1.2 mg/L				C	WATER DEPTH 25.2 FT, HIGH WATER.	
SESPMNT	B1MTR2	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	04-Jun-07	CHLORIDE	0.84 mg/L				N	WATER DEPTH 8 FT.	
SESPMNT	B1MTY8	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	CHLORIDE	0.79 mg/L					WATER DEPTH 14 FT.	
SESPMNT	B1MV62	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Dec-07	CHLORIDE	0.96 mg/L					WATER DEPTH 6.2 FT.	
SESPMNT	B1MCJ4	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	26-Mar-07	CHLORIDE	1.2 mg/L				C	WATER DEPTH 17 FT.	
SESPMNT	B1MTR4	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	04-Jun-07	CHLORIDE	0.83 mg/L				N	WATER DEPTH 17 FT.	
SESPMNT	B1MTY4	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	CHLORIDE	0.8 mg/L					WATER DEPTH 17 FT.	
SESPMNT	B1MV64	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Dec-07	CHLORIDE	0.87 mg/L					WATER DEPTH 15.4 FT.	
SESPMNT	B1MCJ6	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	26-Mar-07	CHLORIDE	1.2 mg/L				C	WATER DEPTH 8.1 FT.	
SESPMNT	B1MTR6	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	04-Jun-07	CHLORIDE	0.83 mg/L				N	WATER DEPTH 23 FT.	
SESPMNT	B1MTY6	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	CHLORIDE	0.86 mg/L					WATER DEPTH 24 FT.	
SESPMNT	B1MV66	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Dec-07	CHLORIDE	0.97 mg/L					WATER DEPTH 24.8 FT.	
SESPMNT	B1MCJ8	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	26-Mar-07	CHLORIDE	1.4 mg/L				C	WATER DEPTH 8 FT, HIGH WATER.	
SESPMNT	B1MTR8	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	04-Jun-07	CHLORIDE	1.2 mg/L				N	WATER DEPTH 6 FT.	
SESPMNT	B1MTY2	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	CHLORIDE	0.84 mg/L					WATER DEPTH 5 FT.	
SESPMNT	B1MV68	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Dec-07	CHLORIDE	1.1 mg/L					WATER DEPTH 7.1 FT.	
SESPMNT	B1MTW2	100 N -1 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	FLUORIDE	0.025 mg/L				U	WATER DEPTH 4.5 FT.	
SESPMNT	B1MTW4	100 N -2 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	FLUORIDE	0.059 mg/L				B	WATER DEPTH 10 FT.	

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## WATER - COLUMBIA RIVER TRANSECTS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1MTW6	100 N -3 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	FLUORIDE	0.025 mg/L				U	WATER DEPTH 24 FT.	
SESPMNT	B1MTW8	100 N -5 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	FLUORIDE	0.025 mg/L				U	WATER DEPTH 24 FT.	
SESPMNT	B1MTX0	100 N -7 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	FLUORIDE	0.056 mg/L				B	WATER DEPTH 14 FT.	
SESPMNT	B1MTX2	100 N -10 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	FLUORIDE	0.025 mg/L				U	WATER DEPTH 5 FT.	
SESPMNT	B1MTX4	100 N SHORE HRM 8.4	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	FLUORIDE	0.061 mg/L				B	WATER DEPTH 4 FT.	
SESPMNT	B1MTX6	100 N SHORE HRM 8.9	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	FLUORIDE	0.025 mg/L				U	WATER DEPTH 5 FT.	
SESPMNT	B1MTX8	100 N SHORE HRM 9.2	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	FLUORIDE	0.056 mg/L				B	WATER DEPTH 2 FT.	
SESPMNT	B1MTY0	100 N SHORE HRM 9.8	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	FLUORIDE	0.057 mg/L				B	WATER DEPTH 3 FT.	
SESPMNT	B1MV40	300 AREA -1 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	FLUORIDE	0.061 mg/L				B	WATER DEPTH 3 FT.	
SESPMNT	B1MV42	300 AREA -2 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	FLUORIDE	0.064 mg/L				B	WATER DEPTH 10 FT.	
SESPMNT	B1MV44	300 AREA -3 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	FLUORIDE	0.11 mg/L				B	WATER DEPTH 27 FT.	
SESPMNT	B1MV46	300 AREA -5 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	FLUORIDE	0.025 mg/L				U	WATER DEPTH 3 FT.	
SESPMNT	B1MV48	300 AREA -7 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	FLUORIDE	0.06 mg/L				B	WATER DEPTH 12 FT.	
SESPMNT	B1MV50	300 AREA-10 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	FLUORIDE	0.097 mg/L				B	WATER DEPTH 5 FT.	
SESPMNT	B1MV52	300 AREA SHR HRM41.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	FLUORIDE	0.039 mg/L				B	WATER DEPTH 2.5 FT.	
SESPMNT	B1MV54	300 AREA SHR HRM42.9	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	FLUORIDE	0.064 mg/L				B	WATER DEPTH 2.5 FT.	
SESPMNT	B1MV56	300 AREA SPR DR 42-2	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	FLUORIDE	0.025 mg/L				U	WATER DEPTH 2.5 FT.	
SESPMNT	B1MV58	300 AREA SPRING 42-2	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	FLUORIDE	0.071 mg/L				B	WATER DEPTH 4 FT.	
SESPMNT	B1MV00	HANFRD TS-1 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	FLUORIDE	0.063 mg/L				B	WATER DEPTH 5 FT.	
SESPMNT	B1MV02	HANFRD TS-2 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	FLUORIDE	0.067 mg/L				B	WATER DEPTH 8 FT.	
SESPMNT	B1MV04	HANFRD TS-3 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	FLUORIDE	0.025 mg/L				U	WATER DEPTH 18 FT.	
SESPMNT	B1MV06	HANFRD TS-5 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	FLUORIDE	0.06 mg/L				B	WATER DEPTH 33 FT.	
SESPMNT	B1MV08	HANFRD TS-7 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	FLUORIDE	0.054 mg/L				B	WATER DEPTH 15 FT.	
SESPMNT	B1MV10	HANFRD TS-10 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	FLUORIDE	0.052 mg/L				B	WATER DEPTH 4 FT.	
SESPMNT	B1MV12	HANFRD TWSITE HRM26	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	FLUORIDE	0.062 mg/L				B	WATER DEPTH 2 FT.	
SESPMNT	B1MV14	HANFRD TWSITE HRM27	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	FLUORIDE	0.065 mg/L				B	WATER DEPTH 6 FT.	
SESPMNT	B1MV16	HANFRD TWSITE HRM28	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	FLUORIDE	0.025 mg/L				U	WATER DEPTH 3 FT.	
SESPMNT	B1MV18	HANFRD TWSITE HRM30	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	FLUORIDE	0.055 mg/L				B	WATER DEPTH 4 FT.	
SESPMNT	B1MCK0	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	FLUORIDE	0.02 mg/L				U	WATER DEPTH 3 FT.	
SESPMNT	B1MTT0	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Jun-07	FLUORIDE	0.055 mg/L				BN	WATER DEPTH 8 FT.	
SESPMNT	B1MV20	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	FLUORIDE	0.025 mg/L				U	WATER DEPTH 6.4 FT.	
SESPMNT	B1MV70	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	FLUORIDE	0.049 mg/L				B	WATER DEPTH 4.6 FT.	
SESPMNT	B1MCK2	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	FLUORIDE	0.02 mg/L				U	WATER DEPTH 14 FT. DUE TO BROKEN ANCHOR WINCH, SAMPLE COLLECTED APPROXIMATELY 4 FEET BELOW SURFACE.	
SESPMNT	B1MTT2	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Jun-07	FLUORIDE	0.043 mg/L				BN	WATER DEPTH 13 FT.	
SESPMNT	B1MV22	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	FLUORIDE	0.025 mg/L				U	WATER DEPTH 12 FT.	
SESPMNT	B1MV72	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	FLUORIDE	0.025 mg/L				U	WATER DEPTH 12.5 FT.	
SESPMNT	B1MCK4	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	FLUORIDE	0.056 mg/L				B	WATER DEPTH 18 FT. DUE TO BROKEN ANCHOR WINCH, SAMPLE COLLECTED APPROXIMATELY 4 FEET BELOW SURFACE, NOT AT MID-DEPTH.	
SESPMNT	B1MTT4	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Jun-07	FLUORIDE	0.041 mg/L				BN	WATER DEPTH 19 FT.	
SESPMNT	B1MV24	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	FLUORIDE	0.049 mg/L				B	WATER DEPTH 17 FT.	
SESPMNT	B1MV74	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	FLUORIDE	0.025 mg/L				U	WATER DEPTH 16.3 FT.	
SESPMNT	B1MCK6	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	FLUORIDE	0.054 mg/L				B	WATER DEPTH 3 FT.	
SESPMNT	B1MTT6	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Jun-07	FLUORIDE	0.02 mg/L				UN	WATER DEPTH 10 FT.	
SESPMNT	B1MV26	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	FLUORIDE	0.054 mg/L				B	WATER DEPTH 19.4 FT.	
SESPMNT	B1MV76	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	FLUORIDE	0.025 mg/L				U	WATER DEPTH 1.7 FT.	
SESPMNT	B1MCK8	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	FLUORIDE	0.064 mg/L				B	WATER DEPTH 15.7 FT.	
SESPMNT	B1MTT8	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Jun-07	FLUORIDE	0.02 mg/L				UN	WATER DEPTH 15 FT.	
SESPMNT	B1MV28	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	FLUORIDE	0.089 mg/L				B	WATER DEPTH 22 FT.	
SESPMNT	B1MV78	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	FLUORIDE	0.028 mg/L				B	WATER DEPTH 21.3 FT.	
SESPMNT	B1MCL0	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	FLUORIDE	0.078 mg/L				B	WATER DEPTH 1.8 FT.	
SESPMNT	B1MTV0	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Jun-07	FLUORIDE	0.02 mg/L				UN	WATER DEPTH 4 FT.	
SESPMNT	B1MV30	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	FLUORIDE	0.025 mg/L				U	WATER DEPTH 4.6 FT.	
SESPMNT	B1MV80	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	FLUORIDE	0.093 mg/L				B	WATER DEPTH 2 FT.	
SESPMNT	B1MCL2	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	FLUORIDE	0.053 mg/L				B	WATER DEPTH 3.6 FT.	
SESPMNT	B1MTV2	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Jun-07	FLUORIDE	0.02 mg/L				UN	WATER DEPTH 3 FT.	
SESPMNT	B1MV32	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	FLUORIDE	0.025 mg/L				U	WATER DEPTH 3 FT.	
SESPMNT	B1MV82	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	FLUORIDE	0.035 mg/L				B	WATER DEPTH 2 FT.	

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## WATER - COLUMBIA RIVER TRANSECTS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1MCL4	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	FLUORIDE	0.02 mg/L				U	WATER DEPTH 2.0 FT.	
SESPMNT	B1MTV4	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Jun-07	FLUORIDE	0.057 mg/L				BN	WATER DEPTH 5 FT.	
SESPMNT	B1MV34	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	FLUORIDE	0.059 mg/L				B	WATER DEPTH 9.5 FT.	
SESPMNT	B1MV84	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	FLUORIDE	0.063 mg/L				B	WATER DEPTH 1.1 FT.	
SESPMNT	B1MCL6	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	FLUORIDE	0.02 mg/L				U	WATER DEPTH 8.4 FT.	
SESPMNT	B1MTV6	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Jun-07	FLUORIDE	0.02 mg/L				UN	WATER DEPTH 4 FT.	
SESPMNT	B1MV36	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	FLUORIDE	0.047 mg/L				B	WATER DEPTH 2 FT.	
SESPMNT	B1MV88	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	FLUORIDE	0.051 mg/L				B	WATER DEPTH 2.7 FT.	
SESPMNT	B1MCL8	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	FLUORIDE	0.055 mg/L				B	WATER DEPTH 2.1 FT.	
SESPMNT	B1MTV8	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Jun-07	FLUORIDE	0.02 mg/L				UN	WATER DEPTH 4 FT.	
SESPMNT	B1MV38	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	FLUORIDE	0.049 mg/L				B	WATER DEPTH 3 FT.	
SESPMNT	B1MV86	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	FLUORIDE	0.028 mg/L				B	WATER DEPTH 4.1 FT.	
SESPMNT	B1MCJ2	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	26-Mar-07	FLUORIDE	0.02 mg/L				U	WATER DEPTH 25.2 FT, HIGH WATER.	
SESPMNT	B1MTR2	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	04-Jun-07	FLUORIDE	0.02 mg/L				UN	WATER DEPTH 8 FT.	
SESPMNT	B1MTY8	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	FLUORIDE	0.025 mg/L				U	WATER DEPTH 14 FT.	
SESPMNT	B1MV62	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Dec-07	FLUORIDE	0.075 mg/L				B	WATER DEPTH 6.2 FT.	
SESPMNT	B1MCJ4	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	26-Mar-07	FLUORIDE	0.075 mg/L				B	WATER DEPTH 17 FT.	
SESPMNT	B1MTR4	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	04-Jun-07	FLUORIDE	0.02 mg/L				UN	WATER DEPTH 17 FT.	
SESPMNT	B1MTY4	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	FLUORIDE	0.025 mg/L				U	WATER DEPTH 17 FT.	
SESPMNT	B1MV64	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Dec-07	FLUORIDE	0.025 mg/L				U	WATER DEPTH 15.4 FT.	
SESPMNT	B1MCJ6	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	26-Mar-07	FLUORIDE	0.02 mg/L				U	WATER DEPTH 8.1 FT.	
SESPMNT	B1MTR6	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	04-Jun-07	FLUORIDE	0.02 mg/L				UN	WATER DEPTH 23 FT.	
SESPMNT	B1MTY6	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	FLUORIDE	0.066 mg/L				B	WATER DEPTH 24 FT.	
SESPMNT	B1MV66	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Dec-07	FLUORIDE	0.025 mg/L				U	WATER DEPTH 24.8 FT.	
SESPMNT	B1MCJ8	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	26-Mar-07	FLUORIDE	0.052 mg/L				B	WATER DEPTH 8 FT, HIGH WATER.	
SESPMNT	B1MTR8	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	04-Jun-07	FLUORIDE	0.02 mg/L				UN	WATER DEPTH 6 FT.	
SESPMNT	B1MTY2	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	FLUORIDE	0.025 mg/L				U	WATER DEPTH 5 FT.	
SESPMNT	B1MV68	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Dec-07	FLUORIDE	0.025 mg/L				U	WATER DEPTH 7.1 FT.	
SESPMNT	B1MTW2	100 N -1 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	NO2-N	0.005 mg/L				U	WATER DEPTH 4.5 FT.	
SESPMNT	B1MTW4	100 N -2 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	NO2-N	0.005 mg/L				U	WATER DEPTH 10 FT.	
SESPMNT	B1MTW6	100 N -3 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	NO2-N	0.005 mg/L				UN	WATER DEPTH 24 FT.	
SESPMNT	B1MTW8	100 N -5 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	NO2-N	0.005 mg/L				UN	WATER DEPTH 24 FT.	
SESPMNT	B1MTX0	100 N -7 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	NO2-N	0.005 mg/L				UN	WATER DEPTH 14 FT.	
SESPMNT	B1MTX2	100 N -10 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	NO2-N	0.005 mg/L				UN	WATER DEPTH 5 FT.	
SESPMNT	B1MTX4	100 N SHORE HRM 8.4	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	NO2-N	0.005 mg/L				UN	WATER DEPTH 4 FT.	
SESPMNT	B1MTX6	100 N SHORE HRM 8.9	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	NO2-N	0.005 mg/L				UN	WATER DEPTH 5 FT.	
SESPMNT	B1MTX8	100 N SHORE HRM 9.2	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	NO2-N	0.005 mg/L				UN	WATER DEPTH 2 FT.	
SESPMNT	B1MTY0	100 N SHORE HRM 9.8	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	NO2-N	0.005 mg/L				UN	WATER DEPTH 3 FT.	
SESPMNT	B1MV40	300 AREA -1 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	NO2-N	0.005 mg/L				U	WATER DEPTH 3 FT.	
SESPMNT	B1MV42	300 AREA -2 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	NO2-N	0.005 mg/L				U	WATER DEPTH 10 FT.	
SESPMNT	B1MV44	300 AREA -3 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	NO2-N	0.005 mg/L				U	WATER DEPTH 27 FT.	
SESPMNT	B1MV46	300 AREA -5 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	NO2-N	0.005 mg/L				U	WATER DEPTH 3 FT.	
SESPMNT	B1MV48	300 AREA -7 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	NO2-N	0.005 mg/L				U	WATER DEPTH 12 FT.	
SESPMNT	B1MV50	300 AREA-10 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	NO2-N	0.005 mg/L				U	WATER DEPTH 5 FT.	
SESPMNT	B1MV52	300 AREA SHR HRM41.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	NO2-N	0.005 mg/L				U	WATER DEPTH 2.5 FT.	
SESPMNT	B1MV54	300 AREA SHR HRM42.9	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	NO2-N	0.005 mg/L				U	WATER DEPTH 2.5 FT.	
SESPMNT	B1MV56	300 AREA SPR DR 42-2	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	NO2-N	0.005 mg/L				U	WATER DEPTH 2.5 FT.	
SESPMNT	B1MV58	300 AREA SPRING 42-2	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	NO2-N	0.005 mg/L				U	WATER DEPTH 4 FT.	
SESPMNT	B1MV00	HANFRD TS-1 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	NO2-N	0.005 mg/L				UN	WATER DEPTH 5 FT.	
SESPMNT	B1MV02	HANFRD TS-2 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	NO2-N	0.005 mg/L				UN	WATER DEPTH 8 FT.	
SESPMNT	B1MV04	HANFRD TS-3 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	NO2-N	0.005 mg/L				UN	WATER DEPTH 18 FT.	
SESPMNT	B1MV06	HANFRD TS-5 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	NO2-N	0.005 mg/L				UN	WATER DEPTH 33 FT.	
SESPMNT	B1MV08	HANFRD TS-7 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	NO2-N	0.005 mg/L				UN	WATER DEPTH 15 FT.	
SESPMNT	B1MV10	HANFRD TS-10 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	NO2-N	0.005 mg/L				UN	WATER DEPTH 4 FT.	
SESPMNT	B1MV12	HANFRD TWNSITE HRM26	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	NO2-N	0.005 mg/L				UN	WATER DEPTH 2 FT.	
SESPMNT	B1MV14	HANFRD TWNSITE HRM27	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	NO2-N	0.005 mg/L				UN	WATER DEPTH 6 FT.	
SESPMNT	B1MV16	HANFRD TWNSITE HRM28	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	NO2-N	0.005 mg/L				UN	WATER DEPTH 3 FT.	
SESPMNT	B1MV18	HANFRD TWNSITE HRM30	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	NO2-N	0.005 mg/L				UN	WATER DEPTH 4 FT.	
SESPMNT	B1MCK0	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	NO2-N	0.004 mg/L				UN	WATER DEPTH 3 FT.	
SESPMNT	B1MTT0	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Jun-07	NO2-N	0.004 mg/L				UN	WATER DEPTH 8 FT.	
SESPMNT	B1MV20	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	NO2-N	0.005 mg/L				U	WATER DEPTH 6.4 FT.	
SESPMNT	B1MV70	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	NO2-N	0.005 mg/L				U	WATER DEPTH 4.6 FT.	

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## WATER - COLUMBIA RIVER TRANSECTS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1MCK2	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	NO2-N	0.004	mg/L			UN	WATER DEPTH 14 FT. DUE TO BROKEN ANCHOR WINCH, SAMPLE COLLECTED APPROXIMATELY 4 FEET BELOW SURFACE.	
SESPMNT	B1MTT2	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Jun-07	NO2-N	0.004	mg/L			UN	WATER DEPTH 13 FT.	
SESPMNT	B1MV22	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	NO2-N	0.005	mg/L			U	WATER DEPTH 12 FT.	
SESPMNT	B1MV72	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	NO2-N	0.005	mg/L			U	WATER DEPTH 12.5 FT.	
SESPMNT	B1MCK4	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	NO2-N	0.004	mg/L			UN	WATER DEPTH 18 FT. DUE TO BROKEN ANCHOR WINCH, SAMPLE COLLECTED APPROXIMATELY 4 FEET BELOW SURFACE, NOT AT MID-DEPTH.	
SESPMNT	B1MTT4	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Jun-07	NO2-N	0.004	mg/L			UN	WATER DEPTH 19 FT.	
SESPMNT	B1MV24	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	NO2-N	0.005	mg/L			U	WATER DEPTH 17 FT.	
SESPMNT	B1MV74	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	NO2-N	0.005	mg/L			U	WATER DEPTH 16.3 FT.	
SESPMNT	B1MCK6	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	NO2-N	0.004	mg/L			UN	WATER DEPTH 3 FT.	
SESPMNT	B1MTT6	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Jun-07	NO2-N	0.004	mg/L			UN	WATER DEPTH 10 FT.	
SESPMNT	B1MV26	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	NO2-N	0.005	mg/L			U	WATER DEPTH 19.4 FT.	
SESPMNT	B1MV76	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	NO2-N	0.005	mg/L			U	WATER DEPTH 1.7 FT.	
SESPMNT	B1MCK8	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	NO2-N	0.004	mg/L			UN	WATER DEPTH 15.7 FT.	
SESPMNT	B1MTT8	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Jun-07	NO2-N	0.004	mg/L			UN	WATER DEPTH 15 FT.	
SESPMNT	B1MV28	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	NO2-N	0.005	mg/L			U	WATER DEPTH 22 FT.	
SESPMNT	B1MV78	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	NO2-N	0.005	mg/L			U	WATER DEPTH 21.3 FT.	
SESPMNT	B1MCL0	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	NO2-N	0.004	mg/L			UN	WATER DEPTH 1.8 FT.	
SESPMNT	B1MTV0	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Jun-07	NO2-N	0.004	mg/L			UN	WATER DEPTH 4 FT.	
SESPMNT	B1MV30	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	NO2-N	0.005	mg/L			U	WATER DEPTH 4.6 FT.	
SESPMNT	B1MV80	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	NO2-N	0.005	mg/L			U	WATER DEPTH 2 FT.	
SESPMNT	B1MCL2	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	NO2-N	0.004	mg/L			UN	WATER DEPTH 3.6 FT.	
SESPMNT	B1MTV2	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Jun-07	NO2-N	0.004	mg/L			UN	WATER DEPTH 3 FT.	
SESPMNT	B1MV32	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	NO2-N	0.005	mg/L			U	WATER DEPTH 3 FT.	
SESPMNT	B1MV82	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	NO2-N	0.005	mg/L			U	WATER DEPTH 2 FT.	
SESPMNT	B1MCL4	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	NO2-N	0.004	mg/L			UN	WATER DEPTH 2.0 FT.	
SESPMNT	B1MTV4	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Jun-07	NO2-N	0.004	mg/L			UN	WATER DEPTH 5 FT.	
SESPMNT	B1MV34	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	NO2-N	0.005	mg/L			U	WATER DEPTH 9.5 FT.	
SESPMNT	B1MV84	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	NO2-N	0.005	mg/L			U	WATER DEPTH 1.1 FT.	
SESPMNT	B1MCL6	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	NO2-N	0.004	mg/L			UN	WATER DEPTH 8.4 FT.	
SESPMNT	B1MTV6	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Jun-07	NO2-N	0.004	mg/L			UN	WATER DEPTH 4 FT.	
SESPMNT	B1MV36	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	NO2-N	0.005	mg/L			U	WATER DEPTH 2 FT.	
SESPMNT	B1MV86	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	NO2-N	0.005	mg/L			U	WATER DEPTH 2.7 FT.	
SESPMNT	B1MCL8	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	NO2-N	0.004	mg/L			UN	WATER DEPTH 2.1 FT.	
SESPMNT	B1MTV8	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Jun-07	NO2-N	0.004	mg/L			UN	WATER DEPTH 4 FT.	
SESPMNT	B1MV38	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	NO2-N	0.005	mg/L			U	WATER DEPTH 3 FT.	
SESPMNT	B1MV86	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	NO2-N	0.005	mg/L			U	WATER DEPTH 4.1 FT.	
SESPMNT	B1MCJ2	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	26-Mar-07	NO2-N	0.004	mg/L			UN	WATER DEPTH 25.2 FT, HIGH WATER.	Laboratory holding time exceeded before the sample was analyzed.
SESPMNT	B1MTR2	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	04-Jun-07	NO2-N	0.004	mg/L			UN	WATER DEPTH 8 FT.	
SESPMNT	B1MTY8	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	NO2-N	0.005	mg/L			UN	WATER DEPTH 14 FT.	
SESPMNT	B1MV62	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Dec-07	NO2-N	0.005	mg/L			U	WATER DEPTH 6.2 FT.	
SESPMNT	B1MCJ4	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	26-Mar-07	NO2-N	0.004	mg/L			UN	WATER DEPTH 17 FT.	Laboratory holding time exceeded before the sample was analyzed.
SESPMNT	B1MTR4	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	04-Jun-07	NO2-N	0.004	mg/L			UN	WATER DEPTH 17 FT.	
SESPMNT	B1MTY4	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	NO2-N	0.005	mg/L			U	WATER DEPTH 17 FT.	
SESPMNT	B1MV64	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Dec-07	NO2-N	0.005	mg/L			U	WATER DEPTH 15.4 FT.	
SESPMNT	B1MCJ6	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	26-Mar-07	NO2-N	0.004	mg/L			UN	WATER DEPTH 8.1 FT.	Laboratory holding time exceeded before the sample was analyzed.
SESPMNT	B1MTR6	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	04-Jun-07	NO2-N	0.004	mg/L			UN	WATER DEPTH 23 FT.	
SESPMNT	B1MTY6	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	NO2-N	0.005	mg/L			U	WATER DEPTH 24 FT.	
SESPMNT	B1MV66	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Dec-07	NO2-N	0.005	mg/L			U	WATER DEPTH 24.8 FT.	
SESPMNT	B1MCJ8	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	26-Mar-07	NO2-N	0.004	mg/L			UN	WATER DEPTH 8 FT, HIGH WATER.	Laboratory holding time exceeded before the sample was analyzed.
SESPMNT	B1MTR8	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	04-Jun-07	NO2-N	0.004	mg/L			UN	WATER DEPTH 6 FT.	
SESPMNT	B1MTY2	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	NO2-N	0.005	mg/L			UN	WATER DEPTH 5 FT.	
SESPMNT	B1MV68	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Dec-07	NO2-N	0.005	mg/L			U	WATER DEPTH 7.1 FT.	



## ENVIRONMENTAL SURVEILLANCE DATA CY07

## WATER - COLUMBIA RIVER TRANSECTS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1MTW2	100 N -1 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07 NO3-N		0.061 mg/L				N	WATER DEPTH 4.5 FT.	
SESPMNT	B1MTW4	100 N -2 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07 NO3-N		0.057 mg/L				N	WATER DEPTH 10 FT.	
SESPMNT	B1MTW6	100 N -3 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07 NO3-N		0.054 mg/L				N	WATER DEPTH 24 FT.	
SESPMNT	B1MTW8	100 N -5 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07 NO3-N		0.051 mg/L				N	WATER DEPTH 24 FT.	
SESPMNT	B1MTX0	100 N -7 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07 NO3-N		0.071 mg/L				N	WATER DEPTH 14 FT.	
SESPMNT	B1MTX2	100 N -10 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07 NO3-N		0.11 mg/L				N	WATER DEPTH 5 FT.	
SESPMNT	B1MTX4	100 N SHORE HRM 8.4	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07 NO3-N		0.06 mg/L				N	WATER DEPTH 4 FT.	
SESPMNT	B1MTX6	100 N SHORE HRM 8.9	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07 NO3-N		0.052 mg/L				N	WATER DEPTH 5 FT.	
SESPMNT	B1MTX8	100 N SHORE HRM 9.2	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07 NO3-N		0.056 mg/L				N	WATER DEPTH 2 FT.	
SESPMNT	B1MTY0	100 N SHORE HRM 9.8	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07 NO3-N		0.06 mg/L				N	WATER DEPTH 3 FT.	
SESPMNT	B1MV40	300 AREA -1 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07 NO3-N		0.15 mg/L					WATER DEPTH 3 FT.	
SESPMNT	B1MV42	300 AREA -2 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07 NO3-N		0.056 mg/L					WATER DEPTH 10 FT.	
SESPMNT	B1MV44	300 AREA -3 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07 NO3-N		0.05 mg/L					WATER DEPTH 27 FT.	
SESPMNT	B1MV46	300 AREA -5 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07 NO3-N		0.064 mg/L					WATER DEPTH 3 FT.	
SESPMNT	B1MV48	300 AREA -7 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07 NO3-N		0.091 mg/L					WATER DEPTH 12 FT.	
SESPMNT	B1MV50	300 AREA -10 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07 NO3-N		0.85 mg/L					WATER DEPTH 5 FT.	
SESPMNT	B1MV52	300 AREA SHR HRM41.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07 NO3-N		0.071 mg/L					WATER DEPTH 2.5 FT.	
SESPMNT	B1MV54	300 AREA SHR HRM42.9	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07 NO3-N		0.16 mg/L					WATER DEPTH 2.5 FT.	
SESPMNT	B1MV56	300 AREA SPR DR 42-2	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07 NO3-N		0.28 mg/L					WATER DEPTH 2.5 FT.	
SESPMNT	B1MV58	300 AREA SPRING 42-2	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07 NO3-N		0.61 mg/L					WATER DEPTH 4 FT.	
SESPMNT	B1MV00	HANFRD TS-1 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07 NO3-N		0.1 mg/L				N	WATER DEPTH 5 FT.	
SESPMNT	B1MV02	HANFRD TS-2 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07 NO3-N		0.073 mg/L				N	WATER DEPTH 8 FT.	
SESPMNT	B1MV04	HANFRD TS-3 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07 NO3-N		0.065 mg/L				N	WATER DEPTH 18 FT.	
SESPMNT	B1MV06	HANFRD TS-5 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07 NO3-N		0.084 mg/L				N	WATER DEPTH 33 FT.	
SESPMNT	B1MV08	HANFRD TS-7 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07 NO3-N		0.062 mg/L				N	WATER DEPTH 15 FT.	
SESPMNT	B1MV10	HANFRD TS-10 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07 NO3-N		0.058 mg/L				N	WATER DEPTH 4 FT.	
SESPMNT	B1MV12	HANFRD TWSITE HRM26	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07 NO3-N		0.053 mg/L				N	WATER DEPTH 2 FT.	
SESPMNT	B1MV14	HANFRD TWSITE HRM27	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07 NO3-N		0.054 mg/L				N	WATER DEPTH 6 FT.	
SESPMNT	B1MV16	HANFRD TWSITE HRM28	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07 NO3-N		0.13 mg/L				N	WATER DEPTH 3 FT.	
SESPMNT	B1MV18	HANFRD TWSITE HRM30	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07 NO3-N		0.076 mg/L				N	WATER DEPTH 4 FT.	
SESPMNT	B1MCK0	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07 NO3-N		0.16 mg/L					WATER DEPTH 3 FT.	
SESPMNT	B1MTT0	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Jun-07 NO3-N		0.072 mg/L				N	WATER DEPTH 8 FT.	
SESPMNT	B1MV20	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07 NO3-N		0.05 mg/L					WATER DEPTH 6.4 FT.	
SESPMNT	B1MV70	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07 NO3-N		0.33 mg/L					WATER DEPTH 4.6 FT.	
SESPMNT	B1MCK2	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07 NO3-N		0.14 mg/L					WATER DEPTH 14 FT. DUE TO BROKEN ANCHOR WINCH. SAMPLE COLLECTED APPROXIMATELY 4 FEET BELOW SURFACE.	
SESPMNT	B1MTT2	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Jun-07 NO3-N		0.068 mg/L				N	WATER DEPTH 13 FT.	
SESPMNT	B1MV22	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07 NO3-N		0.039 mg/L				N	WATER DEPTH 12 FT.	
SESPMNT	B1MV72	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07 NO3-N		0.18 mg/L					WATER DEPTH 12.5 FT.	
SESPMNT	B1MCK4	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07 NO3-N		0.14 mg/L					WATER DEPTH 18 FT. DUE TO BROKEN ANCHOR WINCH. SAMPLE COLLECTED APPROXIMATELY 4 FEET BELOW SURFACE. NOT AT MID-DEPTH.	
SESPMNT	B1MTT4	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Jun-07 NO3-N		0.063 mg/L				N	WATER DEPTH 19 FT.	
SESPMNT	B1MV24	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07 NO3-N		0.045 mg/L					WATER DEPTH 17 FT.	
SESPMNT	B1MV74	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07 NO3-N		0.16 mg/L					WATER DEPTH 16.3 FT.	
SESPMNT	B1MCK6	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07 NO3-N		0.15 mg/L					WATER DEPTH 3 FT.	
SESPMNT	B1MTT6	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Jun-07 NO3-N		0.067 mg/L				N	WATER DEPTH 10 FT.	
SESPMNT	B1MV26	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07 NO3-N		0.042 mg/L					WATER DEPTH 19.4 FT.	
SESPMNT	B1MV76	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07 NO3-N		0.17 mg/L					WATER DEPTH 1.7 FT.	
SESPMNT	B1MCK8	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07 NO3-N		0.15 mg/L					WATER DEPTH 15.7 FT.	
SESPMNT	B1MTT8	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Jun-07 NO3-N		0.064 mg/L				N	WATER DEPTH 15 FT.	
SESPMNT	B1MV28	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07 NO3-N		0.045 mg/L					WATER DEPTH 22 FT.	
SESPMNT	B1MV78	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07 NO3-N		0.17 mg/L					WATER DEPTH 21.3 FT.	
SESPMNT	B1MCL0	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07 NO3-N		0.52 mg/L					WATER DEPTH 1.8 FT.	
SESPMNT	B1MTV0	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Jun-07 NO3-N		0.21 mg/L				N	WATER DEPTH 4 FT.	
SESPMNT	B1MV30	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07 NO3-N		0.27 mg/L					WATER DEPTH 4.6 FT.	
SESPMNT	B1MV80	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07 NO3-N		0.78 mg/L					WATER DEPTH 2 FT.	
SESPMNT	B1MCL2	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07 NO3-N		0.19 mg/L					WATER DEPTH 3.6 FT.	
SESPMNT	B1MTV2	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Jun-07 NO3-N		0.069 mg/L				N	WATER DEPTH 3 FT.	

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## WATER - COLUMBIA RIVER TRANSECTS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1MV32	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07 NO3-N		0.19 mg/L					WATER DEPTH 3 FT.	
SESPMNT	B1MV82	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07 NO3-N		0.97 mg/L				D	WATER DEPTH 2 FT.	
SESPMNT	B1MCL4	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07 NO3-N		0.21 mg/L					WATER DEPTH 2.0 FT.	
SESPMNT	B1MTV4	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Jun-07 NO3-N		0.07 mg/L				N	WATER DEPTH 5 FT.	
SESPMNT	B1MV34	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07 NO3-N		0.074 mg/L					WATER DEPTH 9.5 FT.	
SESPMNT	B1MV84	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07 NO3-N		0.59 mg/L					WATER DEPTH 1.1 FT.	
SESPMNT	B1MCL6	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07 NO3-N		0.14 mg/L					WATER DEPTH 8.4 FT.	
SESPMNT	B1MTV6	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Jun-07 NO3-N		0.069 mg/L				N	WATER DEPTH 4 FT.	
SESPMNT	B1MV36	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07 NO3-N		0.048 mg/L					WATER DEPTH 2 FT.	
SESPMNT	B1MV88	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07 NO3-N		0.35 mg/L					WATER DEPTH 2.7 FT.	
SESPMNT	B1MCL8	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07 NO3-N		0.16 mg/L					WATER DEPTH 2.1 FT.	
SESPMNT	B1MTV8	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Jun-07 NO3-N		0.067 mg/L				N	WATER DEPTH 4 FT.	
SESPMNT	B1MV38	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07 NO3-N		0.052 mg/L					WATER DEPTH 3 FT.	
SESPMNT	B1MV86	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07 NO3-N		0.36 mg/L					WATER DEPTH 4.1 FT.	
SESPMNT	B1MCJ2	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	26-Mar-07 NO3-N		0.15 mg/L					WATER DEPTH 25.2 FT, HIGH WATER.	Laboratory holding time exceeded before the sample was analyzed.
SESPMNT	B1MTR2	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	04-Jun-07 NO3-N		0.061 mg/L				N	WATER DEPTH 8 FT.	
SESPMNT	B1MTY8	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07 NO3-N		0.046 mg/L				N	WATER DEPTH 14 FT.	
SESPMNT	B1MV62	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Dec-07 NO3-N		0.15 mg/L					WATER DEPTH 6.2 FT.	
SESPMNT	B1MCJ4	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	26-Mar-07 NO3-N		0.14 mg/L					WATER DEPTH 17 FT.	Laboratory holding time exceeded before the sample was analyzed.
SESPMNT	B1MTR4	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	04-Jun-07 NO3-N		0.068 mg/L				N	WATER DEPTH 17 FT.	
SESPMNT	B1MTY4	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07 NO3-N		0.053 mg/L				N	WATER DEPTH 17 FT.	
SESPMNT	B1MV64	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Dec-07 NO3-N		0.15 mg/L					WATER DEPTH 15.4 FT.	
SESPMNT	B1MCJ6	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	26-Mar-07 NO3-N		0.13 mg/L					WATER DEPTH 8.1 FT.	Laboratory holding time exceeded before the sample was analyzed.
SESPMNT	B1MTR6	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	04-Jun-07 NO3-N		0.063 mg/L				N	WATER DEPTH 23 FT.	
SESPMNT	B1MTY6	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07 NO3-N		0.048 mg/L				N	WATER DEPTH 24 FT.	
SESPMNT	B1MV66	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Dec-07 NO3-N		0.15 mg/L					WATER DEPTH 24.8 FT.	
SESPMNT	B1MCJ8	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	26-Mar-07 NO3-N		0.15 mg/L					WATER DEPTH 8 FT, HIGH WATER.	Laboratory holding time exceeded before the sample was analyzed.
SESPMNT	B1MTR8	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	04-Jun-07 NO3-N		0.14 mg/L				N	WATER DEPTH 6 FT.	
SESPMNT	B1MTY2	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07 NO3-N		0.063 mg/L				N	WATER DEPTH 5 FT.	
SESPMNT	B1MV68	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Dec-07 NO3-N		0.18 mg/L					WATER DEPTH 7.1 FT.	
SESPMNT	B1MTW2	100 N -1 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07 SULFATE		9.2 mg/L				N	WATER DEPTH 4.5 FT.	
SESPMNT	B1MTW4	100 N -2 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07 SULFATE		9.1 mg/L				N	WATER DEPTH 10 FT.	
SESPMNT	B1MTW6	100 N -3 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07 SULFATE		9 mg/L					WATER DEPTH 24 FT.	
SESPMNT	B1MTW8	100 N -5 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07 SULFATE		8.8 mg/L					WATER DEPTH 24 FT.	
SESPMNT	B1MTX0	100 N -7 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07 SULFATE		9.2 mg/L					WATER DEPTH 14 FT.	
SESPMNT	B1MTX2	100 N -10 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07 SULFATE		9.9 mg/L					WATER DEPTH 5 FT.	
SESPMNT	B1MTX4	100 N SHORE HRM 8.4	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07 SULFATE		8.9 mg/L					WATER DEPTH 4 FT.	
SESPMNT	B1MTX6	100 N SHORE HRM 8.9	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07 SULFATE		9 mg/L					WATER DEPTH 5 FT.	
SESPMNT	B1MTX8	100 N SHORE HRM 9.2	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07 SULFATE		9 mg/L					WATER DEPTH 2 FT.	
SESPMNT	B1MTY0	100 N SHORE HRM 9.8	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07 SULFATE		9 mg/L					WATER DEPTH 3 FT.	
SESPMNT	B1MV40	300 AREA -1 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07 SULFATE		9.3 mg/L				N	WATER DEPTH 3 FT.	
SESPMNT	B1MV42	300 AREA -2 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07 SULFATE		9 mg/L				N	WATER DEPTH 10 FT.	
SESPMNT	B1MV44	300 AREA -3 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07 SULFATE		9 mg/L				N	WATER DEPTH 27 FT.	
SESPMNT	B1MV46	300 AREA -5 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07 SULFATE		9.2 mg/L				N	WATER DEPTH 3 FT.	
SESPMNT	B1MV48	300 AREA -7 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07 SULFATE		9.7 mg/L				N	WATER DEPTH 12 FT.	
SESPMNT	B1MV50	300 AREA-10 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07 SULFATE		17.7 mg/L				N	WATER DEPTH 5 FT.	
SESPMNT	B1MV52	300 AREA SHR HRM41.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07 SULFATE		9 mg/L				N	WATER DEPTH 2.5 FT.	
SESPMNT	B1MV54	300 AREA SHR HRM42.9	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07 SULFATE		9.6 mg/L				N	WATER DEPTH 2.5 FT.	
SESPMNT	B1MV56	300 AREA SPR DR 42-2	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07 SULFATE		10.7 mg/L				N	WATER DEPTH 2.5 FT.	
SESPMNT	B1MV58	300 AREA SPRING 42-2	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07 SULFATE		13.2 mg/L				N	WATER DEPTH 4 FT.	
SESPMNT	B1MV00	HANFRD TS-1 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07 SULFATE		9.2 mg/L					WATER DEPTH 5 FT.	
SESPMNT	B1MV02	HANFRD TS-2 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07 SULFATE		9.1 mg/L					WATER DEPTH 8 FT.	
SESPMNT	B1MV04	HANFRD TS-3 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07 SULFATE		8.8 mg/L					WATER DEPTH 18 FT.	
SESPMNT	B1MV06	HANFRD TS-5 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07 SULFATE		9.1 mg/L					WATER DEPTH 33 FT.	
SESPMNT	B1MV08	HANFRD TS-7 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07 SULFATE		8.8 mg/L					WATER DEPTH 15 FT.	
SESPMNT	B1MV10	HANFRD TS-10 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07 SULFATE		8.9 mg/L					WATER DEPTH 4 FT.	
SESPMNT	B1MV12	HANFRD TWNSITE HRM26	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07 SULFATE		8.8 mg/L					WATER DEPTH 2 FT.	
SESPMNT	B1MV14	HANFRD TWNSITE HRM27	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07 SULFATE		8.9 mg/L					WATER DEPTH 6 FT.	
SESPMNT	B1MV16	HANFRD TWNSITE HRM28	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07 SULFATE		9.5 mg/L					WATER DEPTH 3 FT.	
SESPMNT	B1MV18	HANFRD TWNSITE HRM30	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07 SULFATE		9.2 mg/L					WATER DEPTH 4 FT.	
SESPMNT	B1MCK0	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07 SULFATE		9.6 mg/L					WATER DEPTH 3 FT.	
SESPMNT	B1MTT0	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Jun-07 SULFATE		7.4 mg/L				N	WATER DEPTH 8 FT.	
SESPMNT	B1MV20	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07 SULFATE		8.9 mg/L				N	WATER DEPTH 6.4 FT.	

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## WATER - COLUMBIA RIVER TRANSECTS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1MV70	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	SULFATE	10.3 mg/L					WATER DEPTH 4.6 FT.	
SESPMNT	B1MCK2	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	SULFATE	9.5 mg/L					WATER DEPTH 14 FT. DUE TO BROKEN ANCHOR WINCH, SAMPLE COLLECTED APPROXIMATELY 4 FEET BELOW SURFACE.	
SESPMNT	B1MTT2	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Jun-07	SULFATE	7.4 mg/L				N	WATER DEPTH 13 FT.	
SESPMNT	B1MV22	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	SULFATE	8.8 mg/L				N	WATER DEPTH 12 FT.	
SESPMNT	B1MV72	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	SULFATE	9.8 mg/L					WATER DEPTH 12.5 FT.	
SESPMNT	B1MCK4	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	SULFATE	9.5 mg/L					WATER DEPTH 18 FT. DUE TO BROKEN ANCHOR WINCH, SAMPLE COLLECTED APPROXIMATELY 4 FEET BELOW SURFACE, NOT AT MID-DEPTH.	
SESPMNT	B1MTT4	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Jun-07	SULFATE	7.4 mg/L				N	WATER DEPTH 19 FT.	
SESPMNT	B1MV24	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	SULFATE	8.8 mg/L				N	WATER DEPTH 17 FT.	
SESPMNT	B1MV74	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	SULFATE	9.7 mg/L					WATER DEPTH 16.3 FT.	
SESPMNT	B1MCK6	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	SULFATE	9.4 mg/L					WATER DEPTH 3 FT.	
SESPMNT	B1MTT6	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Jun-07	SULFATE	7.4 mg/L				N	WATER DEPTH 10 FT.	
SESPMNT	B1MV26	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	SULFATE	8.9 mg/L				N	WATER DEPTH 19.4 FT.	
SESPMNT	B1MV76	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	SULFATE	9.9 mg/L					WATER DEPTH 1.7 FT.	
SESPMNT	B1MCK8	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	SULFATE	9.6 mg/L					WATER DEPTH 15.7 FT.	
SESPMNT	B1MTT8	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Jun-07	SULFATE	7.5 mg/L				N	WATER DEPTH 15 FT.	
SESPMNT	B1MV28	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	SULFATE	9 mg/L				N	WATER DEPTH 22 FT.	
SESPMNT	B1MV78	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	SULFATE	10 mg/L					WATER DEPTH 21.3 FT.	
SESPMNT	B1MCL0	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	SULFATE	13.3 mg/L					WATER DEPTH 1.8 FT.	
SESPMNT	B1MTV0	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Jun-07	SULFATE	9.1 mg/L				N	WATER DEPTH 4 FT.	
SESPMNT	B1MV30	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	SULFATE	11.3 mg/L				N	WATER DEPTH 4.6 FT.	
SESPMNT	B1MV80	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	SULFATE	14.7 mg/L					WATER DEPTH 2 FT.	
SESPMNT	B1MCL2	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	SULFATE	9.7 mg/L					WATER DEPTH 3.6 FT.	
SESPMNT	B1MTV2	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Jun-07	SULFATE	7.4 mg/L				N	WATER DEPTH 3 FT.	
SESPMNT	B1MV32	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	SULFATE	9.4 mg/L				N	WATER DEPTH 3 FT.	
SESPMNT	B1MV82	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	SULFATE	12.3 mg/L					WATER DEPTH 2 FT.	
SESPMNT	B1MCL4	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	SULFATE	9.7 mg/L					WATER DEPTH 2.0 FT.	
SESPMNT	B1MTV4	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Jun-07	SULFATE	7.4 mg/L				N	WATER DEPTH 5 FT.	
SESPMNT	B1MV34	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	SULFATE	8.9 mg/L				N	WATER DEPTH 9.5 FT.	
SESPMNT	B1MV84	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	SULFATE	11 mg/L					WATER DEPTH 1.1 FT.	
SESPMNT	B1MCL6	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	SULFATE	9.3 mg/L					WATER DEPTH 8.4 FT.	
SESPMNT	B1MTV6	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Jun-07	SULFATE	7.4 mg/L				N	WATER DEPTH 4 FT.	
SESPMNT	B1MV36	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	SULFATE	8.9 mg/L				N	WATER DEPTH 2 FT.	
SESPMNT	B1MV88	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	SULFATE	10.3 mg/L					WATER DEPTH 2.7 FT.	
SESPMNT	B1MCL8	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	SULFATE	9.3 mg/L					WATER DEPTH 2.1 FT.	
SESPMNT	B1MTV8	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Jun-07	SULFATE	7.5 mg/L				N	WATER DEPTH 4 FT.	
SESPMNT	B1MV38	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	SULFATE	8.9 mg/L				N	WATER DEPTH 3 FT.	
SESPMNT	B1MV86	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	SULFATE	10.4 mg/L					WATER DEPTH 4.1 FT.	
SESPMNT	B1MCJ2	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	26-Mar-07	SULFATE	9.6 mg/L					WATER DEPTH 25.2 FT, HIGH WATER.	
SESPMNT	B1MTR2	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	04-Jun-07	SULFATE	7.5 mg/L				N	WATER DEPTH 8 FT.	
SESPMNT	B1MTY8	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	SULFATE	8.9 mg/L					WATER DEPTH 14 FT.	
SESPMNT	B1MV62	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Dec-07	SULFATE	9.2 mg/L					WATER DEPTH 6.2 FT.	
SESPMNT	B1MCJ4	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	26-Mar-07	SULFATE	9.5 mg/L					WATER DEPTH 17 FT.	
SESPMNT	B1MTR4	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	04-Jun-07	SULFATE	7.4 mg/L				N	WATER DEPTH 17 FT.	
SESPMNT	B1MTY4	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	SULFATE	8.9 mg/L				N	WATER DEPTH 17 FT.	
SESPMNT	B1MV64	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Dec-07	SULFATE	9.4 mg/L					WATER DEPTH 15.4 FT.	
SESPMNT	B1MCJ6	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	26-Mar-07	SULFATE	9.4 mg/L					WATER DEPTH 8.1 FT.	
SESPMNT	B1MTR6	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	04-Jun-07	SULFATE	7.5 mg/L				N	WATER DEPTH 23 FT.	
SESPMNT	B1MTY6	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	SULFATE	9 mg/L				N	WATER DEPTH 24 FT.	
SESPMNT	B1MV66	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Dec-07	SULFATE	9.3 mg/L					WATER DEPTH 24.8 FT.	
SESPMNT	B1MCJ8	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	26-Mar-07	SULFATE	9.8 mg/L					WATER DEPTH 8 FT, HIGH WATER.	
SESPMNT	B1MTR8	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	04-Jun-07	SULFATE	8.1 mg/L				N	WATER DEPTH 6 FT.	
SESPMNT	B1MTY2	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	SULFATE	9.1 mg/L					WATER DEPTH 5 FT.	
SESPMNT	B1MV68	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Dec-07	SULFATE	9.7 mg/L					WATER DEPTH 7.1 FT.	
SESPMNT	B1MV20	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	1,1,1-T (1,1,1-Trichloroethane)	0.1 ug/L				U	WATER DEPTH 6.4 FT.	

## WATER - COLUMBIA RIVER TRANSECTS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1MV22	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	1,1,1-T (1,1,1-Trichloroethane)	0.1 ug/L				U	WATER DEPTH 12 FT.	
SESPMNT	B1MV24	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	1,1,1-T (1,1,1-Trichloroethane)	0.1 ug/L				U	WATER DEPTH 17 FT.	
SESPMNT	B1MV26	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	1,1,1-T (1,1,1-Trichloroethane)	0.1 ug/L				U	WATER DEPTH 19.4 FT.	
SESPMNT	B1MV28	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	1,1,1-T (1,1,1-Trichloroethane)	0.1 ug/L				U	WATER DEPTH 22 FT.	
SESPMNT	B1MV30	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	1,1,1-T (1,1,1-Trichloroethane)	0.1 ug/L				U	WATER DEPTH 4.6 FT.	
SESPMNT	B1MTY8	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	1,1,1-T (1,1,1-Trichloroethane)	0.1 ug/L				U	WATER DEPTH 14 FT.	
SESPMNT	B1MTY4	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	1,1,1-T (1,1,1-Trichloroethane)	0.1 ug/L				U	WATER DEPTH 17 FT.	
SESPMNT	B1MTY6	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	1,1,1-T (1,1,1-Trichloroethane)	0.1 ug/L				U	WATER DEPTH 24 FT.	
SESPMNT	B1MTY2	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	1,1,1-T (1,1,1-Trichloroethane)	0.1 ug/L				U	WATER DEPTH 5 FT.	
SESPMNT	B1MV20	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	1,1,2-T (1,1,2-Trichloroethane)	0.092 ug/L				U	WATER DEPTH 6.4 FT.	
SESPMNT	B1MV22	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	1,1,2-T (1,1,2-Trichloroethane)	0.092 ug/L				U	WATER DEPTH 12 FT.	
SESPMNT	B1MV24	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	1,1,2-T (1,1,2-Trichloroethane)	0.092 ug/L				U	WATER DEPTH 17 FT.	
SESPMNT	B1MV26	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	1,1,2-T (1,1,2-Trichloroethane)	0.092 ug/L				U	WATER DEPTH 19.4 FT.	
SESPMNT	B1MV28	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	1,1,2-T (1,1,2-Trichloroethane)	0.092 ug/L				U	WATER DEPTH 22 FT.	
SESPMNT	B1MV30	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	1,1,2-T (1,1,2-Trichloroethane)	0.092 ug/L				U	WATER DEPTH 4.6 FT.	
SESPMNT	B1MTY8	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	1,1,2-T (1,1,2-Trichloroethane)	0.092 ug/L				U	WATER DEPTH 14 FT.	
SESPMNT	B1MTY4	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	1,1,2-T (1,1,2-Trichloroethane)	0.092 ug/L				U	WATER DEPTH 17 FT.	
SESPMNT	B1MTY6	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	1,1,2-T (1,1,2-Trichloroethane)	0.092 ug/L				U	WATER DEPTH 24 FT.	
SESPMNT	B1MTY2	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	1,1,2-T (1,1,2-Trichloroethane)	0.092 ug/L				U	WATER DEPTH 5 FT.	
SESPMNT	B1MV20	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	1,1-DCL (1,1-Dichloroethane)	0.046 ug/L				U	WATER DEPTH 6.4 FT.	
SESPMNT	B1MV22	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	1,1-DCL (1,1-Dichloroethane)	0.046 ug/L				U	WATER DEPTH 12 FT.	
SESPMNT	B1MV24	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	1,1-DCL (1,1-Dichloroethane)	0.046 ug/L				U	WATER DEPTH 17 FT.	
SESPMNT	B1MV26	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	1,1-DCL (1,1-Dichloroethane)	0.046 ug/L				U	WATER DEPTH 19.4 FT.	
SESPMNT	B1MV28	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	1,1-DCL (1,1-Dichloroethane)	0.046 ug/L				U	WATER DEPTH 22 FT.	
SESPMNT	B1MV30	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	1,1-DCL (1,1-Dichloroethane)	0.046 ug/L				U	WATER DEPTH 4.6 FT.	
SESPMNT	B1MTY8	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	1,1-DCL (1,1-Dichloroethane)	0.046 ug/L				U	WATER DEPTH 14 FT.	
SESPMNT	B1MTY4	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	1,1-DCL (1,1-Dichloroethane)	0.046 ug/L				U	WATER DEPTH 17 FT.	
SESPMNT	B1MTY6	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	1,1-DCL (1,1-Dichloroethane)	0.046 ug/L				U	WATER DEPTH 24 FT.	
SESPMNT	B1MTY2	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	1,1-DCL (1,1-Dichloroethane)	0.046 ug/L				U	WATER DEPTH 5 FT.	
SESPMNT	B1MV20	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	1,2-DCL (1,2-Dichloroethane)	0.11 ug/L				U	WATER DEPTH 6.4 FT.	
SESPMNT	B1MV22	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	1,2-DCL (1,2-Dichloroethane)	0.11 ug/L				U	WATER DEPTH 12 FT.	
SESPMNT	B1MV24	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	1,2-DCL (1,2-Dichloroethane)	0.11 ug/L				U	WATER DEPTH 17 FT.	
SESPMNT	B1MV26	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	1,2-DCL (1,2-Dichloroethane)	0.11 ug/L				U	WATER DEPTH 19.4 FT.	
SESPMNT	B1MV28	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	1,2-DCL (1,2-Dichloroethane)	0.11 ug/L				U	WATER DEPTH 22 FT.	
SESPMNT	B1MV30	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	1,2-DCL (1,2-Dichloroethane)	0.11 ug/L				U	WATER DEPTH 4.6 FT.	
SESPMNT	B1MTY8	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	1,2-DCL (1,2-Dichloroethane)	0.11 ug/L				U	WATER DEPTH 14 FT.	
SESPMNT	B1MTY4	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	1,2-DCL (1,2-Dichloroethane)	0.11 ug/L				U	WATER DEPTH 17 FT.	
SESPMNT	B1MTY6	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	1,2-DCL (1,2-Dichloroethane)	0.11 ug/L				U	WATER DEPTH 24 FT.	
SESPMNT	B1MTY2	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	1,2-DCL (1,2-Dichloroethane)	0.11 ug/L				U	WATER DEPTH 5 FT.	
SESPMNT	B1MV20	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	11DICETHY (1,1-Dichloroethene)	0.045 ug/L				U	WATER DEPTH 6.4 FT.	
SESPMNT	B1MV22	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	11DICETHY (1,1-Dichloroethene)	0.045 ug/L				U	WATER DEPTH 12 FT.	
SESPMNT	B1MV24	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	11DICETHY (1,1-Dichloroethene)	0.045 ug/L				U	WATER DEPTH 17 FT.	
SESPMNT	B1MV26	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	11DICETHY (1,1-Dichloroethene)	0.045 ug/L				U	WATER DEPTH 19.4 FT.	
SESPMNT	B1MV28	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	11DICETHY (1,1-Dichloroethene)	0.045 ug/L				U	WATER DEPTH 22 FT.	
SESPMNT	B1MV30	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	11DICETHY (1,1-Dichloroethene)	0.045 ug/L				U	WATER DEPTH 4.6 FT.	
SESPMNT	B1MTY8	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	11DICETHY (1,1-Dichloroethene)	0.045 ug/L				U	WATER DEPTH 14 FT.	
SESPMNT	B1MTY4	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	11DICETHY (1,1-Dichloroethene)	0.045 ug/L				U	WATER DEPTH 17 FT.	
SESPMNT	B1MTY6	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	11DICETHY (1,1-Dichloroethene)	0.045 ug/L				U	WATER DEPTH 24 FT.	
SESPMNT	B1MTY2	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	11DICETHY (1,1-Dichloroethene)	0.045 ug/L				U	WATER DEPTH 5 FT.	
SESPMNT	B1MV20	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	14DICLBENZ (1,4-Dichlorobenzene)	0.1 ug/L				U	WATER DEPTH 6.4 FT.	
SESPMNT	B1MV22	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	14DICLBENZ (1,4-Dichlorobenzene)	0.1 ug/L				U	WATER DEPTH 12 FT.	
SESPMNT	B1MV24	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	14DICLBENZ (1,4-Dichlorobenzene)	0.1 ug/L				U	WATER DEPTH 17 FT.	
SESPMNT	B1MV26	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	14DICLBENZ (1,4-Dichlorobenzene)	0.1 ug/L				U	WATER DEPTH 19.4 FT.	
SESPMNT	B1MV28	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	14DICLBENZ (1,4-Dichlorobenzene)	0.1 ug/L				U	WATER DEPTH 22 FT.	
SESPMNT	B1MV30	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	14DICLBENZ (1,4-Dichlorobenzene)	0.1 ug/L				U	WATER DEPTH 4.6 FT.	
SESPMNT	B1MTY8	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	14DICLBENZ (1,4-Dichlorobenzene)	0.1 ug/L				U	WATER DEPTH 14 FT.	
SESPMNT	B1MTY4	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	14DICLBENZ (1,4-Dichlorobenzene)	0.1 ug/L				U	WATER DEPTH 17 FT.	
SESPMNT	B1MTY6	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	14DICLBENZ (1,4-Dichlorobenzene)	0.1 ug/L				U	WATER DEPTH 24 FT.	
SESPMNT	B1MTY2	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	14DICLBENZ (1,4-Dichlorobenzene)	0.1 ug/L				U	WATER DEPTH 5 FT.	
SESPMNT	B1MV20	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	1BUTANOL	14 ug/L				U	WATER DEPTH 6.4 FT.	
SESPMNT	B1MV22	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	1BUTANOL	14 ug/L				U	WATER DEPTH 12 FT.	
SESPMNT	B1MV24	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	1BUTANOL	14 ug/L				U	WATER DEPTH 17 FT.	
SESPMNT	B1MV26	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	1BUTANOL	14 ug/L				U	WATER DEPTH 19.4 FT.	
SESPMNT	B1MV28	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	1BUTANOL	14 ug/L				U	WATER DEPTH 22 FT.	
SESPMNT	B1MV30	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	1BUTANOL	14 ug/L				U	WATER DEPTH 4.6 FT.	
SESPMNT	B1MTY8	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	1BUTANOL	14 ug/L				U	WATER DEPTH 14 FT.	
SESPMNT	B1MTY4	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	1BUTANOL	14 ug/L				U	WATER DEPTH 17 FT.	

## WATER - COLUMBIA RIVER TRANSECTS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1MTY6	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	1BUTANOL		14 ug/L			U	WATER DEPTH 24 FT.	
SESPMNT	B1MTY2	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	1BUTANOL		14 ug/L			U	WATER DEPTH 5 FT.	
SESPMNT	B1MV20	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	ACETONE		1.5 ug/L			JB	WATER DEPTH 6.4 FT.	
SESPMNT	B1MV22	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	ACETONE		1.2 ug/L			JB	WATER DEPTH 12 FT.	
SESPMNT	B1MV24	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	ACETONE		2.1 ug/L				WATER DEPTH 17 FT.	
SESPMNT	B1MV26	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	ACETONE		1.4 ug/L			J	WATER DEPTH 19.4 FT.	
SESPMNT	B1MV28	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	ACETONE		1.7 ug/L			J	WATER DEPTH 22 FT.	
SESPMNT	B1MV30	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	ACETONE		0.8 ug/L			U	WATER DEPTH 4.6 FT.	
SESPMNT	B1MTY8	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	ACETONE		1.7 ug/L			J	WATER DEPTH 14 FT.	
SESPMNT	B1MTY4	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	ACETONE		0.8 ug/L			U	WATER DEPTH 17 FT.	
SESPMNT	B1MTY6	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	ACETONE		1.9 ug/L			J	WATER DEPTH 24 FT.	
SESPMNT	B1MTY2	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	ACETONE		0.97 ug/L			J	WATER DEPTH 5 FT.	
SESPMNT	B1MV20	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	BENZENE		0.1 ug/L			U	WATER DEPTH 6.4 FT.	
SESPMNT	B1MV22	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	BENZENE		0.1 ug/L			U	WATER DEPTH 12 FT.	
SESPMNT	B1MV24	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	BENZENE		0.1 ug/L			U	WATER DEPTH 17 FT.	
SESPMNT	B1MV26	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	BENZENE		0.1 ug/L			U	WATER DEPTH 19.4 FT.	
SESPMNT	B1MV28	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	BENZENE		0.1 ug/L			U	WATER DEPTH 22 FT.	
SESPMNT	B1MV30	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	BENZENE		0.1 ug/L			U	WATER DEPTH 4.6 FT.	
SESPMNT	B1MTY8	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	BENZENE		0.1 ug/L			U	WATER DEPTH 14 FT.	
SESPMNT	B1MTY4	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	BENZENE		0.1 ug/L			U	WATER DEPTH 17 FT.	
SESPMNT	B1MTY6	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	BENZENE		0.1 ug/L			U	WATER DEPTH 24 FT.	
SESPMNT	B1MTY2	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	BENZENE		0.1 ug/L			U	WATER DEPTH 5 FT.	
SESPMNT	B1MV20	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	CARBIDE (Carbon disulfide)		0.1 ug/L			U	WATER DEPTH 6.4 FT.	
SESPMNT	B1MV22	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	CARBIDE (Carbon disulfide)		0.1 ug/L			U	WATER DEPTH 12 FT.	
SESPMNT	B1MV24	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	CARBIDE (Carbon disulfide)		0.1 ug/L			U	WATER DEPTH 17 FT.	
SESPMNT	B1MV26	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	CARBIDE (Carbon disulfide)		0.1 ug/L			U	WATER DEPTH 19.4 FT.	
SESPMNT	B1MV28	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	CARBIDE (Carbon disulfide)		0.1 ug/L			U	WATER DEPTH 22 FT.	
SESPMNT	B1MV30	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	CARBIDE (Carbon disulfide)		0.1 ug/L			U	WATER DEPTH 4.6 FT.	
SESPMNT	B1MTY8	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	CARBIDE (Carbon disulfide)		0.1 ug/L			U	WATER DEPTH 14 FT.	
SESPMNT	B1MTY4	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	CARBIDE (Carbon disulfide)		0.1 ug/L			U	WATER DEPTH 17 FT.	
SESPMNT	B1MTY6	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	CARBIDE (Carbon disulfide)		0.1 ug/L			U	WATER DEPTH 24 FT.	
SESPMNT	B1MTY2	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	CARBIDE (Carbon disulfide)		0.1 ug/L			U	WATER DEPTH 5 FT.	
SESPMNT	B1MV20	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	CARBET (Carbon tetrachloride)		0.2 ug/L			J	WATER DEPTH 6.4 FT.	
SESPMNT	B1MV22	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	CARBET (Carbon tetrachloride)		0.14 ug/L			J	WATER DEPTH 12 FT.	
SESPMNT	B1MV24	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	CARBET (Carbon tetrachloride)		0.1 ug/L			U	WATER DEPTH 17 FT.	
SESPMNT	B1MV26	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	CARBET (Carbon tetrachloride)		0.1 ug/L			U	WATER DEPTH 19.4 FT.	
SESPMNT	B1MV28	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	CARBET (Carbon tetrachloride)		0.1 ug/L			U	WATER DEPTH 22 FT.	
SESPMNT	B1MV30	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	CARBET (Carbon tetrachloride)		0.1 ug/L			U	WATER DEPTH 4.6 FT.	
SESPMNT	B1MTY8	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	CARBET (Carbon tetrachloride)		0.1 ug/L			U	WATER DEPTH 14 FT.	
SESPMNT	B1MTY4	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	CARBET (Carbon tetrachloride)		0.1 ug/L			U	WATER DEPTH 17 FT.	
SESPMNT	B1MTY6	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	CARBET (Carbon tetrachloride)		0.1 ug/L			U	WATER DEPTH 24 FT.	
SESPMNT	B1MTY2	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	CARBET (Carbon tetrachloride)		0.1 ug/L			U	WATER DEPTH 5 FT.	
SESPMNT	B1MV20	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	CHLOROFORM		0.1 ug/L			U	WATER DEPTH 6.4 FT.	
SESPMNT	B1MV22	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	CHLOROFORM		0.1 ug/L			U	WATER DEPTH 12 FT.	
SESPMNT	B1MV24	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	CHLOROFORM		0.1 ug/L			U	WATER DEPTH 17 FT.	
SESPMNT	B1MV26	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	CHLOROFORM		0.1 ug/L			U	WATER DEPTH 19.4 FT.	
SESPMNT	B1MV28	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	CHLOROFORM		0.1 ug/L			U	WATER DEPTH 22 FT.	
SESPMNT	B1MV30	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	CHLOROFORM		0.1 ug/L			U	WATER DEPTH 4.6 FT.	
SESPMNT	B1MTY8	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	CHLOROFORM		0.1 ug/L			U	WATER DEPTH 14 FT.	
SESPMNT	B1MTY4	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	CHLOROFORM		0.1 ug/L			U	WATER DEPTH 17 FT.	
SESPMNT	B1MTY6	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	CHLOROFORM		0.1 ug/L			U	WATER DEPTH 24 FT.	
SESPMNT	B1MTY2	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	CHLOROFORM		0.1 ug/L			U	WATER DEPTH 5 FT.	
SESPMNT	B1MV20	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	CISDCE (cis-1,2-Dichloroethylene)		0.048 ug/L			U	WATER DEPTH 6.4 FT.	
SESPMNT	B1MV22	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	CISDCE (cis-1,2-Dichloroethylene)		0.048 ug/L			U	WATER DEPTH 12 FT.	
SESPMNT	B1MV24	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	CISDCE (cis-1,2-Dichloroethylene)		0.048 ug/L			U	WATER DEPTH 17 FT.	
SESPMNT	B1MV26	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	CISDCE (cis-1,2-Dichloroethylene)		0.048 ug/L			U	WATER DEPTH 19.4 FT.	
SESPMNT	B1MV28	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	CISDCE (cis-1,2-Dichloroethylene)		0.048 ug/L			U	WATER DEPTH 22 FT.	
SESPMNT	B1MV30	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	CISDCE (cis-1,2-Dichloroethylene)		0.048 ug/L			U	WATER DEPTH 4.6 FT.	
SESPMNT	B1MTY8	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	CISDCE (cis-1,2-Dichloroethylene)		0.048 ug/L			U	WATER DEPTH 14 FT.	
SESPMNT	B1MTY4	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	CISDCE (cis-1,2-Dichloroethylene)		0.048 ug/L			U	WATER DEPTH 17 FT.	
SESPMNT	B1MTY6	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	CISDCE (cis-1,2-Dichloroethylene)		0.048 ug/L			U	WATER DEPTH 24 FT.	
SESPMNT	B1MTY2	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	CISDCE (cis-1,2-Dichloroethylene)		0.048 ug/L			U	WATER DEPTH 5 FT.	
SESPMNT	B1MV20	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	DIOXANE (1,4-Dioxane)		12 ug/L			U	WATER DEPTH 6.4 FT.	
SESPMNT	B1MV22	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	DIOXANE (1,4-Dioxane)		12 ug/L			U	WATER DEPTH 12 FT.	
SESPMNT	B1MV24	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	DIOXANE (1,4-Dioxane)		12 ug/L			U	WATER DEPTH 17 FT.	
SESPMNT	B1MV26	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	DIOXANE (1,4-Dioxane)		12 ug/L			U	WATER DEPTH 19.4 FT.	
SESPMNT	B1MV28	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	DIOXANE (1,4-Dioxane)		12 ug/L			U	WATER DEPTH 22 FT.	
SESPMNT	B1MV30	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	DIOXANE (1,4-Dioxane)		12 ug/L			U	WATER DEPTH 24 FT.	

## WATER - COLUMBIA RIVER TRANSECTS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1MV30	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	DIOXANE (1,4-Dioxane)	12 ug/L				U	WATER DEPTH 4.6 FT.	
SESPMNT	B1MTY8	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	DIOXANE (1,4-Dioxane)	12 ug/L				U	WATER DEPTH 14 FT.	
SESPMNT	B1MTY4	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	DIOXANE (1,4-Dioxane)	12 ug/L				U	WATER DEPTH 17 FT.	
SESPMNT	B1MTY6	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	DIOXANE (1,4-Dioxane)	12 ug/L				U	WATER DEPTH 24 FT.	
SESPMNT	B1MTY2	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	DIOXANE (1,4-Dioxane)	12 ug/L				U	WATER DEPTH 5 FT.	
SESPMNT	B1MV20	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	ETHBENZENE (Ethylbenzene)	0.064 ug/L				U	WATER DEPTH 6.4 FT.	
SESPMNT	B1MV22	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	ETHBENZENE (Ethylbenzene)	0.064 ug/L				U	WATER DEPTH 12 FT.	
SESPMNT	B1MV24	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	ETHBENZENE (Ethylbenzene)	0.064 ug/L				U	WATER DEPTH 17 FT.	
SESPMNT	B1MV26	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	ETHBENZENE (Ethylbenzene)	0.064 ug/L				U	WATER DEPTH 19.4 FT.	
SESPMNT	B1MV28	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	ETHBENZENE (Ethylbenzene)	0.064 ug/L				U	WATER DEPTH 22 FT.	
SESPMNT	B1MV30	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	ETHBENZENE (Ethylbenzene)	0.064 ug/L				U	WATER DEPTH 4.6 FT.	
SESPMNT	B1MTY8	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	ETHBENZENE (Ethylbenzene)	0.064 ug/L				U	WATER DEPTH 14 FT.	
SESPMNT	B1MTY4	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	ETHBENZENE (Ethylbenzene)	0.064 ug/L				U	WATER DEPTH 17 FT.	
SESPMNT	B1MTY6	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	ETHBENZENE (Ethylbenzene)	0.064 ug/L				U	WATER DEPTH 24 FT.	
SESPMNT	B1MTY2	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	ETHBENZENE (Ethylbenzene)	0.064 ug/L				U	WATER DEPTH 5 FT.	
SESPMNT	B1MV20	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	ETHCYANIDE (Ethyl cyanide)	1.7 ug/L				U	WATER DEPTH 6.4 FT.	
SESPMNT	B1MV22	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	ETHCYANIDE (Ethyl cyanide)	1.7 ug/L				U	WATER DEPTH 12 FT.	
SESPMNT	B1MV24	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	ETHCYANIDE (Ethyl cyanide)	1.7 ug/L				U	WATER DEPTH 17 FT.	
SESPMNT	B1MV26	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	ETHCYANIDE (Ethyl cyanide)	1.7 ug/L				U	WATER DEPTH 19.4 FT.	
SESPMNT	B1MV28	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	ETHCYANIDE (Ethyl cyanide)	1.7 ug/L				U	WATER DEPTH 22 FT.	
SESPMNT	B1MV30	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	ETHCYANIDE (Ethyl cyanide)	1.7 ug/L				U	WATER DEPTH 4.6 FT.	
SESPMNT	B1MTY8	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	ETHCYANIDE (Ethyl cyanide)	1.7 ug/L				U	WATER DEPTH 14 FT.	
SESPMNT	B1MTY4	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	ETHCYANIDE (Ethyl cyanide)	1.7 ug/L				U	WATER DEPTH 17 FT.	
SESPMNT	B1MTY6	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	ETHCYANIDE (Ethyl cyanide)	1.7 ug/L				U	WATER DEPTH 24 FT.	
SESPMNT	B1MTY2	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	ETHCYANIDE (Ethyl cyanide)	1.7 ug/L				U	WATER DEPTH 5 FT.	
SESPMNT	B1MV20	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	HEXONE (2-Pentanone, 4-Methyl)	0.21 ug/L				U	WATER DEPTH 6.4 FT.	
SESPMNT	B1MV22	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	HEXONE (2-Pentanone, 4-Methyl)	0.21 ug/L				U	WATER DEPTH 12 FT.	
SESPMNT	B1MV24	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	HEXONE (2-Pentanone, 4-Methyl)	0.21 ug/L				U	WATER DEPTH 17 FT.	
SESPMNT	B1MV26	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	HEXONE (2-Pentanone, 4-Methyl)	0.21 ug/L				U	WATER DEPTH 19.4 FT.	
SESPMNT	B1MV28	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	HEXONE (2-Pentanone, 4-Methyl)	0.21 ug/L				U	WATER DEPTH 22 FT.	
SESPMNT	B1MV30	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	HEXONE (2-Pentanone, 4-Methyl)	0.21 ug/L				U	WATER DEPTH 4.6 FT.	
SESPMNT	B1MTY8	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	HEXONE (2-Pentanone, 4-Methyl)	0.21 ug/L				U	WATER DEPTH 14 FT.	
SESPMNT	B1MTY4	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	HEXONE (2-Pentanone, 4-Methyl)	0.21 ug/L				U	WATER DEPTH 17 FT.	
SESPMNT	B1MTY6	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	HEXONE (2-Pentanone, 4-Methyl)	0.21 ug/L				U	WATER DEPTH 24 FT.	
SESPMNT	B1MTY2	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	HEXONE (2-Pentanone, 4-Methyl)	0.21 ug/L				U	WATER DEPTH 5 FT.	
SESPMNT	B1MV20	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	METHONE (2-Butanone)	1.8 ug/L				U	WATER DEPTH 6.4 FT.	
SESPMNT	B1MV22	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	METHONE (2-Butanone)	1.8 ug/L				U	WATER DEPTH 12 FT.	
SESPMNT	B1MV24	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	METHONE (2-Butanone)	1.8 ug/L				U	WATER DEPTH 17 FT.	
SESPMNT	B1MV26	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	METHONE (2-Butanone)	1.8 ug/L				U	WATER DEPTH 19.4 FT.	
SESPMNT	B1MV28	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	METHONE (2-Butanone)	1.8 ug/L				U	WATER DEPTH 22 FT.	
SESPMNT	B1MV30	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	METHONE (2-Butanone)	1.8 ug/L				U	WATER DEPTH 4.6 FT.	
SESPMNT	B1MTY8	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	METHONE (2-Butanone)	1.8 ug/L				U	WATER DEPTH 14 FT.	
SESPMNT	B1MTY4	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	METHONE (2-Butanone)	1.8 ug/L				U	WATER DEPTH 17 FT.	
SESPMNT	B1MTY6	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	METHONE (2-Butanone)	1.8 ug/L				U	WATER DEPTH 24 FT.	
SESPMNT	B1MTY2	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	METHONE (2-Butanone)	1.8 ug/L				U	WATER DEPTH 5 FT.	
SESPMNT	B1MV20	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	METHYCH (Methylene chloride)	0.1 ug/L				U	WATER DEPTH 6.4 FT.	
SESPMNT	B1MV22	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	METHYCH (Methylene chloride)	0.1 ug/L				U	WATER DEPTH 12 FT.	
SESPMNT	B1MV24	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	METHYCH (Methylene chloride)	0.1 ug/L				U	WATER DEPTH 17 FT.	
SESPMNT	B1MV26	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	METHYCH (Methylene chloride)	0.1 ug/L				U	WATER DEPTH 19.4 FT.	
SESPMNT	B1MV28	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	METHYCH (Methylene chloride)	0.1 ug/L				U	WATER DEPTH 22 FT.	
SESPMNT	B1MV30	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	METHYCH (Methylene chloride)	0.1 ug/L				U	WATER DEPTH 4.6 FT.	
SESPMNT	B1MTY8	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	METHYCH (Methylene chloride)	0.1 ug/L				U	WATER DEPTH 14 FT.	
SESPMNT	B1MTY4	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	METHYCH (Methylene chloride)	0.1 ug/L				U	WATER DEPTH 17 FT.	
SESPMNT	B1MTY6	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	METHYCH (Methylene chloride)	0.1 ug/L				U	WATER DEPTH 24 FT.	
SESPMNT	B1MTY2	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	METHYCH (Methylene chloride)	0.1 ug/L				U	WATER DEPTH 5 FT.	
SESPMNT	B1MV20	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	PERCENE (Tetrachloroethene)	0.17 ug/L				U	WATER DEPTH 6.4 FT.	
SESPMNT	B1MV22	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	PERCENE (Tetrachloroethene)	0.17 ug/L				U	WATER DEPTH 12 FT.	
SESPMNT	B1MV24	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	PERCENE (Tetrachloroethene)	0.17 ug/L				U	WATER DEPTH 17 FT.	
SESPMNT	B1MV26	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	PERCENE (Tetrachloroethene)	0.17 ug/L				U	WATER DEPTH 19.4 FT.	
SESPMNT	B1MV28	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	PERCENE (Tetrachloroethene)	0.17 ug/L				U	WATER DEPTH 22 FT.	
SESPMNT	B1MV30	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	PERCENE (Tetrachloroethene)	0.17 ug/L				U	WATER DEPTH 4.6 FT.	
SESPMNT	B1MTY8	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	PERCENE (Tetrachloroethene)	0.17 ug/L				U	WATER DEPTH 14 FT.	
SESPMNT	B1MTY4	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	PERCENE (Tetrachloroethene)	0.17 ug/L				U	WATER DEPTH 17 FT.	
SESPMNT	B1MTY6	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	PERCENE (Tetrachloroethene)	0.17 ug/L				U	WATER DEPTH 24 FT.	
SESPMNT	B1MTY2	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	PERCENE (Tetrachloroethene)	0.17 ug/L				U	WATER DEPTH 5 FT.	
SESPMNT	B1MV20	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	TETHYDF (Tetrahydrofuran)	1.2 ug/L				U	WATER DEPTH 6.4 FT.	
SESPMNT	B1MV22	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	TETHYDF (Tetrahydrofuran)	1.2 ug/L				U	WATER DEPTH 12 FT.	

## WATER - COLUMBIA RIVER TRANSECTS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1MV24	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	TETHYDF (Tetrahydrofuran)	1.2 ug/L				U	WATER DEPTH 17 FT.	
SESPMNT	B1MV26	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	TETHYDF (Tetrahydrofuran)	1.2 ug/L				U	WATER DEPTH 19.4 FT.	
SESPMNT	B1MV28	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	TETHYDF (Tetrahydrofuran)	1.2 ug/L				U	WATER DEPTH 22 FT.	
SESPMNT	B1MV30	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	TETHYDF (Tetrahydrofuran)	1.2 ug/L				U	WATER DEPTH 4.6 FT.	
SESPMNT	B1MTY8	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	TETHYDF (Tetrahydrofuran)	1.2 ug/L				U	WATER DEPTH 14 FT.	
SESPMNT	B1MTY4	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	TETHYDF (Tetrahydrofuran)	1.2 ug/L				U	WATER DEPTH 17 FT.	
SESPMNT	B1MTY6	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	TETHYDF (Tetrahydrofuran)	1.2 ug/L				U	WATER DEPTH 24 FT.	
SESPMNT	B1MTY2	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	TETHYDF (Tetrahydrofuran)	1.2 ug/L				U	WATER DEPTH 5 FT.	
SESPMNT	B1MV20	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	TOLUENE	0.1 ug/L				U	WATER DEPTH 6.4 FT.	
SESPMNT	B1MV22	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	TOLUENE	0.1 ug/L				U	WATER DEPTH 12 FT.	
SESPMNT	B1MV24	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	TOLUENE	0.1 ug/L				U	WATER DEPTH 17 FT.	
SESPMNT	B1MV26	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	TOLUENE	0.1 ug/L				U	WATER DEPTH 19.4 FT.	
SESPMNT	B1MV28	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	TOLUENE	0.1 ug/L				U	WATER DEPTH 22 FT.	
SESPMNT	B1MV30	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	TOLUENE	0.12 ug/L				J	WATER DEPTH 4.6 FT.	
SESPMNT	B1MTY8	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	TOLUENE	0.1 ug/L				U	WATER DEPTH 14 FT.	
SESPMNT	B1MTY4	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	TOLUENE	0.1 ug/L				J	WATER DEPTH 17 FT.	
SESPMNT	B1MTY6	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	TOLUENE	0.14 ug/L				J	WATER DEPTH 24 FT.	
SESPMNT	B1MTY2	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	TOLUENE	0.1 ug/L				J	WATER DEPTH 5 FT.	
SESPMNT	B1MV20	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	TRANDCE (trans-1,2-Dichloroethylene)	0.1 ug/L				U	WATER DEPTH 6.4 FT.	
SESPMNT	B1MV22	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	TRANDCE (trans-1,2-Dichloroethylene)	0.1 ug/L				U	WATER DEPTH 12 FT.	
SESPMNT	B1MV24	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	TRANDCE (trans-1,2-Dichloroethylene)	0.1 ug/L				U	WATER DEPTH 17 FT.	
SESPMNT	B1MV26	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	TRANDCE (trans-1,2-Dichloroethylene)	0.1 ug/L				U	WATER DEPTH 19.4 FT.	
SESPMNT	B1MV28	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	TRANDCE (trans-1,2-Dichloroethylene)	0.1 ug/L				U	WATER DEPTH 22 FT.	
SESPMNT	B1MV30	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	TRANDCE (trans-1,2-Dichloroethylene)	0.1 ug/L				U	WATER DEPTH 4.6 FT.	
SESPMNT	B1MTY8	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	TRANDCE (trans-1,2-Dichloroethylene)	0.1 ug/L				U	WATER DEPTH 14 FT.	
SESPMNT	B1MTY4	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	TRANDCE (trans-1,2-Dichloroethylene)	0.1 ug/L				U	WATER DEPTH 17 FT.	
SESPMNT	B1MTY6	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	TRANDCE (trans-1,2-Dichloroethylene)	0.1 ug/L				U	WATER DEPTH 24 FT.	
SESPMNT	B1MTY2	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	TRANDCE (trans-1,2-Dichloroethylene)	0.1 ug/L				U	WATER DEPTH 5 FT.	
SESPMNT	B1MV20	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	TRICELN (Trichloroethene)	0.1 ug/L				U	WATER DEPTH 6.4 FT.	
SESPMNT	B1MV22	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	TRICELN (Trichloroethene)	0.1 ug/L				U	WATER DEPTH 12 FT.	
SESPMNT	B1MV24	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	TRICELN (Trichloroethene)	0.1 ug/L				U	WATER DEPTH 17 FT.	
SESPMNT	B1MV26	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	TRICELN (Trichloroethene)	0.1 ug/L				U	WATER DEPTH 19.4 FT.	
SESPMNT	B1MV28	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	TRICELN (Trichloroethene)	0.1 ug/L				U	WATER DEPTH 22 FT.	
SESPMNT	B1MV30	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	TRICELN (Trichloroethene)	0.1 ug/L				U	WATER DEPTH 4.6 FT.	
SESPMNT	B1MTY8	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	TRICELN (Trichloroethene)	0.1 ug/L				U	WATER DEPTH 14 FT.	
SESPMNT	B1MTY4	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	TRICELN (Trichloroethene)	0.1 ug/L				U	WATER DEPTH 17 FT.	
SESPMNT	B1MTY6	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	TRICELN (Trichloroethene)	0.1 ug/L				U	WATER DEPTH 24 FT.	
SESPMNT	B1MTY2	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	TRICELN (Trichloroethene)	0.1 ug/L				U	WATER DEPTH 5 FT.	
SESPMNT	B1MV20	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	VINYIDE (Vinyl chloride)	0.044 ug/L				U	WATER DEPTH 6.4 FT.	
SESPMNT	B1MV22	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	VINYIDE (Vinyl chloride)	0.044 ug/L				U	WATER DEPTH 12 FT.	
SESPMNT	B1MV24	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	VINYIDE (Vinyl chloride)	0.044 ug/L				U	WATER DEPTH 17 FT.	
SESPMNT	B1MV26	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	VINYIDE (Vinyl chloride)	0.044 ug/L				U	WATER DEPTH 19.4 FT.	
SESPMNT	B1MV28	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	VINYIDE (Vinyl chloride)	0.044 ug/L				U	WATER DEPTH 22 FT.	
SESPMNT	B1MV30	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	VINYIDE (Vinyl chloride)	0.044 ug/L				U	WATER DEPTH 4.6 FT.	
SESPMNT	B1MTY8	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	VINYIDE (Vinyl chloride)	0.044 ug/L				U	WATER DEPTH 14 FT.	
SESPMNT	B1MTY4	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	VINYIDE (Vinyl chloride)	0.044 ug/L				U	WATER DEPTH 17 FT.	
SESPMNT	B1MTY6	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	VINYIDE (Vinyl chloride)	0.044 ug/L				U	WATER DEPTH 24 FT.	
SESPMNT	B1MTY2	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	VINYIDE (Vinyl chloride)	0.044 ug/L				U	WATER DEPTH 5 FT.	
SESPMNT	B1MV20	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	XYLENES	0.3 ug/L				U	WATER DEPTH 6.4 FT.	
SESPMNT	B1MV22	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	XYLENES	0.3 ug/L				U	WATER DEPTH 12 FT.	
SESPMNT	B1MV24	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	XYLENES	0.3 ug/L				U	WATER DEPTH 17 FT.	
SESPMNT	B1MV26	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	XYLENES	0.3 ug/L				U	WATER DEPTH 19.4 FT.	
SESPMNT	B1MV28	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	XYLENES	0.3 ug/L				U	WATER DEPTH 22 FT.	
SESPMNT	B1MV30	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	XYLENES	0.3 ug/L				U	WATER DEPTH 4.6 FT.	
SESPMNT	B1MTY8	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	XYLENES	0.3 ug/L				U	WATER DEPTH 14 FT.	
SESPMNT	B1MTY4	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	XYLENES	0.3 ug/L				U	WATER DEPTH 17 FT.	
SESPMNT	B1MTY6	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	XYLENES	0.3 ug/L				U	WATER DEPTH 24 FT.	
SESPMNT	B1MTY2	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	XYLENES	0.3 ug/L				U	WATER DEPTH 5 FT.	
SESPMNT	B1P733	100 N -1 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	CONDUCT (FIELD)	120.8 uS/cm				X	WATER DEPTH 4.5 FT.	
SESPMNT	B1P735	100 N -2 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	CONDUCT (FIELD)	120.1 uS/cm				X	WATER DEPTH 10 FT.	
SESPMNT	B1P777	100 N -3 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	CONDUCT (FIELD)	119.9 uS/cm				X	WATER DEPTH 24 FT.	
SESPMNT	B1P737	100 N -5 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	CONDUCT (FIELD)	119.6 uS/cm				X	WATER DEPTH 24 FT.	
SESPMNT	B1P779	100 N -7 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	CONDUCT (FIELD)	121.6 uS/cm				X	WATER DEPTH 14 FT.	
SESPMNT	B1P775	100 N -10 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	CONDUCT (FIELD)	125.2 uS/cm				X	WATER DEPTH 5 FT.	
SESPMNT	B1P7H0	100 N SHORE HRM 8.4	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	CONDUCT (FIELD)	122.1 uS/cm				X	WATER DEPTH 4 FT.	
SESPMNT	B1P7H5	100 N SHORE HRM 8.9	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	CONDUCT (FIELD)	120.8 uS/cm				X	WATER DEPTH 5 FT.	
SESPMNT	B1P7J0	100 N SHORE HRM 9.2	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	CONDUCT (FIELD)	121.1 uS/cm				X	WATER DEPTH 2 FT.	

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## WATER - COLUMBIA RIVER TRANSECTS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1P7J5	100 N SHORE HRM 9.8	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	CONDUCT (FIELD)	120.6 uS/cm				X	WATER DEPTH 3 FT.	
SESPMNT	B1P751	300 AREA -1 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	CONDUCT (FIELD)					X	WATER DEPTH 3 FT.	NO FIELD READING, INSTRUMENT QUIT WORKING.
SESPMNT	B1P753	300 AREA -2 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	CONDUCT (FIELD)					X	WATER DEPTH 10 FT.	NO FIELD READING, INSTRUMENT QUIT WORKING.
SESPMNT	B1P755	300 AREA -3 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	CONDUCT (FIELD)					X	WATER DEPTH 27 FT.	NO FIELD READING, INSTRUMENT QUIT WORKING.
SESPMNT	B1P757	300 AREA -5 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	CONDUCT (FIELD)					X	WATER DEPTH 3 FT.	NO FIELD READING, INSTRUMENT QUIT WORKING.
SESPMNT	B1P759	300 AREA -7 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	CONDUCT (FIELD)					X	WATER DEPTH 12 FT.	NO FIELD READING, INSTRUMENT QUIT WORKING.
SESPMNT	B1P761	300 AREA-10 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	CONDUCT (FIELD)	136 uS/cm				X	WATER DEPTH 5 FT.	
SESPMNT	B1P7K0	300 AREA SHR HRM41.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	CONDUCT (FIELD)					X	WATER DEPTH 2.5 FT.	NO FIELD READING, INSTRUMENT QUIT WORKING.
SESPMNT	B1P7L0	300 AREA SHR HRM42.9	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	CONDUCT (FIELD)					X	WATER DEPTH 2.5 FT.	NO FIELD READING, INSTRUMENT QUIT WORKING.
SESPMNT	B1P7M4	300 AREA SPR DR 42-2	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	CONDUCT (FIELD)					X	WATER DEPTH 2.5 FT.	NO FIELD READING, INSTRUMENT QUIT WORKING.
SESPMNT	B1P7K5	300 AREA SPRING 42-2	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	CONDUCT (FIELD)					X	WATER DEPTH 4 FT.	NO FIELD READING, INSTRUMENT QUIT WORKING.
SESPMNT	B1P741	HANFRD TS-1 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	CONDUCT (FIELD)	121.7 uS/cm				X	WATER DEPTH 5 FT.	
SESPMNT	B1P743	HANFRD TS-2 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	CONDUCT (FIELD)	119.9 uS/cm				X	WATER DEPTH 8 FT.	
SESPMNT	B1P749	HANFRD TS-3 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	CONDUCT (FIELD)	118.8 uS/cm				X	WATER DEPTH 18 FT.	
SESPMNT	B1P739	HANFRD TS-5 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	CONDUCT (FIELD)	118.9 uS/cm				X	WATER DEPTH 33 FT.	
SESPMNT	B1P745	HANFRD TS-7 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	CONDUCT (FIELD)	120.5 uS/cm				X	WATER DEPTH 15 FT.	
SESPMNT	B1P747	HANFRD TS-10 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	CONDUCT (FIELD)	121.5 uS/cm				X	WATER DEPTH 4 FT.	
SESPMNT	B1P781	HANFRD TWSITE HRM26	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	CONDUCT (FIELD)	119.6 uS/cm				X	WATER DEPTH 2 FT.	
SESPMNT	B1P784	HANFRD TWSITE HRM27	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	CONDUCT (FIELD)	122.5 uS/cm				X	WATER DEPTH 6 FT.	
SESPMNT	B1P7L5	HANFRD TWSITE HRM28	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	CONDUCT (FIELD)	126.2 uS/cm				X	WATER DEPTH 3 FT.	
SESPMNT	B1P787	HANFRD TWSITE HRM30	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	CONDUCT (FIELD)	120.8 uS/cm				X	WATER DEPTH 4 FT.	
SESPMNT	B1MMB0	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	CONDUCT (FIELD)	131.4 uS/cm					WATER DEPTH 3 FT.	
SESPMNT	B1P763	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	CONDUCT (FIELD)	119.3 uS/cm				X	WATER DEPTH 6.4 FT.	
SESPMNT	B1R8N1	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	CONDUCT (FIELD)	145.3 uS/cm					WATER DEPTH 4.6 FT.	
SESPMNT	B1MMB2	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	CONDUCT (FIELD)	131 uS/cm					WATER DEPTH 14 FT. DUE TO BROKEN ANCHOR WINCH, SAMPLE COLLECTED APPROXIMATELY 4 FEET BELOW SURFACE.	
SESPMNT	B1P765	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	CONDUCT (FIELD)	118.4 uS/cm				X	WATER DEPTH 12 FT.	
SESPMNT	B1R8N3	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	CONDUCT (FIELD)	137.7 uS/cm					WATER DEPTH 12.5 FT.	
SESPMNT	B1MMB4	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	CONDUCT (FIELD)	130.2 uS/cm					WATER DEPTH 18 FT. DUE TO BROKEN ANCHOR WINCH, SAMPLE COLLECTED APPROXIMATELY 4 FEET BELOW SURFACE, NOT AT MID-DEPTH.	
SESPMNT	B1P767	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	CONDUCT (FIELD)	119.3 uS/cm				X	WATER DEPTH 17 FT.	
SESPMNT	B1R8N5	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	CONDUCT (FIELD)	137.8 uS/cm					WATER DEPTH 16.3 FT.	
SESPMNT	B1MMB6	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	CONDUCT (FIELD)	131.1 uS/cm					WATER DEPTH 3 FT.	
SESPMNT	B1P769	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	CONDUCT (FIELD)	122 uS/cm				X	WATER DEPTH 19.4 FT.	
SESPMNT	B1R8N7	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	CONDUCT (FIELD)	138.2 uS/cm					WATER DEPTH 1.7 FT.	
SESPMNT	B1MMB8	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	CONDUCT (FIELD)	132 uS/cm					WATER DEPTH 15.7 FT.	
SESPMNT	B1P771	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	CONDUCT (FIELD)	122.5 uS/cm				X	WATER DEPTH 22 FT.	
SESPMNT	B1R8N9	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	CONDUCT (FIELD)	139 uS/cm					WATER DEPTH 21.3 FT.	
SESPMNT	B1MMC0	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	CONDUCT (FIELD)	162.2 uS/cm					WATER DEPTH 1.8 FT.	
SESPMNT	B1P773	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	CONDUCT (FIELD)	140.9 uS/cm				X	WATER DEPTH 4.6 FT.	
SESPMNT	B1R8P1	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	CONDUCT (FIELD)	174 uS/cm					WATER DEPTH 2 FT.	
SESPMNT	B1MMC8	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	CONDUCT (FIELD)	132.2 uS/cm					WATER DEPTH 3.6 FT.	
SESPMNT	B1P7F0	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	CONDUCT (FIELD)	125.5 uS/cm				X	WATER DEPTH 3 FT.	
SESPMNT	B1R8P9	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	CONDUCT (FIELD)	162.6 uS/cm					WATER DEPTH 2 FT.	
SESPMNT	B1MMC6	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	CONDUCT (FIELD)	133.6 uS/cm					WATER DEPTH 2.0 FT.	
SESPMNT	B1P7D8	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	CONDUCT (FIELD)	120.3 uS/cm				X	WATER DEPTH 9.5 FT.	
SESPMNT	B1R8P7	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	CONDUCT (FIELD)	152.3 uS/cm					WATER DEPTH 1.1 FT.	
SESPMNT	B1MMC4	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	CONDUCT (FIELD)	130.6 uS/cm					WATER DEPTH 8.4 FT.	
SESPMNT	B1P7D6	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	CONDUCT (FIELD)	118.4 uS/cm				X	WATER DEPTH 2 FT.	



## ENVIRONMENTAL SURVEILLANCE DATA CY07

## WATER - COLUMBIA RIVER TRANSECTS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1R8P3	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	CONDUCT (FIELD)		169.9 uS/cm				WATER DEPTH 2.7 FT.	
SESPMNT	B1MMC2	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	CONDUCT (FIELD)		131.7 uS/cm				WATER DEPTH 2.1 FT.	
SESPMNT	B1P7D4	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	CONDUCT (FIELD)		120.4 uS/cm			X	WATER DEPTH 3 FT.	
SESPMNT	B1R8P5	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	CONDUCT (FIELD)		144 uS/cm				WATER DEPTH 4.1 FT.	
SESPMNT	B1MM92	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	26-Mar-07	CONDUCT (FIELD)		140.1 uS/cm				WATER DEPTH 25.2 FT, HIGH WATER.	
SESPMNT	B1P731	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	CONDUCT (FIELD)		120.2 uS/cm			X	WATER DEPTH 14 FT.	
SESPMNT	B1R8M3	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Dec-07	CONDUCT (FIELD)		132.6 uS/cm				WATER DEPTH 6.2 FT.	
SESPMNT	B1MM94	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	26-Mar-07	CONDUCT (FIELD)		135 uS/cm				WATER DEPTH 17 FT.	
SESPMNT	B1P727	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	CONDUCT (FIELD)		120 uS/cm			X	WATER DEPTH 17 FT.	
SESPMNT	B1R8M5	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Dec-07	CONDUCT (FIELD)		132.5 uS/cm				WATER DEPTH 15.4 FT.	
SESPMNT	B1MM96	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	26-Mar-07	CONDUCT (FIELD)		138.2 uS/cm				WATER DEPTH 8.1 FT.	
SESPMNT	B1P729	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	CONDUCT (FIELD)		120.4 uS/cm			X	WATER DEPTH 24 FT.	
SESPMNT	B1R8M7	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Dec-07	CONDUCT (FIELD)		132.2 uS/cm				WATER DEPTH 24.8 FT.	
SESPMNT	B1MM98	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	26-Mar-07	CONDUCT (FIELD)		142.5 uS/cm				WATER DEPTH 8 FT, HIGH WATER.	
SESPMNT	B1P725	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	CONDUCT (FIELD)		122.2 uS/cm			X	WATER DEPTH 5 FT.	
SESPMNT	B1R8M9	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Dec-07	CONDUCT (FIELD)		131.5 uS/cm				WATER DEPTH 7.1 FT.	
SESPMNT	B1P733	100 N -1 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	pH (FIELD)		8.21 unitless			X	WATER DEPTH 4.5 FT.	
SESPMNT	B1P775	100 N -10 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	pH (FIELD)		7.94 unitless			X	WATER DEPTH 5 FT.	
SESPMNT	B1P735	100 N -2 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	pH (FIELD)		8.15 unitless			X	WATER DEPTH 10 FT.	
SESPMNT	B1P777	100 N -3 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	pH (FIELD)		8.1 unitless			X	WATER DEPTH 24 FT.	
SESPMNT	B1P737	100 N -5 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	pH (FIELD)		8.06 unitless			X	WATER DEPTH 24 FT.	
SESPMNT	B1P779	100 N -7 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	pH (FIELD)		8.05 unitless			X	WATER DEPTH 14 FT.	
SESPMNT	B1P775	100 N -10 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	pH (FIELD)		7.94 unitless			X	WATER DEPTH 5 FT.	
SESPMNT	B1P7H0	100 N SHORE HRM 8.4	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	pH (FIELD)		8.04 unitless			X	WATER DEPTH 4 FT.	
SESPMNT	B1P7H5	100 N SHORE HRM 8.9	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	pH (FIELD)		8.26 unitless			X	WATER DEPTH 5 FT.	
SESPMNT	B1P7J0	100 N SHORE HRM 9.2	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	pH (FIELD)		8.28 unitless			X	WATER DEPTH 2 FT.	
SESPMNT	B1P7J5	100 N SHORE HRM 9.8	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	pH (FIELD)		8.22 unitless			X	WATER DEPTH 3 FT.	
SESPMNT	B1P751	300 AREA -1 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	pH (FIELD)					X	WATER DEPTH 3 FT.	NO FIELD READING, INSTRUMENT QUIT WORKING.
SESPMNT	B1P753	300 AREA -2 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	pH (FIELD)					X	WATER DEPTH 10 FT.	NO FIELD READING, INSTRUMENT QUIT WORKING.
SESPMNT	B1P755	300 AREA -3 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	pH (FIELD)					X	WATER DEPTH 27 FT.	NO FIELD READING, INSTRUMENT QUIT WORKING.
SESPMNT	B1P757	300 AREA -5 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	pH (FIELD)					X	WATER DEPTH 3 FT.	NO FIELD READING, INSTRUMENT QUIT WORKING.
SESPMNT	B1P759	300 AREA -7 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	pH (FIELD)					X	WATER DEPTH 12 FT.	NO FIELD READING, INSTRUMENT QUIT WORKING.
SESPMNT	B1P761	300 AREA-10 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	pH (FIELD)					X	WATER DEPTH 5 FT.	NO FIELD READING, INSTRUMENT QUIT WORKING.
SESPMNT	B1P7K0	300 AREA SHR HRM41.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	pH (FIELD)					X	WATER DEPTH 2.5 FT.	NO FIELD READING, INSTRUMENT QUIT WORKING.
SESPMNT	B1P7L0	300 AREA SHR HRM42.9	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	pH (FIELD)					X	WATER DEPTH 2.5 FT.	NO FIELD READING, INSTRUMENT QUIT WORKING.
SESPMNT	B1P7M4	300 AREA SPR DR 42-2	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	pH (FIELD)					X	WATER DEPTH 2.5 FT.	NO FIELD READING, INSTRUMENT QUIT WORKING.
SESPMNT	B1P7K5	300 AREA SPRING 42-2	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	pH (FIELD)					X	WATER DEPTH 4 FT.	NO FIELD READING, INSTRUMENT QUIT WORKING.
SESPMNT	B1P741	HANFRD TS-1 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	pH (FIELD)		7.95 unitless			X	WATER DEPTH 5 FT.	
SESPMNT	B1P743	HANFRD TS-2 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	pH (FIELD)		7.93 unitless			X	WATER DEPTH 8 FT.	
SESPMNT	B1P749	HANFRD TS-3 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	pH (FIELD)		7.86 unitless			X	WATER DEPTH 18 FT.	
SESPMNT	B1P739	HANFRD TS-5 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	pH (FIELD)		7.73 unitless			X	WATER DEPTH 33 FT.	
SESPMNT	B1P745	HANFRD TS-7 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	pH (FIELD)		7.73 unitless			X	WATER DEPTH 15 FT.	
SESPMNT	B1P747	HANFRD TS-10 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	pH (FIELD)		7.67 unitless			X	WATER DEPTH 4 FT.	
SESPMNT	B1P781	HANFRD TWNSITE HRM26	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	pH (FIELD)		8.14 unitless			X	WATER DEPTH 2 FT.	
SESPMNT	B1P784	HANFRD TWNSITE HRM27	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	pH (FIELD)		8.12 unitless			X	WATER DEPTH 6 FT.	
SESPMNT	B1P7L5	HANFRD TWNSITE HRM28	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	pH (FIELD)		8.07 unitless			X	WATER DEPTH 3 FT.	
SESPMNT	B1P787	HANFRD TWNSITE HRM30	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	pH (FIELD)		7.99 unitless			X	WATER DEPTH 4 FT.	
SESPMNT	B1MMB0	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	pH (FIELD)		8.07 unitless				WATER DEPTH 3 FT.	
SESPMNT	B1P763	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	pH (FIELD)		7.91 unitless			X	WATER DEPTH 6.4 FT.	
SESPMNT	B1R8N1	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	pH (FIELD)		7.97 unitless				WATER DEPTH 4.6 FT.	

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## WATER - COLUMBIA RIVER TRANSECTS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1MMB2	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	pH (FIELD)	7.97	unitless				WATER DEPTH 14 FT. DUE TO BROKEN ANCHOR WINCH, SAMPLE COLLECTED APPROXIMATELY 4 FEET BELOW SURFACE.	
SESPMNT	B1P765	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	pH (FIELD)	7.91	unitless			X	WATER DEPTH 12 FT.	
SESPMNT	B1R8N3	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	pH (FIELD)	7.88	unitless				WATER DEPTH 12.5 FT.	
SESPMNT	B1MMB4	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	pH (FIELD)	7.89	unitless				WATER DEPTH 18 FT. DUE TO BROKEN ANCHOR WINCH, SAMPLE COLLECTED APPROXIMATELY 4 FEET BELOW SURFACE, NOT AT MID-DEPTH.	
SESPMNT	B1P767	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	pH (FIELD)	7.94	unitless			X	WATER DEPTH 17 FT.	
SESPMNT	B1R8N5	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	pH (FIELD)	7.81	unitless				WATER DEPTH 16.3 FT.	
SESPMNT	B1MMB6	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	pH (FIELD)	7.74	unitless				WATER DEPTH 3 FT.	
SESPMNT	B1P769	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	pH (FIELD)	7.95	unitless			X	WATER DEPTH 19.5 FT.	
SESPMNT	B1R8N7	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	pH (FIELD)	7.81	unitless				WATER DEPTH 1.7 FT.	
SESPMNT	B1MMB8	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	pH (FIELD)	7.3	unitless				WATER DEPTH 15.7 FT.	
SESPMNT	B1P771	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	pH (FIELD)	7.83	unitless			X	WATER DEPTH 22 FT.	
SESPMNT	B1R8N9	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	pH (FIELD)	7.82	unitless				WATER DEPTH 21.3 FT.	
SESPMNT	B1MMC0	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	pH (FIELD)	7.2	unitless				WATER DEPTH 1.8 FT.	
SESPMNT	B1P773	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	pH (FIELD)	7.2	unitless			X	WATER DEPTH 4.6 FT.	
SESPMNT	B1R8P1	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	pH (FIELD)	7.76	unitless				WATER DEPTH 2 FT.	
SESPMNT	B1MMC8	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	pH (FIELD)	7.51	unitless				WATER DEPTH 3.6 FT.	
SESPMNT	B1P7F0	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	pH (FIELD)	7.99	unitless			X	WATER DEPTH 3 FT.	
SESPMNT	B1R8P9	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	pH (FIELD)	7.06	unitless				WATER DEPTH 2 FT.	
SESPMNT	B1MMC6	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	pH (FIELD)	8.01	unitless				WATER DEPTH 2.0 FT.	
SESPMNT	B1P7D8	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	pH (FIELD)	8.12	unitless			X	WATER DEPTH 9.5 FT.	
SESPMNT	B1R8P7	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	pH (FIELD)	7.36	unitless				WATER DEPTH 1.1 FT.	
SESPMNT	B1MMC4	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	pH (FIELD)	8	unitless				WATER DEPTH 8.4 FT.	
SESPMNT	B1P7D6	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	pH (FIELD)	8.1	unitless			X	WATER DEPTH 2 FT.	
SESPMNT	B1R8P3	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	pH (FIELD)	7.52	unitless				WATER DEPTH 2.7 FT.	
SESPMNT	B1MMC2	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	pH (FIELD)	8.01	unitless				WATER DEPTH 2.1 FT.	
SESPMNT	B1P7D4	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	pH (FIELD)	8.07	unitless			X	WATER DEPTH 3 FT.	
SESPMNT	B1R8P5	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	pH (FIELD)	7.88	unitless				WATER DEPTH 4.1 FT.	
SESPMNT	B1MM92	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	26-Mar-07	pH (FIELD)	8.18	unitless				WATER DEPTH 25.2 FT, HIGH WATER.	
SESPMNT	B1P731	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	pH (FIELD)	7.53	unitless			X	WATER DEPTH 14 FT.	
SESPMNT	B1R8M3	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Dec-07	pH (FIELD)	7.77	unitless				WATER DEPTH 6.2 FT.	
SESPMNT	B1MM94	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	26-Mar-07	pH (FIELD)	7.51	unitless				WATER DEPTH 17 FT.	
SESPMNT	B1P727	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	pH (FIELD)	7.11	unitless			X	WATER DEPTH 17 FT.	
SESPMNT	B1R8M5	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Dec-07	pH (FIELD)	7.62	unitless				WATER DEPTH 15.4 FT.	
SESPMNT	B1MM96	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	26-Mar-07	pH (FIELD)	7.6	unitless				WATER DEPTH 8.1 FT.	
SESPMNT	B1P729	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	pH (FIELD)	7.39	unitless			X	WATER DEPTH 24 FT.	
SESPMNT	B1R8M7	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Dec-07	pH (FIELD)	7.13	unitless				WATER DEPTH 24.8 FT.	
SESPMNT	B1MM98	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	26-Mar-07	pH (FIELD)	7.67	unitless				WATER DEPTH 8 FT, HIGH WATER.	
SESPMNT	B1P725	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	pH (FIELD)	7.05	unitless			X	WATER DEPTH 5 FT.	
SESPMNT	B1R8M9	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Dec-07	pH (FIELD)	7.12	unitless				WATER DEPTH 7.1 FT.	
SESPMNT	B1P733	100 N -1 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	TEMPERATURE (FIELD)	20.6	Deg C			X	WATER DEPTH 4.5 FT.	
SESPMNT	B1P735	100 N -2 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	TEMPERATURE (FIELD)	21.1	Deg C			X	WATER DEPTH 10 FT.	
SESPMNT	B1P777	100 N -3 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	TEMPERATURE (FIELD)	20.4	Deg C			X	WATER DEPTH 24 FT.	
SESPMNT	B1P737	100 N -5 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	TEMPERATURE (FIELD)	20.7	Deg C			X	WATER DEPTH 24 FT.	
SESPMNT	B1P779	100 N -7 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	TEMPERATURE (FIELD)	20.3	Deg C			X	WATER DEPTH 14 FT.	
SESPMNT	B1P775	100 N -10 HRM 9.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	TEMPERATURE (FIELD)	22.8	Deg C			X	WATER DEPTH 5 FT.	
SESPMNT	B1P7H0	100 N SHORE HRM 8.4	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	TEMPERATURE (FIELD)	21	Deg C			X	WATER DEPTH 4 FT.	
SESPMNT	B1P7H5	100 N SHORE HRM 8.9	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	TEMPERATURE (FIELD)	20.5	Deg C			X	WATER DEPTH 5 FT.	
SESPMNT	B1P7J0	100 N SHORE HRM 9.2	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	TEMPERATURE (FIELD)	21.2	Deg C			X	WATER DEPTH 2 FT.	
SESPMNT	B1P7J5	100 N SHORE HRM 9.8	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	TEMPERATURE (FIELD)	20.7	Deg C			X	WATER DEPTH 3 FT.	
SESPMNT	B1P751	300 AREA -1 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	TEMPERATURE (FIELD)					X	WATER DEPTH 3 FT.	NO FIELD READING, INSTRUMENT QUIT WORKING.
SESPMNT	B1P753	300 AREA -2 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	TEMPERATURE (FIELD)					X	WATER DEPTH 10 FT.	NO FIELD READING, INSTRUMENT QUIT WORKING.

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## WATER - COLUMBIA RIVER TRANSECTS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1P755	300 AREA -3 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	TEMPERATURE (FIELD)					X	WATER DEPTH 27 FT.	NO FIELD READING, INSTRUMENT QUIT WORKING.
SESPMNT	B1P757	300 AREA -5 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	TEMPERATURE (FIELD)					X	WATER DEPTH 3 FT.	NO FIELD READING, INSTRUMENT QUIT WORKING.
SESPMNT	B1P759	300 AREA -7 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	TEMPERATURE (FIELD)					X	WATER DEPTH 12 FT.	NO FIELD READING, INSTRUMENT QUIT WORKING.
SESPMNT	B1P761	300 AREA-10 HRM 43.1	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	TEMPERATURE (FIELD)	26.4	Deg C			X	WATER DEPTH 5 FT.	
SESPMNT	B1P7K0	300 AREA SHR HRM41.5	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	TEMPERATURE (FIELD)					X	WATER DEPTH 2.5 FT.	NO FIELD READING, INSTRUMENT QUIT WORKING.
SESPMNT	B1P7L0	300 AREA SHR HRM42.9	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	TEMPERATURE (FIELD)					X	WATER DEPTH 2.5 FT.	NO FIELD READING, INSTRUMENT QUIT WORKING.
SESPMNT	B1P7M4	300 AREA SPR DR 42-2	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	TEMPERATURE (FIELD)					X	WATER DEPTH 2.5 FT.	NO FIELD READING, INSTRUMENT QUIT WORKING.
SESPMNT	B1P7K5	300 AREA SPRING 42-2	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	TEMPERATURE (FIELD)					X	WATER DEPTH 4 FT.	NO FIELD READING, INSTRUMENT QUIT WORKING.
SESPMNT	B1P741	HANFRD TS-1 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	TEMPERATURE (FIELD)	20.6	Deg C			X	WATER DEPTH 5 FT.	
SESPMNT	B1P743	HANFRD TS-2 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	TEMPERATURE (FIELD)	20.3	Deg C			X	WATER DEPTH 8 FT.	
SESPMNT	B1P749	HANFRD TS-3 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	TEMPERATURE (FIELD)	20.1	Deg C			X	WATER DEPTH 18 FT.	
SESPMNT	B1P739	HANFRD TS-5 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	TEMPERATURE (FIELD)	19.7	Deg C			X	WATER DEPTH 33 FT.	
SESPMNT	B1P745	HANFRD TS-7 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	TEMPERATURE (FIELD)	19.3	Deg C			X	WATER DEPTH 15 FT.	
SESPMNT	B1P747	HANFRD TS-10 HRM 28.7	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	TEMPERATURE (FIELD)	19.4	Deg C			X	WATER DEPTH 4 FT.	
SESPMNT	B1P781	HANFRD TWNSITE HRM26	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	TEMPERATURE (FIELD)	20.8	Deg C			X	WATER DEPTH 2 FT.	
SESPMNT	B1P784	HANFRD TWNSITE HRM27	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	TEMPERATURE (FIELD)	23.1	Deg C			X	WATER DEPTH 6 FT.	
SESPMNT	B1P7L5	HANFRD TWNSITE HRM28	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	TEMPERATURE (FIELD)	21.3	Deg C			X	WATER DEPTH 3 FT.	
SESPMNT	B1P787	HANFRD TWNSITE HRM30	ONSITE	SW	N	RIVER	TRANSECT	RAW GRAB	28-Aug-07	TEMPERATURE (FIELD)	22.1	Deg C			X	WATER DEPTH 4 FT.	
SESPMNT	B1MMB0	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	TEMPERATURE (FIELD)	5.8	Deg C				WATER DEPTH 3 FT.	
SESPMNT	B1P763	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	TEMPERATURE (FIELD)	20.4	Deg C			X	WATER DEPTH 6.4 FT.	
SESPMNT	B1R8N1	RICH.PMPHS-1 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	TEMPERATURE (FIELD)	7.7	Deg C				WATER DEPTH 4.6 FT.	
SESPMNT	B1MMB2	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	TEMPERATURE (FIELD)	5.8	Deg C				WATER DEPTH 14 FT. DUE TO BROKEN ANCHOR WINCH. SAMPLE COLLECTED APPROXIMATELY 4 FEET BELOW SURFACE.	
SESPMNT	B1P765	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	TEMPERATURE (FIELD)	20.9	Deg C			X	WATER DEPTH 12 FT.	
SESPMNT	B1R8N3	RICH.PMPHS-2 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	TEMPERATURE (FIELD)	8	Deg C				WATER DEPTH 12.5 FT.	
SESPMNT	B1MMB4	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	TEMPERATURE (FIELD)	5.8	Deg C				WATER DEPTH 18 FT. DUE TO BROKEN ANCHOR WINCH. SAMPLE COLLECTED APPROXIMATELY 4 FEET BELOW SURFACE, NOT AT MID-DEPTH.	
SESPMNT	B1P767	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	TEMPERATURE (FIELD)	20.3	Deg C			X	WATER DEPTH 17 FT.	
SESPMNT	B1R8N5	RICH.PMPHS-3 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	TEMPERATURE (FIELD)	7.9	Deg C				WATER DEPTH 16.3 FT.	
SESPMNT	B1MMB6	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	TEMPERATURE (FIELD)	5.7	Deg C				WATER DEPTH 3 FT.	
SESPMNT	B1P769	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	TEMPERATURE (FIELD)	20.1	Deg C			X	WATER DEPTH 19.4 FT.	
SESPMNT	B1R8N7	RICH.PMPHS-5 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	TEMPERATURE (FIELD)	8	Deg C				WATER DEPTH 1.7 FT.	
SESPMNT	B1MMB8	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	TEMPERATURE (FIELD)	5.9	Deg C				WATER DEPTH 15.7 FT.	
SESPMNT	B1P771	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	TEMPERATURE (FIELD)	19.1	Deg C			X	WATER DEPTH 22 FT.	
SESPMNT	B1R8N9	RICH.PMPHS-7 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	TEMPERATURE (FIELD)	8.2	Deg C				WATER DEPTH 21.3 FT.	
SESPMNT	B1MMC0	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	TEMPERATURE (FIELD)	6.7	Deg C				WATER DEPTH 1.8 FT.	
SESPMNT	B1P773	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	TEMPERATURE (FIELD)	18.4	Deg C			X	WATER DEPTH 4.6 FT.	
SESPMNT	B1R8P1	RICH.PMPHS-10 HRM46.4	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	TEMPERATURE (FIELD)	8	Deg C				WATER DEPTH 2 FT.	
SESPMNT	B1MMC8	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	TEMPERATURE (FIELD)	6	Deg C				WATER DEPTH 3.6 FT.	
SESPMNT	B1P7F0	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	TEMPERATURE (FIELD)	21.9	Deg C			X	WATER DEPTH 3 FT.	
SESPMNT	B1R8P9	RICH.PMPHS HRM 43.5	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	TEMPERATURE (FIELD)	9.2	Deg C				WATER DEPTH 2 FT.	
SESPMNT	B1MMC6	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	TEMPERATURE (FIELD)	6	Deg C				WATER DEPTH 2.0 FT.	
SESPMNT	B1P7D8	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	TEMPERATURE (FIELD)	20.3	Deg C			X	WATER DEPTH 9.5 FT.	
SESPMNT	B1R8P7	RICH.PMPHS HRM 43.9	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	TEMPERATURE (FIELD)	8.4	Deg C				WATER DEPTH 1.1 FT.	
SESPMNT	B1MMC4	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	TEMPERATURE (FIELD)	5.6	Deg C				WATER DEPTH 8.4 FT.	
SESPMNT	B1P7D6	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	TEMPERATURE (FIELD)	21.8	Deg C			X	WATER DEPTH 2 FT.	
SESPMNT	B1R8P3	RICH.PMPHS HRM 45.0	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	TEMPERATURE (FIELD)	9.2	Deg C				WATER DEPTH 2.7 FT.	
SESPMNT	B1MMC2	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Mar-07	TEMPERATURE (FIELD)	5.9	Deg C				WATER DEPTH 2.1 FT.	
SESPMNT	B1P7D4	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	29-Aug-07	TEMPERATURE (FIELD)	20.4	Deg C			X	WATER DEPTH 3 FT.	
SESPMNT	B1R8P5	RICH.PMPHS HRM 45.8	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	06-Dec-07	TEMPERATURE (FIELD)	8.2	Deg C				WATER DEPTH 4.1 FT.	

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## WATER - COLUMBIA RIVER TRANSECTS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1MM92	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	26-Mar-07	TEMPERATURE (FIELD)	5.6 Deg C					WATER DEPTH 25.2 FT, HIGH WATER.	
SESPMNT	B1P731	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	TEMPERATURE (FIELD)	20.9 Deg C				X	WATER DEPTH 14 FT.	
SESPMNT	B1R8M3	VERNITA-1 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Dec-07	TEMPERATURE (FIELD)	9 Deg C					WATER DEPTH 6.2 FT.	
SESPMNT	B1MM94	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	26-Mar-07	TEMPERATURE (FIELD)	5.5 Deg C					WATER DEPTH 17 FT.	
SESPMNT	B1P727	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	TEMPERATURE (FIELD)	20.1 Deg C				X	WATER DEPTH 17 FT.	
SESPMNT	B1R8M5	VERNITA-2 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Dec-07	TEMPERATURE (FIELD)	9 Deg C					WATER DEPTH 15.4 FT.	
SESPMNT	B1MM96	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	26-Mar-07	TEMPERATURE (FIELD)	5.5 Deg C					WATER DEPTH 8.1 FT.	
SESPMNT	B1P729	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	TEMPERATURE (FIELD)	20.1 Deg C				X	WATER DEPTH 24 FT.	
SESPMNT	B1R8M7	VERNITA-3 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Dec-07	TEMPERATURE (FIELD)	9.3 Deg C					WATER DEPTH 24.8 FT.	
SESPMNT	B1MM98	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	26-Mar-07	TEMPERATURE (FIELD)	6.3 Deg C					WATER DEPTH 8 FT, HIGH WATER.	
SESPMNT	B1P725	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	27-Aug-07	TEMPERATURE (FIELD)	19.7 Deg C				X	WATER DEPTH 5 FT.	
SESPMNT	B1R8M9	VERNITA-4 HRM 0.3	OFFSITE	SW	N	RIVER	TRANSECT	RAW GRAB	05-Dec-07	TEMPERATURE (FIELD)	10.7 Deg C					WATER DEPTH 7.1 FT.	
SESPMNT	B1P7M9	300 AREA OUTFL13	ONSITE	SW	N	RIVER	UNFILTERED	RAW GRAB	29-Aug-07	Sr-90	0.0351 pCi/L		0.019	0.033		SAMPLED DIRECTLY FROM OUTFALL.	
SESPMNT	B1NH81	300 AREA OUTFL13	ONSITE	SW	N	RIVER	UNFILTERED	RAW GRAB	05-Jun-07	Sr-90	0.0464 pCi/L		0.021	0.034		SAMPLED AT OUTFALL CREEK.	
SESPMNT	B1MMD0	300 AREA OUTFL13	ONSITE	SW	N	RIVER	UNFILTERED	RAW GRAB	27-Mar-07	Sr-90	0.0774 pCi/L		0.034	0.045			
SESPMNT	B1R8R1	300 AREA OUTFL13	ONSITE	SW	N	RIVER	UNFILTERED	RAW GRAB	06-Dec-07	Sr-90	0.026 pCi/L		0.017	0.032	U		
SESPMNT	B1P7N0	300 AREA OUTFL13	ONSITE	SW	N	RIVER	UNFILTERED	RAW GRAB	29-Aug-07	Lo H-3	408 pCi/L		19	73		SAMPLED DIRECTLY FROM OUTFALL.	
SESPMNT	B1NH82	300 AREA OUTFL13	ONSITE	SW	N	RIVER	UNFILTERED	RAW GRAB	05-Jun-07	Lo H-3	285 pCi/L		14	51		SAMPLED AT OUTFALL CREEK.	
SESPMNT	B1MMD1	300 AREA OUTFL13	ONSITE	SW	N	RIVER	UNFILTERED	RAW GRAB	27-Mar-07	Lo H-3	171 pCi/L		11	32			
SESPMNT	B1R8R2	300 AREA OUTFL13	ONSITE	SW	N	RIVER	UNFILTERED	RAW GRAB	06-Dec-07	Lo H-3	147 pCi/L		12	29			The blank result is over the CRDL and is considered failed. High blank of 23.3 +/- 4.46 pCi/L
SESPMNT	B1P7M9	300 AREA OUTFL13	ONSITE	SW	N	RIVER	UNFILTERED	RAW GRAB	29-Aug-07	U-234	4.98 pCi/L		0.15	0.77		SAMPLED DIRECTLY FROM OUTFALL.	
SESPMNT	B1NH81	300 AREA OUTFL13	ONSITE	SW	N	RIVER	UNFILTERED	RAW GRAB	05-Jun-07	U-234	4.3 pCi/L		0.16	0.67		SAMPLED AT OUTFALL CREEK.	
SESPMNT	B1MMD0	300 AREA OUTFL13	ONSITE	SW	N	RIVER	UNFILTERED	RAW GRAB	27-Mar-07	U-234	4.44 pCi/L		0.15	0.69			
SESPMNT	B1R8R1	300 AREA OUTFL13	ONSITE	SW	N	RIVER	UNFILTERED	RAW GRAB	06-Dec-07	U-234	5.84 pCi/L		0.17	0.88			
SESPMNT	B1P7M9	300 AREA OUTFL13	ONSITE	SW	N	RIVER	UNFILTERED	RAW GRAB	29-Aug-07	U-235	0.222 pCi/L		0.034	0.064		SAMPLED DIRECTLY FROM OUTFALL.	
SESPMNT	B1NH81	300 AREA OUTFL13	ONSITE	SW	N	RIVER	UNFILTERED	RAW GRAB	05-Jun-07	U-235	0.163 pCi/L		0.032	0.059		SAMPLED AT OUTFALL CREEK.	
SESPMNT	B1MMD0	300 AREA OUTFL13	ONSITE	SW	N	RIVER	UNFILTERED	RAW GRAB	27-Mar-07	U-235	0.159 pCi/L		0.029	0.057			
SESPMNT	B1R8R1	300 AREA OUTFL13	ONSITE	SW	N	RIVER	UNFILTERED	RAW GRAB	06-Dec-07	U-235	0.239 pCi/L		0.036	0.066			
SESPMNT	B1P7M9	300 AREA OUTFL13	ONSITE	SW	N	RIVER	UNFILTERED	RAW GRAB	29-Aug-07	U-238	5 pCi/L		0.15	0.77		SAMPLED DIRECTLY FROM OUTFALL.	
SESPMNT	B1NH81	300 AREA OUTFL13	ONSITE	SW	N	RIVER	UNFILTERED	RAW GRAB	05-Jun-07	U-238	4.32 pCi/L		0.16	0.68		SAMPLED AT OUTFALL CREEK.	
SESPMNT	B1MMD0	300 AREA OUTFL13	ONSITE	SW	N	RIVER	UNFILTERED	RAW GRAB	27-Mar-07	U-238	4.52 pCi/L		0.15	0.7			
SESPMNT	B1R8R1	300 AREA OUTFL13	ONSITE	SW	N	RIVER	UNFILTERED	RAW GRAB	06-Dec-07	U-238	6.02 pCi/L		0.17	0.91			
SESPMNT	B1P7N1	300 AREA OUTFL13	ONSITE	SW	N	RIVER	UNFILTERED	RAW GRAB	29-Aug-07	Ag	0.00363 ug/L				BX	SAMPLED DIRECTLY FROM OUTFALL.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7N2	300 AREA OUTFL13	ONSITE	SW	Y	RIVER		RAW GRAB	29-Aug-07	Ag	0.00276 ug/L				BX	SAMPLED DIRECTLY FROM OUTFALL.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7N1	300 AREA OUTFL13	ONSITE	SW	N	RIVER	UNFILTERED	RAW GRAB	29-Aug-07	As	2.67 ug/L				X	SAMPLED DIRECTLY FROM OUTFALL.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7N2	300 AREA OUTFL13	ONSITE	SW	Y	RIVER		RAW GRAB	29-Aug-07	As	2.77 ug/L				X	SAMPLED DIRECTLY FROM OUTFALL.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7N1	300 AREA OUTFL13	ONSITE	SW	N	RIVER	UNFILTERED	RAW GRAB	29-Aug-07	Be	0.008 ug/L				UX	SAMPLED DIRECTLY FROM OUTFALL.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7N2	300 AREA OUTFL13	ONSITE	SW	Y	RIVER		RAW GRAB	29-Aug-07	Be	0.008 ug/L				UX	SAMPLED DIRECTLY FROM OUTFALL.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7N1	300 AREA OUTFL13	ONSITE	SW	N	RIVER	UNFILTERED	RAW GRAB	29-Aug-07	Cd	0.0129 ug/L				BX	SAMPLED DIRECTLY FROM OUTFALL.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7N2	300 AREA OUTFL13	ONSITE	SW	Y	RIVER		RAW GRAB	29-Aug-07	Cd	0.0118 ug/L				BX	SAMPLED DIRECTLY FROM OUTFALL.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7N1	300 AREA OUTFL13	ONSITE	SW	N	RIVER	UNFILTERED	RAW GRAB	29-Aug-07	Cr	2.39 ug/L				X	SAMPLED DIRECTLY FROM OUTFALL.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7N2	300 AREA OUTFL13	ONSITE	SW	Y	RIVER		RAW GRAB	29-Aug-07	Cr	2.46 ug/L				X	SAMPLED DIRECTLY FROM OUTFALL.	RESULT NOT BLANK CORRECTED.

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## WATER - COLUMBIA RIVER TRANSECTS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1P7N1	300 AREA OUTFL13	ONSITE	SW	N	RIVER	UNFILTERED	RAW GRAB	29-Aug-07	Cu	0.773 ug/L				X	SAMPLED DIRECTLY FROM OUTFALL.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7N2	300 AREA OUTFL13	ONSITE	SW	Y	RIVER		RAW GRAB	29-Aug-07	Cu	0.516 ug/L				X	SAMPLED DIRECTLY FROM OUTFALL.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7N1	300 AREA OUTFL13	ONSITE	SW	N	RIVER	UNFILTERED	RAW GRAB	29-Aug-07	Ni	0.8 ug/L				X	SAMPLED DIRECTLY FROM OUTFALL.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7N2	300 AREA OUTFL13	ONSITE	SW	Y	RIVER		RAW GRAB	29-Aug-07	Ni	1.15 ug/L				X	SAMPLED DIRECTLY FROM OUTFALL.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7N1	300 AREA OUTFL13	ONSITE	SW	N	RIVER	UNFILTERED	RAW GRAB	29-Aug-07	Pb	0.655 ug/L				X	SAMPLED DIRECTLY FROM OUTFALL.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7N2	300 AREA OUTFL13	ONSITE	SW	Y	RIVER		RAW GRAB	29-Aug-07	Pb	0.544 ug/L				X	SAMPLED DIRECTLY FROM OUTFALL.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7N1	300 AREA OUTFL13	ONSITE	SW	N	RIVER	UNFILTERED	RAW GRAB	29-Aug-07	Sb	0.148 ug/L				X	SAMPLED DIRECTLY FROM OUTFALL.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7N2	300 AREA OUTFL13	ONSITE	SW	Y	RIVER		RAW GRAB	29-Aug-07	Sb	0.206 ug/L				X	SAMPLED DIRECTLY FROM OUTFALL.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7N1	300 AREA OUTFL13	ONSITE	SW	N	RIVER	UNFILTERED	RAW GRAB	29-Aug-07	Se	1.4 ug/L				X	SAMPLED DIRECTLY FROM OUTFALL.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7N2	300 AREA OUTFL13	ONSITE	SW	Y	RIVER		RAW GRAB	29-Aug-07	Se	1.25 ug/L				X	SAMPLED DIRECTLY FROM OUTFALL.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7N1	300 AREA OUTFL13	ONSITE	SW	N	RIVER	UNFILTERED	RAW GRAB	29-Aug-07	Ti	0.00798 ug/L				BX	SAMPLED DIRECTLY FROM OUTFALL.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7N2	300 AREA OUTFL13	ONSITE	SW	Y	RIVER		RAW GRAB	29-Aug-07	Ti	0.00846 ug/L				BX	SAMPLED DIRECTLY FROM OUTFALL.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7N1	300 AREA OUTFL13	ONSITE	SW	N	RIVER	UNFILTERED	RAW GRAB	29-Aug-07	Zn	1.5 ug/L				X	SAMPLED DIRECTLY FROM OUTFALL.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1P7N2	300 AREA OUTFL13	ONSITE	SW	Y	RIVER		RAW GRAB	29-Aug-07	Zn	1.79 ug/L				X	SAMPLED DIRECTLY FROM OUTFALL.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1MV60	300 AREA OUTFL13	ONSITE	SW	N	RIVER	UNFILTERED	RAW GRAB	29-Aug-07	CHLORIDE	11.4 mg/L				D		
SESPMNT	B1MV90	300 AREA OUTFL13	ONSITE	SW	N	RIVER	UNFILTERED	RAW GRAB	06-Dec-07	CHLORIDE	12 mg/L				D		
SESPMNT	B1MCM0	300 AREA OUTFL13	ONSITE	SW	N	RIVER	UNFILTERED	RAW GRAB	27-Mar-07	CHLORIDE	10.8 mg/L				CD		
SESPMNT	B1MTW0	300 AREA OUTFL13	ONSITE	SW	N	RIVER	UNFILTERED	RAW GRAB	05-Jun-07	CHLORIDE	7.2 mg/L				DN		
SESPMNT	B1MV60	300 AREA OUTFL13	ONSITE	SW	N	RIVER	UNFILTERED	RAW GRAB	29-Aug-07	FLUORIDE	0.17 mg/L						
SESPMNT	B1MV90	300 AREA OUTFL13	ONSITE	SW	N	RIVER	UNFILTERED	RAW GRAB	06-Dec-07	FLUORIDE	0.2 mg/L						
SESPMNT	B1MCM0	300 AREA OUTFL13	ONSITE	SW	N	RIVER	UNFILTERED	RAW GRAB	27-Mar-07	FLUORIDE	0.18 mg/L						
SESPMNT	B1MTW0	300 AREA OUTFL13	ONSITE	SW	N	RIVER	UNFILTERED	RAW GRAB	05-Jun-07	FLUORIDE	0.15 mg/L				N		
SESPMNT	B1MV60	300 AREA OUTFL13	ONSITE	SW	N	RIVER	UNFILTERED	RAW GRAB	29-Aug-07	NO2-N	0.005 mg/L				U		
SESPMNT	B1MV90	300 AREA OUTFL13	ONSITE	SW	N	RIVER	UNFILTERED	RAW GRAB	06-Dec-07	NO2-N	0.005 mg/L				U		
SESPMNT	B1MCM0	300 AREA OUTFL13	ONSITE	SW	N	RIVER	UNFILTERED	RAW GRAB	27-Mar-07	NO2-N	0.15 mg/L				N		
SESPMNT	B1MTW0	300 AREA OUTFL13	ONSITE	SW	N	RIVER	UNFILTERED	RAW GRAB	05-Jun-07	NO2-N	0.004 mg/L				UN		
SESPMNT	B1MV60	300 AREA OUTFL13	ONSITE	SW	N	RIVER	UNFILTERED	RAW GRAB	29-Aug-07	NO3-N	3.6 mg/L				D		
SESPMNT	B1MV90	300 AREA OUTFL13	ONSITE	SW	N	RIVER	UNFILTERED	RAW GRAB	06-Dec-07	NO3-N	4.4 mg/L				D		
SESPMNT	B1MCM0	300 AREA OUTFL13	ONSITE	SW	N	RIVER	UNFILTERED	RAW GRAB	27-Mar-07	NO3-N	4.1 mg/L				D		
SESPMNT	B1MTW0	300 AREA OUTFL13	ONSITE	SW	N	RIVER	UNFILTERED	RAW GRAB	05-Jun-07	NO3-N	2.5 mg/L				DN		
SESPMNT	B1MV60	300 AREA OUTFL13	ONSITE	SW	N	RIVER	UNFILTERED	RAW GRAB	29-Aug-07	SULFATE	24.7 mg/L				D		
SESPMNT	B1MV90	300 AREA OUTFL13	ONSITE	SW	N	RIVER	UNFILTERED	RAW GRAB	06-Dec-07	SULFATE	27.4 mg/L				D		
SESPMNT	B1MCM0	300 AREA OUTFL13	ONSITE	SW	N	RIVER	UNFILTERED	RAW GRAB	27-Mar-07	SULFATE	21.8 mg/L				D		
SESPMNT	B1MTW0	300 AREA OUTFL13	ONSITE	SW	N	RIVER	UNFILTERED	RAW GRAB	05-Jun-07	SULFATE	19.6 mg/L				DN		
SESPMNT	B1P7M9	300 AREA OUTFL13	ONSITE	SW	N	RIVER	UNFILTERED	RAW GRAB	29-Aug-07	CONDUCT (FIELD)					X	SAMPLED DIRECTLY FROM OUTFALL.	NO FIELD READING, INSTRUMENT QUIT WORKING.
SESPMNT	B1MMD0	300 AREA OUTFL13	ONSITE	SW	N	RIVER	UNFILTERED	RAW GRAB	27-Mar-07	CONDUCT (FIELD)	285.3 uS/cm						
SESPMNT	B1R8R1	300 AREA OUTFL13	ONSITE	SW	N	RIVER	UNFILTERED	RAW GRAB	06-Dec-07	CONDUCT (FIELD)	300.2 uS/cm						
SESPMNT	B1P7M9	300 AREA OUTFL13	ONSITE	SW	N	RIVER	UNFILTERED	RAW GRAB	29-Aug-07	pH (FIELD)					X	SAMPLED DIRECTLY FROM OUTFALL.	NO FIELD READING, INSTRUMENT QUIT WORKING.
SESPMNT	B1MMD0	300 AREA OUTFL13	ONSITE	SW	N	RIVER	UNFILTERED	RAW GRAB	27-Mar-07	pH (FIELD)	8.02 unitless						
SESPMNT	B1R8R1	300 AREA OUTFL13	ONSITE	SW	N	RIVER	UNFILTERED	RAW GRAB	06-Dec-07	pH (FIELD)	7.65 unitless						
SESPMNT	B1P7M9	300 AREA OUTFL13	ONSITE	SW	N	RIVER	UNFILTERED	RAW GRAB	29-Aug-07	TEMPERATURE (FIELD)					X	SAMPLED DIRECTLY FROM OUTFALL.	NO FIELD READING, INSTRUMENT QUIT WORKING.
SESPMNT	B1MMD0	300 AREA OUTFL13	ONSITE	SW	N	RIVER	UNFILTERED	RAW GRAB	27-Mar-07	TEMPERATURE (FIELD)	9.9 Deg C						
SESPMNT	B1R8R1	300 AREA OUTFL13	ONSITE	SW	N	RIVER	UNFILTERED	RAW GRAB	06-Dec-07	TEMPERATURE (FIELD)	10.7 Deg C						

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## WATER - COLUMBIA RIVER FILTER/RESIN

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1LV87	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	31-Jan-07	Be-7	0.0973	pCi/L	0.023	0.023			
SESPMNT	B1LV88	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	01-Mar-07	Be-7	0.0772	pCi/L	0.02	0.02			
SESPMNT	B1LV89	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	29-Mar-07	Be-7	0.0969	pCi/L	0.032	0.032			
SESPMNT	B1MY02	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	09-May-07	Be-7	0.0587	pCi/L	0.02	0.02			
SESPMNT	B1MY03	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	07-Jun-07	Be-7	0.0934	pCi/L	0.024	0.024			
SESPMNT	B1MY04	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	03-Jul-07	Be-7	0.0773	pCi/L	0.018	0.018			
SESPMNT	B1P1W0	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	02-Aug-07	Be-7	0.0281	pCi/L	0.016	0.016			
SESPMNT	B1P1W1	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	30-Aug-07	Be-7	0.075	pCi/L	0.024	0.024			
SESPMNT	B1P1W2	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	26-Sep-07	Be-7	0.078	pCi/L	0.025	0.025			
SESPMNT	B1PR64	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	06-Nov-07	Be-7	0.0224	pCi/L	0.02	0.02			
SESPMNT	B1PR65	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	04-Dec-07	Be-7	0.253	pCi/L	0.13	0.13	U		
SESPMNT	B1PR66	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	03-Jan-08	Be-7	0.146	pCi/L	0.071	0.071	U		
SESPMNT	B1LVC3	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	31-Jan-07	Be-7	0.0669	pCi/L	0.034	0.034			
SESPMNT	B1LVC4	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	01-Mar-07	Be-7	0.0575	pCi/L	0.032	0.032	U		
SESPMNT	B1LVC5	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	29-Mar-07	Be-7	0.0203	pCi/L	0.039	0.039	U		
SESPMNT	B1MY09	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	09-May-07	Be-7	0.0581	pCi/L	0.041	0.041	U		
SESPMNT	B1MY10	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	07-Jun-07	Be-7	0.0362	pCi/L	0.028	0.028	U		
SESPMNT	B1MY11	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	03-Jul-07	Be-7	0.0675	pCi/L	0.036	0.036			
SESPMNT	B1P1W6	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	02-Aug-07	Be-7	0.0327	pCi/L	0.022	0.022	U		
SESPMNT	B1P1W7	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	30-Aug-07	Be-7	0.0184	pCi/L	0.035	0.035	U		
SESPMNT	B1P1W8	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	26-Sep-07	Be-7	0.000309	pCi/L	0.029	0.029	U		
SESPMNT	B1PR71	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	06-Nov-07	Be-7	0.0422	pCi/L	0.025	0.025	U		
SESPMNT	B1PR72	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	04-Dec-07	Be-7	0.0282	pCi/L	0.049	0.049	U		
SESPMNT	B1PR73	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	03-Jan-08	Be-7	0.0508	pCi/L	0.037	0.037	U		
SESPMNT	B1LVD5	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	31-Jan-07	Be-7	0.048	pCi/L	0.021	0.021			
SESPMNT	B1LVD6	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	01-Mar-07	Be-7	0.0304	pCi/L	0.015	0.015			
SESPMNT	B1LVD7	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	29-Mar-07	Be-7	0.0391	pCi/L	0.021	0.021			
SESPMNT	B1MY23	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	09-May-07	Be-7	0.0208	pCi/L	0.014	0.014			
SESPMNT	B1MY24	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	07-Jun-07	Be-7	0.042	pCi/L	0.022	0.022			
SESPMNT	B1MY25	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	03-Jul-07	Be-7	0.0108	pCi/L	0.012	0.012	U		
SESPMNT	B1P1X8	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	02-Aug-07	Be-7	0.0253	pCi/L	0.015	0.015			
SESPMNT	B1P1X9	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	30-Aug-07	Be-7	0.024	pCi/L	0.033	0.033	U		
SESPMNT	B1P1Y0	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	26-Sep-07	Be-7	0.00992	pCi/L	0.021	0.021	U		
SESPMNT	B1PR85	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	06-Nov-07	Be-7	0.0132	pCi/L	0.011	0.011	U		
SESPMNT	B1PR86	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	04-Dec-07	Be-7	0.201	pCi/L	0.11	0.11	U		
SESPMNT	B1PR87	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	03-Jan-08	Be-7	0.391	pCi/L	0.12	0.12			
SESPMNT	B1LVC9	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	31-Jan-07	Be-7	0.0746	pCi/L	0.043	0.043			
SESPMNT	B1LVD0	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	01-Mar-07	Be-7	0.0507	pCi/L	0.033	0.033	U		
SESPMNT	B1LVD1	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	29-Mar-07	Be-7	0.0639	pCi/L	0.034	0.034	U		
SESPMNT	B1MY16	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	09-May-07	Be-7	0.0664	pCi/L	0.041	0.041	U		
SESPMNT	B1MY17	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	07-Jun-07	Be-7	0.0464	pCi/L	0.023	0.023	U		
SESPMNT	B1MY18	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	03-Jul-07	Be-7	0.012	pCi/L	0.024	0.024	U		
SESPMNT	B1P1X2	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	02-Aug-07	Be-7	0.0355	pCi/L	0.022	0.022	U		
SESPMNT	B1P1X3	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	30-Aug-07	Be-7	0.0545	pCi/L	0.036	0.036	U		
SESPMNT	B1P1X4	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	26-Sep-07	Be-7	0.0257	pCi/L	0.023	0.023	U		
SESPMNT	B1PR78	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	06-Nov-07	Be-7	0.0247	pCi/L	0.027	0.027	U		
SESPMNT	B1PR79	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	04-Dec-07	Be-7	0.0193	pCi/L	0.043	0.043	U		
SESPMNT	B1PR80	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	03-Jan-08	Be-7	0.0212	pCi/L	0.033	0.033	U		
SESPMNT	B1LV87	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	31-Jan-07	Co-60	0.000434	pCi/L	0.0011	0.0011	U		
SESPMNT	B1LV88	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	01-Mar-07	Co-60	-0.000151	pCi/L	0.001	0.001	U		
SESPMNT	B1LV89	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	29-Mar-07	Co-60	-0.000272	pCi/L	0.0013	0.0013	U		
SESPMNT	B1MY02	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	09-May-07	Co-60	0.0000223	pCi/L	0.00092	0.00092	U		
SESPMNT	B1MY03	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	07-Jun-07	Co-60	-0.000792	pCi/L	0.0014	0.0014	U		
SESPMNT	B1MY04	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	03-Jul-07	Co-60	0.000266	pCi/L	0.00098	0.00098	U		
SESPMNT	B1P1W0	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	02-Aug-07	Co-60	-0.000889	pCi/L	0.001	0.001	U		
SESPMNT	B1P1W1	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	30-Aug-07	Co-60	-0.000974	pCi/L	0.0012	0.0012	U		
SESPMNT	B1P1W2	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	26-Sep-07	Co-60	0.000239	pCi/L	0.0012	0.0012	U		
SESPMNT	B1PR64	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	06-Nov-07	Co-60	-0.000267	pCi/L	0.00072	0.00072	U		
SESPMNT	B1PR65	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	04-Dec-07	Co-60	0.000287	pCi/L	0.006	0.006	U		
SESPMNT	B1PR66	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	03-Jan-08	Co-60	0.00000657	pCi/L	0.0043	0.0043	U		
SESPMNT	B1LVC3	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	31-Jan-07	Co-60	-0.000862	pCi/L	0.0024	0.0024	U		
SESPMNT	B1LVC4	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	01-Mar-07	Co-60	0.00124	pCi/L	0.003	0.003	U		
SESPMNT	B1LVC5	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	29-Mar-07	Co-60	-0.000321	pCi/L	0.0033	0.0033	U		
SESPMNT	B1MY09	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	09-May-07	Co-60	0.000131	pCi/L	0.0034	0.0034	U		
SESPMNT	B1MY10	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	07-Jun-07	Co-60	0.000601	pCi/L	0.0023	0.0023	U		
SESPMNT	B1MY11	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	03-Jul-07	Co-60	-0.00204	pCi/L	0.0024	0.0024	U		
SESPMNT	B1P1W6	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	02-Aug-07	Co-60	0.00194	pCi/L	0.0021	0.0021	U		

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## WATER - COLUMBIA RIVER FILTER/RESIN

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1P1W7	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	30-Aug-07	Co-60	-0.00255	pCi/L	0.0032	0.0032	U		
SESPMNT	B1P1W8	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	26-Sep-07	Co-60	-0.00189	pCi/L	0.0026	0.0026	U		
SESPMNT	B1PR71	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	06-Nov-07	Co-60	-0.00137	pCi/L	0.0019	0.0019	U		
SESPMNT	B1PR72	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	04-Dec-07	Co-60	0.00186	pCi/L	0.0027	0.0027	U		
SESPMNT	B1PR73	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	03-Jan-08	Co-60	0.00106	pCi/L	0.0028	0.0028	U		
SESPMNT	B1LVD5	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	31-Jan-07	Co-60	-0.000428	pCi/L	0.0012	0.0012	U		
SESPMNT	B1LVD6	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	01-Mar-07	Co-60	0.000462	pCi/L	0.00094	0.00094	U		
SESPMNT	B1LVD7	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	29-Mar-07	Co-60	-0.000749	pCi/L	0.0013	0.0013	U		
SESPMNT	B1MY23	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	09-May-07	Co-60	-0.000321	pCi/L	0.0006	0.0006	U		
SESPMNT	B1MY24	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	07-Jun-07	Co-60	0.00051	pCi/L	0.0012	0.0012	U		
SESPMNT	B1MY25	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	03-Jul-07	Co-60	0.000861	pCi/L	0.0012	0.0012	U		
SESPMNT	B1P1X8	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	02-Aug-07	Co-60	0.000476	pCi/L	0.00095	0.00095	U		
SESPMNT	B1P1X9	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	30-Aug-07	Co-60	0.000558	pCi/L	0.0023	0.0023	U		
SESPMNT	B1P1Y0	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	26-Sep-07	Co-60	-0.00128	pCi/L	0.0023	0.0023	U		
SESPMNT	B1PR85	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	06-Nov-07	Co-60	0.0000799	pCi/L	0.0008	0.0008	U		
SESPMNT	B1PR86	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	04-Dec-07	Co-60	0.00281	pCi/L	0.0049	0.0049	U		
SESPMNT	B1PR87	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	03-Jan-08	Co-60	0.000833	pCi/L	0.0039	0.0039	U		
SESPMNT	B1LVC9	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	31-Jan-07	Co-60	0.00131	pCi/L	0.0029	0.0029	U		
SESPMNT	B1LVD0	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	01-Mar-07	Co-60	0.0029	pCi/L	0.0029	0.0029	U		
SESPMNT	B1LVD1	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	29-Mar-07	Co-60	-0.00117	pCi/L	0.0029	0.0029	U		
SESPMNT	B1MY16	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	09-May-07	Co-60	-0.00311	pCi/L	0.0033	0.0033	U		
SESPMNT	B1MY17	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	07-Jun-07	Co-60	-0.000328	pCi/L	0.0018	0.0018	U		
SESPMNT	B1MY18	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	03-Jul-07	Co-60	0.000867	pCi/L	0.0024	0.0024	U		
SESPMNT	B1P1X2	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	02-Aug-07	Co-60	0.00078	pCi/L	0.002	0.002	U		
SESPMNT	B1P1X3	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	30-Aug-07	Co-60	-0.0013	pCi/L	0.0028	0.0028	U		
SESPMNT	B1P1X4	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	26-Sep-07	Co-60	0.00106	pCi/L	0.0023	0.0023	U		
SESPMNT	B1PR78	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	06-Nov-07	Co-60	-0.00155	pCi/L	0.0021	0.0021	U		
SESPMNT	B1PR79	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	04-Dec-07	Co-60	-0.0000503	pCi/L	0.0023	0.0023	U		
SESPMNT	B1PR80	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	03-Jan-08	Co-60	0.00148	pCi/L	0.0023	0.0023	U		
SESPMNT	B1LVB7	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	31-Jan-07	Cs-134	0.000722	pCi/L	0.0011	0.0011	U		
SESPMNT	B1LVB8	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	01-Mar-07	Cs-134	0.000639	pCi/L	0.0011	0.0011	U		
SESPMNT	B1LVB9	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	29-Mar-07	Cs-134	0.000789	pCi/L	0.0015	0.0015	U		
SESPMNT	B1MY02	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	09-May-07	Cs-134	0.00121	pCi/L	0.001	0.001	U		
SESPMNT	B1MY03	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	07-Jun-07	Cs-134	0.00204	pCi/L	0.0016	0.0016	U		
SESPMNT	B1MY04	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	03-Jul-07	Cs-134	0.000187	pCi/L	0.001	0.001	U		
SESPMNT	B1P1W0	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	02-Aug-07	Cs-134	0.00128	pCi/L	0.0012	0.0012	U		
SESPMNT	B1P1W1	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	30-Aug-07	Cs-134	0.00165	pCi/L	0.0014	0.0014	U		
SESPMNT	B1P1W2	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	26-Sep-07	Cs-134	0.000881	pCi/L	0.0013	0.0013	U		
SESPMNT	B1PR64	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	06-Nov-07	Cs-134	0.000528	pCi/L	0.00085	0.00085	U		
SESPMNT	B1PR65	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	04-Dec-07	Cs-134	0.0125	pCi/L	0.0067	0.0067	U		
SESPMNT	B1PR66	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	03-Jan-08	Cs-134	-0.00155	pCi/L	0.0048	0.0048	U		
SESPMNT	B1LVC3	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	31-Jan-07	Cs-134	0.000797	pCi/L	0.0027	0.0027	U		
SESPMNT	B1LVC4	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	01-Mar-07	Cs-134	0.00393	pCi/L	0.0031	0.0031	U		
SESPMNT	B1LVC5	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	29-Mar-07	Cs-134	0.0049	pCi/L	0.004	0.004	U		
SESPMNT	B1MY09	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	09-May-07	Cs-134	0.00189	pCi/L	0.0036	0.0036	U		
SESPMNT	B1MY10	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	07-Jun-07	Cs-134	0.00247	pCi/L	0.0024	0.0024	U		
SESPMNT	B1MY11	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	03-Jul-07	Cs-134	0.0015	pCi/L	0.0026	0.0026	U		
SESPMNT	B1P1W6	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	02-Aug-07	Cs-134	-0.000285	pCi/L	0.0021	0.0021	U		
SESPMNT	B1P1W7	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	30-Aug-07	Cs-134	0.00178	pCi/L	0.0031	0.0031	U		
SESPMNT	B1P1W8	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	26-Sep-07	Cs-134	0.00293	pCi/L	0.0028	0.0028	U		
SESPMNT	B1PR71	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	06-Nov-07	Cs-134	0.00166	pCi/L	0.002	0.002	U		
SESPMNT	B1PR72	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	04-Dec-07	Cs-134	0.00311	pCi/L	0.0029	0.0029	U		
SESPMNT	B1PR73	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	03-Jan-08	Cs-134	0.003	pCi/L	0.003	0.003	U		
SESPMNT	B1LVD5	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	31-Jan-07	Cs-134	-0.00134	pCi/L	0.0013	0.0013	U		
SESPMNT	B1LVD6	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	01-Mar-07	Cs-134	0.000127	pCi/L	0.001	0.001	U		
SESPMNT	B1LVD7	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	29-Mar-07	Cs-134	0.00125	pCi/L	0.0014	0.0014	U		
SESPMNT	B1MY23	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	09-May-07	Cs-134	0.000499	pCi/L	0.0007	0.0007	U		
SESPMNT	B1MY24	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	07-Jun-07	Cs-134	0.00188	pCi/L	0.0013	0.0013	U		
SESPMNT	B1MY25	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	03-Jul-07	Cs-134	0.000443	pCi/L	0.0013	0.0013	U		
SESPMNT	B1P1X8	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	02-Aug-07	Cs-134	0.000279	pCi/L	0.0011	0.0011	U		
SESPMNT	B1P1X9	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	30-Aug-07	Cs-134	0.00107	pCi/L	0.0026	0.0026	U		
SESPMNT	B1P1Y0	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	26-Sep-07	Cs-134	0.000353	pCi/L	0.0024	0.0024	U		
SESPMNT	B1PR85	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	06-Nov-07	Cs-134	0.000792	pCi/L	0.00084	0.00084	U		
SESPMNT	B1PR86	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	04-Dec-07	Cs-134	0.000586	pCi/L	0.0053	0.0053	U		
SESPMNT	B1PR87	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	03-Jan-08	Cs-134	0.00627	pCi/L	0.0046	0.0046	U		
SESPMNT	B1LVC9	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	31-Jan-07	Cs-134	-0.00205	pCi/L	0.0031	0.0031	U		
SESPMNT	B1LVD0	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	01-Mar-07	Cs-134	0.00475	pCi/L	0.0033	0.0033	U		

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## WATER - COLUMBIA RIVER FILTER/RESIN

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1LVD1	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	29-Mar-07	Cs-134	0.0000692	pCi/L	0.0031	0.0031	U		
SESPMNT	B1MY16	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	09-May-07	Cs-134	0.0000535	pCi/L	0.0037	0.0037	U		
SESPMNT	B1MY17	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	07-Jun-07	Cs-134	0.00131	pCi/L	0.0019	0.0019	U		
SESPMNT	B1MY18	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	03-Jul-07	Cs-134	0.000542	pCi/L	0.0025	0.0025	U		
SESPMNT	B1P1X2	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	02-Aug-07	Cs-134	0.00303	pCi/L	0.0021	0.0021	U		
SESPMNT	B1P1X3	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	30-Aug-07	Cs-134	-0.000785	pCi/L	0.0029	0.0029	U		
SESPMNT	B1P1X4	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	26-Sep-07	Cs-134	0.00207	pCi/L	0.0025	0.0025	U		
SESPMNT	B1PR78	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	06-Nov-07	Cs-134	0.00306	pCi/L	0.0023	0.0023	U		
SESPMNT	B1PR79	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	04-Dec-07	Cs-134	-0.0000154	pCi/L	0.0024	0.0024	U		
SESPMNT	B1PR80	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	03-Jan-08	Cs-134	0.00221	pCi/L	0.0028	0.0028	U		
SESPMNT	B1LV87	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	31-Jan-07	Cs-137	0.00037	pCi/L	0.001	0.001	U		
SESPMNT	B1LV88	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	01-Mar-07	Cs-137	0.00121	pCi/L	0.0011	0.0011	U		
SESPMNT	B1LV89	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	29-Mar-07	Cs-137	0.00267	pCi/L	0.0015	0.0015	U		
SESPMNT	B1MY02	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	09-May-07	Cs-137	0.000812	pCi/L	0.00089	0.00089	U		
SESPMNT	B1MY03	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	07-Jun-07	Cs-137	0.00214	pCi/L	0.0022	0.0022	U		
SESPMNT	B1MY04	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	03-Jul-07	Cs-137	0.000836	pCi/L	0.001	0.001	U		
SESPMNT	B1P1W0	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	02-Aug-07	Cs-137	0.000727	pCi/L	0.001	0.001	U		
SESPMNT	B1P1W1	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	30-Sep-07	Cs-137	0.00155	pCi/L	0.0014	0.0014	U		
SESPMNT	B1P1W2	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	26-Sep-07	Cs-137	0.00356	pCi/L	0.0018	0.0018	U		
SESPMNT	B1PR64	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	06-Nov-07	Cs-137	0.00088	pCi/L	0.00081	0.00081	U		
SESPMNT	B1PR65	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	04-Dec-07	Cs-137	0.00887	pCi/L	0.006	0.006	U		
SESPMNT	B1PR66	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	03-Jan-08	Cs-137	0.00142	pCi/L	0.0043	0.0043	U		
SESPMNT	B1LVC3	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	31-Jan-07	Cs-137	-0.0000404	pCi/L	0.0024	0.0024	U		
SESPMNT	B1LVC4	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	01-Mar-07	Cs-137	-0.00167	pCi/L	0.0028	0.0028	U		
SESPMNT	B1LVC5	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	29-Mar-07	Cs-137	0.0000689	pCi/L	0.0032	0.0032	U		
SESPMNT	B1MY09	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	09-May-07	Cs-137	0.000562	pCi/L	0.0032	0.0032	U		
SESPMNT	B1MY10	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	07-Jun-07	Cs-137	0.00164	pCi/L	0.0022	0.0022	U		
SESPMNT	B1MY11	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	03-Jul-07	Cs-137	0.00157	pCi/L	0.0023	0.0023	U		
SESPMNT	B1P1W6	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	02-Aug-07	Cs-137	0.000638	pCi/L	0.0018	0.0018	U		
SESPMNT	B1P1W7	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	30-Aug-07	Cs-137	-0.000762	pCi/L	0.003	0.003	U		
SESPMNT	B1P1W8	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	26-Sep-07	Cs-137	0.00222	pCi/L	0.0025	0.0025	U		
SESPMNT	B1PR71	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	06-Nov-07	Cs-137	0.000749	pCi/L	0.0019	0.0019	U		
SESPMNT	B1PR72	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	04-Dec-07	Cs-137	0.00179	pCi/L	0.0026	0.0026	U		
SESPMNT	B1PR73	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	03-Jan-08	Cs-137	0.0000729	pCi/L	0.0026	0.0026	U		
SESPMNT	B1LVD5	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	31-Jan-07	Cs-137	0.00134	pCi/L	0.0011	0.0011	U		
SESPMNT	B1LVD6	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	01-Mar-07	Cs-137	0.000301	pCi/L	0.00092	0.00092	U		
SESPMNT	B1LVD7	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	29-Mar-07	Cs-137	-0.000176	pCi/L	0.0013	0.0013	U		
SESPMNT	B1MY23	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	09-May-07	Cs-137	0.0000563	pCi/L	0.00063	0.00063	U		
SESPMNT	B1MY24	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	07-Jun-07	Cs-137	0.000851	pCi/L	0.0013	0.0013	U		
SESPMNT	B1MY25	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	03-Jul-07	Cs-137	0.000451	pCi/L	0.0012	0.0012	U		
SESPMNT	B1P1X8	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	02-Aug-07	Cs-137	-0.0000742	pCi/L	0.00096	0.00096	U		
SESPMNT	B1P1X9	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	30-Aug-07	Cs-137	-0.00133	pCi/L	0.0024	0.0024	U		
SESPMNT	B1P1Y0	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	26-Sep-07	Cs-137	0.00136	pCi/L	0.0021	0.0021	U		
SESPMNT	B1PR85	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	06-Nov-07	Cs-137	0.000129	pCi/L	0.00076	0.00076	U		
SESPMNT	B1PR86	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	04-Dec-07	Cs-137	0.00259	pCi/L	0.0052	0.0052	U		
SESPMNT	B1PR87	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	03-Jan-08	Cs-137	0.00912	pCi/L	0.0048	0.0048	U		
SESPMNT	B1LVC9	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	31-Jan-07	Cs-137	-0.00163	pCi/L	0.0027	0.0027	U		
SESPMNT	B1LVD0	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	01-Mar-07	Cs-137	0.00141	pCi/L	0.0028	0.0028	U		
SESPMNT	B1LVD1	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	29-Mar-07	Cs-137	-0.00135	pCi/L	0.0028	0.0028	U		
SESPMNT	B1MY16	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	09-May-07	Cs-137	0.00121	pCi/L	0.0032	0.0032	U		
SESPMNT	B1MY17	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	07-Jun-07	Cs-137	0.00136	pCi/L	0.0017	0.0017	U		
SESPMNT	B1MY18	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	03-Jul-07	Cs-137	-0.000846	pCi/L	0.0022	0.0022	U		
SESPMNT	B1P1X2	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	02-Aug-07	Cs-137	0.000714	pCi/L	0.0018	0.0018	U		
SESPMNT	B1P1X3	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	30-Aug-07	Cs-137	0.000882	pCi/L	0.0027	0.0027	U		
SESPMNT	B1P1X4	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	26-Sep-07	Cs-137	0.00202	pCi/L	0.0022	0.0022	U		
SESPMNT	B1PR78	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	06-Nov-07	Cs-137	0.00107	pCi/L	0.002	0.002	U		
SESPMNT	B1PR79	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	04-Dec-07	Cs-137	0.0000454	pCi/L	0.0021	0.0021	U		
SESPMNT	B1PR80	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	03-Jan-08	Cs-137	0.00371	pCi/L	0.0024	0.0024	U		
SESPMNT	B1LV87	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	31-Jan-07	Eu-152	-0.000744	pCi/L	0.0025	0.0025	U		
SESPMNT	B1LV88	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	01-Mar-07	Eu-152	-0.0000912	pCi/L	0.0024	0.0024	U		
SESPMNT	B1LV89	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	29-Mar-07	Eu-152	-0.00134	pCi/L	0.0035	0.0035	U		
SESPMNT	B1MY02	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	09-May-07	Eu-152	0.00141	pCi/L	0.0021	0.0021	U		
SESPMNT	B1MY03	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	07-Jun-07	Eu-152	0.00184	pCi/L	0.0032	0.0032	U		
SESPMNT	B1MY04	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	03-Jul-07	Eu-152	0.000576	pCi/L	0.0025	0.0025	U		
SESPMNT	B1P1W0	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	02-Aug-07	Eu-152	-0.00097	pCi/L	0.0025	0.0025	U		
SESPMNT	B1P1W1	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	30-Aug-07	Eu-152	-0.00146	pCi/L	0.0032	0.0032	U		
SESPMNT	B1P1W2	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	26-Sep-07	Eu-152	-0.00132	pCi/L	0.0032	0.0032	U		



## ENVIRONMENTAL SURVEILLANCE DATA CY07

## WATER - COLUMBIA RIVER FILTER/RESIN

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1PR64	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	06-Nov-07	Eu-152	-0.000555	pCi/L	0.0019	0.0019	U		
SESPMNT	B1PR65	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	04-Dec-07	Eu-152	-0.0034	pCi/L	0.014	0.014	U		
SESPMNT	B1PR66	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	03-Jan-08	Eu-152	0.00156	pCi/L	0.011	0.011	U		
SESPMNT	B1LVC3	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	31-Jan-07	Eu-152	-0.0017	pCi/L	0.006	0.006	U		
SESPMNT	B1LVC4	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	01-Mar-07	Eu-152	-0.0033	pCi/L	0.0067	0.0067	U		
SESPMNT	B1LVC5	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	29-Mar-07	Eu-152	-0.00246	pCi/L	0.0083	0.0083	U		
SESPMNT	B1MY09	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	09-May-07	Eu-152	-0.00183	pCi/L	0.0078	0.0078	U		
SESPMNT	B1MY10	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	07-Jun-07	Eu-152	0.000394	pCi/L	0.0055	0.0055	U		
SESPMNT	B1MY11	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	03-Jul-07	Eu-152	-0.00367	pCi/L	0.0056	0.0056	U		
SESPMNT	B1P1W6	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	02-Aug-07	Eu-152	0.0012	pCi/L	0.0045	0.0045	U		
SESPMNT	B1P1W7	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	30-Aug-07	Eu-152	0.00694	pCi/L	0.0073	0.0073	U		
SESPMNT	B1P1W8	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	26-Sep-07	Eu-152	0.00095	pCi/L	0.0069	0.0069	U		
SESPMNT	B1PR71	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	06-Nov-07	Eu-152	0.000901	pCi/L	0.0045	0.0045	U		
SESPMNT	B1PR72	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	04-Dec-07	Eu-152	0.00168	pCi/L	0.0062	0.0062	U		
SESPMNT	B1PR73	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	03-Jan-08	Eu-152	0.00615	pCi/L	0.0064	0.0064	U		
SESPMNT	B1LVD5	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	31-Jan-07	Eu-152	-0.00127	pCi/L	0.0026	0.0026	U		
SESPMNT	B1LVD6	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	01-Mar-07	Eu-152	-0.00185	pCi/L	0.0023	0.0023	U		
SESPMNT	B1LVD7	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	29-Mar-07	Eu-152	0.00074	pCi/L	0.0031	0.0031	U		
SESPMNT	B1MY23	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	09-May-07	Eu-152	0.00155	pCi/L	0.0017	0.0017	U		
SESPMNT	B1MY24	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	07-Jun-07	Eu-152	0.00099	pCi/L	0.003	0.003	U		
SESPMNT	B1MY25	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	03-Jul-07	Eu-152	-0.00194	pCi/L	0.0028	0.0028	U		
SESPMNT	B1P1X8	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	02-Aug-07	Eu-152	0.0013	pCi/L	0.0026	0.0026	U		
SESPMNT	B1P1X9	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	30-Aug-07	Eu-152	0.000974	pCi/L	0.0064	0.0064	U		
SESPMNT	B1P1Y0	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	26-Sep-07	Eu-152	0.00416	pCi/L	0.0053	0.0053	U		
SESPMNT	B1PR85	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	06-Nov-07	Eu-152	-0.000764	pCi/L	0.0019	0.0019	U		
SESPMNT	B1PR86	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	04-Dec-07	Eu-152	0.00511	pCi/L	0.013	0.013	U		
SESPMNT	B1PR87	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	03-Jan-08	Eu-152	0.000378	pCi/L	0.011	0.011	U		
SESPMNT	B1LVC9	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	31-Jan-07	Eu-152	-0.00307	pCi/L	0.0071	0.0071	U		
SESPMNT	B1LVD0	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	01-Mar-07	Eu-152	-0.00134	pCi/L	0.0072	0.0072	U		
SESPMNT	B1LVD1	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	29-Mar-07	Eu-152	0.00671	pCi/L	0.0069	0.0069	U		
SESPMNT	B1MY16	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	09-May-07	Eu-152	0.000809	pCi/L	0.0077	0.0077	U		
SESPMNT	B1MY17	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	07-Jun-07	Eu-152	-0.00107	pCi/L	0.0044	0.0044	U		
SESPMNT	B1MY18	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	03-Jul-07	Eu-152	0.00338	pCi/L	0.0054	0.0054	U		
SESPMNT	B1P1X2	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	02-Aug-07	Eu-152	0.000993	pCi/L	0.0046	0.0046	U		
SESPMNT	B1P1X3	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	30-Aug-07	Eu-152	0.00193	pCi/L	0.0065	0.0065	U		
SESPMNT	B1P1X4	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	26-Sep-07	Eu-152	-0.00201	pCi/L	0.0052	0.0052	U		
SESPMNT	B1PR78	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	06-Nov-07	Eu-152	0.00273	pCi/L	0.0048	0.0048	U		
SESPMNT	B1PR79	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	04-Dec-07	Eu-152	-0.00259	pCi/L	0.0056	0.0056	U		
SESPMNT	B1PR80	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	03-Jan-08	Eu-152	-0.000228	pCi/L	0.0061	0.0061	U		
SESPMNT	B1LVB7	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	31-Jan-07	Eu-154	-0.000245	pCi/L	0.0031	0.0031	U		
SESPMNT	B1LVB8	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	01-Mar-07	Eu-154	-0.000464	pCi/L	0.003	0.003	U		
SESPMNT	B1LVB9	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	29-Mar-07	Eu-154	-0.00189	pCi/L	0.0039	0.0039	U		
SESPMNT	B1MY02	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	09-May-07	Eu-154	-0.000416	pCi/L	0.0029	0.0029	U		
SESPMNT	B1MY03	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	07-Jun-07	Eu-154	-0.0024	pCi/L	0.0044	0.0044	U		
SESPMNT	B1MY04	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	03-Jul-07	Eu-154	-0.000429	pCi/L	0.0027	0.0027	U		
SESPMNT	B1P1W0	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	02-Aug-07	Eu-154	-0.000579	pCi/L	0.0031	0.0031	U		
SESPMNT	B1P1W1	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	30-Aug-07	Eu-154	0.000417	pCi/L	0.0039	0.0039	U		
SESPMNT	B1P1W2	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	26-Sep-07	Eu-154	0.000362	pCi/L	0.0035	0.0035	U		
SESPMNT	B1PR64	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	06-Nov-07	Eu-154	0.00196	pCi/L	0.0022	0.0022	U		
SESPMNT	B1PR65	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	04-Dec-07	Eu-154	0.00351	pCi/L	0.016	0.016	U		
SESPMNT	B1PR66	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	03-Jan-08	Eu-154	-0.00843	pCi/L	0.013	0.013	U		
SESPMNT	B1LVC3	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	31-Jan-07	Eu-154	-0.0061	pCi/L	0.0075	0.0075	U		
SESPMNT	B1LVC4	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	01-Mar-07	Eu-154	0.00307	pCi/L	0.0084	0.0084	U		
SESPMNT	B1LVC5	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	29-Mar-07	Eu-154	-0.00162	pCi/L	0.01	0.01	U		
SESPMNT	B1MY09	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	09-May-07	Eu-154	0.0021	pCi/L	0.01	0.01	U		
SESPMNT	B1MY10	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	07-Jun-07	Eu-154	-0.000629	pCi/L	0.0065	0.0065	U		
SESPMNT	B1MY11	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	03-Jul-07	Eu-154	0.00246	pCi/L	0.0069	0.0069	U		
SESPMNT	B1P1W6	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	02-Aug-07	Eu-154	-0.000995	pCi/L	0.0061	0.0061	U		
SESPMNT	B1P1W7	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	30-Aug-07	Eu-154	0.0118	pCi/L	0.0093	0.0093	U		
SESPMNT	B1P1W8	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	26-Sep-07	Eu-154	-0.00304	pCi/L	0.0073	0.0073	U		
SESPMNT	B1PR71	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	06-Nov-07	Eu-154	0.00325	pCi/L	0.0056	0.0056	U		
SESPMNT	B1PR72	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	04-Dec-07	Eu-154	-0.00444	pCi/L	0.0081	0.0081	U		
SESPMNT	B1PR73	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	03-Jan-08	Eu-154	0.00529	pCi/L	0.0083	0.0083	U		
SESPMNT	B1LVD5	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	31-Jan-07	Eu-154	-0.00000128	pCi/L	0.0034	0.0034	U		
SESPMNT	B1LVD6	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	01-Mar-07	Eu-154	0.00127	pCi/L	0.0024	0.0024	U		
SESPMNT	B1LVD7	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	29-Mar-07	Eu-154	0.0046	pCi/L	0.0041	0.0041	U		
SESPMNT	B1MY23	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	09-May-07	Eu-154	-0.000738	pCi/L	0.0019	0.0019	U		

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## WATER - COLUMBIA RIVER FILTER/RESIN

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1MY24	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	07-Jun-07	Eu-154	0.00252	pCi/L	0.0033	0.0033	U		
SESPMNT	B1MY25	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	03-Jul-07	Eu-154	0.00135	pCi/L	0.0039	0.0039	U		
SESPMNT	B1P1X8	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	02-Aug-07	Eu-154	-0.000892	pCi/L	0.0028	0.0028	U		
SESPMNT	B1P1X9	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	30-Aug-07	Eu-154	-0.00167	pCi/L	0.0064	0.0064	U		
SESPMNT	B1P1Y0	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	26-Sep-07	Eu-154	0.00564	pCi/L	0.0067	0.0067	U		
SESPMNT	B1PR85	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	06-Nov-07	Eu-154	0.000428	pCi/L	0.0023	0.0023	U		
SESPMNT	B1PR86	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	04-Dec-07	Eu-154	0.000068	pCi/L	0.014	0.014	U		
SESPMNT	B1PR87	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	03-Jan-08	Eu-154	0.00741	pCi/L	0.011	0.011	U		
SESPMNT	B1LVC9	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	31-Jan-07	Eu-154	-0.000768	pCi/L	0.0093	0.0093	U		
SESPMNT	B1LVD0	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	01-Mar-07	Eu-154	-0.00419	pCi/L	0.0091	0.0091	U		
SESPMNT	B1LVD1	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	29-Mar-07	Eu-154	0.00183	pCi/L	0.0082	0.0082	U		
SESPMNT	B1MY16	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	09-May-07	Eu-154	0.00649	pCi/L	0.011	0.011	U		
SESPMNT	B1MY17	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	07-Jun-07	Eu-154	0.000742	pCi/L	0.0052	0.0052	U		
SESPMNT	B1MY18	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	03-Jul-07	Eu-154	-0.00173	pCi/L	0.0076	0.0076	U		
SESPMNT	B1P1X2	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	02-Aug-07	Eu-154	0.0057	pCi/L	0.0061	0.0061	U		
SESPMNT	B1P1X3	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	30-Aug-07	Eu-154	-0.00113	pCi/L	0.0087	0.0087	U		
SESPMNT	B1P1X4	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	26-Sep-07	Eu-154	0.00344	pCi/L	0.0071	0.0071	U		
SESPMNT	B1PR78	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	06-Nov-07	Eu-154	-0.00466	pCi/L	0.0065	0.0065	U		
SESPMNT	B1PR79	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	04-Dec-07	Eu-154	0.000312	pCi/L	0.0063	0.0063	U		
SESPMNT	B1PR80	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	03-Jan-08	Eu-154	0.00394	pCi/L	0.0072	0.0072	U		
SESPMNT	B1LVB7	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	31-Jan-07	Eu-155	0.0013	pCi/L	0.0025	0.0025	U		
SESPMNT	B1LVB8	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	01-Mar-07	Eu-155	0.00176	pCi/L	0.0026	0.0026	U		
SESPMNT	B1LVB9	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	29-Mar-07	Eu-155	0.00115	pCi/L	0.0031	0.0031	U		
SESPMNT	B1MY02	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	09-May-07	Eu-155	0.00107	pCi/L	0.0019	0.0019	U		
SESPMNT	B1MY03	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	07-Jun-07	Eu-155	0.00073	pCi/L	0.0027	0.0027	U		
SESPMNT	B1MY04	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	03-Jul-07	Eu-155	-0.0000494	pCi/L	0.0023	0.0023	U		
SESPMNT	B1P1W0	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	02-Aug-07	Eu-155	0.00265	pCi/L	0.0025	0.0025	U		
SESPMNT	B1P1W1	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	30-Aug-07	Eu-155	0.0000427	pCi/L	0.0032	0.0032	U		
SESPMNT	B1P1W2	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	26-Sep-07	Eu-155	0.000959	pCi/L	0.0028	0.0028	U		
SESPMNT	B1PR64	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	06-Nov-07	Eu-155	0.0000829	pCi/L	0.0017	0.0017	U		
SESPMNT	B1PR65	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	04-Dec-07	Eu-155	0.0118	pCi/L	0.013	0.013	U		
SESPMNT	B1PR66	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	03-Jan-08	Eu-155	0.00794	pCi/L	0.01	0.01	U		
SESPMNT	B1LVC3	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	31-Jan-07	Eu-155	0.000603	pCi/L	0.0064	0.0064	U		
SESPMNT	B1LVC4	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	01-Mar-07	Eu-155	0.00854	pCi/L	0.0071	0.0071	U		
SESPMNT	B1LVC5	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	29-Mar-07	Eu-155	0.00221	pCi/L	0.0088	0.0088	U		
SESPMNT	B1MY09	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	09-May-07	Eu-155	0.00822	pCi/L	0.0085	0.0085	U		
SESPMNT	B1MY10	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	07-Jun-07	Eu-155	0.00364	pCi/L	0.0055	0.0055	U		
SESPMNT	B1MY11	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	03-Jul-07	Eu-155	-0.000542	pCi/L	0.0061	0.0061	U		
SESPMNT	B1P1W6	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	02-Aug-07	Eu-155	0.00306	pCi/L	0.0039	0.0039	U		
SESPMNT	B1P1W7	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	30-Aug-07	Eu-155	-0.00251	pCi/L	0.0078	0.0078	U		
SESPMNT	B1P1W8	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	26-Sep-07	Eu-155	0.0024	pCi/L	0.0061	0.0061	U		
SESPMNT	B1PR71	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	06-Nov-07	Eu-155	0.000407	pCi/L	0.0046	0.0046	U		
SESPMNT	B1PR72	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	04-Dec-07	Eu-155	0.00447	pCi/L	0.0062	0.0062	U		
SESPMNT	B1PR73	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	03-Jan-08	Eu-155	0.00498	pCi/L	0.0064	0.0064	U		
SESPMNT	B1LVD5	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	31-Jan-07	Eu-155	0.000577	pCi/L	0.0021	0.0021	U		
SESPMNT	B1LVD6	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	01-Mar-07	Eu-155	-0.000543	pCi/L	0.0019	0.0019	U		
SESPMNT	B1LVD7	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	29-Mar-07	Eu-155	-0.000985	pCi/L	0.0024	0.0024	U		
SESPMNT	B1MY23	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	09-May-07	Eu-155	-0.000282	pCi/L	0.0014	0.0014	U		
SESPMNT	B1MY24	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	07-Jun-07	Eu-155	0.0000401	pCi/L	0.0029	0.0029	U		
SESPMNT	B1MY25	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	03-Jul-07	Eu-155	-0.000508	pCi/L	0.0021	0.0021	U		
SESPMNT	B1P1X8	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	02-Aug-07	Eu-155	0.000574	pCi/L	0.0022	0.0022	U		
SESPMNT	B1P1X9	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	30-Aug-07	Eu-155	-0.00242	pCi/L	0.0055	0.0055	U		
SESPMNT	B1P1Y0	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	26-Sep-07	Eu-155	-0.00213	pCi/L	0.0055	0.0055	U		
SESPMNT	B1PR85	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	06-Nov-07	Eu-155	0.00108	pCi/L	0.0019	0.0019	U		
SESPMNT	B1PR86	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	04-Dec-07	Eu-155	0.0055	pCi/L	0.012	0.012	U		
SESPMNT	B1PR87	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	03-Jan-08	Eu-155	0.006	pCi/L	0.0095	0.0095	U		
SESPMNT	B1LVC9	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	31-Jan-07	Eu-155	0.00153	pCi/L	0.0061	0.0061	U		
SESPMNT	B1LVD0	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	01-Mar-07	Eu-155	0.00188	pCi/L	0.0063	0.0063	U		
SESPMNT	B1LVD1	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	29-Mar-07	Eu-155	0.00555	pCi/L	0.006	0.006	U		
SESPMNT	B1MY16	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	09-May-07	Eu-155	-0.000871	pCi/L	0.0064	0.0064	U		
SESPMNT	B1MY17	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	07-Jun-07	Eu-155	0.00229	pCi/L	0.0041	0.0041	U		
SESPMNT	B1MY18	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	03-Jul-07	Eu-155	-0.000776	pCi/L	0.0045	0.0045	U		
SESPMNT	B1P1X2	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	02-Aug-07	Eu-155	0.00000374	pCi/L	0.0049	0.0049	U		
SESPMNT	B1P1X3	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	30-Aug-07	Eu-155	0.00242	pCi/L	0.0059	0.0059	U		
SESPMNT	B1P1X4	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	26-Sep-07	Eu-155	0.00275	pCi/L	0.0054	0.0054	U		
SESPMNT	B1PR78	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	06-Nov-07	Eu-155	0.00327	pCi/L	0.0042	0.0042	U		
SESPMNT	B1PR79	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	04-Dec-07	Eu-155	0.00259	pCi/L	0.0052	0.0052	U		

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## WATER - COLUMBIA RIVER FILTER/RESIN

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1PR80	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	03-Jan-08	Ku-155	0.00382	pCi/L	0.0055	0.0055	U		
SESPMNT	B1LV87	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	31-Jan-07	K-40	0.167	pCi/L	0.044	0.044			
SESPMNT	B1LV88	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	01-Mar-07	K-40	0.117	pCi/L	0.043	0.043			
SESPMNT	B1LV89	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	29-Mar-07	K-40	0.194	pCi/L	0.053	0.053			
SESPMNT	B1MY02	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	09-May-07	K-40	0.115	pCi/L	0.034	0.034			
SESPMNT	B1MY03	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	07-Jun-07	K-40	0.231	pCi/L	0.054	0.054			
SESPMNT	B1MY04	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	03-Jul-07	K-40	0.202	pCi/L	0.037	0.037			
SESPMNT	B1P1W0	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	02-Aug-07	K-40	0.0137	pCi/L	0.04	0.04	U		
SESPMNT	B1P1W1	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	30-Aug-07	K-40	0.131	pCi/L	0.052	0.052			
SESPMNT	B1P1W2	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	26-Sep-07	K-40	0.29	pCi/L	0.055	0.055			
SESPMNT	B1PR64	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	06-Nov-07	K-40	0.13	pCi/L	0.03	0.03			
SESPMNT	B1PR65	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	04-Dec-07	K-40	0.713	pCi/L	0.22	0.22			
SESPMNT	B1PR66	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	03-Jan-08	K-40	0.543	pCi/L	0.16	0.16			
SESPMNT	B1LVC3	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	31-Jan-07	K-40	0.108	pCi/L	0.083	0.083			
SESPMNT	B1LVC4	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	01-Mar-07	K-40	0.241	pCi/L	0.12	0.12			
SESPMNT	B1LVC5	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	29-Mar-07	K-40	0.311	pCi/L	0.13	0.13			
SESPMNT	B1MY09	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	09-May-07	K-40	0.37	pCi/L	0.13	0.13			
SESPMNT	B1MY10	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	07-Jun-07	K-40	0.361	pCi/L	0.089	0.089			
SESPMNT	B1MY11	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	03-Jul-07	K-40	0.385	pCi/L	0.1	0.1			
SESPMNT	B1P1W6	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	02-Aug-07	K-40	0.245	pCi/L	0.074	0.074			
SESPMNT	B1P1W7	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	30-Aug-07	K-40	0.119	pCi/L	0.11	0.11			
SESPMNT	B1P1W8	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	26-Sep-07	K-40	0.242	pCi/L	0.095	0.095			
SESPMNT	B1PR71	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	06-Nov-07	K-40	0.239	pCi/L	0.075	0.075			
SESPMNT	B1PR72	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	04-Dec-07	K-40	0.352	pCi/L	0.1	0.1			
SESPMNT	B1PR73	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	03-Jan-08	K-40	0.469	pCi/L	0.11	0.11			
SESPMNT	B1LVD5	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	31-Jan-07	K-40	0.13	pCi/L	0.041	0.041			
SESPMNT	B1LVD6	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	01-Mar-07	K-40	0.0573	pCi/L	0.032	0.032			
SESPMNT	B1LVD7	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	29-Mar-07	K-40	0.114	pCi/L	0.048	0.048			
SESPMNT	B1MY23	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	09-May-07	K-40	0.0948	pCi/L	0.022	0.022			
SESPMNT	B1MY24	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	07-Jun-07	K-40	0.12	pCi/L	0.048	0.048			
SESPMNT	B1MY25	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	03-Jul-07	K-40	0.0922	pCi/L	0.043	0.043			
SESPMNT	B1P1X8	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	02-Aug-07	K-40	0.115	pCi/L	0.038	0.038			
SESPMNT	B1P1X9	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	30-Aug-07	K-40	-0.0557	pCi/L	0.076	0.076	U		
SESPMNT	B1P1Y0	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	26-Sep-07	K-40	0.0744	pCi/L	0.078	0.078	U		
SESPMNT	B1PR85	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	06-Nov-07	K-40	0.103	pCi/L	0.031	0.031			
SESPMNT	B1PR86	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	04-Dec-07	K-40	0.359	pCi/L	0.18	0.18			
SESPMNT	B1PR87	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	03-Jan-08	K-40	0.874	pCi/L	0.16	0.16			
SESPMNT	B1LVC9	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	31-Jan-07	K-40	0.254	pCi/L	0.11	0.11			
SESPMNT	B1LVD0	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	01-Mar-07	K-40	-0.0897	pCi/L	0.093	0.093	U		
SESPMNT	B1LVD1	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	29-Mar-07	K-40	0.265	pCi/L	0.11	0.11			
SESPMNT	B1MY16	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	09-May-07	K-40	0.454	pCi/L	0.13	0.13			
SESPMNT	B1MY17	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	07-Jun-07	K-40	0.34	pCi/L	0.074	0.074			
SESPMNT	B1MY18	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	03-Jul-07	K-40	0.393	pCi/L	0.084	0.084			
SESPMNT	B1P1X2	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	02-Aug-07	K-40	0.331	pCi/L	0.085	0.085			
SESPMNT	B1P1X3	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	30-Aug-07	K-40	0.112	pCi/L	0.096	0.096			
SESPMNT	B1P1X4	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	26-Sep-07	K-40	0.504	pCi/L	0.11	0.11			
SESPMNT	B1PR78	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	06-Nov-07	K-40	0.408	pCi/L	0.086	0.086			
SESPMNT	B1PR79	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	04-Dec-07	K-40	0.54	pCi/L	0.11	0.11			
SESPMNT	B1PR80	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	03-Jan-08	K-40	0.293	pCi/L	0.092	0.092			
SESPMNT	B1LV87	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	31-Jan-07	Ru-106	0.00355	pCi/L	0.0091	0.0091	U		
SESPMNT	B1LV88	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	01-Mar-07	Ru-106	-0.00412	pCi/L	0.0087	0.0087	U		
SESPMNT	B1LV89	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	29-Mar-07	Ru-106	0.00473	pCi/L	0.013	0.013	U		
SESPMNT	B1MY02	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	09-May-07	Ru-106	0.0011	pCi/L	0.008	0.008	U		
SESPMNT	B1MY03	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	07-Jun-07	Ru-106	-0.00541	pCi/L	0.012	0.012	U		
SESPMNT	B1MY04	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	03-Jul-07	Ru-106	0.0000843	pCi/L	0.0085	0.0085	U		
SESPMNT	B1P1W0	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	02-Aug-07	Ru-106	0.000821	pCi/L	0.0095	0.0095	U		
SESPMNT	B1P1W1	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	30-Aug-07	Ru-106	0.0039	pCi/L	0.012	0.012	U		
SESPMNT	B1P1W2	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	26-Sep-07	Ru-106	0.00129	pCi/L	0.011	0.011	U		
SESPMNT	B1PR64	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	06-Nov-07	Ru-106	-0.00474	pCi/L	0.0068	0.0068	U		
SESPMNT	B1PR65	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	04-Dec-07	Ru-106	-0.0502	pCi/L	0.055	0.055	U		
SESPMNT	B1PR66	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	03-Jan-08	Ru-106	-0.0156	pCi/L	0.04	0.04	U		
SESPMNT	B1LVC3	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	31-Jan-07	Ru-106	-0.0179	pCi/L	0.022	0.022	U		
SESPMNT	B1LVC4	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	01-Mar-07	Ru-106	-0.00723	pCi/L	0.026	0.026	U		
SESPMNT	B1LVC5	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	29-Mar-07	Ru-106	0.0253	pCi/L	0.032	0.032	U		
SESPMNT	B1MY09	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	09-May-07	Ru-106	-0.00821	pCi/L	0.03	0.03	U		
SESPMNT	B1MY10	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	07-Jun-07	Ru-106	0.0236	pCi/L	0.02	0.02	U		
SESPMNT	B1MY11	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	03-Jul-07	Ru-106	-0.0271	pCi/L	0.021	0.021	U		

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## WATER - COLUMBIA RIVER FILTER/RESIN

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1P1W6	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	02-Aug-07	Ru-106	-0.0011	pCi/L	0.017	0.017	U		
SESPMNT	B1P1W7	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	30-Aug-07	Ru-106	0.00341	pCi/L	0.027	0.027	U		
SESPMNT	B1P1W8	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	26-Sep-07	Ru-106	-0.0358	pCi/L	0.024	0.024	U		
SESPMNT	B1PR71	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	06-Nov-07	Ru-106	-0.0039	pCi/L	0.016	0.016	U		
SESPMNT	B1PR72	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	04-Dec-07	Ru-106	-0.0217	pCi/L	0.024	0.024	U		
SESPMNT	B1PR73	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	03-Jan-08	Ru-106	0.00253	pCi/L	0.023	0.023	U		
SESPMNT	B1LVD5	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	31-Jan-07	Ru-106	-0.00234	pCi/L	0.01	0.01	U		
SESPMNT	B1LVD6	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	01-Mar-07	Ru-106	-0.00572	pCi/L	0.008	0.008	U		
SESPMNT	B1LVD7	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	29-Mar-07	Ru-106	-0.000834	pCi/L	0.012	0.012	U		
SESPMNT	B1MY23	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	09-May-07	Ru-106	0.00309	pCi/L	0.006	0.006	U		
SESPMNT	B1MY24	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	07-Jun-07	Ru-106	0.00576	pCi/L	0.01	0.01	U		
SESPMNT	B1MY25	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	03-Jul-07	Ru-106	0.00106	pCi/L	0.01	0.01	U		
SESPMNT	B1P1X8	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	02-Aug-07	Ru-106	-0.00843	pCi/L	0.0093	0.0093	U		
SESPMNT	B1P1X9	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	30-Aug-07	Ru-106	-0.0187	pCi/L	0.023	0.023	U		
SESPMNT	B1P1Y0	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	26-Sep-07	Ru-106	-0.00112	pCi/L	0.019	0.019	U		
SESPMNT	B1PR85	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	06-Nov-07	Ru-106	-0.00357	pCi/L	0.0067	0.0067	U		
SESPMNT	B1PR86	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	04-Dec-07	Ru-106	0.00673	pCi/L	0.052	0.052	U		
SESPMNT	B1PR87	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	03-Jan-08	Ru-106	-0.00996	pCi/L	0.04	0.04	U		
SESPMNT	B1LVC9	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	31-Jan-07	Ru-106	-0.0148	pCi/L	0.025	0.025	U		
SESPMNT	B1LVD0	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	01-Mar-07	Ru-106	0.00772	pCi/L	0.025	0.025	U		
SESPMNT	B1LVD1	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	29-Mar-07	Ru-106	0.0127	pCi/L	0.024	0.024	U		
SESPMNT	B1MY16	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	09-May-07	Ru-106	-0.00112	pCi/L	0.03	0.03	U		
SESPMNT	B1MY17	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	07-Jun-07	Ru-106	0.0111	pCi/L	0.015	0.015	U		
SESPMNT	B1MY18	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	03-Jul-07	Ru-106	-0.0115	pCi/L	0.019	0.019	U		
SESPMNT	B1P1X2	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	02-Aug-07	Ru-106	0.00995	pCi/L	0.017	0.017	U		
SESPMNT	B1P1X3	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	30-Aug-07	Ru-106	0.00133	pCi/L	0.025	0.025	U		
SESPMNT	B1P1X4	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	26-Sep-07	Ru-106	-0.0188	pCi/L	0.02	0.02	U		
SESPMNT	B1PR78	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	06-Nov-07	Ru-106	0.0135	pCi/L	0.018	0.018	U		
SESPMNT	B1PR79	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	04-Dec-07	Ru-106	0.0239	pCi/L	0.022	0.022	U		
SESPMNT	B1PR80	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	03-Jan-08	Ru-106	0.00776	pCi/L	0.022	0.022	U		
SESPMNT	B1LVB7	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	31-Jan-07	Sb-125	-0.000484	pCi/L	0.0024	0.0024	U		
SESPMNT	B1LVB8	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	01-Mar-07	Sb-125	0.0000125	pCi/L	0.0024	0.0024	U		
SESPMNT	B1LVB9	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	29-Mar-07	Sb-125	-0.000664	pCi/L	0.0035	0.0035	U		
SESPMNT	B1MY02	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	09-May-07	Sb-125	0.0000361	pCi/L	0.0021	0.0021	U		
SESPMNT	B1MY03	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	07-Jun-07	Sb-125	0.000723	pCi/L	0.0033	0.0033	U		
SESPMNT	B1MY04	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	03-Jul-07	Sb-125	0.000226	pCi/L	0.0023	0.0023	U		
SESPMNT	B1P1W0	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	02-Aug-07	Sb-125	-0.000167	pCi/L	0.0024	0.0024	U		
SESPMNT	B1P1W1	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	30-Aug-07	Sb-125	-0.000505	pCi/L	0.0032	0.0032	U		
SESPMNT	B1P1W2	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	26-Sep-07	Sb-125	-0.00168	pCi/L	0.003	0.003	U		
SESPMNT	B1PR64	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	06-Nov-07	Sb-125	-0.00148	pCi/L	0.0019	0.0019	U		
SESPMNT	B1PR65	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	04-Dec-07	Sb-125	0.00599	pCi/L	0.014	0.014	U		
SESPMNT	B1PR66	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	03-Jan-08	Sb-125	0.00585	pCi/L	0.011	0.011	U		
SESPMNT	B1LVC3	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	31-Jan-07	Sb-125	-0.00139	pCi/L	0.0059	0.0059	U		
SESPMNT	B1LVC4	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	01-Mar-07	Sb-125	0.00188	pCi/L	0.0065	0.0065	U		
SESPMNT	B1LVC5	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	29-Mar-07	Sb-125	0.00243	pCi/L	0.0082	0.0082	U		
SESPMNT	B1MY09	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	09-May-07	Sb-125	0.00152	pCi/L	0.008	0.008	U		
SESPMNT	B1MY10	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	07-Jun-07	Sb-125	-0.00176	pCi/L	0.0054	0.0054	U		
SESPMNT	B1MY11	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	03-Jul-07	Sb-125	0.00631	pCi/L	0.0056	0.0056	U		
SESPMNT	B1P1W6	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	02-Aug-07	Sb-125	-0.000341	pCi/L	0.0046	0.0046	U		
SESPMNT	B1P1W7	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	30-Aug-07	Sb-125	-0.00359	pCi/L	0.0072	0.0072	U		
SESPMNT	B1P1W8	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	26-Sep-07	Sb-125	-0.00033	pCi/L	0.0064	0.0064	U		
SESPMNT	B1PR71	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	06-Nov-07	Sb-125	-0.00261	pCi/L	0.0046	0.0046	U		
SESPMNT	B1PR72	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	04-Dec-07	Sb-125	-0.000826	pCi/L	0.006	0.006	U		
SESPMNT	B1PR73	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	03-Jan-08	Sb-125	-0.00102	pCi/L	0.0061	0.0061	U		
SESPMNT	B1LVD5	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	31-Jan-07	Sb-125	-0.00111	pCi/L	0.0026	0.0026	U		
SESPMNT	B1LVD6	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	01-Mar-07	Sb-125	0.000759	pCi/L	0.0022	0.0022	U		
SESPMNT	B1LVD7	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	29-Mar-07	Sb-125	0.000682	pCi/L	0.0031	0.0031	U		
SESPMNT	B1MY23	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	09-May-07	Sb-125	-0.0000645	pCi/L	0.0016	0.0016	U		
SESPMNT	B1MY24	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	07-Jun-07	Sb-125	0.00239	pCi/L	0.0029	0.0029	U		
SESPMNT	B1MY25	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	03-Jul-07	Sb-125	-0.00247	pCi/L	0.0029	0.0029	U		
SESPMNT	B1P1X8	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	02-Aug-07	Sb-125	0.00156	pCi/L	0.0023	0.0023	U		
SESPMNT	B1P1X9	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	30-Aug-07	Sb-125	-0.00316	pCi/L	0.0062	0.0062	U		
SESPMNT	B1P1Y0	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	26-Sep-07	Sb-125	0.000146	pCi/L	0.0054	0.0054	U		
SESPMNT	B1PR85	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	06-Nov-07	Sb-125	0.00107	pCi/L	0.0018	0.0018	U		
SESPMNT	B1PR86	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	04-Dec-07	Sb-125	-0.0143	pCi/L	0.013	0.013	U		
SESPMNT	B1PR87	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	03-Jan-08	Sb-125	-0.00616	pCi/L	0.01	0.01	U		
SESPMNT	B1LVC9	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	31-Jan-07	Sb-125	0.00303	pCi/L	0.0066	0.0066	U		

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## WATER - COLUMBIA RIVER FILTER/RESIN

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1LVD0	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	01-Mar-07	Sb-125	0.000526	pCi/L	0.0071	0.0071	U		
SESPMNT	B1LVD1	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	29-Mar-07	Sb-125	-0.00442	pCi/L	0.0065	0.0065	U		
SESPMNT	B1MY16	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	09-May-07	Sb-125	-0.00135	pCi/L	0.0076	0.0076	U		
SESPMNT	B1MY17	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	07-Jun-07	Sb-125	0.00106	pCi/L	0.0042	0.0042	U		
SESPMNT	B1MY18	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	03-Jul-07	Sb-125	-0.00431	pCi/L	0.0054	0.0054	U		
SESPMNT	B1P1X2	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	02-Aug-07	Sb-125	-0.0049	pCi/L	0.0045	0.0045	U		
SESPMNT	B1P1X3	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	30-Aug-07	Sb-125	-0.00017	pCi/L	0.0065	0.0065	U		
SESPMNT	B1P1X4	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	26-Sep-07	Sb-125	-0.000701	pCi/L	0.0052	0.0052	U		
SESPMNT	B1PR78	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	06-Nov-07	Sb-125	0.000772	pCi/L	0.0044	0.0044	U		
SESPMNT	B1PR79	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	04-Dec-07	Sb-125	0.00268	pCi/L	0.0055	0.0055	U		
SESPMNT	B1PR80	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	03-Jan-08	Sb-125	0.00212	pCi/L	0.0057	0.0057	U		
SESPMNT	B1LVB6	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	29-Mar-07	Pu-238	0.00000295	pCi/L	0.0000075	0.000008	U		
SESPMNT	B1MY01	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	03-Jul-07	Pu-238	0.00000111	pCi/L	0.0000065	0.0000067	U		
SESPMNT	B1P1V9	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	26-Sep-07	Pu-238	0.00000353	pCi/L	0.0000053	0.0000053	U		
SESPMNT	B1PR63	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	04-Dec-07	Pu-238	9.74E-11	pCi/L	0.0000058	0.0000058	U		
SESPMNT	B1LVC2	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	29-Mar-07	Pu-238	-0.000407	pCi/L	0.000079	0.0025	U		
SESPMNT	B1MY08	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	03-Jul-07	Pu-238	-0.000423	pCi/L	0.0027	0.0027	U		
SESPMNT	B1P1W5	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	26-Sep-07	Pu-238	-0.000013	pCi/L	0.000037	0.000037	U		
SESPMNT	B1PR70	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	04-Dec-07	Pu-238	-2.18E-09	pCi/L	0.000036	0.000036	U		
SESPMNT	B1LVD4	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	29-Mar-07	Pu-238	-0.00000509	pCi/L	0.0000064	0.0000071	U		
SESPMNT	B1MY22	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	03-Jul-07	Pu-238	0.00000142	pCi/L	0.0000082	0.0000083	U		
SESPMNT	B1P1X7	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	26-Sep-07	Pu-238	0	pCi/L	0.0000054	0.0000054	U		
SESPMNT	B1PR84	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	04-Dec-07	Pu-238	0	pCi/L	0.0000043	0.0000043	U		
SESPMNT	B1LVC8	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	29-Mar-07	Pu-238	-0.000338	pCi/L	0.000098	0.0023	U		
SESPMNT	B1MY15	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	03-Jul-07	Pu-238	-0.000426	pCi/L	0.000035	0.0028	U		
SESPMNT	B1P1X1	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	26-Sep-07	Pu-238	-0.000439	pCi/L	0.000056	0.0025	U		
SESPMNT	B1PR77	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	04-Dec-07	Pu-238	-0.00000732	pCi/L	0.000025	0.000025	U		
SESPMNT	B1LVB6	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	29-Mar-07	Pu-239/240	0.0000191	pCi/L	0.000017	0.000018	U		
SESPMNT	B1MY01	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	03-Jul-07	Pu-239/240	0.0000397	pCi/L	0.000025	0.000026			
SESPMNT	B1P1V9	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	26-Sep-07	Pu-239/240	0.0000458	pCi/L	0.000015	0.000016			
SESPMNT	B1PR63	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	FILTER	04-Dec-07	Pu-239/240	0.0000379	pCi/L	0.000017	0.000018			
SESPMNT	B1LVC2	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	29-Mar-07	Pu-239/240	0.0000019	pCi/L	0.000079	0.000084	U		
SESPMNT	B1MY08	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	03-Jul-07	Pu-239/240	0.00000756	pCi/L	0.000035	0.000046	U		
SESPMNT	B1P1W5	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	26-Sep-07	Pu-239/240	0.000013	pCi/L	0.000058	0.000058	U		
SESPMNT	B1PR70	PRIEST RAPIDS-RIVER	OFFSITE	SW	Y	RIVER	RESIN	04-Dec-07	Pu-239/240	-0.0000217	pCi/L	0.000029	0.000029	U		
SESPMNT	B1LVD4	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	29-Mar-07	Pu-239/240	0.00000845	pCi/L	0.000013	0.000014	U		
SESPMNT	B1MY22	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	03-Jul-07	Pu-239/240	0.0000242	pCi/L	0.000017	0.000018			
SESPMNT	B1P1X7	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	26-Sep-07	Pu-239/240	0.00000944	pCi/L	0.0000093	0.0000093	U		
SESPMNT	B1PR84	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	FILTER	04-Dec-07	Pu-239/240	0.00000757	pCi/L	0.0000091	0.0000092	U		
SESPMNT	B1LVC8	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	29-Mar-07	Pu-239/240	0.0000133	pCi/L	0.000062	0.000067	U		
SESPMNT	B1MY15	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	03-Jul-07	Pu-239/240	-0.0000223	pCi/L	0.000074	0.00008	U		
SESPMNT	B1P1X1	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	26-Sep-07	Pu-239/240	0.0000508	pCi/L	0.00007	0.000076	U		
SESPMNT	B1PR77	RICH.PMPHS HRM 46.4	OFFSITE	SW	Y	RIVER	RESIN	04-Dec-07	Pu-239/240	0	pCi/L	0.000021	0.000021	U		

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## WATER - COLUMBIA RIVER SHORELINE SPRINGS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1PLN9	100-B SPRING 37-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	ALPHA	2.68 pCi/L		1.3	1.5			
SESPMNT	B1PLP1	100-B SPRING 39-2	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	ALPHA	14.4 pCi/L		4.4	5.6			
SESPMNT	B1PLR2	100-D SPRING 102-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07	ALPHA	0.523 pCi/L		0.82	0.83	U		
SESPMNT	B1PLR0	100-D SPRING 110-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07	ALPHA	0.637 pCi/L		0.78	0.79	U		
SESPMNT	B1PLR6	100-F SPRING 207-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07	ALPHA	3.59 pCi/L		2	2.2			
SESPMNT	B1PLR4	100-H SPRING 145-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07	ALPHA	0.605 pCi/L		1	1	U		
SESPMNT	B1PLX0	100-H SPRING 153-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07	ALPHA	2.99 pCi/L		1.4	1.6			
SESPMNT	B1PLP3	100-K SPRING 63-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	ALPHA	12.8 pCi/L		3.8	4.8		COLLECTED APPROXIMATELY 50 METERS DOWNRIVER FROM 63-1.	
SESPMNT	B1PLP6	100-K SPRING 77-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07	ALPHA	0.218 pCi/L		0.58	0.63	U		
SESPMNT	B1PLK6	100-N SPRING 8-13	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	ALPHA	1.69 pCi/L		1.4	1.5	U		
SESPMNT	B1PLT5	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	ALPHA	52.2 pCi/L		5.8	13			
SESPMNT	B1PLX9	300 AREA SPRING 41-9	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07	ALPHA	6.14 pCi/L		2.7	3.1			
SESPMNT	B1PLL1	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	ALPHA	45.6 pCi/L		5.4	12			
SESPMNT	B1PLY1	300 AREA SPRING 42-7	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	ALPHA	117 pCi/L		9.3	28			
SESPMNT	B1PLT1	HANFORD SPR DR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07	ALPHA	1.55 pCi/L		1.3	1.4	U		
SESPMNT	B1PLR9	HANFORD SPR UR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07	ALPHA	1.64 pCi/L		1.2	1.3			
SESPMNT	B1PLK9	HANFORD SPRING 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07	ALPHA	3.77 pCi/L		1.8	2			
SESPMNT	B1PLY3	RICHLAND SPR(SRL 437-1)	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	ALPHA	4.57 pCi/L		1.5	1.9			
SESPMNT	B1PLN9	100-B SPRING 37-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	BETA	6.71 pCi/L		1.8	2.2			
SESPMNT	B1PLP1	100-B SPRING 39-2	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	BETA	23.2 pCi/L		3.6	5.1			
SESPMNT	B1PLR2	100-D SPRING 102-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07	BETA	5.84 pCi/L		1.7	2.2			
SESPMNT	B1PLR0	100-D SPRING 110-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07	BETA	3.17 pCi/L		1.5	1.8			
SESPMNT	B1PLR6	100-F SPRING 207-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07	BETA	5.98 pCi/L		2.5	3			
SESPMNT	B1PLR4	100-H SPRING 145-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07	BETA	4.61 pCi/L		1.7	2.1			
SESPMNT	B1PLX0	100-H SPRING 153-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07	BETA	21.3 pCi/L		2.5	3.9			
SESPMNT	B1PLP3	100-K SPRING 63-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	BETA	19.2 pCi/L		3.3	5.2		COLLECTED APPROXIMATELY 50 METERS DOWNRIVER FROM 63-1.	
SESPMNT	B1PLP6	100-K SPRING 77-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07	BETA	5.39 pCi/L		1.7	2.1			
SESPMNT	B1PLK6	100-N SPRING 8-13	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	BETA	5.19 pCi/L		1.6	2.1			
SESPMNT	B1PLT5	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	BETA	14 pCi/L		2.1	3			
SESPMNT	B1PLX9	300 AREA SPRING 41-9	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07	BETA	13.4 pCi/L		2.3	3.1			
SESPMNT	B1PLL1	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	BETA	17.6 pCi/L		2.3	3.5			
SESPMNT	B1PLY1	300 AREA SPRING 42-7	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	BETA	23.7 pCi/L		2.7	4.2			
SESPMNT	B1PLT1	HANFORD SPR DR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07	BETA	20.2 pCi/L		2.4	3.8			
SESPMNT	B1PLR9	HANFORD SPR UR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07	BETA	16.9 pCi/L		2.4	3.4			
SESPMNT	B1PLK9	HANFORD SPRING 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07	BETA	26.8 pCi/L		2.7	4.5			
SESPMNT	B1PLY3	RICHLAND SPR(SRL 437-1)	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	BETA	6.55 pCi/L		1.7	2.3			
SESPMNT	B1PLN9	100-B SPRING 37-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	Be-7	12.9 pCi/L		18	18	U		
SESPMNT	B1PLP1	100-B SPRING 39-2	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	Be-7	-4.68 pCi/L		15	15	U		
SESPMNT	B1PLR2	100-D SPRING 102-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07	Be-7	4.83 pCi/L		12	12	U		
SESPMNT	B1PLR0	100-D SPRING 110-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07	Be-7	3.6 pCi/L		22	22	U		
SESPMNT	B1PLR6	100-F SPRING 207-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07	Be-7	-0.958 pCi/L		17	17	U		
SESPMNT	B1PLR4	100-H SPRING 145-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07	Be-7	-2.32 pCi/L		16	16	U		
SESPMNT	B1PLX0	100-H SPRING 153-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07	Be-7	-1.26 pCi/L		17	17	U		
SESPMNT	B1PLP3	100-K SPRING 63-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	Be-7	20.4 pCi/L		13	13	U	COLLECTED APPROXIMATELY 50 METERS DOWNRIVER FROM 63-1.	
SESPMNT	B1PLP6	100-K SPRING 77-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07	Be-7	6.87 pCi/L		16	16	U		
SESPMNT	B1PLK6	100-N SPRING 8-13	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	Be-7	1.83 pCi/L		16	16	U		
SESPMNT	B1PLT5	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	Be-7	-3.43 pCi/L		15	15	U		
SESPMNT	B1PLX9	300 AREA SPRING 41-9	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07	Be-7					U		The entire sample volume was used for the Sr-90 analysis.
SESPMNT	B1PLL1	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	Be-7	-0.375 pCi/L		19	19	U		
SESPMNT	B1PLY1	300 AREA SPRING 42-7	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	Be-7	4.11 pCi/L		24	24	U		
SESPMNT	B1PLT1	HANFORD SPR DR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07	Be-7	4.93 pCi/L		22	22	U		
SESPMNT	B1PLR9	HANFORD SPR UR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07	Be-7	-20 pCi/L		17	17	U		
SESPMNT	B1PLK9	HANFORD SPRING 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07	Be-7	-7.44 pCi/L		11	11	U		
SESPMNT	B1PLY3	RICHLAND SPR(SRL 437-1)	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	Be-7	-15.8 pCi/L		15	15	U		
SESPMNT	B1PLN9	100-B SPRING 37-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	Co-60	-0.404 pCi/L		2	2	U		
SESPMNT	B1PLP1	100-B SPRING 39-2	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	Co-60	-0.781 pCi/L		1.6	1.6	U		
SESPMNT	B1PLR2	100-D SPRING 102-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07	Co-60	-0.361 pCi/L		1.1	1.1	U		
SESPMNT	B1PLR0	100-D SPRING 110-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07	Co-60	-0.18 pCi/L		2.3	2.3	U		
SESPMNT	B1PLR6	100-F SPRING 207-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07	Co-60	0.729 pCi/L		1.6	1.6	U		
SESPMNT	B1PLR4	100-H SPRING 145-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07	Co-60	-0.522 pCi/L		1.6	1.6	U		
SESPMNT	B1PLX0	100-H SPRING 153-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07	Co-60	-0.343 pCi/L		1.5	1.5	U		
SESPMNT	B1PLP3	100-K SPRING 63-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	Co-60	-0.0479 pCi/L		1.3	1.3	U	COLLECTED APPROXIMATELY 50 METERS DOWNRIVER FROM 63-1.	

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## WATER - COLUMBIA RIVER SHORELINE SPRINGS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1PLP6	100-K SPRING 77-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07 Co-60		-0.615 pCi/L		1.7	1.7	U		
SESPMNT	B1PLK6	100-N SPRING 8-13	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07 Co-60		1.7 pCi/L		1.6	1.6	U		
SESPMNT	B1PLT5	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07 Co-60		-0.925 pCi/L		1.5	1.5	U		
SESPMNT	B1PLX9	300 AREA SPRING 41-9	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07 Co-60						U		The entire sample volume was used for the Sr-90 analysis.
SESPMNT	B1PLL1	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07 Co-60		0.633 pCi/L		1.7	1.7	U		
SESPMNT	B1PLY1	300 AREA SPRING 42-7	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07 Co-60		1.62 pCi/L		2.1	2.1	U		
SESPMNT	B1PLT1	HANFORD SPR DR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07 Co-60		2.48 pCi/L		2.1	2.1	U		
SESPMNT	B1PLR9	HANFORD SPR UR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07 Co-60		-0.605 pCi/L		1.4	1.4	U		
SESPMNT	B1PLK9	HANFORD SPRING 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07 Co-60		-0.0593 pCi/L		1.4	1.4	U		
SESPMNT	B1PLY3	RICHLAND SPR(SRL 437-1)	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07 Co-60		-0.93 pCi/L		1.6	1.6	U		
SESPMNT	B1PLN9	100-B SPRING 37-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07 Cs-134		-0.154 pCi/L		2.1	2.1	U		
SESPMNT	B1PLP1	100-B SPRING 39-2	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07 Cs-134		0.495 pCi/L		1.6	1.6	U		
SESPMNT	B1PLR2	100-D SPRING 102-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07 Cs-134		0.771 pCi/L		1.1	1.1	U		
SESPMNT	B1PLR0	100-D SPRING 110-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07 Cs-134		-1.38 pCi/L		2.3	2.3	U		
SESPMNT	B1PLR6	100-F SPRING 207-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07 Cs-134		0.235 pCi/L		1.6	1.6	U		
SESPMNT	B1PLR4	100-H SPRING 145-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07 Cs-134		-0.226 pCi/L		1.8	1.8	U		
SESPMNT	B1PLX0	100-H SPRING 153-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07 Cs-134		1.12 pCi/L		1.8	1.8	U		
SESPMNT	B1PLP3	100-K SPRING 63-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07 Cs-134		-0.58 pCi/L		1.3	1.3	U	COLLECTED APPROXIMATELY 50 METERS DOWNRIVER FROM 63-1.	
SESPMNT	B1PLP6	100-K SPRING 77-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07 Cs-134		-0.0687 pCi/L		1.8	1.8	U		
SESPMNT	B1PLK6	100-N SPRING 8-13	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07 Cs-134		-0.31 pCi/L		1.5	1.5	U		
SESPMNT	B1PLT5	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07 Cs-134		0.577 pCi/L		1.4	1.4	U		
SESPMNT	B1PLX9	300 AREA SPRING 41-9	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07 Cs-134						U		The entire sample volume was used for the Sr-90 analysis.
SESPMNT	B1PLL1	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07 Cs-134		1.09 pCi/L		1.7	1.7	U		
SESPMNT	B1PLY1	300 AREA SPRING 42-7	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07 Cs-134		0.0358 pCi/L		2.3	2.3	U		
SESPMNT	B1PLT1	HANFORD SPR DR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07 Cs-134		2.18 pCi/L		2.2	2.2	U		
SESPMNT	B1PLR9	HANFORD SPR UR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07 Cs-134		0.839 pCi/L		1.8	1.8	U		
SESPMNT	B1PLK9	HANFORD SPRING 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07 Cs-134		0.694 pCi/L		1	1	U		
SESPMNT	B1PLY3	RICHLAND SPR(SRL 437-1)	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07 Cs-134		0.0731 pCi/L		1.6	1.6	U		
SESPMNT	B1PLN9	100-B SPRING 37-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07 Cs-137		0.353 pCi/L		1.9	1.9	U		
SESPMNT	B1PLP1	100-B SPRING 39-2	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07 Cs-137		-0.807 pCi/L		1.7	1.7	U		
SESPMNT	B1PLR2	100-D SPRING 102-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07 Cs-137		-0.18 pCi/L		1.1	1.1	U		
SESPMNT	B1PLR0	100-D SPRING 110-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07 Cs-137		-1.45 pCi/L		2.1	2.1	U		
SESPMNT	B1PLR6	100-F SPRING 207-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07 Cs-137		0.627 pCi/L		1.6	1.6	U		
SESPMNT	B1PLR4	100-H SPRING 145-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07 Cs-137		-0.903 pCi/L		1.6	1.6	U		
SESPMNT	B1PLX0	100-H SPRING 153-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07 Cs-137		1.41 pCi/L		1.7	1.7	U		
SESPMNT	B1PLP3	100-K SPRING 63-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07 Cs-137		0.28 pCi/L		1.2	1.2	U	COLLECTED APPROXIMATELY 50 METERS DOWNRIVER FROM 63-1.	
SESPMNT	B1PLP6	100-K SPRING 77-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07 Cs-137		0.646 pCi/L		1.7	1.7	U		
SESPMNT	B1PLK6	100-N SPRING 8-13	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07 Cs-137		0.444 pCi/L		1.5	1.5	U		
SESPMNT	B1PLT5	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07 Cs-137		-0.265 pCi/L		1.5	1.5	U		
SESPMNT	B1PLX9	300 AREA SPRING 41-9	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07 Cs-137						U		The entire sample volume was used for the Sr-90 analysis.
SESPMNT	B1PLL1	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07 Cs-137		0.126 pCi/L		1.4	1.4	U		
SESPMNT	B1PLY1	300 AREA SPRING 42-7	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07 Cs-137		0.198 pCi/L		2.2	2.2	U		
SESPMNT	B1PLT1	HANFORD SPR DR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07 Cs-137		0.512 pCi/L		2.1	2.1	U		
SESPMNT	B1PLR9	HANFORD SPR UR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07 Cs-137		0.0653 pCi/L		1.4	1.4	U		
SESPMNT	B1PLK9	HANFORD SPRING 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07 Cs-137		0.714 pCi/L		1.2	1.2	U		
SESPMNT	B1PLY3	RICHLAND SPR(SRL 437-1)	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07 Cs-137		-0.0453 pCi/L		1.5	1.5	U		
SESPMNT	B1PLN9	100-B SPRING 37-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07 Eu-152		-0.834 pCi/L		4.6	4.6	U		
SESPMNT	B1PLP1	100-B SPRING 39-2	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07 Eu-152		-0.563 pCi/L		3.8	3.8	U		
SESPMNT	B1PLR2	100-D SPRING 102-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07 Eu-152		0.0659 pCi/L		2.5	2.5	U		
SESPMNT	B1PLR0	100-D SPRING 110-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07 Eu-152		-3.21 pCi/L		5.3	5.3	U		
SESPMNT	B1PLR6	100-F SPRING 207-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07 Eu-152		-0.97 pCi/L		3.8	3.8	U		
SESPMNT	B1PLR4	100-H SPRING 145-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07 Eu-152		-1.69 pCi/L		4.2	4.2	U		
SESPMNT	B1PLX0	100-H SPRING 153-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07 Eu-152		1.46 pCi/L		4.2	4.2	U		
SESPMNT	B1PLP3	100-K SPRING 63-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07 Eu-152		2.89 pCi/L		3.3	3.3	U	COLLECTED APPROXIMATELY 50 METERS DOWNRIVER FROM 63-1.	
SESPMNT	B1PLP6	100-K SPRING 77-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07 Eu-152		-1.06 pCi/L		4.2	4.2	U		
SESPMNT	B1PLK6	100-N SPRING 8-13	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07 Eu-152		-0.186 pCi/L		3.7	3.7	U		
SESPMNT	B1PLT5	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07 Eu-152		1.13 pCi/L		3.8	3.8	U		
SESPMNT	B1PLX9	300 AREA SPRING 41-9	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07 Eu-152						U		The entire sample volume was used for the Sr-90 analysis.
SESPMNT	B1PLL1	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07 Eu-152		-0.533 pCi/L		4.2	4.2	U		
SESPMNT	B1PLY1	300 AREA SPRING 42-7	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07 Eu-152		-0.542 pCi/L		5.5	5.5	U		

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## WATER - COLUMBIA RIVER SHORELINE SPRINGS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1PLT1	HANFORD SPR DR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07	Eu-152	-3.43 pCi/L		5.8	5.8	U		
SESPMNT	B1PLR9	HANFORD SPR UR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07	Eu-152	0.866 pCi/L		4.3	4.3	U		
SESPMNT	B1PLK9	HANFORD SPRING 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07	Eu-152	1.66 pCi/L		2.8	2.8	U		
SESPMNT	B1PLY3	RICHLAND SPR(SRL 437-1)	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	Eu-152	1.44 pCi/L		3.8	3.8	U		
SESPMNT	B1PLN9	100-B SPRING 37-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	Eu-154	0.799 pCi/L		4.8	4.8	U		
SESPMNT	B1PLP1	100-B SPRING 39-2	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	Eu-154	-0.74 pCi/L		4.8	4.8	U		
SESPMNT	B1PLR2	100-D SPRING 102-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07	Eu-154	0.188 pCi/L		3.5	3.5	U		
SESPMNT	B1PLR0	100-D SPRING 110-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07	Eu-154	-5.08 pCi/L		6.1	6.1	U		
SESPMNT	B1PLR6	100-F SPRING 207-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07	Eu-154	5.44 pCi/L		4.7	4.7	U		
SESPMNT	B1PLR4	100-H SPRING 145-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07	Eu-154	-3.85 pCi/L		5.2	5.2	U		
SESPMNT	B1PLX0	100-H SPRING 153-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07	Eu-154	-0.29 pCi/L		4.4	4.4	U		
SESPMNT	B1PLP3	100-K SPRING 63-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	Eu-154	0.777 pCi/L		3.6	3.6	U	COLLECTED APPROXIMATELY 50 METERS DOWNRIVER FROM 63-1.	
SESPMNT	B1PLP6	100-K SPRING 77-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07	Eu-154	-5.71 pCi/L		4.8	4.8	U		
SESPMNT	B1PLK6	100-N SPRING 8-13	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	Eu-154	2.97 pCi/L		4.5	4.5	U		
SESPMNT	B1PLT5	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	Eu-154	-0.666 pCi/L		4.6	4.6	U		
SESPMNT	B1PLX9	300 AREA SPRING 41-9	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07	Eu-154					U		The entire sample volume was used for the Sr-90 analysis.
SESPMNT	B1PLL1	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	Eu-154	-1.09 pCi/L		4.4	4.4	U		
SESPMNT	B1PLY1	300 AREA SPRING 42-7	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	Eu-154	-0.432 pCi/L		5.8	5.8	U		
SESPMNT	B1PLT1	HANFORD SPR DR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07	Eu-154	2.21 pCi/L		5.5	5.5	U		
SESPMNT	B1PLR9	HANFORD SPR UR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07	Eu-154	1.62 pCi/L		5	5	U		
SESPMNT	B1PLK9	HANFORD SPRING 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07	Eu-154	-1.44 pCi/L		3.7	3.7	U		
SESPMNT	B1PLY3	RICHLAND SPR(SRL 437-1)	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	Eu-154	0.261 pCi/L		4.3	4.3	U		
SESPMNT	B1PLN9	100-B SPRING 37-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	Eu-155	-1.4 pCi/L		3.7	3.7	U		
SESPMNT	B1PLP1	100-B SPRING 39-2	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	Eu-155	0.349 pCi/L		3.3	3.3	U		
SESPMNT	B1PLR2	100-D SPRING 102-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07	Eu-155	0.179 pCi/L		2.3	2.3	U		
SESPMNT	B1PLR0	100-D SPRING 110-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07	Eu-155	-0.805 pCi/L		4.1	4.1	U		
SESPMNT	B1PLR6	100-F SPRING 207-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07	Eu-155	-0.199 pCi/L		2.7	2.7	U		
SESPMNT	B1PLR4	100-H SPRING 145-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07	Eu-155	-1.12 pCi/L		3.8	3.8	U		
SESPMNT	B1PLX0	100-H SPRING 153-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07	Eu-155	-1.55 pCi/L		3.1	3.1	U		
SESPMNT	B1PLP3	100-K SPRING 63-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	Eu-155	-3.51 pCi/L		3	3	U	COLLECTED APPROXIMATELY 50 METERS DOWNRIVER FROM 63-1.	
SESPMNT	B1PLP6	100-K SPRING 77-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07	Eu-155	1.92 pCi/L		4.2	4.2	U		
SESPMNT	B1PLK6	100-N SPRING 8-13	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	Eu-155	1.5 pCi/L		3	3	U		
SESPMNT	B1PLT5	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	Eu-155	0.52 pCi/L		2.6	2.6	U		
SESPMNT	B1PLX9	300 AREA SPRING 41-9	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07	Eu-155					U		The entire sample volume was used for the Sr-90 analysis.
SESPMNT	B1PLL1	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	Eu-155	1.34 pCi/L		3	3	U		
SESPMNT	B1PLY1	300 AREA SPRING 42-7	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	Eu-155	-1.09 pCi/L		4.2	4.2	U		
SESPMNT	B1PLT1	HANFORD SPR DR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07	Eu-155	0.185 pCi/L		4.1	4.1	U		
SESPMNT	B1PLR9	HANFORD SPR UR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07	Eu-155	-2.72 pCi/L		4.4	4.4	U		
SESPMNT	B1PLK9	HANFORD SPRING 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07	Eu-155	-1.61 pCi/L		2.3	2.3	U		
SESPMNT	B1PLY3	RICHLAND SPR(SRL 437-1)	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	Eu-155	1.88 pCi/L		2.6	2.6	U		
SESPMNT	B1PLN9	100-B SPRING 37-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	K-40	-62.6 pCi/L		47	47	U		
SESPMNT	B1PLP1	100-B SPRING 39-2	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	K-40	6.15 pCi/L		46	46	U		
SESPMNT	B1PLR2	100-D SPRING 102-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07	K-40	10.1 pCi/L		24	24	U		
SESPMNT	B1PLR0	100-D SPRING 110-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07	K-40	-60.8 pCi/L		48	48	U		
SESPMNT	B1PLR6	100-F SPRING 207-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07	K-40	7.93 pCi/L		40	40	U		
SESPMNT	B1PLR4	100-H SPRING 145-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07	K-40	-39 pCi/L		40	40	U		
SESPMNT	B1PLX0	100-H SPRING 153-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07	K-40	-8.24 pCi/L		32	32	U		
SESPMNT	B1PLP3	100-K SPRING 63-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	K-40	-4.82 pCi/L		21	21	U	COLLECTED APPROXIMATELY 50 METERS DOWNRIVER FROM 63-1.	
SESPMNT	B1PLP6	100-K SPRING 77-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07	K-40	-41.7 pCi/L		50	50	U		
SESPMNT	B1PLK6	100-N SPRING 8-13	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	K-40	-45.5 pCi/L		31	31	U		
SESPMNT	B1PLT5	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	K-40	-10.4 pCi/L		22	22	U		
SESPMNT	B1PLX9	300 AREA SPRING 41-9	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07	K-40					U		The entire sample volume was used for the Sr-90 analysis.
SESPMNT	B1PLL1	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	K-40	-5.34 pCi/L		31	31	U		
SESPMNT	B1PLY1	300 AREA SPRING 42-7	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	K-40	-65.1 pCi/L		48	48	U		
SESPMNT	B1PLT1	HANFORD SPR DR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07	K-40	-41.3 pCi/L		47	47	U		
SESPMNT	B1PLR9	HANFORD SPR UR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07	K-40	-24.8 pCi/L		49	49	U		
SESPMNT	B1PLK9	HANFORD SPRING 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07	K-40	-19.7 pCi/L		23	23	U		
SESPMNT	B1PLY3	RICHLAND SPR(SRL 437-1)	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	K-40	-12.7 pCi/L		35	35	U		
SESPMNT	B1PLN9	100-B SPRING 37-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	Ru-106	-7.88 pCi/L		16	16	U		
SESPMNT	B1PLP1	100-B SPRING 39-2	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	Ru-106	-1.44 pCi/L		13	13	U		
SESPMNT	B1PLR2	100-D SPRING 102-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07	Ru-106	-0.291 pCi/L		10	10	U		



## ENVIRONMENTAL SURVEILLANCE DATA CY07

## WATER - COLUMBIA RIVER SHORELINE SPRINGS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1PLR0	100-D SPRING 110-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07	Ru-106	-4.26 pCi/L		18	18	U		
SESPMNT	B1PLR6	100-F SPRING 207-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07	Ru-106	4.96 pCi/L		13	13	U		
SESPMNT	B1PLR4	100-H SPRING 145-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07	Ru-106	-2.11 pCi/L		13	13	U		
SESPMNT	B1PLX0	100-H SPRING 153-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07	Ru-106	1.04 pCi/L		15	15	U		
SESPMNT	B1PLP3	100-K SPRING 63-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	Ru-106	2.76 pCi/L		11	11	U	COLLECTED APPROXIMATELY 50 METERS DOWNRIVER FROM 63-1.	
SESPMNT	B1PLP6	100-K SPRING 77-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07	Ru-106	-0.859 pCi/L		14	14	U		
SESPMNT	B1PLK6	100-N SPRING 8-13	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	Ru-106	-4.49 pCi/L		14	14	U		
SESPMNT	B1PLT5	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	Ru-106	-21.6 pCi/L		14	14	U		
SESPMNT	B1PLX9	300 AREA SPRING 41-9	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07	Ru-106					U		The entire sample volume was used for the Sr-90 analysis.
SESPMNT	B1PLL1	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	Ru-106	-7.49 pCi/L		17	17	U		
SESPMNT	B1PLY1	300 AREA SPRING 42-7	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	Ru-106	15.1 pCi/L		20	20	U		
SESPMNT	B1PLT1	HANFORD SPR DR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07	Ru-106	-9.29 pCi/L		18	18	U		
SESPMNT	B1PLR9	HANFORD SPR UR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07	Ru-106	12.9 pCi/L		14	14	U		
SESPMNT	B1PLK9	HANFORD SPRING 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07	Ru-106	1.22 pCi/L		9.3	9.3	U		
SESPMNT	B1PLY3	RICHLAND SPR(SRL 437-1)	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	Ru-106	1.59 pCi/L		16	16	U		
SESPMNT	B1PLN9	100-B SPRING 37-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	Sb-125	-1.74 pCi/L		4.6	4.6	U		
SESPMNT	B1PLP1	100-B SPRING 39-2	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	Sb-125	2.85 pCi/L		3.7	3.7	U		
SESPMNT	B1PLR2	100-D SPRING 102-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07	Sb-125	-1.23 pCi/L		2.5	2.5	U		
SESPMNT	B1PLR0	100-D SPRING 110-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07	Sb-125	1.92 pCi/L		5.3	5.3	U		
SESPMNT	B1PLR6	100-F SPRING 207-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07	Sb-125	-3.28 pCi/L		4	4	U		
SESPMNT	B1PLR4	100-H SPRING 145-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07	Sb-125	1.79 pCi/L		3.5	3.5	U		
SESPMNT	B1PLX0	100-H SPRING 153-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07	Sb-125	1.2 pCi/L		3.8	3.8	U		
SESPMNT	B1PLP3	100-K SPRING 63-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	Sb-125	-0.125 pCi/L		3.2	3.2	U	COLLECTED APPROXIMATELY 50 METERS DOWNRIVER FROM 63-1.	
SESPMNT	B1PLP6	100-K SPRING 77-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07	Sb-125	-0.104 pCi/L		4	4	U		
SESPMNT	B1PLK6	100-N SPRING 8-13	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	Sb-125	0.632 pCi/L		4.1	4.1	U		
SESPMNT	B1PLT5	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	Sb-125	-1.02 pCi/L		3.5	3.5	U		
SESPMNT	B1PLX9	300 AREA SPRING 41-9	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07	Sb-125					U		The entire sample volume was used for the Sr-90 analysis.
SESPMNT	B1PLL1	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	Sb-125	1.11 pCi/L		3.9	3.9	U		
SESPMNT	B1PLY1	300 AREA SPRING 42-7	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	Sb-125	1.85 pCi/L		5.6	5.6	U		
SESPMNT	B1PLT1	HANFORD SPR DR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07	Sb-125	-2.19 pCi/L		5.4	5.4	U		
SESPMNT	B1PLR9	HANFORD SPR UR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07	Sb-125	-1.35 pCi/L		4.1	4.1	U		
SESPMNT	B1PLK9	HANFORD SPRING 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07	Sb-125	0.714 pCi/L		2.5	2.5	U		
SESPMNT	B1PLY3	RICHLAND SPR(SRL 437-1)	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	Sb-125	-1.33 pCi/L		3.8	3.8	U		
SESPMNT	B1PLT6	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	I-129	-0.0174 pCi/L		0.17	0.17	U		
SESPMNT	B1PLL2	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	I-129	0.0454 pCi/L		0.1	0.1	U		
SESPMNT	B1PLT2	HANFORD SPR DR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07	I-129	0.11 pCi/L		0.12	0.12	U		
SESPMNT	B1PLT0	HANFORD SPR UR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07	I-129	0.647 pCi/L		0.27	0.27	U		
SESPMNT	B1PLL0	HANFORD SPRING 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07	I-129	0.173 pCi/L		0.21	0.21	U		
SESPMNT	B1PLN9	100-B SPRING 37-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	Sr-90	0.00434 pCi/L		0.022	0.034	U		
SESPMNT	B1PLP1	100-B SPRING 39-2	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	Sr-90	1.96 pCi/L		0.069	0.3			
SESPMNT	B1PLR2	100-D SPRING 102-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07	Sr-90	0.0997 pCi/L		0.023	0.038			
SESPMNT	B1PLR0	100-D SPRING 110-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07	Sr-90	0.405 pCi/L		0.035	0.074			
SESPMNT	B1PLR6	100-F SPRING 207-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07	Sr-90	0.121 pCi/L		0.038	0.05			
SESPMNT	B1PLR4	100-H SPRING 145-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07	Sr-90	0.00751 pCi/L		0.018	0.032	U		
SESPMNT	B1PLX0	100-H SPRING 153-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07	Sr-90	6.22 pCi/L		0.11	0.89			
SESPMNT	B1PLP3	100-K SPRING 63-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	Sr-90	0.0109 pCi/L		0.02	0.033	U	COLLECTED APPROXIMATELY 50 METERS DOWNRIVER FROM 63-1.	
SESPMNT	B1PLP6	100-K SPRING 77-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07	Sr-90	1.91 pCi/L		0.066	0.29			
SESPMNT	B1PLK6	100-N SPRING 8-13	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	Sr-90	0.0174 pCi/L		0.021	0.033	U		
SESPMNT	B1PLT5	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	Sr-90	0.127 pCi/L		0.024	0.041			
SESPMNT	B1PLX9	300 AREA SPRING 41-9	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07	Sr-90	0.0218 pCi/L		0.023	0.037	U		
SESPMNT	B1PLL1	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	Sr-90	0.104 pCi/L		0.025	0.04			
SESPMNT	B1PLY1	300 AREA SPRING 42-7	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	Sr-90	0.1 pCi/L		0.024	0.039			
SESPMNT	B1PLY3	RICHLAND SPR(SRL 437-1)	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	Sr-90	0.000438 pCi/L		0.02	0.033	U		
SESPMNT	B1PLN9	100-B SPRING 37-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	Tc-99	1.74 pCi/L		0.25	0.47			
SESPMNT	B1PLP1	100-B SPRING 39-2	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	Tc-99	4.56 pCi/L		0.3	0.61			
SESPMNT	B1PLR4	100-H SPRING 145-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07	Tc-99	0.105 pCi/L		0.2	0.35	U		
SESPMNT	B1PLX0	100-H SPRING 153-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07	Tc-99	0.165 pCi/L		0.2	0.35	U		
SESPMNT	B1PLT1	HANFORD SPR DR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07	Tc-99	37.6 pCi/L		0.61	2.3			
SESPMNT	B1PLR9	HANFORD SPR UR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07	Tc-99	35.2 pCi/L		0.59	2.2			
SESPMNT	B1PLK9	HANFORD SPRING 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07	Tc-99	68 pCi/L		0.8	3.9			
SESPMNT	B1PLP0	100-B SPRING 37-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	H-3	2280 pCi/L		190	250			
SESPMNT	B1PLP2	100-B SPRING 39-2	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	H-3	2080 pCi/L		180	240			

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## WATER - COLUMBIA RIVER SHORELINE SPRINGS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1PLR3	100-D SPRING 102-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07 H-3		42.5 pCi/L		68	100	U		
SESPMNT	B1PLR1	100-D SPRING 110-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07 H-3		477 pCi/L		110	140			
SESPMNT	B1PLR7	100-F SPRING 207-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07 H-3		1380 pCi/L		150	190			
SESPMNT	B1PLR5	100-H SPRING 145-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07 H-3		2370 pCi/L		200	270			
SESPMNT	B1PLX1	100-H SPRING 153-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07 H-3		260 pCi/L		87	120			
SESPMNT	B1PLP4	100-K SPRING 63-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07 H-3		4200 pCi/L		250	370		COLLECTED APPROXIMATELY 50 METERS DOWNRIVER FROM 63-1.	
SESPMNT	B1PLP7	100-K SPRING 77-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07 H-3		60 pCi/L		71	87	U		
SESPMNT	B1PLK7	100-N SPRING 8-13	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07 H-3		7910 pCi/L		340	600			
SESPMNT	B1PLT6	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07 H-3		4500 pCi/L		260	420			
SESPMNT	B1PLY0	300 AREA SPRING 41-9	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07 H-3		10500 pCi/L		390	760			
SESPMNT	B1PLL2	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07 H-3		5790 pCi/L		300	510			
SESPMNT	B1PLY2	300 AREA SPRING 42-7	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07 H-3		6390 pCi/L		310	550			
SESPMNT	B1PLT2	HANFORD SPR DR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07 H-3		29300 pCi/L		640	1900			
SESPMNT	B1PLT0	HANFORD SPR UR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07 H-3		32800 pCi/L		680	2100			
SESPMNT	B1PLL0	HANFORD SPRING 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07 H-3		52600 pCi/L		850	3300			
SESPMNT	B1PLY4	RICHLAND SPR(SRL 437-1)	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07 H-3		196 pCi/L		85	100			
SESPMNT	B1PLR6	100-F SPRING 207-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07 U-234		2.85 pCi/L		0.12	0.46			
SESPMNT	B1PLR4	100-H SPRING 145-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07 U-234		0.769 pCi/L		0.061	0.15			
SESPMNT	B1PLX0	100-H SPRING 153-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07 U-234		2.69 pCi/L		0.12	0.43			
SESPMNT	B1PLT5	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07 U-234		30.6 pCi/L		0.4	4.6			
SESPMNT	B1PLX9	300 AREA SPRING 41-9	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07 U-234		2.84 pCi/L		0.13	0.46			
SESPMNT	B1PLL1	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07 U-234		21.6 pCi/L		0.33	3.2			
SESPMNT	B1PLY1	300 AREA SPRING 42-7	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07 U-234		54.1 pCi/L		0.51	8			
SESPMNT	B1PLT1	HANFORD SPR DR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07 U-234		1.17 pCi/L		0.077	0.21			
SESPMNT	B1PLR9	HANFORD SPR UR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07 U-234		1.2 pCi/L		0.079	0.21			
SESPMNT	B1PLK9	HANFORD SPRING 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07 U-234		1.64 pCi/L		0.089	0.27			
SESPMNT	B1PLY3	RICHLAND SPR(SRL 437-1)	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07 U-234		0.95 pCi/L		0.073	0.18			
SESPMNT	B1PLR6	100-F SPRING 207-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07 U-235		0.0885 pCi/L		0.023	0.051			
SESPMNT	B1PLR4	100-H SPRING 145-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07 U-235		0.0136 pCi/L		0.012	0.044	U		
SESPMNT	B1PLX0	100-H SPRING 153-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07 U-235		0.0742 pCi/L		0.023	0.05			
SESPMNT	B1PLT5	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07 U-235		1.16 pCi/L		0.078	0.2			
SESPMNT	B1PLX9	300 AREA SPRING 41-9	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07 U-235		0.0604 pCi/L		0.021	0.048			
SESPMNT	B1PLL1	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07 U-235		0.773 pCi/L		0.063	0.14			
SESPMNT	B1PLY1	300 AREA SPRING 42-7	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07 U-235		3.02 pCi/L		0.12	0.47			
SESPMNT	B1PLT1	HANFORD SPR DR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07 U-235		0.0245 pCi/L		0.014	0.045	U		
SESPMNT	B1PLR9	HANFORD SPR UR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07 U-235		0.0093 pCi/L		0.011	0.044	U		
SESPMNT	B1PLK9	HANFORD SPRING 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07 U-235		0.0285 pCi/L		0.016	0.046	U		
SESPMNT	B1PLY3	RICHLAND SPR(SRL 437-1)	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07 U-235		0.0178 pCi/L		0.014	0.045	U		
SESPMNT	B1PLR6	100-F SPRING 207-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07 U-238		2.4 pCi/L		0.11	0.39			
SESPMNT	B1PLR4	100-H SPRING 145-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07 U-238		0.677 pCi/L		0.057	0.14			
SESPMNT	B1PLX0	100-H SPRING 153-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07 U-238		2.21 pCi/L		0.11	0.36			
SESPMNT	B1PLT5	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07 U-238		28.7 pCi/L		0.38	4.3			
SESPMNT	B1PLX9	300 AREA SPRING 41-9	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07 U-238		2.24 pCi/L		0.11	0.36			
SESPMNT	B1PLL1	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07 U-238		20.6 pCi/L		0.32	3.1			
SESPMNT	B1PLY1	300 AREA SPRING 42-7	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07 U-238		49.2 pCi/L		0.49	7.3			
SESPMNT	B1PLT1	HANFORD SPR DR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07 U-238		0.884 pCi/L		0.066	0.16			
SESPMNT	B1PLR9	HANFORD SPR UR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07 U-238		0.793 pCi/L		0.064	0.15			
SESPMNT	B1PLK9	HANFORD SPRING 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07 U-238		1.13 pCi/L		0.074	0.2			
SESPMNT	B1PLY3	RICHLAND SPR(SRL 437-1)	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07 U-238		0.744 pCi/L		0.064	0.15			
SESPMNT	B1PLP9	100-B SPRING 37-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07 Hg		0.00188 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLT4	100-B SPRING 39-2	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07 Hg		0.113 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV6	100-D SPRING 102-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07 Hg		0.022 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV4	100-D SPRING 110-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07 Hg		0.296 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW0	100-F SPRING 207-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07 Hg		0.00155 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV8	100-H SPRING 145-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07 Hg		0.000731 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLX2	100-H SPRING 153-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07 Hg		0.064 ug/L				YX		RESULT NOT BLANK CORRECTED. CONFIRMED BY SECOND ANALYSIS.
SESPMNT	B1PLT9	100-K SPRING 63-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07 Hg		0.00384 ug/L				X	COLLECTED APPROXIMATELY 50 METERS DOWNRIVER FROM 63-1.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV1	100-K SPRING 77-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07 Hg		0.0499 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLM3	100-N SPRING 8-13	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07 Hg		0.00147 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW8	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07 Hg		0.000535 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLY7	300 AREA SPRING 41-9	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07 Hg		0.00315 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLM2	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07 Hg		0.0104 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW5	HANFORD SPR DR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07 Hg		0.0093 ug/L				X		RESULT NOT BLANK CORRECTED.

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## WATER - COLUMBIA RIVER SHORELINE SPRINGS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1PLV3	HANFORD SPR UR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07	Hg	0.00237 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLM1	HANFORD SPRING 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07	Hg	0.00103 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLY5	RICHLAND SPR(SRL 437-1)	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	Hg	0.00157 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLP9	100-B SPRING 37-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	Ag	0.002 ug/L				UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLR8	100-B SPRING 37-1	ONSITE	SW	Y	SEEP		24-Sep-07	Ag	0.002 ug/L				UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLT4	100-B SPRING 39-2	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	Ag	0.207 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLT8	100-B SPRING 39-2	ONSITE	SW	Y	SEEP		24-Sep-07	Ag	0.002 ug/L				UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV6	100-D SPRING 102-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07	Ag	0.0328 ug/L				BX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV7	100-D SPRING 102-1	ONSITE	SW	Y	SEEP		15-Oct-07	Ag	0.002 ug/L				UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV4	100-D SPRING 110-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07	Ag	0.423 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV5	100-D SPRING 110-1	ONSITE	SW	Y	SEEP		15-Oct-07	Ag	0.002 ug/L				UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW0	100-F SPRING 207-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07	Ag	0.002 ug/L				UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW1	100-F SPRING 207-1	ONSITE	SW	Y	SEEP		22-Oct-07	Ag	0.002 ug/L				UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV8	100-H SPRING 145-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07	Ag	0.002 ug/L				UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV9	100-H SPRING 145-1	ONSITE	SW	Y	SEEP		15-Oct-07	Ag	0.002 ug/L				UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLX2	100-H SPRING 153-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07	Ag	0.0968 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLX3	100-H SPRING 153-1	ONSITE	SW	Y	SEEP		15-Oct-07	Ag	0.00541 ug/L				BX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLT9	100-K SPRING 63-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	Ag	0.00479 ug/L				BX	COLLECTED APPROXIMATELY 50 METERS DOWNRIVER FROM 63-1.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV0	100-K SPRING 63-1	ONSITE	SW	Y	SEEP		24-Sep-07	Ag	0.002 ug/L				UX	COLLECTED APPROXIMATELY 50 METERS DOWNRIVER FROM 63-1.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV1	100-K SPRING 77-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07	Ag	0.115 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV2	100-K SPRING 77-1	ONSITE	SW	Y	SEEP		22-Oct-07	Ag	0.002 ug/L				UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLM3	100-N SPRING 8-13	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	Ag	0.002 ug/L				UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV3	100-N SPRING 8-13	ONSITE	SW	Y	SEEP		24-Sep-07	Ag	0.002 ug/L				UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW8	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	Ag	0.002 ug/L				UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW9	300 AREA SPR DR 42-2	ONSITE	SW	Y	SEEP		05-Dec-07	Ag	0.002 ug/L				UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLY7	300 AREA SPRING 41-9	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07	Ag	0.00617 ug/L				BX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLY8	300 AREA SPRING 41-9	ONSITE	SW	Y	SEEP		20-Sep-07	Ag	0.002 ug/L				UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLM2	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	Ag	0.0107 ug/L				BX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW7	300 AREA SPRING 42-2	ONSITE	SW	Y	SEEP		05-Dec-07	Ag	0.002 ug/L				UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW5	HANFORD SPR DR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07	Ag	0.0134 ug/L				BX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW6	HANFORD SPR DR 28-2	ONSITE	SW	Y	SEEP		20-Sep-07	Ag	0.002 ug/L				UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW3	HANFORD SPR UR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07	Ag	0.002 ug/L				UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW4	HANFORD SPR UR 28-2	ONSITE	SW	Y	SEEP		20-Sep-07	Ag	0.002 ug/L				UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLM1	HANFORD SPRING 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07	Ag	0.002 ug/L				UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW2	HANFORD SPRING 28-2	ONSITE	SW	Y	SEEP		20-Sep-07	Ag	0.002 ug/L				UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLY5	RICHLAND SPR(SRL 437-1)	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	Ag	0.002 ug/L				UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLY6	RICHLAND SPR(SRL 437-1)	ONSITE	SW	Y	SEEP		05-Dec-07	Ag	0.002 ug/L				UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLP9	100-B SPRING 37-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	As	1.27 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLR8	100-B SPRING 37-1	ONSITE	SW	Y	SEEP		24-Sep-07	As	1.15 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLT4	100-B SPRING 39-2	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	As	3.75 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLT8	100-B SPRING 39-2	ONSITE	SW	Y	SEEP		24-Sep-07	As	0.424 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV6	100-D SPRING 102-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07	As	2.02 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV7	100-D SPRING 102-1	ONSITE	SW	Y	SEEP		15-Oct-07	As	0.671 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV4	100-D SPRING 110-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07	As	10.3 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV5	100-D SPRING 110-1	ONSITE	SW	Y	SEEP		15-Oct-07	As	0.67 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW0	100-F SPRING 207-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07	As	0.636 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW1	100-F SPRING 207-1	ONSITE	SW	Y	SEEP		22-Oct-07	As	0.378 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV8	100-H SPRING 145-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07	As	2.04 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV9	100-H SPRING 145-1	ONSITE	SW	Y	SEEP		15-Oct-07	As	1.99 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLX2	100-H SPRING 153-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07	As	3.77 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLX3	100-H SPRING 153-1	ONSITE	SW	Y	SEEP		15-Oct-07	As	0.413 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLT9	100-K SPRING 63-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	As	1.76 ug/L				X	COLLECTED APPROXIMATELY 50 METERS DOWNRIVER FROM 63-1.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV0	100-K SPRING 63-1	ONSITE	SW	Y	SEEP		24-Sep-07	As	1.26 ug/L				X	COLLECTED APPROXIMATELY 50 METERS DOWNRIVER FROM 63-1.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV1	100-K SPRING 77-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07	As	7.54 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV2	100-K SPRING 77-1	ONSITE	SW	Y	SEEP		22-Oct-07	As	1.8 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLM3	100-N SPRING 8-13	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	As	1.9 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV3	100-N SPRING 8-13	ONSITE	SW	Y	SEEP		24-Sep-07	As	1.94 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW8	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	As	0.866 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW9	300 AREA SPR DR 42-2	ONSITE	SW	Y	SEEP		05-Dec-07	As	0.871 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLY7	300 AREA SPRING 41-9	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07	As	5.97 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLY8	300 AREA SPRING 41-9	ONSITE	SW	Y	SEEP		20-Sep-07	As	5.55 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLM2	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	As	2.91 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW7	300 AREA SPRING 42-2	ONSITE	SW	Y	SEEP		05-Dec-07	As	1.22 ug/L				X		RESULT NOT BLANK CORRECTED.

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## WATER - COLUMBIA RIVER SHORELINE SPRINGS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1PLW5	HANFORD SPR DR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07 As		3.93 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW6	HANFORD SPR DR 28-2	ONSITE	SW	Y	SEEP		20-Sep-07 As		2.39 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW3	HANFORD SPR UR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07 As		2.71 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW4	HANFORD SPR UR 28-2	ONSITE	SW	Y	SEEP		20-Sep-07 As		2.49 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLM1	HANFORD SPRING 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07 As		4.29 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW2	HANFORD SPRING 28-2	ONSITE	SW	Y	SEEP		20-Sep-07 As		3.95 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLY5	RICHLAND SPR(SRL 437-1)	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07 As		2.14 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLY6	RICHLAND SPR(SRL 437-1)	ONSITE	SW	Y	SEEP		05-Dec-07 As		1.91 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLP9	100-B SPRING 37-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07 Be		0.0154 ug/L				BX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLR8	100-B SPRING 37-1	ONSITE	SW	Y	SEEP		24-Sep-07 Be		0.008 ug/L				UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLT4	100-B SPRING 39-2	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07 Be		0.411 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLT8	100-B SPRING 39-2	ONSITE	SW	Y	SEEP		24-Sep-07 Be		0.008 ug/L				UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV6	100-D SPRING 102-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07 Be		0.184 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV7	100-D SPRING 102-1	ONSITE	SW	Y	SEEP		15-Oct-07 Be		0.0102 ug/L				BX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV4	100-D SPRING 110-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07 Be		1.33 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV5	100-D SPRING 110-1	ONSITE	SW	Y	SEEP		15-Oct-07 Be		0.008 ug/L				UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW0	100-F SPRING 207-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07 Be		0.0169 ug/L				BX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW1	100-F SPRING 207-1	ONSITE	SW	Y	SEEP		22-Oct-07 Be		0.008 ug/L				UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV8	100-H SPRING 145-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07 Be		0.008 ug/L				UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV9	100-H SPRING 145-1	ONSITE	SW	Y	SEEP		15-Oct-07 Be		0.008 ug/L				UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLX2	100-H SPRING 153-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07 Be		0.296 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLX3	100-H SPRING 153-1	ONSITE	SW	Y	SEEP		15-Oct-07 Be		0.008 ug/L				UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLT9	100-K SPRING 63-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07 Be		0.048 ug/L				BX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV0	100-K SPRING 63-1	ONSITE	SW	Y	SEEP		24-Sep-07 Be		0.008 ug/L				UX	COLLECTED APPROXIMATELY 50 METERS DOWNRIVER FROM 63-1.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV1	100-K SPRING 77-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07 Be		0.582 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV2	100-K SPRING 77-1	ONSITE	SW	Y	SEEP		22-Oct-07 Be		0.008 ug/L				UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLM3	100-N SPRING 8-13	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07 Be		0.0115 ug/L				BX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV3	100-N SPRING 8-13	ONSITE	SW	Y	SEEP		24-Sep-07 Be		0.008 ug/L				UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW8	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07 Be		0.008 ug/L				UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW9	300 AREA SPR DR 42-2	ONSITE	SW	Y	SEEP		05-Dec-07 Be		0.008 ug/L				UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLY7	300 AREA SPRING 41-9	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07 Be		0.0248 ug/L				BX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLY8	300 AREA SPRING 41-9	ONSITE	SW	Y	SEEP		20-Sep-07 Be		0.008 ug/L				UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLM2	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07 Be		0.118 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW7	300 AREA SPRING 42-2	ONSITE	SW	Y	SEEP		05-Dec-07 Be		0.008 ug/L				UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW5	HANFORD SPR DR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07 Be		0.0744 ug/L				BX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW6	HANFORD SPR DR 28-2	ONSITE	SW	Y	SEEP		20-Sep-07 Be		0.008 ug/L				UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW3	HANFORD SPR UR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07 Be		0.0125 ug/L				BX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW4	HANFORD SPR UR 28-2	ONSITE	SW	Y	SEEP		20-Sep-07 Be		0.008 ug/L				UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLM1	HANFORD SPRING 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07 Be		0.0322 ug/L				BX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW2	HANFORD SPRING 28-2	ONSITE	SW	Y	SEEP		20-Sep-07 Be		0.008 ug/L				UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLY5	RICHLAND SPR(SRL 437-1)	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07 Be		0.0145 ug/L				BX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLY6	RICHLAND SPR(SRL 437-1)	ONSITE	SW	Y	SEEP		05-Dec-07 Be		0.0087 ug/L				BX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLP9	100-B SPRING 37-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07 Cd		0.0451 ug/L				BX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLR8	100-B SPRING 37-1	ONSITE	SW	Y	SEEP		24-Sep-07 Cd		0.0113 ug/L				BX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLT4	100-B SPRING 39-2	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07 Cd		1.45 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLT8	100-B SPRING 39-2	ONSITE	SW	Y	SEEP		24-Sep-07 Cd		0.0252 ug/L				BX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV6	100-D SPRING 102-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07 Cd		0.471 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV7	100-D SPRING 102-1	ONSITE	SW	Y	SEEP		15-Oct-07 Cd		0.0407 ug/L				BX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV4	100-D SPRING 110-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07 Cd		3.44 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV5	100-D SPRING 110-1	ONSITE	SW	Y	SEEP		15-Oct-07 Cd		0.0535 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW0	100-F SPRING 207-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07 Cd		0.0574 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW1	100-F SPRING 207-1	ONSITE	SW	Y	SEEP		22-Oct-07 Cd		0.0133 ug/L				BX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV8	100-H SPRING 145-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07 Cd		0.0188 ug/L				BX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV9	100-H SPRING 145-1	ONSITE	SW	Y	SEEP		15-Oct-07 Cd		0.0164 ug/L				BX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLX2	100-H SPRING 153-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07 Cd		0.482 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLX3	100-H SPRING 153-1	ONSITE	SW	Y	SEEP		15-Oct-07 Cd		0.00201 ug/L				BX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLT9	100-K SPRING 63-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07 Cd		0.0699 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV0	100-K SPRING 63-1	ONSITE	SW	Y	SEEP		24-Sep-07 Cd		0.0117 ug/L				BX	COLLECTED APPROXIMATELY 50 METERS DOWNRIVER FROM 63-1.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV1	100-K SPRING 77-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07 Cd		1.87 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV2	100-K SPRING 77-1	ONSITE	SW	Y	SEEP		22-Oct-07 Cd		0.0136 ug/L				BX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLM3	100-N SPRING 8-13	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07 Cd		0.0301 ug/L				BX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV3	100-N SPRING 8-13	ONSITE	SW	Y	SEEP		24-Sep-07 Cd		0.0128 ug/L				BX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW8	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07 Cd		0.0132 ug/L				BX		RESULT NOT BLANK CORRECTED.

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## WATER - COLUMBIA RIVER SHORELINE SPRINGS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1PLW9	300 AREA SPR DR 42-2	ONSITE	SW	Y	SEEP		05-Dec-07 Cd		0.0137 ug/L				BX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLY7	300 AREA SPRING 41-9	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07 Cd		0.0937 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLY8	300 AREA SPRING 41-9	ONSITE	SW	Y	SEEP		20-Sep-07 Cd		0.0331 ug/L				BX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLM2	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07 Cd		0.381 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW7	300 AREA SPRING 42-2	ONSITE	SW	Y	SEEP		05-Dec-07 Cd		0.0376 ug/L				BX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW5	HANFORD SPR DR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07 Cd		0.275 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW6	HANFORD SPR DR 28-2	ONSITE	SW	Y	SEEP		20-Sep-07 Cd		0.0216 ug/L				BX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW3	HANFORD SPR UR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07 Cd		0.0905 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW4	HANFORD SPR UR 28-2	ONSITE	SW	Y	SEEP		20-Sep-07 Cd		0.0246 ug/L				BX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLM1	HANFORD SPRING 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07 Cd		0.099 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW2	HANFORD SPRING 28-2	ONSITE	SW	Y	SEEP		20-Sep-07 Cd		0.0154 ug/L				BX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLY5	RICHLAND SPR(SRL 437-1)	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07 Cd		0.0415 ug/L				BX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLY6	RICHLAND SPR(SRL 437-1)	ONSITE	SW	Y	SEEP		05-Dec-07 Cd		0.0144 ug/L				BX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLP9	100-B SPRING 37-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07 Cr		8.14 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLR8	100-B SPRING 37-1	ONSITE	SW	Y	SEEP		24-Sep-07 Cr		5.89 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLT4	100-B SPRING 39-2	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07 Cr		89.1 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLT8	100-B SPRING 39-2	ONSITE	SW	Y	SEEP		24-Sep-07 Cr		2.23 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV6	100-D SPRING 102-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07 Cr		28.3 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV7	100-D SPRING 102-1	ONSITE	SW	Y	SEEP		15-Oct-07 Cr		18.4 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV4	100-D SPRING 110-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07 Cr		272 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV5	100-D SPRING 110-1	ONSITE	SW	Y	SEEP		15-Oct-07 Cr		32.5 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW0	100-F SPRING 207-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07 Cr		2.28 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW1	100-F SPRING 207-1	ONSITE	SW	Y	SEEP		22-Oct-07 Cr		0.826 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV8	100-H SPRING 145-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07 Cr		36.7 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV9	100-H SPRING 145-1	ONSITE	SW	Y	SEEP		15-Oct-07 Cr		37.2 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLX2	100-H SPRING 153-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07 Cr		57.6 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLX3	100-H SPRING 153-1	ONSITE	SW	Y	SEEP		15-Oct-07 Cr		3.74 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLT9	100-K SPRING 63-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07 Cr		74.1 ug/L				X	COLLECTED APPROXIMATELY 50 METERS DOWNRIVER FROM 63-1.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV0	100-K SPRING 63-1	ONSITE	SW	Y	SEEP		24-Sep-07 Cr		71.9 ug/L				X	COLLECTED APPROXIMATELY 50 METERS DOWNRIVER FROM 63-1.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV1	100-K SPRING 77-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07 Cr		51.1 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV2	100-K SPRING 77-1	ONSITE	SW	Y	SEEP		22-Oct-07 Cr		15.9 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLM3	100-N SPRING 8-13	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07 Cr		8.07 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV3	100-N SPRING 8-13	ONSITE	SW	Y	SEEP		24-Sep-07 Cr		8.17 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW8	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07 Cr		2.06 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW9	300 AREA SPR DR 42-2	ONSITE	SW	Y	SEEP		05-Dec-07 Cr		2.03 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLY7	300 AREA SPRING 41-9	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07 Cr		2.99 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLY8	300 AREA SPRING 41-9	ONSITE	SW	Y	SEEP		20-Sep-07 Cr		2.35 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLM2	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07 Cr		5.54 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW7	300 AREA SPRING 42-2	ONSITE	SW	Y	SEEP		05-Dec-07 Cr		2.32 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW5	HANFORD SPR DR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07 Cr		4.46 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW6	HANFORD SPR DR 28-2	ONSITE	SW	Y	SEEP		20-Sep-07 Cr		0.987 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW3	HANFORD SPR UR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07 Cr		2.23 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW4	HANFORD SPR UR 28-2	ONSITE	SW	Y	SEEP		20-Sep-07 Cr		1.65 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLM1	HANFORD SPRING 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07 Cr		3.95 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW2	HANFORD SPRING 28-2	ONSITE	SW	Y	SEEP		20-Sep-07 Cr		2.55 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLY5	RICHLAND SPR(SRL 437-1)	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07 Cr		1.24 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLY6	RICHLAND SPR(SRL 437-1)	ONSITE	SW	Y	SEEP		05-Dec-07 Cr		0.966 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLP9	100-B SPRING 37-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07 Cu		1.09 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLR8	100-B SPRING 37-1	ONSITE	SW	Y	SEEP		24-Sep-07 Cu		0.335 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLT4	100-B SPRING 39-2	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07 Cu		24.3 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLT8	100-B SPRING 39-2	ONSITE	SW	Y	SEEP		24-Sep-07 Cu		0.335 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV6	100-D SPRING 102-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07 Cu		8.77 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV7	100-D SPRING 102-1	ONSITE	SW	Y	SEEP		15-Oct-07 Cu		0.711 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV4	100-D SPRING 110-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07 Cu		67.7 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV5	100-D SPRING 110-1	ONSITE	SW	Y	SEEP		15-Oct-07 Cu		1.07 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW0	100-F SPRING 207-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07 Cu		1.08 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW1	100-F SPRING 207-1	ONSITE	SW	Y	SEEP		22-Oct-07 Cu		0.428 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV8	100-H SPRING 145-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07 Cu		0.498 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV9	100-H SPRING 145-1	ONSITE	SW	Y	SEEP		15-Oct-07 Cu		0.398 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLX2	100-H SPRING 153-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07 Cu		32 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLX3	100-H SPRING 153-1	ONSITE	SW	Y	SEEP		15-Oct-07 Cu		0.581 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLT9	100-K SPRING 63-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07 Cu		2.81 ug/L				X	COLLECTED APPROXIMATELY 50 METERS DOWNRIVER FROM 63-1.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV0	100-K SPRING 63-1	ONSITE	SW	Y	SEEP		24-Sep-07 Cu		0.247 ug/L				X	COLLECTED APPROXIMATELY 50 METERS DOWNRIVER FROM 63-1.	RESULT NOT BLANK CORRECTED.

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## WATER - COLUMBIA RIVER SHORELINE SPRINGS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1PLV1	100-K SPRING 77-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07 Cu		34.3 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV2	100-K SPRING 77-1	ONSITE	SW	Y	SEEP		22-Oct-07 Cu		0.292 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLM3	100-N SPRING 8-13	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07 Cu		0.717 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV3	100-N SPRING 8-13	ONSITE	SW	Y	SEEP		24-Sep-07 Cu		0.178 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW8	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07 Cu		0.331 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW9	300 AREA SPR DR 42-2	ONSITE	SW	Y	SEEP		05-Dec-07 Cu		0.351 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLY7	300 AREA SPRING 41-9	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07 Cu		1.51 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLY8	300 AREA SPRING 41-9	ONSITE	SW	Y	SEEP		20-Sep-07 Cu		0.315 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLM2	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07 Cu		6.26 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW7	300 AREA SPRING 42-2	ONSITE	SW	Y	SEEP		05-Dec-07 Cu		0.38 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW5	HANFORD SPR DR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07 Cu		3.96 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW6	HANFORD SPR DR 28-2	ONSITE	SW	Y	SEEP		20-Sep-07 Cu		0.603 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW3	HANFORD SPR UR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07 Cu		1.2 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW4	HANFORD SPR UR 28-2	ONSITE	SW	Y	SEEP		20-Sep-07 Cu		0.358 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLM1	HANFORD SPRING 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07 Cu		2.53 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW2	HANFORD SPRING 28-2	ONSITE	SW	Y	SEEP		20-Sep-07 Cu		0.244 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLY5	RICHLAND SPR(SRL 437-1)	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07 Cu		1.48 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLY6	RICHLAND SPR(SRL 437-1)	ONSITE	SW	Y	SEEP		05-Dec-07 Cu		0.528 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLP9	100-B SPRING 37-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07 Ni		0.959 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLR8	100-B SPRING 37-1	ONSITE	SW	Y	SEEP		24-Sep-07 Ni		0.458 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLT4	100-B SPRING 39-2	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07 Ni		22.8 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLT8	100-B SPRING 39-2	ONSITE	SW	Y	SEEP		24-Sep-07 Ni		0.342 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV6	100-D SPRING 102-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07 Ni		12.4 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV7	100-D SPRING 102-1	ONSITE	SW	Y	SEEP		15-Oct-07 Ni		4.36 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV4	100-D SPRING 110-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07 Ni		54.5 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV5	100-D SPRING 110-1	ONSITE	SW	Y	SEEP		15-Oct-07 Ni		0.457 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW0	100-F SPRING 207-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07 Ni		1.05 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW1	100-F SPRING 207-1	ONSITE	SW	Y	SEEP		22-Oct-07 Ni		0.136 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV8	100-H SPRING 145-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07 Ni		0.103 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV9	100-H SPRING 145-1	ONSITE	SW	Y	SEEP		15-Oct-07 Ni		0.0989 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLX2	100-H SPRING 153-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07 Ni		12.7 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLX3	100-H SPRING 153-1	ONSITE	SW	Y	SEEP		15-Oct-07 Ni		0.483 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLT9	100-K SPRING 63-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07 Ni		2.62 ug/L				X	COLLECTED APPROXIMATELY 50 METERS DOWNRIVER FROM 63-1.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV0	100-K SPRING 63-1	ONSITE	SW	Y	SEEP		24-Sep-07 Ni		0.313 ug/L				X	COLLECTED APPROXIMATELY 50 METERS DOWNRIVER FROM 63-1.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV1	100-K SPRING 77-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07 Ni		32.1 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV2	100-K SPRING 77-1	ONSITE	SW	Y	SEEP		22-Oct-07 Ni		0.124 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLM3	100-N SPRING 8-13	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07 Ni		0.505 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV3	100-N SPRING 8-13	ONSITE	SW	Y	SEEP		24-Sep-07 Ni		0.318 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW8	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07 Ni		0.0366 ug/L				BX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW9	300 AREA SPR DR 42-2	ONSITE	SW	Y	SEEP		05-Dec-07 Ni		0.36 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLY7	300 AREA SPRING 41-9	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07 Ni		1.03 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLY8	300 AREA SPRING 41-9	ONSITE	SW	Y	SEEP		20-Sep-07 Ni		0.354 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLM2	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07 Ni		4.57 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW7	300 AREA SPRING 42-2	ONSITE	SW	Y	SEEP		05-Dec-07 Ni		0.32 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW5	HANFORD SPR DR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07 Ni		4.26 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW6	HANFORD SPR DR 28-2	ONSITE	SW	Y	SEEP		20-Sep-07 Ni		0.391 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW3	HANFORD SPR UR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07 Ni		1.49 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW4	HANFORD SPR UR 28-2	ONSITE	SW	Y	SEEP		20-Sep-07 Ni		0.298 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLM1	HANFORD SPRING 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07 Ni		3.02 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW2	HANFORD SPRING 28-2	ONSITE	SW	Y	SEEP		20-Sep-07 Ni		0.354 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLY5	RICHLAND SPR(SRL 437-1)	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07 Ni		0.574 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLY6	RICHLAND SPR(SRL 437-1)	ONSITE	SW	Y	SEEP		05-Dec-07 Ni		0.507 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLP9	100-B SPRING 37-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07 Pb		1.37 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLR8	100-B SPRING 37-1	ONSITE	SW	Y	SEEP		24-Sep-07 Pb		0.23 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLT4	100-B SPRING 39-2	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07 Pb		59.6 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLT8	100-B SPRING 39-2	ONSITE	SW	Y	SEEP		24-Sep-07 Pb		0.154 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV6	100-D SPRING 102-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07 Pb		11.1 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV7	100-D SPRING 102-1	ONSITE	SW	Y	SEEP		15-Oct-07 Pb		0.447 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV4	100-D SPRING 110-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07 Pb		126 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV5	100-D SPRING 110-1	ONSITE	SW	Y	SEEP		15-Oct-07 Pb		0.124 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW0	100-F SPRING 207-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07 Pb		1.8 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW1	100-F SPRING 207-1	ONSITE	SW	Y	SEEP		22-Oct-07 Pb		0.166 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV8	100-H SPRING 145-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07 Pb		0.557 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV9	100-H SPRING 145-1	ONSITE	SW	Y	SEEP		15-Oct-07 Pb		0.224 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLX2	100-H SPRING 153-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07 Pb		44.4 ug/L				X		RESULT NOT BLANK CORRECTED.

ENVIRONMENTAL SURVEILLANCE DATA CY07

WATER - COLUMBIA RIVER SHORELINE SPRINGS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1PLX3	100-H SPRING 153-1	ONSITE	SW	Y	SEEP		15-Oct-07	Pb	1.02 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLT9	100-K SPRING 63-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	Pb	2.56 ug/L				X	COLLECTED APPROXIMATELY 50 METERS DOWNRIVER FROM 63-1.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV0	100-K SPRING 63-1	ONSITE	SW	Y	SEEP		24-Sep-07	Pb	0.28 ug/L				X	COLLECTED APPROXIMATELY 50 METERS DOWNRIVER FROM 63-1.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV1	100-K SPRING 77-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07	Pb	47.2 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV2	100-K SPRING 77-1	ONSITE	SW	Y	SEEP		22-Oct-07	Pb	0.386 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLM3	100-N SPRING 8-13	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	Pb	1.02 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV3	100-N SPRING 8-13	ONSITE	SW	Y	SEEP		24-Sep-07	Pb	0.192 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW8	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	Pb	0.263 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW9	300 AREA SPR DR 42-2	ONSITE	SW	Y	SEEP		05-Dec-07	Pb	0.226 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLY7	300 AREA SPRING 41-9	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07	Pb	1.91 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLY8	300 AREA SPRING 41-9	ONSITE	SW	Y	SEEP		20-Sep-07	Pb	0.0271 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLM2	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	Pb	9.35 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW7	300 AREA SPRING 42-2	ONSITE	SW	Y	SEEP		05-Dec-07	Pb	0.16 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW5	HANFORD SPR DR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07	Pb	5.11 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW6	HANFORD SPR DR 28-2	ONSITE	SW	Y	SEEP		20-Sep-07	Pb	0.0404 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW3	HANFORD SPR UR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07	Pb	1.4 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW4	HANFORD SPR UR 28-2	ONSITE	SW	Y	SEEP		20-Sep-07	Pb	0.0156 ug/L				BX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLM1	HANFORD SPRING 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07	Pb	2.93 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW2	HANFORD SPRING 28-2	ONSITE	SW	Y	SEEP		20-Sep-07	Pb	0.00598 ug/L				BX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLY5	RICHLAND SPR(SRL 437-1)	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	Pb	1.54 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLY6	RICHLAND SPR(SRL 437-1)	ONSITE	SW	Y	SEEP		05-Dec-07	Pb	0.025 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLP9	100-B SPRING 37-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	Sb	0.0819 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLR8	100-B SPRING 37-1	ONSITE	SW	Y	SEEP		24-Sep-07	Sb	0.141 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLT4	100-B SPRING 39-2	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	Sb	0.323 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLT8	100-B SPRING 39-2	ONSITE	SW	Y	SEEP		24-Sep-07	Sb	0.139 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV6	100-D SPRING 102-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07	Sb	0.162 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV7	100-D SPRING 102-1	ONSITE	SW	Y	SEEP		15-Oct-07	Sb	0.176 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV4	100-D SPRING 110-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07	Sb	0.518 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV5	100-D SPRING 110-1	ONSITE	SW	Y	SEEP		15-Oct-07	Sb	0.176 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW0	100-F SPRING 207-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07	Sb	0.119 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW1	100-F SPRING 207-1	ONSITE	SW	Y	SEEP		22-Oct-07	Sb	0.128 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV8	100-H SPRING 145-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07	Sb	0.157 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV9	100-H SPRING 145-1	ONSITE	SW	Y	SEEP		15-Oct-07	Sb	0.165 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLX2	100-H SPRING 153-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07	Sb	0.366 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLX3	100-H SPRING 153-1	ONSITE	SW	Y	SEEP		15-Oct-07	Sb	0.22 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLT9	100-K SPRING 63-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	Sb	0.117 ug/L				X	COLLECTED APPROXIMATELY 50 METERS DOWNRIVER FROM 63-1.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV0	100-K SPRING 63-1	ONSITE	SW	Y	SEEP		24-Sep-07	Sb	0.14 ug/L				X	COLLECTED APPROXIMATELY 50 METERS DOWNRIVER FROM 63-1.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV1	100-K SPRING 77-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07	Sb	0.226 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV2	100-K SPRING 77-1	ONSITE	SW	Y	SEEP		22-Oct-07	Sb	0.0938 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLM3	100-N SPRING 8-13	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	Sb	0.113 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV3	100-N SPRING 8-13	ONSITE	SW	Y	SEEP		24-Sep-07	Sb	0.157 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW8	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	Sb	0.162 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW9	300 AREA SPR DR 42-2	ONSITE	SW	Y	SEEP		05-Dec-07	Sb	0.207 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLY7	300 AREA SPRING 41-9	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07	Sb	0.125 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLY8	300 AREA SPRING 41-9	ONSITE	SW	Y	SEEP		20-Sep-07	Sb	0.139 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLM2	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	Sb	0.176 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW7	300 AREA SPRING 42-2	ONSITE	SW	Y	SEEP		05-Dec-07	Sb	0.175 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW5	HANFORD SPR DR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07	Sb	0.157 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW6	HANFORD SPR DR 28-2	ONSITE	SW	Y	SEEP		20-Sep-07	Sb	0.168 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW3	HANFORD SPR UR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07	Sb	0.135 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW4	HANFORD SPR UR 28-2	ONSITE	SW	Y	SEEP		20-Sep-07	Sb	0.179 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLM1	HANFORD SPRING 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07	Sb	0.112 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW2	HANFORD SPRING 28-2	ONSITE	SW	Y	SEEP		20-Sep-07	Sb	0.152 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLY5	RICHLAND SPR(SRL 437-1)	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	Sb	0.12 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLY6	RICHLAND SPR(SRL 437-1)	ONSITE	SW	Y	SEEP		05-Dec-07	Sb	0.122 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLP9	100-B SPRING 37-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	Se	1.11 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLR8	100-B SPRING 37-1	ONSITE	SW	Y	SEEP		24-Sep-07	Se	1.05 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLT4	100-B SPRING 39-2	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	Se	0.305 ug/L				BX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLT8	100-B SPRING 39-2	ONSITE	SW	Y	SEEP		24-Sep-07	Se	0.15 ug/L				BX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV6	100-D SPRING 102-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07	Se	0.601 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV7	100-D SPRING 102-1	ONSITE	SW	Y	SEEP		15-Oct-07	Se	0.513 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV4	100-D SPRING 110-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07	Se	1.23 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV5	100-D SPRING 110-1	ONSITE	SW	Y	SEEP		15-Oct-07	Se	0.658 ug/L				X		RESULT NOT BLANK CORRECTED.

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## WATER - COLUMBIA RIVER SHORELINE SPRINGS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1PLW0	100-F SPRING 207-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07 Se		0.155 ug/L				BX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW1	100-F SPRING 207-1	ONSITE	SW	Y	SEEP		22-Oct-07 Se		0.117 ug/L				BX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV8	100-H SPRING 145-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07 Se		1.26 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV9	100-H SPRING 145-1	ONSITE	SW	Y	SEEP		15-Oct-07 Se		1.26 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLX2	100-H SPRING 153-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07 Se		0.587 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLX3	100-H SPRING 153-1	ONSITE	SW	Y	SEEP		15-Oct-07 Se		0.305 ug/L				BX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLT9	100-K SPRING 63-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07 Se		1.21 ug/L				X	COLLECTED APPROXIMATELY 50 METERS DOWNRIVER FROM 63-1.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV0	100-K SPRING 63-1	ONSITE	SW	Y	SEEP		24-Sep-07 Se		1.29 ug/L				X	COLLECTED APPROXIMATELY 50 METERS DOWNRIVER FROM 63-1.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV1	100-K SPRING 77-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07 Se		2.14 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV2	100-K SPRING 77-1	ONSITE	SW	Y	SEEP		22-Oct-07 Se		1.72 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLM3	100-N SPRING 8-13	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07 Se		0.918 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV3	100-N SPRING 8-13	ONSITE	SW	Y	SEEP		24-Sep-07 Se		0.874 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW8	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07 Se		2.19 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW9	300 AREA SPR DR 42-2	ONSITE	SW	Y	SEEP		05-Dec-07 Se		2.05 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLY7	300 AREA SPRING 41-9	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07 Se		3.18 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLY8	300 AREA SPRING 41-9	ONSITE	SW	Y	SEEP		20-Sep-07 Se		3.11 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLM2	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07 Se		2.28 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW7	300 AREA SPRING 42-2	ONSITE	SW	Y	SEEP		05-Dec-07 Se		2.24 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW5	HANFORD SPR DR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07 Se		0.933 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW6	HANFORD SPR DR 28-2	ONSITE	SW	Y	SEEP		20-Sep-07 Se		0.859 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW3	HANFORD SPR UR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07 Se		1.47 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW4	HANFORD SPR UR 28-2	ONSITE	SW	Y	SEEP		20-Sep-07 Se		1.38 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLM1	HANFORD SPRING 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07 Se		1.72 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW2	HANFORD SPRING 28-2	ONSITE	SW	Y	SEEP		20-Sep-07 Se		1.68 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLY5	RICHLAND SPR(SRL 437-1)	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07 Se		0.408 ug/L				BX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLY6	RICHLAND SPR(SRL 437-1)	ONSITE	SW	Y	SEEP		05-Dec-07 Se		0.428 ug/L				BX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLP9	100-B SPRING 37-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07 TI		0.0155 ug/L				BX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLR8	100-B SPRING 37-1	ONSITE	SW	Y	SEEP		24-Sep-07 TI		0.00352 ug/L				BX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLT4	100-B SPRING 39-2	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07 TI		0.254 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLT8	100-B SPRING 39-2	ONSITE	SW	Y	SEEP		24-Sep-07 TI		0.00557 ug/L				BX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV6	100-D SPRING 102-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07 TI		0.107 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV7	100-D SPRING 102-1	ONSITE	SW	Y	SEEP		15-Oct-07 TI		0.016 ug/L				BX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV4	100-D SPRING 110-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07 TI		1.48 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV5	100-D SPRING 110-1	ONSITE	SW	Y	SEEP		15-Oct-07 TI		0.0305 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW0	100-F SPRING 207-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07 TI		0.0164 ug/L				BX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW1	100-F SPRING 207-1	ONSITE	SW	Y	SEEP		22-Oct-07 TI		0.00985 ug/L				BX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV8	100-H SPRING 145-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07 TI		0.0047 ug/L				BX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV9	100-H SPRING 145-1	ONSITE	SW	Y	SEEP		15-Oct-07 TI		0.00419 ug/L				BX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLX2	100-H SPRING 153-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07 TI		0.227 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLX3	100-H SPRING 153-1	ONSITE	SW	Y	SEEP		15-Oct-07 TI		0.0111 ug/L				BX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLT9	100-K SPRING 63-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07 TI		0.0253 ug/L				X	COLLECTED APPROXIMATELY 50 METERS DOWNRIVER FROM 63-1.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV0	100-K SPRING 63-1	ONSITE	SW	Y	SEEP		24-Sep-07 TI		0.00518 ug/L				BX	COLLECTED APPROXIMATELY 50 METERS DOWNRIVER FROM 63-1.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV1	100-K SPRING 77-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07 TI		0.446 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV2	100-K SPRING 77-1	ONSITE	SW	Y	SEEP		22-Oct-07 TI		0.00379 ug/L				BX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLM3	100-N SPRING 8-13	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07 TI		0.00804 ug/L				BX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV3	100-N SPRING 8-13	ONSITE	SW	Y	SEEP		24-Sep-07 TI		0.00391 ug/L				BX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW8	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07 TI		0.0133 ug/L				BX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW9	300 AREA SPR DR 42-2	ONSITE	SW	Y	SEEP		05-Dec-07 TI		0.0132 ug/L				BX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLY7	300 AREA SPRING 41-9	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07 TI		0.0131 ug/L				BX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLY8	300 AREA SPRING 41-9	ONSITE	SW	Y	SEEP		20-Sep-07 TI		0.00613 ug/L				BX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLM2	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07 TI		0.0709 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW7	300 AREA SPRING 42-2	ONSITE	SW	Y	SEEP		05-Dec-07 TI		0.0137 ug/L				BX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW5	HANFORD SPR DR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07 TI		0.0561 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW6	HANFORD SPR DR 28-2	ONSITE	SW	Y	SEEP		20-Sep-07 TI		0.0136 ug/L				BX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW3	HANFORD SPR UR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07 TI		0.0206 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW4	HANFORD SPR UR 28-2	ONSITE	SW	Y	SEEP		20-Sep-07 TI		0.0112 ug/L				BX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLM1	HANFORD SPRING 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07 TI		0.0349 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW2	HANFORD SPRING 28-2	ONSITE	SW	Y	SEEP		20-Sep-07 TI		0.00796 ug/L				BX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLY5	RICHLAND SPR(SRL 437-1)	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07 TI		0.013 ug/L				BX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLY6	RICHLAND SPR(SRL 437-1)	ONSITE	SW	Y	SEEP		05-Dec-07 TI		0.00542 ug/L				BX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLP9	100-B SPRING 37-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07 Zn		6.51 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLR8	100-B SPRING 37-1	ONSITE	SW	Y	SEEP		24-Sep-07 Zn		2.13 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLT4	100-B SPRING 39-2	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07 Zn		262 ug/L				X		RESULT NOT BLANK CORRECTED.



## ENVIRONMENTAL SURVEILLANCE DATA CY07

## WATER - COLUMBIA RIVER SHORELINE SPRINGS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1PLT8	100-B SPRING 39-2	ONSITE	SW	Y	SEEP		24-Sep-07 Zn		2.14 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV6	100-D SPRING 102-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07 Zn		67.1 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV7	100-D SPRING 102-1	ONSITE	SW	Y	SEEP		15-Oct-07 Zn		5.33 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV4	100-D SPRING 110-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07 Zn		645 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV5	100-D SPRING 110-1	ONSITE	SW	Y	SEEP		15-Oct-07 Zn		4.18 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW0	100-F SPRING 207-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07 Zn		9.55 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW1	100-F SPRING 207-1	ONSITE	SW	Y	SEEP		22-Oct-07 Zn		2.47 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV8	100-H SPRING 145-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07 Zn		2.07 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV9	100-H SPRING 145-1	ONSITE	SW	Y	SEEP		15-Oct-07 Zn		1.7 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLX2	100-H SPRING 153-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07 Zn		169 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLX3	100-H SPRING 153-1	ONSITE	SW	Y	SEEP		15-Oct-07 Zn		4.82 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLT9	100-K SPRING 63-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07 Zn		13.5 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV0	100-K SPRING 63-1	ONSITE	SW	Y	SEEP		24-Sep-07 Zn		1.57 ug/L				X	COLLECTED APPROXIMATELY 50 METERS DOWNRIVER FROM 63-1.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV1	100-K SPRING 77-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07 Zn		289 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV2	100-K SPRING 77-1	ONSITE	SW	Y	SEEP		22-Oct-07 Zn		1.34 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLM3	100-N SPRING 8-13	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07 Zn		4.25 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLV3	100-N SPRING 8-13	ONSITE	SW	Y	SEEP		24-Sep-07 Zn		1.69 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW8	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07 Zn		1.46 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW9	300 AREA SPR DR 42-2	ONSITE	SW	Y	SEEP		05-Dec-07 Zn		2.15 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLY7	300 AREA SPRING 41-9	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07 Zn		9.4 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLY8	300 AREA SPRING 41-9	ONSITE	SW	Y	SEEP		20-Sep-07 Zn		1.72 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLM2	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07 Zn		56.9 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW7	300 AREA SPRING 42-2	ONSITE	SW	Y	SEEP		05-Dec-07 Zn		4.14 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW5	HANFORD SPR DR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07 Zn		32.4 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW6	HANFORD SPR DR 28-2	ONSITE	SW	Y	SEEP		20-Sep-07 Zn		2.71 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW3	HANFORD SPR UR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07 Zn		11.8 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW4	HANFORD SPR UR 28-2	ONSITE	SW	Y	SEEP		20-Sep-07 Zn		2.68 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLM1	HANFORD SPRING 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07 Zn		26.7 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLW2	HANFORD SPRING 28-2	ONSITE	SW	Y	SEEP		20-Sep-07 Zn		1.35 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLY5	RICHLAND SPR(SRL 437-1)	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07 Zn		6.57 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLY6	RICHLAND SPR(SRL 437-1)	ONSITE	SW	Y	SEEP		05-Dec-07 Zn		2.49 ug/L				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLN9	100-B SPRING 37-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07 CONDUCT (FIELD)		311.3 uS/cm						
SESPMNT	B1PLP1	100-B SPRING 39-2	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07 CONDUCT (FIELD)		207.1 uS/cm						
SESPMNT	B1PLR2	100-D SPRING 102-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07 CONDUCT (FIELD)		343 uS/cm						
SESPMNT	B1PLR0	100-D SPRING 110-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07 CONDUCT (FIELD)		194.2 uS/cm						
SESPMNT	B1PLR6	100-F SPRING 207-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07 CONDUCT (FIELD)		449.1 uS/cm						
SESPMNT	B1PLR4	100-H SPRING 145-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07 CONDUCT (FIELD)		329.2 uS/cm						
SESPMNT	B1PLX0	100-H SPRING 153-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07 CONDUCT (FIELD)		166.1 uS/cm						
SESPMNT	B1PLP3	100-K SPRING 63-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07 CONDUCT (FIELD)		430.5 uS/cm					COLLECTED APPROXIMATELY 50 METERS DOWNRIVER FROM 63-1.	
SESPMNT	B1PLP6	100-K SPRING 77-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07 CONDUCT (FIELD)		159 uS/cm						
SESPMNT	B1PLK6	100-N SPRING 8-13	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07 CONDUCT (FIELD)		310.1 uS/cm						
SESPMNT	B1PLT5	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07 CONDUCT (FIELD)		296 uS/cm						
SESPMNT	B1PLX9	300 AREA SPRING 41-9	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07 CONDUCT (FIELD)		462.7 uS/cm						
SESPMNT	B1PLL1	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07 CONDUCT (FIELD)		320.1 uS/cm						
SESPMNT	B1PLY1	300 AREA SPRING 42-7	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07 CONDUCT (FIELD)		424.2 uS/cm						
SESPMNT	B1PLT1	HANFORD SPR DR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07 CONDUCT (FIELD)		242.6 uS/cm						
SESPMNT	B1PLR9	HANFORD SPR UR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07 CONDUCT (FIELD)		290.7 uS/cm						
SESPMNT	B1PLK9	HANFORD SPRING 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07 CONDUCT (FIELD)		330.4 uS/cm						
SESPMNT	B1PLY3	RICHLAND SPR(SRL 437-1)	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07 CONDUCT (FIELD)		336.6 uS/cm						
SESPMNT	B1PLN9	100-B SPRING 37-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07 pH (FIELD)		8.54 unitless						
SESPMNT	B1PLP1	100-B SPRING 39-2	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07 pH (FIELD)		7.3 unitless						
SESPMNT	B1PLR2	100-D SPRING 102-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07 pH (FIELD)		6.94 unitless						
SESPMNT	B1PLR0	100-D SPRING 110-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07 pH (FIELD)		7.03 unitless						
SESPMNT	B1PLR6	100-F SPRING 207-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07 pH (FIELD)		7.62 unitless						
SESPMNT	B1PLR4	100-H SPRING 145-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07 pH (FIELD)		7.2 unitless						
SESPMNT	B1PLX0	100-H SPRING 153-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07 pH (FIELD)		7.41 unitless					100-H SPRING 152-2 WAS UNDER WATER, COLLECTED AT ALTERNATE SITE 100-H SPRING 153-1.	
SESPMNT	B1PLP3	100-K SPRING 63-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07 pH (FIELD)		7.66 unitless					COLLECTED APPROXIMATELY 50 METERS DOWNRIVER FROM 63-1.	
SESPMNT	B1PLP6	100-K SPRING 77-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07 pH (FIELD)		6.4 unitless						
SESPMNT	B1PLK6	100-N SPRING 8-13	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07 pH (FIELD)		7.69 unitless						
SESPMNT	B1PLT5	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07 pH (FIELD)		6.76 unitless					COLLECTED 5 METERS UPSTREAM FROM NORMAL LOCATION.	

ENVIRONMENTAL SURVEILLANCE DATA CY07

WATER - COLUMBIA RIVER SHORELINE SPRINGS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1PLX9	300 AREA SPRING 41-9	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07	pH (FIELD)	4.81	unitless					
SESPMNT	B1PLL1	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	pH (FIELD)	7.06	unitless					
SESPMNT	B1PLY1	300 AREA SPRING 42-7	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	pH (FIELD)	7.18	unitless					
SESPMNT	B1PLT1	HANFORD SPR DR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07	pH (FIELD)	7.35	unitless			X		pH READING SUSPECT.
SESPMNT	B1PLR9	HANFORD SPR UR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07	pH (FIELD)	8.23	unitless					
SESPMNT	B1PLK9	HANFORD SPRING 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07	pH (FIELD)	7.91	unitless					
SESPMNT	B1PLY3	RICHLAND SPR(SRL 437-1)	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	pH (FIELD)	7.05	unitless					
SESPMNT	B1PLN9	100-B SPRING 37-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	TEMPERATURE (FIELD)	19.5	Deg C					
SESPMNT	B1PLP1	100-B SPRING 39-2	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	TEMPERATURE (FIELD)	17	Deg C				COLLECTED APPROXIMATELY 100 METERS DOWNRIVER FROM 39-2 LOCATION.	
SESPMNT	B1PLR2	100-D SPRING 102-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07	TEMPERATURE (FIELD)	13.9	Deg C					
SESPMNT	B1PLR0	100-D SPRING 110-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07	TEMPERATURE (FIELD)	13.7	Deg C					
SESPMNT	B1PLR6	100-F SPRING 207-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07	TEMPERATURE (FIELD)	16.3	Deg C					
SESPMNT	B1PLR4	100-H SPRING 145-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07	TEMPERATURE (FIELD)	13.6	Deg C					
SESPMNT	B1PLX0	100-H SPRING 153-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07	TEMPERATURE (FIELD)	17	Deg C				100-H SPRING 152-2 WAS UNDER WATER, COLLECTED AT ALTERNATE SITE 100-H SPRING 153-1.	
SESPMNT	B1PLP3	100-K SPRING 63-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	TEMPERATURE (FIELD)	19.9	Deg C				COLLECTED APPROXIMATELY 50 METERS DOWNRIVER FROM 63-1.	
SESPMNT	B1PLP6	100-K SPRING 77-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07	TEMPERATURE (FIELD)	14.4	Deg C					
SESPMNT	B1PLK6	100-N SPRING 8-13	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	TEMPERATURE (FIELD)	17.8	Deg C				COLLECTED BELOW WIRE CAIRN.	
SESPMNT	B1PLT5	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	TEMPERATURE (FIELD)	13	Deg C				COLLECTED 5 METERS UPSTREAM FROM NORMAL LOCATION.	
SESPMNT	B1PLX9	300 AREA SPRING 41-9	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07	TEMPERATURE (FIELD)	16.9	Deg C					
SESPMNT	B1PLL1	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	TEMPERATURE (FIELD)	13	Deg C					
SESPMNT	B1PLY1	300 AREA SPRING 42-7	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	TEMPERATURE (FIELD)	14.9	Deg C					
SESPMNT	B1PLT1	HANFORD SPR DR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07	TEMPERATURE (FIELD)	16.3	Deg C					
SESPMNT	B1PLR9	HANFORD SPR UR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07	TEMPERATURE (FIELD)	17	Deg C					
SESPMNT	B1PLK9	HANFORD SPRING 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07	TEMPERATURE (FIELD)	17.1	Deg C					
SESPMNT	B1PLY3	RICHLAND SPR(SRL 437-1)	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	TEMPERATURE (FIELD)	13.4	Deg C					
SESPMNT	B1MVB2	100-B SPRING 37-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	CHLORIDE	8.4	mg/L			D		
SESPMNT	B1MVD0	100-B SPRING 39-2	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	CHLORIDE	2.6	mg/L				COLLECTED APPROXIMATELY 100 METERS DOWNRIVER FROM 39-2 LOCATION.	
SESPMNT	B1MVD2	100-D SPRING 102-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07	CHLORIDE	5.3	mg/L			DN		
SESPMNT	B1MVD4	100-D SPRING 110-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07	CHLORIDE	4.6	mg/L			N		
SESPMNT	B1MVD6	100-F SPRING 207-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07	CHLORIDE	13.1	mg/L			D		
SESPMNT	B1MVD8	100-H SPRING 145-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07	CHLORIDE	10.4	mg/L			DN		
SESPMNT	B1MVF0	100-H SPRING 153-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07	CHLORIDE	3.5	mg/L			N	100-H SPRING 152-2 WAS UNDER WATER, COLLECTED AT ALTERNATE SITE 100-H SPRING 153-1.	
SESPMNT	B1MVF2	100-K SPRING 63-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	CHLORIDE	19.5	mg/L			D	COLLECTED APPROXIMATELY 50 METERS DOWNRIVER FROM 63-1.	
SESPMNT	B1MVF4	100-K SPRING 77-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07	CHLORIDE	1.1	mg/L					
SESPMNT	B1MVF6	100-N SPRING 8-13	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	CHLORIDE	10.2	mg/L			D	COLLECTED BELOW WIRE CAIRN.	
SESPMNT	B1MVF8	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	CHLORIDE	10.6	mg/L			D	COLLECTED 5 METERS UPSTREAM FROM NORMAL LOCATION.	
SESPMNT	B1MVH0	300 AREA SPRING 41-9	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07	CHLORIDE	17.2	mg/L			D		
SESPMNT	B1MVH2	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	CHLORIDE	10.4	mg/L			D		
SESPMNT	B1MVH4	300 AREA SPRING 42-7	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	CHLORIDE	18.8	mg/L			D		
SESPMNT	B1MVH6	HANFORD SPR DR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07	CHLORIDE	5.6	mg/L			D		
SESPMNT	B1MVH8	HANFORD SPR UR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07	CHLORIDE	7.9	mg/L			D		
SESPMNT	B1MVJ0	HANFORD SPRING 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07	CHLORIDE	8.7	mg/L			D		
SESPMNT	B1MVJ2	RICHLAND SPR(SRL 437-1)	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	CHLORIDE	6.1	mg/L			D		
SESPMNT	B1MVB2	100-B SPRING 37-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	FLUORIDE	0.2	mg/L					
SESPMNT	B1MVD0	100-B SPRING 39-2	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	FLUORIDE	0.025	mg/L			U	COLLECTED APPROXIMATELY 100 METERS DOWNRIVER FROM 39-2 LOCATION.	
SESPMNT	B1MVD2	100-D SPRING 102-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07	FLUORIDE	0.041	mg/L			B		
SESPMNT	B1MVD4	100-D SPRING 110-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07	FLUORIDE	0.034	mg/L			B		
SESPMNT	B1MVD6	100-F SPRING 207-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07	FLUORIDE	0.22	mg/L					
SESPMNT	B1MVD8	100-H SPRING 145-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07	FLUORIDE	0.11	mg/L					
SESPMNT	B1MVF0	100-H SPRING 153-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07	FLUORIDE	0.064	mg/L			B	100-H SPRING 152-2 WAS UNDER WATER, COLLECTED AT ALTERNATE SITE 100-H SPRING 153-1.	

ENVIRONMENTAL SURVEILLANCE DATA CY07

WATER - COLUMBIA RIVER SHORELINE SPRINGS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1MVF2	100-K SPRING 63-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	FLUORIDE	0.097 mg/L				B	COLLECTED APPROXIMATELY 50 METERS DOWNRIVER FROM 63-1.	
SESPMNT	B1MVF4	100-K SPRING 77-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07	FLUORIDE	0.025 mg/L				U		
SESPMNT	B1MVF6	100-N SPRING 8-13	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	FLUORIDE	0.074 mg/L				B	COLLECTED BELOW WIRE CAIRN.	
SESPMNT	B1MVF8	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	FLUORIDE	0.19 mg/L					COLLECTED 5 METERS UPSTREAM FROM NORMAL LOCATION.	
SESPMNT	B1MVH0	300 AREA SPRING 41-9	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07	FLUORIDE	0.28 mg/L						
SESPMNT	B1MVH2	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	FLUORIDE	0.19 mg/L						
SESPMNT	B1MVH4	300 AREA SPRING 42-7	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	FLUORIDE	0.28 mg/L						
SESPMNT	B1MVH6	HANFORD SPR DR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07	FLUORIDE	0.15 mg/L						
SESPMNT	B1MVH8	HANFORD SPR UR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07	FLUORIDE	0.22 mg/L						
SESPMNT	B1MVJ0	HANFORD SPRING 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07	FLUORIDE	0.24 mg/L						
SESPMNT	B1MVJ2	RICHLAND SPR(SRL 437-1)	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	FLUORIDE	0.17 mg/L						
SESPMNT	B1MVB2	100-B SPRING 37-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	NO2-N	0.005 mg/L				UN		
SESPMNT	B1MVD0	100-B SPRING 39-2	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	NO2-N	0.005 mg/L				UN	COLLECTED APPROXIMATELY 100 METERS DOWNRIVER FROM 39-2 LOCATION.	
SESPMNT	B1MVD2	100-D SPRING 102-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07	NO2-N	0.005 mg/L				UN		
SESPMNT	B1MVD4	100-D SPRING 110-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07	NO2-N	0.005 mg/L				UN		
SESPMNT	B1MVD6	100-F SPRING 207-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07	NO2-N	0.005 mg/L				UN		
SESPMNT	B1MVD8	100-H SPRING 145-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07	NO2-N	0.005 mg/L				UN		
SESPMNT	B1MVF0	100-H SPRING 153-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07	NO2-N	0.005 mg/L				UN	100-H SPRING 152-2 WAS UNDER WATER, COLLECTED AT ALTERNATE SITE 100-H SPRING 153-1.	
SESPMNT	B1MVF2	100-K SPRING 63-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	NO2-N	0.005 mg/L				UN	COLLECTED APPROXIMATELY 50 METERS DOWNRIVER FROM 63-1.	
SESPMNT	B1MVF4	100-K SPRING 77-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07	NO2-N	0.005 mg/L				UN		
SESPMNT	B1MVF6	100-N SPRING 8-13	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	NO2-N	0.005 mg/L				UN	COLLECTED BELOW WIRE CAIRN.	
SESPMNT	B1MVF8	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	NO2-N	0.005 mg/L				U	COLLECTED 5 METERS UPSTREAM FROM NORMAL LOCATION.	
SESPMNT	B1MVH0	300 AREA SPRING 41-9	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07	NO2-N	0.005 mg/L				UN		
SESPMNT	B1MVH2	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	NO2-N	0.005 mg/L				U		
SESPMNT	B1MVH4	300 AREA SPRING 42-7	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	NO2-N	0.005 mg/L				U		
SESPMNT	B1MVH6	HANFORD SPR DR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07	NO2-N	0.005 mg/L				UN		
SESPMNT	B1MVH8	HANFORD SPR UR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07	NO2-N	0.005 mg/L				UN		
SESPMNT	B1MVJ0	HANFORD SPRING 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07	NO2-N	0.005 mg/L				UN		
SESPMNT	B1MVJ2	RICHLAND SPR(SRL 437-1)	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	NO2-N	0.005 mg/L				U		
SESPMNT	B1MVB2	100-B SPRING 37-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	NO3-N	2 mg/L				D		
SESPMNT	B1MVD0	100-B SPRING 39-2	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	NO3-N	0.37 mg/L					COLLECTED APPROXIMATELY 100 METERS DOWNRIVER FROM 39-2 LOCATION.	
SESPMNT	B1MVD2	100-D SPRING 102-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07	NO3-N	1.6 mg/L				D		
SESPMNT	B1MVD4	100-D SPRING 110-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07	NO3-N	1.5 mg/L				D		
SESPMNT	B1MVD6	100-F SPRING 207-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07	NO3-N	10.4 mg/L				D		
SESPMNT	B1MVD8	100-H SPRING 145-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07	NO3-N	4.7 mg/L				D		
SESPMNT	B1MVF0	100-H SPRING 153-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07	NO3-N	0.98 mg/L				D	100-H SPRING 152-2 WAS UNDER WATER, COLLECTED AT ALTERNATE SITE 100-H SPRING 153-1.	
SESPMNT	B1MVF2	100-K SPRING 63-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	NO3-N	7.1 mg/L				D	COLLECTED APPROXIMATELY 50 METERS DOWNRIVER FROM 63-1.	
SESPMNT	B1MVF4	100-K SPRING 77-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07	NO3-N	0.24 mg/L						
SESPMNT	B1MVF6	100-N SPRING 8-13	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	NO3-N	4.2 mg/L				D	COLLECTED BELOW WIRE CAIRN.	
SESPMNT	B1MVF8	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	NO3-N	3.3 mg/L				D	COLLECTED 5 METERS UPSTREAM FROM NORMAL LOCATION.	
SESPMNT	B1MVH0	300 AREA SPRING 41-9	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07	NO3-N	6.2 mg/L				D		
SESPMNT	B1MVH2	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	NO3-N	3.5 mg/L				D		
SESPMNT	B1MVH4	300 AREA SPRING 42-7	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	NO3-N	5.2 mg/L				D		
SESPMNT	B1MVH6	HANFORD SPR DR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07	NO3-N	2.8 mg/L				D		
SESPMNT	B1MVH8	HANFORD SPR UR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07	NO3-N	3.1 mg/L				D		
SESPMNT	B1MVJ0	HANFORD SPRING 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07	NO3-N	5.2 mg/L				D		
SESPMNT	B1MVJ2	RICHLAND SPR(SRL 437-1)	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	NO3-N	3.8 mg/L				D		
SESPMNT	B1MVB2	100-B SPRING 37-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	SULFATE	30.2 mg/L				D		
SESPMNT	B1MVD0	100-B SPRING 39-2	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	SULFATE	17.4 mg/L					COLLECTED APPROXIMATELY 100 METERS DOWNRIVER FROM 39-2 LOCATION.	
SESPMNT	B1MVD2	100-D SPRING 102-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07	SULFATE	59.2 mg/L				D		
SESPMNT	B1MVD4	100-D SPRING 110-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07	SULFATE	19.2 mg/L				D		

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## WATER - COLUMBIA RIVER SHORELINE SPRINGS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1MVD6	100-F SPRING 207-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07	SULFATE	51.7 mg/L				D		
SESPMNT	B1MVD8	100-H SPRING 145-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07	SULFATE	38.4 mg/L				D		
SESPMNT	B1MVF0	100-H SPRING 153-1	ONSITE	SW	N	SEEP	UNFILTERED	15-Oct-07	SULFATE	14.1 mg/L					100-H SPRING 152-2 WAS UNDER WATER, COLLECTED AT ALTERNATE SITE 100-H SPRING 153-1.	
SESPMNT	B1MVF2	100-K SPRING 63-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	SULFATE	37.5 mg/L				D	COLLECTED APPROXIMATELY 50 METERS DOWNRIVER FROM 63-1.	
SESPMNT	B1MVF4	100-K SPRING 77-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07	SULFATE	10.9 mg/L						
SESPMNT	B1MVF6	100-N SPRING 8-13	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	SULFATE	48.5 mg/L				D	COLLECTED BELOW WIRE CAIRN.	
SESPMNT	B1MVF8	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	SULFATE	34.3 mg/L				D	COLLECTED 5 METERS UPSTREAM FROM NORMAL LOCATION.	
SESPMNT	B1MVH0	300 AREA SPRING 41-9	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07	SULFATE	55.2 mg/L				D		
SESPMNT	B1MVH2	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	SULFATE	38.5 mg/L				D		
SESPMNT	B1MVH4	300 AREA SPRING 42-7	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	SULFATE	46.9 mg/L				D		
SESPMNT	B1MVH6	HANFORD SPR DR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07	SULFATE	20.2 mg/L				D		
SESPMNT	B1MVH8	HANFORD SPR UR 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07	SULFATE	28 mg/L				D		
SESPMNT	B1MVJ0	HANFORD SPRING 28-2	ONSITE	SW	N	SEEP	UNFILTERED	20-Sep-07	SULFATE	31.6 mg/L				D		
SESPMNT	B1MVJ2	RICHLAND SPR(SRL 437-1)	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	SULFATE	18.5 mg/L						
SESPMNT	B1MVB2	100-B SPRING 37-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	1,1,1-T (1,1,1-Trichloroethane)	0.1 ug/L				U		
SESPMNT	B1MVD0	100-B SPRING 39-2	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	1,1,1-T (1,1,1-Trichloroethane)	0.1 ug/L				U	COLLECTED APPROXIMATELY 100 METERS DOWNRIVER FROM 39-2 LOCATION.	
SESPMNT	B1MVD6	100-F SPRING 207-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07	1,1,1-T (1,1,1-Trichloroethane)	0.1 ug/L				U		
SESPMNT	B1MVF2	100-K SPRING 63-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	1,1,1-T (1,1,1-Trichloroethane)	0.1 ug/L				U	COLLECTED APPROXIMATELY 50 METERS DOWNRIVER FROM 63-1.	
SESPMNT	B1MVF4	100-K SPRING 77-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07	1,1,1-T (1,1,1-Trichloroethane)	0.1 ug/L				U		
SESPMNT	B1MVF8	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	1,1,1-T (1,1,1-Trichloroethane)	0.1 ug/L				U	COLLECTED 5 METERS UPSTREAM FROM NORMAL LOCATION.	
SESPMNT	B1MVH2	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	1,1,1-T (1,1,1-Trichloroethane)	0.1 ug/L				U		
SESPMNT	B1MVB2	100-B SPRING 37-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	1,1,2-T (1,1,2-Trichloroethane)	0.092 ug/L				U		
SESPMNT	B1MVD0	100-B SPRING 39-2	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	1,1,2-T (1,1,2-Trichloroethane)	0.092 ug/L				U	COLLECTED APPROXIMATELY 100 METERS DOWNRIVER FROM 39-2 LOCATION.	
SESPMNT	B1MVD6	100-F SPRING 207-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07	1,1,2-T (1,1,2-Trichloroethane)	0.092 ug/L				U		
SESPMNT	B1MVF2	100-K SPRING 63-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	1,1,2-T (1,1,2-Trichloroethane)	0.092 ug/L				U	COLLECTED APPROXIMATELY 50 METERS DOWNRIVER FROM 63-1.	
SESPMNT	B1MVF4	100-K SPRING 77-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07	1,1,2-T (1,1,2-Trichloroethane)	0.092 ug/L				U		
SESPMNT	B1MVF8	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	1,1,2-T (1,1,2-Trichloroethane)	0.092 ug/L				U	COLLECTED 5 METERS UPSTREAM FROM NORMAL LOCATION.	
SESPMNT	B1MVH2	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	1,1,2-T (1,1,2-Trichloroethane)	0.092 ug/L				U		
SESPMNT	B1MVB2	100-B SPRING 37-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	1,1-DCL (1,1-Dichloroethane)	0.046 ug/L				U		
SESPMNT	B1MVD0	100-B SPRING 39-2	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	1,1-DCL (1,1-Dichloroethane)	0.046 ug/L				U	COLLECTED APPROXIMATELY 100 METERS DOWNRIVER FROM 39-2 LOCATION.	
SESPMNT	B1MVD6	100-F SPRING 207-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07	1,1-DCL (1,1-Dichloroethane)	0.046 ug/L				U		
SESPMNT	B1MVF2	100-K SPRING 63-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	1,1-DCL (1,1-Dichloroethane)	0.046 ug/L				U	COLLECTED APPROXIMATELY 50 METERS DOWNRIVER FROM 63-1.	
SESPMNT	B1MVF4	100-K SPRING 77-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07	1,1-DCL (1,1-Dichloroethane)	0.046 ug/L				U		
SESPMNT	B1MVF8	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	1,1-DCL (1,1-Dichloroethane)	0.046 ug/L				U	COLLECTED 5 METERS UPSTREAM FROM NORMAL LOCATION.	
SESPMNT	B1MVH2	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	1,1-DCL (1,1-Dichloroethane)	0.046 ug/L				U		
SESPMNT	B1MVB2	100-B SPRING 37-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	1,2-DCL (1,2-Dichloroethane)	0.11 ug/L				U		
SESPMNT	B1MVD0	100-B SPRING 39-2	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	1,2-DCL (1,2-Dichloroethane)	0.11 ug/L				U	COLLECTED APPROXIMATELY 100 METERS DOWNRIVER FROM 39-2 LOCATION.	
SESPMNT	B1MVD6	100-F SPRING 207-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07	1,2-DCL (1,2-Dichloroethane)	0.11 ug/L				U		
SESPMNT	B1MVF2	100-K SPRING 63-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	1,2-DCL (1,2-Dichloroethane)	0.11 ug/L				U	COLLECTED APPROXIMATELY 50 METERS DOWNRIVER FROM 63-1.	
SESPMNT	B1MVF4	100-K SPRING 77-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07	1,2-DCL (1,2-Dichloroethane)	0.11 ug/L				U		
SESPMNT	B1MVF8	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	1,2-DCL (1,2-Dichloroethane)	0.11 ug/L				U	COLLECTED 5 METERS UPSTREAM FROM NORMAL LOCATION.	
SESPMNT	B1MVH2	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	1,2-DCL (1,2-Dichloroethane)	0.11 ug/L				U		
SESPMNT	B1MVB2	100-B SPRING 37-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	11DICETHY (1,1-Dichloroethene)	0.045 ug/L				U		
SESPMNT	B1MVD0	100-B SPRING 39-2	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	11DICETHY (1,1-Dichloroethene)	0.045 ug/L				U	COLLECTED APPROXIMATELY 100 METERS DOWNRIVER FROM 39-2 LOCATION.	
SESPMNT	B1MVD6	100-F SPRING 207-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07	11DICETHY (1,1-Dichloroethene)	0.045 ug/L				U		

## WATER - COLUMBIA RIVER SHORELINE SPRINGS

WATER - PAGE 146

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## WATER - COLUMBIA RIVER SHORELINE SPRINGS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1MVF2	100-K SPRING 63-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	CARBET (Carbon tetrachloride)	0.1 ug/L				U	COLLECTED APPROXIMATELY 50 METERS DOWNRIVER FROM 63-1.	
SESPMNT	B1MVF4	100-K SPRING 77-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07	CARBET (Carbon tetrachloride)	0.1 ug/L				U		
SESPMNT	B1MVF8	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	CARBET (Carbon tetrachloride)	0.1 ug/L				U	COLLECTED 5 METERS UPSTREAM FROM NORMAL LOCATION.	
SESPMNT	B1MVH2	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	CARBET (Carbon tetrachloride)	0.1 ug/L				U		
SESPMNT	B1MVB2	100-B SPRING 37-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	CHLOROFORM	0.18 ug/L				J		
SESPMNT	B1MVD0	100-B SPRING 39-2	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	CHLOROFORM	0.1 ug/L				U	COLLECTED APPROXIMATELY 100 METERS DOWNRIVER FROM 39-2 LOCATION.	
SESPMNT	B1MVD6	100-F SPRING 207-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07	CHLOROFORM	0.13 ug/L				J		
SESPMNT	B1MVF2	100-K SPRING 63-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	CHLOROFORM	0.33 ug/L				J	COLLECTED APPROXIMATELY 50 METERS DOWNRIVER FROM 63-1.	
SESPMNT	B1MVF4	100-K SPRING 77-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07	CHLOROFORM	0.1 ug/L				U		
SESPMNT	B1MVF8	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	CHLOROFORM	0.1 ug/L				U	COLLECTED 5 METERS UPSTREAM FROM NORMAL LOCATION.	
SESPMNT	B1MVH2	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	CHLOROFORM	0.1 ug/L				U		
SESPMNT	B1MVB2	100-B SPRING 37-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	CISDCE (cis-1,2-Dichloroethylene)	0.048 ug/L				U		
SESPMNT	B1MVD0	100-B SPRING 39-2	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	CISDCE (cis-1,2-Dichloroethylene)	0.048 ug/L				U	COLLECTED APPROXIMATELY 100 METERS DOWNRIVER FROM 39-2 LOCATION.	
SESPMNT	B1MVD6	100-F SPRING 207-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07	CISDCE (cis-1,2-Dichloroethylene)	0.048 ug/L				U		
SESPMNT	B1MVF2	100-K SPRING 63-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	CISDCE (cis-1,2-Dichloroethylene)	0.048 ug/L				U	COLLECTED APPROXIMATELY 50 METERS DOWNRIVER FROM 63-1.	
SESPMNT	B1MVF4	100-K SPRING 77-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07	CISDCE (cis-1,2-Dichloroethylene)	0.048 ug/L				U		
SESPMNT	B1MVF8	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	CISDCE (cis-1,2-Dichloroethylene)	0.048 ug/L				U	COLLECTED 5 METERS UPSTREAM FROM NORMAL LOCATION.	
SESPMNT	B1MVH2	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	CISDCE (cis-1,2-Dichloroethylene)	0.048 ug/L				U		
SESPMNT	B1MVB2	100-B SPRING 37-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	DIOXANE (1,4-Dioxane)	12 ug/L				U		
SESPMNT	B1MVD0	100-B SPRING 39-2	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	DIOXANE (1,4-Dioxane)	12 ug/L				U	COLLECTED APPROXIMATELY 100 METERS DOWNRIVER FROM 39-2 LOCATION.	
SESPMNT	B1MVD6	100-F SPRING 207-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07	DIOXANE (1,4-Dioxane)	12 ug/L				U		
SESPMNT	B1MVF2	100-K SPRING 63-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	DIOXANE (1,4-Dioxane)	12 ug/L				U	COLLECTED APPROXIMATELY 50 METERS DOWNRIVER FROM 63-1.	
SESPMNT	B1MVF4	100-K SPRING 77-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07	DIOXANE (1,4-Dioxane)	12 ug/L				U		
SESPMNT	B1MVF8	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	DIOXANE (1,4-Dioxane)	12 ug/L				U	COLLECTED 5 METERS UPSTREAM FROM NORMAL LOCATION.	
SESPMNT	B1MVH2	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	DIOXANE (1,4-Dioxane)	77 ug/L				JB		
SESPMNT	B1MVB2	100-B SPRING 37-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	ETHBENZENE (Ethylbenzene)	0.064 ug/L				U		
SESPMNT	B1MVD0	100-B SPRING 39-2	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	ETHBENZENE (Ethylbenzene)	0.064 ug/L				U	COLLECTED APPROXIMATELY 100 METERS DOWNRIVER FROM 39-2 LOCATION.	
SESPMNT	B1MVD6	100-F SPRING 207-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07	ETHBENZENE (Ethylbenzene)	0.064 ug/L				U		
SESPMNT	B1MVF2	100-K SPRING 63-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	ETHBENZENE (Ethylbenzene)	0.064 ug/L				U	COLLECTED APPROXIMATELY 50 METERS DOWNRIVER FROM 63-1.	
SESPMNT	B1MVF4	100-K SPRING 77-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07	ETHBENZENE (Ethylbenzene)	0.064 ug/L				U		
SESPMNT	B1MVF8	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	ETHBENZENE (Ethylbenzene)	0.064 ug/L				U	COLLECTED 5 METERS UPSTREAM FROM NORMAL LOCATION.	
SESPMNT	B1MVH2	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	ETHBENZENE (Ethylbenzene)	0.064 ug/L				U		
SESPMNT	B1MVB2	100-B SPRING 37-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	ETHCYANIDE (Ethyl cyanide)	1.7 ug/L				U		
SESPMNT	B1MVD0	100-B SPRING 39-2	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	ETHCYANIDE (Ethyl cyanide)	1.7 ug/L				U	COLLECTED APPROXIMATELY 100 METERS DOWNRIVER FROM 39-2 LOCATION.	
SESPMNT	B1MVD6	100-F SPRING 207-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07	ETHCYANIDE (Ethyl cyanide)	1.7 ug/L				U		
SESPMNT	B1MVF2	100-K SPRING 63-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	ETHCYANIDE (Ethyl cyanide)	1.7 ug/L				U	COLLECTED APPROXIMATELY 50 METERS DOWNRIVER FROM 63-1.	
SESPMNT	B1MVF4	100-K SPRING 77-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07	ETHCYANIDE (Ethyl cyanide)	1.7 ug/L				U		
SESPMNT	B1MVF8	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	ETHCYANIDE (Ethyl cyanide)	1.7 ug/L				U	COLLECTED 5 METERS UPSTREAM FROM NORMAL LOCATION.	
SESPMNT	B1MVH2	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	ETHCYANIDE (Ethyl cyanide)	1.7 ug/L				U		
SESPMNT	B1MVB2	100-B SPRING 37-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	HEXONE (2-Pentanone, 4-Methyl)	0.21 ug/L				U		
SESPMNT	B1MVD0	100-B SPRING 39-2	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	HEXONE (2-Pentanone, 4-Methyl)	0.21 ug/L				U	COLLECTED APPROXIMATELY 100 METERS DOWNRIVER FROM 39-2 LOCATION.	
SESPMNT	B1MVD6	100-F SPRING 207-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07	HEXONE (2-Pentanone, 4-Methyl)	0.21 ug/L				U		

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## WATER - COLUMBIA RIVER SHORELINE SPRINGS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1MV2	100-K SPRING 63-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	HEXONE (2-Pentanone, 4-Methyl)	0.21 ug/L				U	COLLECTED APPROXIMATELY 50 METERS DOWNRIVER FROM 63-1.	
SESPMNT	B1MV4	100-K SPRING 77-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07	HEXONE (2-Pentanone, 4-Methyl)	0.21 ug/L				U		
SESPMNT	B1MV8	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	HEXONE (2-Pentanone, 4-Methyl)	0.21 ug/L				U	COLLECTED 5 METERS UPSTREAM FROM NORMAL LOCATION.	
SESPMNT	B1MVH2	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	HEXONE (2-Pentanone, 4-Methyl)	0.21 ug/L				U		
SESPMNT	B1MVB2	100-B SPRING 37-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	METHONE (2-Butanone)	1.8 ug/L				U		
SESPMNT	B1MVD0	100-B SPRING 39-2	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	METHONE (2-Butanone)	1.8 ug/L				U	COLLECTED APPROXIMATELY 100 METERS DOWNRIVER FROM 39-2 LOCATION.	
SESPMNT	B1MVD6	100-F SPRING 207-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07	METHONE (2-Butanone)	1.8 ug/L				U		
SESPMNT	B1MV2	100-K SPRING 63-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	METHONE (2-Butanone)	1.8 ug/L				U	COLLECTED APPROXIMATELY 50 METERS DOWNRIVER FROM 63-1.	
SESPMNT	B1MV4	100-K SPRING 77-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07	METHONE (2-Butanone)	1.8 ug/L				U		
SESPMNT	B1MV8	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	METHONE (2-Butanone)	1.8 ug/L				U	COLLECTED 5 METERS UPSTREAM FROM NORMAL LOCATION.	
SESPMNT	B1MVH2	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	METHONE (2-Butanone)	1.8 ug/L				U		
SESPMNT	B1MVB2	100-B SPRING 37-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	METHYCH (Methylene chloride)	0.1 ug/L				U		
SESPMNT	B1MVD0	100-B SPRING 39-2	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	METHYCH (Methylene chloride)	0.1 ug/L				U	COLLECTED APPROXIMATELY 100 METERS DOWNRIVER FROM 39-2 LOCATION.	
SESPMNT	B1MVD6	100-F SPRING 207-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07	METHYCH (Methylene chloride)	0.1 ug/L				U		
SESPMNT	B1MV2	100-K SPRING 63-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	METHYCH (Methylene chloride)	0.1 ug/L				U	COLLECTED APPROXIMATELY 50 METERS DOWNRIVER FROM 63-1.	
SESPMNT	B1MV4	100-K SPRING 77-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07	METHYCH (Methylene chloride)	0.1 ug/L				U		
SESPMNT	B1MV8	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	METHYCH (Methylene chloride)	0.1 ug/L				U	COLLECTED 5 METERS UPSTREAM FROM NORMAL LOCATION.	
SESPMNT	B1MVH2	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	METHYCH (Methylene chloride)	0.1 ug/L				U		
SESPMNT	B1MVB2	100-B SPRING 37-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	PERCENE (Tetrachloroethene)	0.17 ug/L				U		
SESPMNT	B1MVD0	100-B SPRING 39-2	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	PERCENE (Tetrachloroethene)	0.17 ug/L				U	COLLECTED APPROXIMATELY 100 METERS DOWNRIVER FROM 39-2 LOCATION.	
SESPMNT	B1MVD6	100-F SPRING 207-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07	PERCENE (Tetrachloroethene)	0.17 ug/L				U		
SESPMNT	B1MV2	100-K SPRING 63-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	PERCENE (Tetrachloroethene)	0.17 ug/L				U	COLLECTED APPROXIMATELY 50 METERS DOWNRIVER FROM 63-1.	
SESPMNT	B1MV4	100-K SPRING 77-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07	PERCENE (Tetrachloroethene)	0.17 ug/L				U		
SESPMNT	B1MV8	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	PERCENE (Tetrachloroethene)	0.17 ug/L				U	COLLECTED 5 METERS UPSTREAM FROM NORMAL LOCATION.	
SESPMNT	B1MVH2	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	PERCENE (Tetrachloroethene)	0.17 ug/L				U		
SESPMNT	B1MVB2	100-B SPRING 37-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	TETHYDF (Tetrahydrofuran)	1.2 ug/L				U		
SESPMNT	B1MVD0	100-B SPRING 39-2	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	TETHYDF (Tetrahydrofuran)	1.2 ug/L				U	COLLECTED APPROXIMATELY 100 METERS DOWNRIVER FROM 39-2 LOCATION.	
SESPMNT	B1MVD6	100-F SPRING 207-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07	TETHYDF (Tetrahydrofuran)	1.2 ug/L				U		
SESPMNT	B1MV2	100-K SPRING 63-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	TETHYDF (Tetrahydrofuran)	1.2 ug/L				U	COLLECTED APPROXIMATELY 50 METERS DOWNRIVER FROM 63-1.	
SESPMNT	B1MV4	100-K SPRING 77-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07	TETHYDF (Tetrahydrofuran)	1.2 ug/L				U		
SESPMNT	B1MV8	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	TETHYDF (Tetrahydrofuran)	1.2 ug/L				U	COLLECTED 5 METERS UPSTREAM FROM NORMAL LOCATION.	
SESPMNT	B1MVH2	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	TETHYDF (Tetrahydrofuran)	1.2 ug/L				U		
SESPMNT	B1MVB2	100-B SPRING 37-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	TOLUENE	0.1 ug/L				U		
SESPMNT	B1MVD0	100-B SPRING 39-2	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	TOLUENE	0.1 ug/L				U	COLLECTED APPROXIMATELY 100 METERS DOWNRIVER FROM 39-2 LOCATION.	
SESPMNT	B1MVD6	100-F SPRING 207-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07	TOLUENE	0.1 ug/L				U		
SESPMNT	B1MV2	100-K SPRING 63-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	TOLUENE	0.1 ug/L				U	COLLECTED APPROXIMATELY 50 METERS DOWNRIVER FROM 63-1.	
SESPMNT	B1MV4	100-K SPRING 77-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07	TOLUENE	0.1 ug/L				U		
SESPMNT	B1MV8	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	TOLUENE	0.1 ug/L				U	COLLECTED 5 METERS UPSTREAM FROM NORMAL LOCATION.	
SESPMNT	B1MVH2	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	TOLUENE	0.1 ug/L				U		
SESPMNT	B1MVB2	100-B SPRING 37-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	TRANDCE (trans-1,2-Dichloroethylene)	0.1 ug/L				U		
SESPMNT	B1MVD0	100-B SPRING 39-2	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	TRANDCE (trans-1,2-Dichloroethylene)	0.1 ug/L				U	COLLECTED APPROXIMATELY 100 METERS DOWNRIVER FROM 39-2 LOCATION.	
SESPMNT	B1MVD6	100-F SPRING 207-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07	TRANDCE (trans-1,2-Dichloroethylene)	0.1 ug/L				U		

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## WATER - COLUMBIA RIVER SHORELINE SPRINGS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1MVF2	100-K SPRING 63-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	TRANDCE (trans-1,2-Dichloroethylene)	0.1 ug/L				U	COLLECTED APPROXIMATELY 50 METERS DOWNRIVER FROM 63-1.	
SESPMNT	B1MVF4	100-K SPRING 77-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07	TRANDCE (trans-1,2-Dichloroethylene)	0.1 ug/L				U		
SESPMNT	B1MVF8	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	TRANDCE (trans-1,2-Dichloroethylene)	0.1 ug/L				U	COLLECTED 5 METERS UPSTREAM FROM NORMAL LOCATION.	
SESPMNT	B1MVH2	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	TRANDCE (trans-1,2-Dichloroethylene)	0.1 ug/L				U		
SESPMNT	B1MVB2	100-B SPRING 37-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	TRICELN (Trichloroethene)	0.29 ug/L				J		
SESPMNT	B1MVD0	100-B SPRING 39-2	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	TRICELN (Trichloroethene)	0.1 ug/L				U	COLLECTED APPROXIMATELY 100 METERS DOWNRIVER FROM 39-2 LOCATION.	
SESPMNT	B1MVD6	100-F SPRING 207-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07	TRICELN (Trichloroethene)	0.1 ug/L				U		
SESPMNT	B1MVF2	100-K SPRING 63-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	TRICELN (Trichloroethene)	4.6 ug/L					COLLECTED APPROXIMATELY 50 METERS DOWNRIVER FROM 63-1.	
SESPMNT	B1MVF4	100-K SPRING 77-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07	TRICELN (Trichloroethene)	0.1 ug/L				U		
SESPMNT	B1MVF8	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	TRICELN (Trichloroethene)	0.9 ug/L				J	COLLECTED 5 METERS UPSTREAM FROM NORMAL LOCATION.	
SESPMNT	B1MVH2	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	TRICELN (Trichloroethene)	0.1 ug/L				U		
SESPMNT	B1MVB2	100-B SPRING 37-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	VINYIDE (Vinyl chloride)	0.044 ug/L				U		
SESPMNT	B1MVD0	100-B SPRING 39-2	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	VINYIDE (Vinyl chloride)	0.044 ug/L				U	COLLECTED APPROXIMATELY 100 METERS DOWNRIVER FROM 39-2 LOCATION.	
SESPMNT	B1MVD6	100-F SPRING 207-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07	VINYIDE (Vinyl chloride)	0.044 ug/L				U		
SESPMNT	B1MVF2	100-K SPRING 63-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	VINYIDE (Vinyl chloride)	0.044 ug/L				U	COLLECTED APPROXIMATELY 50 METERS DOWNRIVER FROM 63-1.	
SESPMNT	B1MVF4	100-K SPRING 77-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07	VINYIDE (Vinyl chloride)	0.044 ug/L				U		
SESPMNT	B1MVF8	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	VINYIDE (Vinyl chloride)	0.044 ug/L				U	COLLECTED 5 METERS UPSTREAM FROM NORMAL LOCATION.	
SESPMNT	B1MVH2	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	VINYIDE (Vinyl chloride)	0.044 ug/L				U		
SESPMNT	B1MVB2	100-B SPRING 37-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	XYLENES	0.3 ug/L				U		
SESPMNT	B1MVD0	100-B SPRING 39-2	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	XYLENES	0.3 ug/L				U	COLLECTED APPROXIMATELY 100 METERS DOWNRIVER FROM 39-2 LOCATION.	
SESPMNT	B1MVD6	100-F SPRING 207-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07	XYLENES	0.3 ug/L				U		
SESPMNT	B1MVF2	100-K SPRING 63-1	ONSITE	SW	N	SEEP	UNFILTERED	24-Sep-07	XYLENES	0.3 ug/L				U	COLLECTED APPROXIMATELY 50 METERS DOWNRIVER FROM 63-1.	
SESPMNT	B1MVF4	100-K SPRING 77-1	ONSITE	SW	N	SEEP	UNFILTERED	22-Oct-07	XYLENES	0.3 ug/L				U		
SESPMNT	B1MVF8	300 AREA SPR DR 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	XYLENES	0.3 ug/L				U	COLLECTED 5 METERS UPSTREAM FROM NORMAL LOCATION.	
SESPMNT	B1MVH2	300 AREA SPRING 42-2	ONSITE	SW	N	SEEP	UNFILTERED	05-Dec-07	XYLENES	0.3 ug/L				U		



NVIRONMENTAL SURVEILLANCE DATA CY07

WATER - IRRIGATION

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1NH16	HORN RAPIDS AREA	PERIMETER	SW	N	IRRIGATION	UNFILTERED	17-May-07	ALPHA	-0.169	pCi/L	0.35	0.43	U		
SESPMNT	B1NTF4	HORN RAPIDS AREA	PERIMETER	SW	N	IRRIGATION	UNFILTERED	14-Jun-07	ALPHA	0.836	pCi/L	0.81	0.87	U		
SESPMNT	B1P364	HORN RAPIDS AREA	PERIMETER	SW	N	IRRIGATION	UNFILTERED	13-Jul-07	ALPHA	-0.039	pCi/L	0.35	0.43	U		
SESPMNT	B1NH11	RIVERVIEW CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	17-May-07	ALPHA	0.0454	pCi/L	0.42	0.49	U		
SESPMNT	B1NTF2	RIVERVIEW CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-Jun-07	ALPHA	0.296	pCi/L	0.59	0.65	U		
SESPMNT	B1P360	RIVERVIEW CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	13-Jul-07	ALPHA	0.372	pCi/L	0.6	0.66	U		
SESPMNT	B1NH16	HORN RAPIDS AREA	PERIMETER	SW	N	IRRIGATION	UNFILTERED	17-May-07	BETA	0.696	pCi/L	1.2	1.6	U		
SESPMNT	B1NTF4	HORN RAPIDS AREA	PERIMETER	SW	N	IRRIGATION	UNFILTERED	14-Jun-07	BETA	0.922	pCi/L	1.3	1.3	U		
SESPMNT	B1P364	HORN RAPIDS AREA	PERIMETER	SW	N	IRRIGATION	UNFILTERED	13-Jul-07	BETA	-0.0528	pCi/L	1.3	1.7	U		
SESPMNT	B1NH11	RIVERVIEW CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	17-May-07	BETA	1.39	pCi/L	1.3	1.7	U		
SESPMNT	B1NTF2	RIVERVIEW CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-Jun-07	BETA	1.49	pCi/L	1.5	1.5	U		
SESPMNT	B1P360	RIVERVIEW CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	13-Jul-07	BETA	0.838	pCi/L	1.4	1.7	U		
SESPMNT	B1NH16	HORN RAPIDS AREA	PERIMETER	SW	N	IRRIGATION	UNFILTERED	17-May-07	Be-7	17.3	pCi/L	24	24	U		
SESPMNT	B1NTF4	HORN RAPIDS AREA	PERIMETER	SW	N	IRRIGATION	UNFILTERED	14-Jun-07	Be-7	1.33	pCi/L	25	25	U		
SESPMNT	B1P364	HORN RAPIDS AREA	PERIMETER	SW	N	IRRIGATION	UNFILTERED	13-Jul-07	Be-7	24.3	pCi/L	22	22	U		
SESPMNT	B1NH11	RIVERVIEW CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	17-May-07	Be-7	-6.21	pCi/L	23	23	U		
SESPMNT	B1NTF2	RIVERVIEW CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-Jun-07	Be-7	-5.81	pCi/L	31	31	U		
SESPMNT	B1P360	RIVERVIEW CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	13-Jul-07	Be-7	6.15	pCi/L	21	21	U		
SESPMNT	B1NH16	HORN RAPIDS AREA	PERIMETER	SW	N	IRRIGATION	UNFILTERED	17-May-07	Co-60	0.214	pCi/L	2.6	2.6	U		
SESPMNT	B1NTF4	HORN RAPIDS AREA	PERIMETER	SW	N	IRRIGATION	UNFILTERED	14-Jun-07	Co-60	0.475	pCi/L	3.4	3.4	U		
SESPMNT	B1P364	HORN RAPIDS AREA	PERIMETER	SW	N	IRRIGATION	UNFILTERED	13-Jul-07	Co-60	-0.826	pCi/L	1.9	1.9	U		
SESPMNT	B1NH11	RIVERVIEW CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	17-May-07	Co-60	-0.704	pCi/L	2.3	2.3	U		
SESPMNT	B1NTF2	RIVERVIEW CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-Jun-07	Co-60	-0.457	pCi/L	3.2	3.2	U		
SESPMNT	B1P360	RIVERVIEW CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	13-Jul-07	Co-60	-0.828	pCi/L	1.5	1.5	U		
SESPMNT	B1NH16	HORN RAPIDS AREA	PERIMETER	SW	N	IRRIGATION	UNFILTERED	17-May-07	Cs-134	2.98	pCi/L	3.1	3.1	U		
SESPMNT	B1NTF4	HORN RAPIDS AREA	PERIMETER	SW	N	IRRIGATION	UNFILTERED	14-Jun-07	Cs-134	0.872	pCi/L	2.8	2.8	U		
SESPMNT	B1P364	HORN RAPIDS AREA	PERIMETER	SW	N	IRRIGATION	UNFILTERED	13-Jul-07	Cs-134	-0.615	pCi/L	1.5	1.5	U		
SESPMNT	B1NH11	RIVERVIEW CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	17-May-07	Cs-134	-0.613	pCi/L	2.5	2.5	U		
SESPMNT	B1NTF2	RIVERVIEW CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-Jun-07	Cs-134	-1.89	pCi/L	2.7	2.7	U		
SESPMNT	B1P360	RIVERVIEW CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	13-Jul-07	Cs-134	0.096	pCi/L	1.5	1.5	U		
SESPMNT	B1NH16	HORN RAPIDS AREA	PERIMETER	SW	N	IRRIGATION	UNFILTERED	17-May-07	Cs-137	1.05	pCi/L	2.6	2.6	U		
SESPMNT	B1NTF4	HORN RAPIDS AREA	PERIMETER	SW	N	IRRIGATION	UNFILTERED	14-Jun-07	Cs-137	-1.42	pCi/L	2.3	2.3	U		
SESPMNT	B1P364	HORN RAPIDS AREA	PERIMETER	SW	N	IRRIGATION	UNFILTERED	13-Jul-07	Cs-137	-1.69	pCi/L	1.5	1.5	U		
SESPMNT	B1NH11	RIVERVIEW CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	17-May-07	Cs-137	-0.627	pCi/L	2	2	U		
SESPMNT	B1NTF2	RIVERVIEW CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-Jun-07	Cs-137	-1.05	pCi/L	2.3	2.3	U		
SESPMNT	B1P360	RIVERVIEW CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	13-Jul-07	Cs-137	-0.267	pCi/L	1.5	1.5	U		
SESPMNT	B1NH16	HORN RAPIDS AREA	PERIMETER	SW	N	IRRIGATION	UNFILTERED	17-May-07	Eu-152	-3.16	pCi/L	6.4	6.4	U		
SESPMNT	B1NTF4	HORN RAPIDS AREA	PERIMETER	SW	N	IRRIGATION	UNFILTERED	14-Jun-07	Eu-152	2.22	pCi/L	5.4	5.4	U		
SESPMNT	B1P364	HORN RAPIDS AREA	PERIMETER	SW	N	IRRIGATION	UNFILTERED	13-Jul-07	Eu-152	1.93	pCi/L	3.7	3.7	U		
SESPMNT	B1NH11	RIVERVIEW CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	17-May-07	Eu-152	2.79	pCi/L	5.9	5.9	U		
SESPMNT	B1NTF2	RIVERVIEW CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-Jun-07	Eu-152	-2	pCi/L	6.7	6.7	U		
SESPMNT	B1P360	RIVERVIEW CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	13-Jul-07	Eu-152	0.912	pCi/L	3.6	3.6	U		
SESPMNT	B1NH16	HORN RAPIDS AREA	PERIMETER	SW	N	IRRIGATION	UNFILTERED	17-May-07	Eu-154	2.97	pCi/L	8.4	8.4	U		
SESPMNT	B1NTF4	HORN RAPIDS AREA	PERIMETER	SW	N	IRRIGATION	UNFILTERED	14-Jun-07	Eu-154	-0.296	pCi/L	8.4	8.4	U		
SESPMNT	B1P364	HORN RAPIDS AREA	PERIMETER	SW	N	IRRIGATION	UNFILTERED	13-Jul-07	Eu-154	-3.56	pCi/L	4.2	4.2	U		
SESPMNT	B1NH11	RIVERVIEW CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	17-May-07	Eu-154	2.03	pCi/L	5.6	5.6	U		
SESPMNT	B1NTF2	RIVERVIEW CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-Jun-07	Eu-154	1.93	pCi/L	8.4	8.4	U		
SESPMNT	B1P360	RIVERVIEW CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	13-Jul-07	Eu-154	-0.119	pCi/L	4	4	U		
SESPMNT	B1NH16	HORN RAPIDS AREA	PERIMETER	SW	N	IRRIGATION	UNFILTERED	17-May-07	Eu-155	1.95	pCi/L	5.1	5.1	U		
SESPMNT	B1NTF4	HORN RAPIDS AREA	PERIMETER	SW	N	IRRIGATION	UNFILTERED	14-Jun-07	Eu-155	0.272	pCi/L	3.2	3.2	U		
SESPMNT	B1P364	HORN RAPIDS AREA	PERIMETER	SW	N	IRRIGATION	UNFILTERED	13-Jul-07	Eu-155	1.74	pCi/L	3	3	U		
SESPMNT	B1NH11	RIVERVIEW CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	17-May-07	Eu-155	4.53	pCi/L	6.3	6.3	U		
SESPMNT	B1NTF2	RIVERVIEW CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-Jun-07	Eu-155	-1.38	pCi/L	5	5	U		
SESPMNT	B1P360	RIVERVIEW CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	13-Jul-07	Eu-155	1.51	pCi/L	2.7	2.7	U		
SESPMNT	B1NH16	HORN RAPIDS AREA	PERIMETER	SW	N	IRRIGATION	UNFILTERED	17-May-07	K-40	-62.4	pCi/L	56	56	U		
SESPMNT	B1NTF4	HORN RAPIDS AREA	PERIMETER	SW	N	IRRIGATION	UNFILTERED	14-Jun-07	K-40	-18.5	pCi/L	49	49	U		
SESPMNT	B1P364	HORN RAPIDS AREA	PERIMETER	SW	N	IRRIGATION	UNFILTERED	13-Jul-07	K-40	-11.8	pCi/L	32	32	U		
SESPMNT	B1NH11	RIVERVIEW CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	17-May-07	K-40	-92.8	pCi/L	63	63	U		
SESPMNT	B1NTF2	RIVERVIEW CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-Jun-07	K-40	4.96	pCi/L	65	65	U		
SESPMNT	B1P360	RIVERVIEW CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	13-Jul-07	K-40	9.89	pCi/L	23	23	U		
SESPMNT	B1NH16	HORN RAPIDS AREA	PERIMETER	SW	N	IRRIGATION	UNFILTERED	17-May-07	Ru-106	-2.37	pCi/L	23	23	U		
SESPMNT	B1NTF4	HORN RAPIDS AREA	PERIMETER	SW	N	IRRIGATION	UNFILTERED	14-Jun-07	Ru-106	10.5	pCi/L	23	23	U		
SESPMNT	B1P364	HORN RAPIDS AREA	PERIMETER	SW	N	IRRIGATION	UNFILTERED	13-Jul-07	Ru-106	1.37	pCi/L	13	13	U		
SESPMNT	B1NH11	RIVERVIEW CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	17-May-07	Ru-106	2.04	pCi/L	20	20	U		
SESPMNT	B1NTF2	RIVERVIEW CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-Jun-07	Ru-106	-13	pCi/L	23	23	U		
SESPMNT	B1P360	RIVERVIEW CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	13-Jul-07	Ru-106	-1.37	pCi/L	15	15	U		
SESPMNT	B1NH16	HORN RAPIDS AREA	PERIMETER	SW	N	IRRIGATION	UNFILTERED	17-May-07	Sb-125	-7.45	pCi/L	6.3	6.3	U		

ENVIRONMENTAL SURVEILLANCE DATA CY07

WATER - IRRIGATION

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1NTF4	HORN RAPIDS AREA	PERIMETER	SW	N	IRRIGATION	UNFILTERED	14-Jun-07	Sb-125	-0.257	pCi/L	5.7	5.7	U		
SESPMNT	B1P364	HORN RAPIDS AREA	PERIMETER	SW	N	IRRIGATION	UNFILTERED	13-Jul-07	Sb-125	-1.7	pCi/L	4.1	4.1	U		
SESPMNT	B1NH11	RIVERVIEW CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	17-May-07	Sb-125	4.24	pCi/L	5.5	5.5	U		
SESPMNT	B1NTF2	RIVERVIEW CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-Jun-07	Sb-125	4.61	pCi/L	6.3	6.3	U		
SESPMNT	B1P360	RIVERVIEW CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	13-Jul-07	Sb-125	2.32	pCi/L	3.2	3.2	U		
SESPMNT	B1NH17	HORN RAPIDS AREA	PERIMETER	SW	N	IRRIGATION	UNFILTERED	17-May-07	Lo H-3	25.6	pCi/L	7.5	9.3			
SESPMNT	B1NTF5	HORN RAPIDS AREA	PERIMETER	SW	N	IRRIGATION	UNFILTERED	14-Jun-07	Lo H-3	25.4	pCi/L	8.5	10			
SESPMNT	B1P365	HORN RAPIDS AREA	PERIMETER	SW	N	IRRIGATION	UNFILTERED	13-Jul-07	Lo H-3	23.1	pCi/L	5.6	8.5			
SESPMNT	B1NH12	RIVERVIEW CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	17-May-07	Lo H-3	23.1	pCi/L	7.7	9.1			
SESPMNT	B1NTF3	RIVERVIEW CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-Jun-07	Lo H-3	33.3	pCi/L	5.8	9.7			
SESPMNT	B1P361	RIVERVIEW CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	13-Jul-07	Lo H-3	25.8	pCi/L	5.8	8.9			
SESPMNT	B1NH16	HORN RAPIDS AREA	PERIMETER	SW	N	IRRIGATION	UNFILTERED	17-May-07	Sr-90	0.0436	pCi/L	0.022	0.036			
SESPMNT	B1NTF4	HORN RAPIDS AREA	PERIMETER	SW	N	IRRIGATION	UNFILTERED	14-Jun-07	Sr-90	0.00881	pCi/L	0.027	0.038	U		
SESPMNT	B1P364	HORN RAPIDS AREA	PERIMETER	SW	N	IRRIGATION	UNFILTERED	13-Jul-07	Sr-90	0.0483	pCi/L	0.024	0.036			
SESPMNT	B1NH11	RIVERVIEW CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	17-May-07	Sr-90	0.0282	pCi/L	0.018	0.032	U		
SESPMNT	B1NTF2	RIVERVIEW CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-Jun-07	Sr-90	0.045	pCi/L	0.031	0.041	U		
SESPMNT	B1P360	RIVERVIEW CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	13-Jul-07	Sr-90	0.0441	pCi/L	0.023	0.036			
SESPMNT	B1NH16	HORN RAPIDS AREA	PERIMETER	SW	N	IRRIGATION	UNFILTERED	17-May-07	U-234	0.189	pCi/L	0.034	0.089			
SESPMNT	B1NTF4	HORN RAPIDS AREA	PERIMETER	SW	N	IRRIGATION	UNFILTERED	14-Jun-07	U-234	0.219	pCi/L	0.034	0.091			
SESPMNT	B1P364	HORN RAPIDS AREA	PERIMETER	SW	N	IRRIGATION	UNFILTERED	13-Jul-07	U-234	0.203	pCi/L	0.037	0.091			
SESPMNT	B1NH11	RIVERVIEW CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	17-May-07	U-234	0.281	pCi/L	0.04	0.097			
SESPMNT	B1NTF2	RIVERVIEW CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-Jun-07	U-234	0.193	pCi/L	0.033	0.089			
SESPMNT	B1P360	RIVERVIEW CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	13-Jul-07	U-234	0.2	pCi/L	0.04	0.092			
SESPMNT	B1NH16	HORN RAPIDS AREA	PERIMETER	SW	N	IRRIGATION	UNFILTERED	17-May-07	U-235	-0.00393	pCi/L	0.0081	0.043	U		
SESPMNT	B1NTF4	HORN RAPIDS AREA	PERIMETER	SW	N	IRRIGATION	UNFILTERED	14-Jun-07	U-235	-0.00514	pCi/L	0.0072	0.043	U		
SESPMNT	B1P364	HORN RAPIDS AREA	PERIMETER	SW	N	IRRIGATION	UNFILTERED	13-Jul-07	U-235	-0.0103	pCi/L	0.0065	0.043	U		
SESPMNT	B1NH11	RIVERVIEW CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	17-May-07	U-235	-0.0029	pCi/L	0.0094	0.043	U		
SESPMNT	B1NTF2	RIVERVIEW CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-Jun-07	U-235	-0.00113	pCi/L	0.0086	0.043	U		
SESPMNT	B1P360	RIVERVIEW CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	13-Jul-07	U-235	-0.0113	pCi/L	0.0084	0.043	U		
SESPMNT	B1NH16	HORN RAPIDS AREA	PERIMETER	SW	N	IRRIGATION	UNFILTERED	17-May-07	U-238	0.173	pCi/L	0.031	0.08			
SESPMNT	B1NTF4	HORN RAPIDS AREA	PERIMETER	SW	N	IRRIGATION	UNFILTERED	14-Jun-07	U-238	0.192	pCi/L	0.031	0.081			
SESPMNT	B1P364	HORN RAPIDS AREA	PERIMETER	SW	N	IRRIGATION	UNFILTERED	13-Jul-07	U-238	0.131	pCi/L	0.032	0.078			
SESPMNT	B1NH11	RIVERVIEW CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	17-May-07	U-238	0.219	pCi/L	0.034	0.083			
SESPMNT	B1NTF2	RIVERVIEW CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	14-Jun-07	U-238	0.211	pCi/L	0.033	0.083			
SESPMNT	B1P360	RIVERVIEW CANAL	OFFSITE	SW	N	IRRIGATION	UNFILTERED	13-Jul-07	U-238	0.169	pCi/L	0.036	0.082			

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## WATER - ONSITE PONDS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1MVK4	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	29-Mar-07	ALPHA	0.106 pCi/L		0.71	0.75	U		
SESPSPEC	B1MVK9	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	29-Mar-07	ALPHA	0.458 pCi/L		0.87	0.91	U		
SESPMNT	B1N685	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	17-Apr-07	ALPHA	0.488 pCi/L		0.86	0.87	U		
SESPMNT	B1P358	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	09-Jul-07	ALPHA	0.975 pCi/L		1	1.1	U		
SESPMNT	B1PTK0	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	02-Oct-07	ALPHA	1.03 pCi/L		1.1	1.2	U		
SESPMNT	B1MVK4	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	29-Mar-07	BETA	7.34 pCi/L		1.9	2.4			
SESPSPEC	B1MVK9	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	29-Mar-07	BETA	5.36 pCi/L		1.7	2.3			
SESPMNT	B1N685	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	17-Apr-07	BETA	6.8 pCi/L		1.8	2			
SESPMNT	B1P358	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	09-Jul-07	BETA	10.3 pCi/L		2.1	2.8			
SESPMNT	B1PTK0	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	02-Oct-07	BETA	9.09 pCi/L		2.2	2.8			
SESPMNT	B1MVK4	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	29-Mar-07	Be-7	-8.4 pCi/L		23	23	U		
SESPSPEC	B1MVK9	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	29-Mar-07	Be-7	2.56 pCi/L		19	19	U		
SESPMNT	B1N685	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	17-Apr-07	Be-7	13.6 pCi/L		20	20	U		
SESPMNT	B1P358	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	09-Jul-07	Be-7	-8.44 pCi/L		18	18	U		
SESPMNT	B1PTK0	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	02-Oct-07	Be-7	-2.29 pCi/L		18	18	U		
SESPMNT	B1MVK4	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	29-Mar-07	Co-60	2.98 pCi/L		2.4	2.4	U		
SESPSPEC	B1MVK9	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	29-Mar-07	Co-60	-0.755 pCi/L		2.4	2.4	U		
SESPMNT	B1N685	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	17-Apr-07	Co-60	-0.199 pCi/L		2.7	2.7	U		
SESPMNT	B1P358	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	09-Jul-07	Co-60	-0.815 pCi/L		1.7	1.7	U		
SESPMNT	B1PTK0	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	02-Oct-07	Co-60	-0.623 pCi/L		1.6	1.6	U		
SESPMNT	B1MVK4	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	29-Mar-07	Cs-134	1.93 pCi/L		2.3	2.3	U		
SESPSPEC	B1MVK9	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	29-Mar-07	Cs-134	3.37 pCi/L		2.8	2.8	U		
SESPMNT	B1N685	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	17-Apr-07	Cs-134	-2.12 pCi/L		2.7	2.7	U		
SESPMNT	B1P358	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	09-Jul-07	Cs-134	-0.303 pCi/L		1.6	1.6	U		
SESPMNT	B1PTK0	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	02-Oct-07	Cs-134	0.607 pCi/L		1.8	1.8	U		
SESPMNT	B1MVK4	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	29-Mar-07	Cs-137	0.639 pCi/L		2.5	2.5	U		
SESPSPEC	B1MVK9	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	29-Mar-07	Cs-137	0.374 pCi/L		2.1	2.1	U		
SESPMNT	B1N685	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	17-Apr-07	Cs-137	1.03 pCi/L		2.5	2.5	U		
SESPMNT	B1P358	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	09-Jul-07	Cs-137	0.426 pCi/L		2	2	U		
SESPMNT	B1PTK0	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	02-Oct-07	Cs-137	0.735 pCi/L		1.6	1.6	U		
SESPMNT	B1MVK4	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	29-Mar-07	Eu-152	-4.35 pCi/L		6	6	U		
SESPSPEC	B1MVK9	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	29-Mar-07	Eu-152	0.67 pCi/L		5	5	U		
SESPMNT	B1N685	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	17-Apr-07	Eu-152	-2.16 pCi/L		6.1	6.1	U		
SESPMNT	B1P358	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	09-Jul-07	Eu-152	4.87 pCi/L		5.5	5.5	U		
SESPMNT	B1PTK0	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	02-Oct-07	Eu-152	-0.233 pCi/L		4.4	4.4	U		
SESPMNT	B1MVK4	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	29-Mar-07	Eu-154	0.646 pCi/L		4.6	4.6	U		
SESPSPEC	B1MVK9	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	29-Mar-07	Eu-154	-6.19 pCi/L		7.8	7.8	U		
SESPMNT	B1N685	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	17-Apr-07	Eu-154	-3.24 pCi/L		8.3	8.3	U		
SESPMNT	B1P358	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	09-Jul-07	Eu-154	4.59 pCi/L		5.6	5.6	U		
SESPMNT	B1PTK0	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	02-Oct-07	Eu-154	-5.28 pCi/L		5.1	5.1	U		
SESPMNT	B1MVK4	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	29-Mar-07	Eu-155	1.96 pCi/L		4.1	4.1	U		
SESPSPEC	B1MVK9	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	29-Mar-07	Eu-155	0.18 pCi/L		3.6	3.6	U		
SESPMNT	B1N685	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	17-Apr-07	Eu-155	-0.927 pCi/L		3.5	3.5	U		
SESPMNT	B1P358	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	09-Jul-07	Eu-155	1.47 pCi/L		3.5	3.5	U		
SESPMNT	B1PTK0	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	02-Oct-07	Eu-155	-0.315 pCi/L		3.6	3.6	U		
SESPMNT	B1MVK4	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	29-Mar-07	K-40	19.4 pCi/L		51	51	U		
SESPSPEC	B1MVK9	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	29-Mar-07	K-40	-17.6 pCi/L		51	51	U		
SESPMNT	B1N685	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	17-Apr-07	K-40	-71.2 pCi/L		47	47	U		
SESPMNT	B1P358	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	09-Jul-07	K-40	46.7 pCi/L		35	35	U		
SESPMNT	B1PTK0	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	02-Oct-07	K-40	-48.3 pCi/L		38	38	U		
SESPMNT	B1MVK4	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	29-Mar-07	Ru-106	2.72 pCi/L		18	18	U		
SESPSPEC	B1MVK9	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	29-Mar-07	Ru-106	-11.7 pCi/L		21	21	U		
SESPMNT	B1N685	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	17-Apr-07	Ru-106	-0.553 pCi/L		20	20	U		
SESPMNT	B1P358	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	09-Jul-07	Ru-106	-12.1 pCi/L		20	20	U		
SESPMNT	B1PTK0	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	02-Oct-07	Ru-106	10.5 pCi/L		15	15	U		
SESPMNT	B1MVK4	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	29-Mar-07	Sb-125	-4.91 pCi/L		5.5	5.5	U		
SESPSPEC	B1MVK9	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	29-Mar-07	Sb-125	1.13 pCi/L		5.1	5.1	U		
SESPMNT	B1N685	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	17-Apr-07	Sb-125	1.03 pCi/L		5	5	U		
SESPMNT	B1P358	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	09-Jul-07	Sb-125	-1.36 pCi/L		4.8	4.8	U		
SESPMNT	B1PTK0	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	02-Oct-07	Sb-125	-0.541 pCi/L		4	4	U		
SESPMNT	B1MVK5	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	29-Mar-07	H-3	2610 pCi/L		130	170			
SESPSPEC	B1MVL0	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	29-Mar-07	H-3	2650 pCi/L		130	170			
SESPMNT	B1N686	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	17-Apr-07	H-3	2380 pCi/L		190	250			
SESPMNT	B1P359	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	09-Jul-07	H-3	2120 pCi/L		180	230			
SESPMNT	B1PTK1	FFTF POND	ONSITE	SW	N	POND	UNFILTERED	02-Oct-07	H-3	2790 pCi/L		220	300			
SESPMNT	B1MVK3	WEST LAKE	ONSITE	SW	N	POND	UNFILTERED	29-Mar-07	H-3	145 pCi/L		69	78	U		
SESPMNT	B1N684	WEST LAKE	ONSITE	SW	N	POND	UNFILTERED	17-Apr-07	H-3	68.9 pCi/L		93	110	U		

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## WATER - ONSITE PONDS

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	FILTERED FLAG	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1P357	WEST LAKE	ONSITE	SW	N	POND	UNFILTERED	09-Jul-07	H-3	116 pCi/L		69	83	U		
SESPMNT	B1PTJ9	WEST LAKE	ONSITE	SW	N	POND	UNFILTERED	02-Oct-07	H-3	128 pCi/L		85	100	U		

**Table W-1.** United States Geological Survey (USGS) Columbia River Water Quality Data for the Vernita Bridge Near Priest Rapids Dam, Washington

SAMP DATE TIME	Instantaneous discharge ft <sup>3</sup> /sec	Turbidity NTRU	Barometric pressure mm of Hg	Dissolved oxygen unfiltered mg/L	Dissolved oxygen percent saturation	pH unfiltered field standard units	Specific conductance unfiltered (µS/cm) 25 °C	Temperature air °C	Temperature water °C	Hardness mg/L as CaCO <sub>3</sub>	Noncarbonate hardness filtered field mg/L as CaCO <sub>3</sub>
02-May-07 11:00	171000 <sup>(a)</sup>	<2.0	743	12.8	120	7.9	137	17	11.2	67	11
29-Aug-07 10:00	111000	<2.0	754	10.4	115	7.8	133	28	19.6	65	14
19-Dec-07 11:40	134000	1.2 <sup>(a)</sup>	742	11.4	97	7.7	136	8.4	7.1	66	8
SAMP DATE TIME	Calcium filtered mg/L	Magnesium filtered mg/L	Potassium filtered mg/L	Sodium filtered mg/L	Alkalinity filtered incremental titration field mg/L as CaCO <sub>3</sub>	Bicarbonate filtered incremental titration field mg/L	Carbonate filtered incremental titration field mg/L	Chloride filtered mg/L	Fluoride filtered mg/L	Sulfate filtered mg/L	Residue filtered sum of constituents mg/L
02-May-07 11:00	19.3	4.61	0.82	2.68	56.1	67.9	0.2	1.27	0.07 <sup>(a)</sup>	8.54	71
29-Aug-07 10:00	18.8	4.47	0.67	1.86	51.8	62.8	0.1	0.82	0.08 <sup>(a)</sup>	9.07	67
19-Dec-07 11:40	19	4.52	0.73	2.07	58	71	0	0.91	0.08 <sup>(a)</sup>	9.13	72
SAMP DATE TIME	Residue filtered tons/acre-ft	Residue on evaporation dried at 180 °C filtered mg/L	Residue total at 105 °C suspended mg/L	Ammonia + organic nitrogen unfiltered mg/L as N	Ammonia filtered mg/L as N	Nitrite + nitrate filtered mg/L as N	Nitrite filtered mg/L as N	Total nitrogen unfiltered mg/L	Orthophosphate filtered mg/L as P	Phosphorus unfiltered mg/L	Organic carbon filtered mg/L
02-May-07 11:00	0.12	86	<10	0.17	<0.020	0.1	<0.002	0.21	<0.006	0.02 <sup>(a)</sup>	2.3
29-Aug-07 10:00	0.11	83	<10	<0.10	<0.020	0.06 <sup>(a)</sup>	0.002 <sup>(a)</sup>	0.15	<0.006	<0.04	1.5
19-Dec-07 11:40	0.11	78	<10	<0.14	<0.020	0.14	0.002 <sup>(a)</sup>	0.19	0.004 <sup>(a)</sup>	<0.04	1.3
SAMP DATE TIME	Chromium filtered µg/L	Iron filtered µg/L	Suspended sediment concentration mg/L	Suspended sediment discharge tons per day							
02-May-07 11:00	0.08 <sup>(a)</sup>	7	2	518							
29-Aug-07 10:00	0.06 <sup>(a)</sup>	<6	2	518							
19-Dec-07 11:40	0.09 <sup>(a)</sup>	<8	2	724							

(a) Estimated value.

**Table W-2.** United States Geological Survey (USGS) Columbia River Water Quality Data for Richland, Washington Near the Richland Pump House

SAMP DATE TIME	Turbidity NTRU	Barometric pressure mm of Hg	Dissolved oxygen unfiltered mg/L	Dissolved oxygen percent saturation	pH unfiltered field standard units	Specific conductance unfiltered (µS/cm) 25 °C	Temperature air °C	Temperature water °C	Hardness mg/L as CaCO <sub>3</sub>	Noncarbonate hardness filtered field mg/L as CaCO <sub>3</sub>	Calcium filtered mg/L
01-May-07 11:50	2	750	12.6	113	8	140	17.2	10.1	66	8	18.9
30-Aug-07 09:30	<2.0	750	8.9	99	7.7	134	28.5	19.8	65	14	18.7
20-Dec-07 11:00	1.4 <sup>(a)</sup>	748	11.7	98	7.7	136	6.7	7	67	9	19.3

  

SAMP DATE TIME	Magnesium filtered mg/L	Potassium filtered mg/L	Sodium filtered mg/L	Alkalinity filtered incremental titration field mg/L as CaCO <sub>3</sub>	Bicarbonate filtered incremental titration field mg/L	Carbonate filtered incremental titration field mg/L	Chloride filtered mg/L	Fluoride filtered mg/L	Sulfate filtered mg/L	Residue filtered sum of constituents mg/L	Residue filtered tons/acre-ft
01-May-07 11:50	4.54	0.83	2.88	57.9	70	0.3	1.38	0.08 <sup>(a)</sup>	8.97	73	0.11
30-Aug-07 09:30	4.5	0.71	1.98	51.6	62.6	0.1	0.87	0.08 <sup>(a)</sup>	9.27	67	0.11
20-Dec-07 11:00	4.62	0.79	2.22	58	70	0	0.94	0.09 <sup>(a)</sup>	9.22	72	0.11

  

SAMP DATE TIME	Residue on evaporation dried at 180 °C filtered mg/L	Residue total at 105 °C suspended mg/L	Ammonia + organic nitrogen unfiltered mg/L as N	Ammonia filtered mg/L as N	Nitrite + nitrate filtered mg/L as N	Nitrite filtered mg/L as N	Total nitrogen unfiltered mg/L	Orthophosphate filtered mg/L as P	Phosphorus unfiltered mg/L	Organic carbon filtered mg/L	Chromium filtered µg/L
01-May-07 11:50	78	22	0.16	<0.020	0.12	<0.002	0.21	<0.006	<0.04	1.8	0.09 <sup>(a)</sup>
30-Aug-07 09:30	82	<10	0.06 <sup>(a)</sup>	<0.020	0.07	0.002 <sup>(a)</sup>	0.17	0.006 <sup>(a)</sup>	<0.04	1.3	0.08 <sup>(a)</sup>
20-Dec-07 11:00	79	<10	<0.14	<0.020	0.15	0.002 <sup>(a)</sup>	0.2	0.004 <sup>(a)</sup>	<0.04	1.3	0.09 <sup>(a)</sup>

  

SAMP DATE TIME	Iron filtered µg/L	Suspended sediment concentration mg/L
01-May-07 11:50	8	4
30-Aug-07 09:30	<6	3
20-Dec-07 11:00	<8	3

(a) Estimated value.

# **Drinking Water**

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## DRINKING WATER

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1LWF4	100 K AREA	ONSITE	SW	DRINKING	09-Jan-07	ALPHA	0.645	pCi/L	0.72	0.78	U		
SESPMNT	B1LWF5	100 K AREA	ONSITE	SW	DRINKING	17-Apr-07	ALPHA	-0.06	pCi/L	0.37	0.45	U		
SESPMNT	B1LWF6	100 K AREA	ONSITE	SW	DRINKING	09-Jul-07	ALPHA	-0.0334	pCi/L	0.37	0.45	U		
SESPMNT	B1LWF7	100 K AREA	ONSITE	SW	DRINKING	02-Oct-07	ALPHA	-0.266	pCi/L	0.37	0.45	U		
SESPMNT	B1LWC7	100 N AREA	ONSITE	SW	DRINKING	09-Jan-07	ALPHA	0.0687	pCi/L	0.57	0.62	U		
SESPMNT	B1LWC8	100 N AREA	ONSITE	SW	DRINKING	17-Apr-07	ALPHA	0.271	pCi/L	0.64	0.69	U		
SESPMNT	B1LWC9	100 N AREA	ONSITE	SW	DRINKING	09-Jul-07	ALPHA	-0.0122	pCi/L	0.43	0.5	U		
SESPMNT	B1LWD0	100 N AREA	ONSITE	SW	DRINKING	02-Oct-07	ALPHA	0.398	pCi/L	0.63	0.69	U		
SESPMNT	B1LWJ1	200 W AREA	ONSITE	SW	DRINKING	09-Jan-07	ALPHA	-0.393	pCi/L	0.28	0.38	U		
SESPMNT	B1LWJ2	200 W AREA	ONSITE	SW	DRINKING	17-Apr-07	ALPHA	0.351	pCi/L	0.56	0.63	U		
SESPMNT	B1LWJ3	200 W AREA	ONSITE	SW	DRINKING	09-Jul-07	ALPHA	0.19	pCi/L	0.49	0.56	U		
SESPMNT	B1LWJ4	200 W AREA	ONSITE	SW	DRINKING	02-Oct-07	ALPHA	0.23	pCi/L	0.51	0.57	U		
SESPMNT	B1LWK8	400 AREA	ONSITE	SW	DRINKING	09-Jan-07	ALPHA	0.244	pCi/L	0.93	0.97	U		
SESPMNT	B1LWK9	400 AREA	ONSITE	SW	DRINKING	17-Apr-07	ALPHA	0.514	pCi/L	0.9	0.94	U		
SESPMNT	B1LWL0	400 AREA	ONSITE	SW	DRINKING	09-Jul-07	ALPHA	0.41	pCi/L	0.85	0.9	U		
SESPMNT	B1LWL1	400 AREA	ONSITE	SW	DRINKING	02-Oct-07	ALPHA	1.29	pCi/L	1.2	1.3	U		
SESPMNT	B1LWT4	400 AREA WELL P-14	ONSITE	SW	DRINKING	09-Jan-07	ALPHA	-0.026	pCi/L	0.71	0.75	U		
SESPMNT	B1LWT5	400 AREA WELL P-14	ONSITE	SW	DRINKING	17-Apr-07	ALPHA	0.329	pCi/L	0.82	0.86	U		
SESPMNT	B1LWT6	400 AREA WELL P-14	ONSITE	SW	DRINKING	09-Jul-07	ALPHA	0.395	pCi/L	0.8	0.85	U		
SESPMNT	B1LWT7	400 AREA WELL P-14	ONSITE	SW	DRINKING	02-Oct-07	ALPHA	0.355	pCi/L	0.65	0.74	U		
SESPMNT	B1LWD8	100 K AREA	ONSITE	SW	DRINKING	29-Mar-07	BETA	1.88	pCi/L	1.4	1.4	U		
SESPMNT	B1N013	100 K AREA	ONSITE	SW	DRINKING	12-Jun-07	BETA	0.456	pCi/L	1.3	1.6	U		
SESPMNT	B1P2V2	100 K AREA	ONSITE	SW	DRINKING	04-Sep-07	BETA	0.89	pCi/L	1.3	1.7	U		
SESPMNT	B1PT76	100 K AREA	ONSITE	SW	DRINKING	10-Dec-07	BETA	1.77	pCi/L	1.4	1.4	U		
SESPMNT	B1LWC1	100 N AREA	ONSITE	SW	DRINKING	29-Mar-07	BETA	2.08	pCi/L	1.4	1.4	U		
SESPMNT	B1N008	100 N AREA	ONSITE	SW	DRINKING	12-Jun-07	BETA	0.391	pCi/L	1.3	1.6	U		
SESPMNT	B1P2T7	100 N AREA	ONSITE	SW	DRINKING	04-Sep-07	BETA	0.234	pCi/L	1.2	1.6	U		
SESPMNT	B1PT71	100 N AREA	ONSITE	SW	DRINKING	10-Dec-07	BETA	1.94	pCi/L	1.3	1.3	U		
SESPMNT	B1LWH5	200 W AREA	ONSITE	SW	DRINKING	29-Mar-07	BETA	1.7	pCi/L	1.3	1.3	U		
SESPMNT	B1N018	200 W AREA	ONSITE	SW	DRINKING	12-Jun-07	BETA	0.894	pCi/L	1.3	1.7	U		
SESPMNT	B1P2V7	200 W AREA	ONSITE	SW	DRINKING	04-Sep-07	BETA	1.45	pCi/L	1.4	1.7	U		
SESPMNT	B1PT81	200 W AREA	ONSITE	SW	DRINKING	10-Dec-07	BETA	1.38	pCi/L	1.3	1.4	U		
SESPMNT	B1LWK2	400 AREA	ONSITE	SW	DRINKING	29-Mar-07	BETA	7.83	pCi/L	1.7	2.4			
SESPMNT	B1N023	400 AREA	ONSITE	SW	DRINKING	12-Jun-07	BETA	7.05	pCi/L	1.9	2.4			
SESPMNT	B1P2W2	400 AREA	ONSITE	SW	DRINKING	04-Sep-07	BETA	4.39	pCi/L	1.6	2			
SESPMNT	B1PT86	400 AREA	ONSITE	SW	DRINKING	10-Dec-07	BETA	6.97	pCi/L	1.7	2			
SESPMNT	B1LWR8	400 AREA WELL P-14	ONSITE	SW	DRINKING	29-Mar-07	BETA	7.52	pCi/L	1.8	2.1			
SESPMNT	B1N078	400 AREA WELL P-14	ONSITE	SW	DRINKING	12-Jun-07	BETA	8.25	pCi/L	1.9	2.4			
SESPMNT	B1P322	400 AREA WELL P-14	ONSITE	SW	DRINKING	04-Sep-07	BETA	6.03	pCi/L	1.7	2.4			
SESPMNT	B1PTH2	400 AREA WELL P-14	ONSITE	SW	DRINKING	10-Dec-07	BETA	7.55	pCi/L	1.8	2			
SESPMNT	B1LWF9	100 K AREA	ONSITE	SW	DRINKING	02-Oct-07	H-3	70	pCi/L	130	140	U		
SESPMNT	B1LWD2	100 N AREA	ONSITE	SW	DRINKING	02-Oct-07	H-3	60.7	pCi/L	130	140	U		
SESPMNT	B1LWJ6	200 W AREA	ONSITE	SW	DRINKING	02-Oct-07	H-3	2.48	pCi/L	130	140	U		
SESPMNT	B1LWW6	400 AREA	ONSITE	SW	DRINKING	09-Jan-07	H-3	2460	pCi/L	130	170			
SESPMNT	B1N687	400 AREA	ONSITE	SW	DRINKING	17-Apr-07	H-3	2380	pCi/L	190	250			
SESPMNT	B1P366	400 AREA	ONSITE	SW	DRINKING	09-Jul-07	H-3	2610	pCi/L	200	260			
SESPMNT	B1PTK3	400 AREA	ONSITE	SW	DRINKING	02-Oct-07	H-3	2560	pCi/L	210	290			
SESPMNT	B1LWT9	400 AREA WELL P-14	ONSITE	SW	DRINKING	02-Oct-07	H-3	2490	pCi/L	240	260			
SESPMNT	B1LWF3	100 K AREA	ONSITE	SW	DRINKING	02-Oct-07	Sr-90	0.0486	pCi/L	0.025	0.037			
SESPMNT	B1LWC6	100 N AREA	ONSITE	SW	DRINKING	02-Oct-07	Sr-90	0.0672	pCi/L	0.023	0.037			
SESPMNT	B1LWJ0	200 W AREA	ONSITE	SW	DRINKING	02-Oct-07	Sr-90	0.0918	pCi/L	0.025	0.039			
SESPMNT	B1LWK7	400 AREA	ONSITE	SW	DRINKING	02-Oct-07	Sr-90	-0.00316	pCi/L	0.031	0.036	U		
SESPMNT	B1LWT3	400 AREA WELL P-14	ONSITE	SW	DRINKING	02-Oct-07	Sr-90	0.012	pCi/L	0.022	0.035	U		



**Biota**

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## BIOTA - FOODSTUFFS (pCi/g Wet Weight unless otherwise noted)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1NDN0	HORN RAPIDS AREA	PERIMETER	BI	ALFALFA	STM-LV	11-May-07	Be-7	1.28 pCi/g dry weight		0.37	0.37			
SESPMNT	B1NDM1	RIVERVIEW AREA	COMMUNITY	BI	ALFALFA	STM-LV	03-May-07	Be-7	1.81 pCi/g dry weight		0.33	0.33			
SESPMNT	B1NDL9	SAGEMOOR AREA	PERIMETER	BI	ALFALFA	STM-LV	17-May-07	Be-7	0.931 pCi/g dry weight		0.24	0.24			
SESPMNT	B1NDM6	SUNNYSIDE AREA	DISTANT	BI	ALFALFA	STM-LV	24-May-07	Be-7	1.35 pCi/g dry weight		0.33	0.33			
SESPMNT	B1NDN0	HORN RAPIDS AREA	PERIMETER	BI	ALFALFA	STM-LV	11-May-07	Co-60	-0.00249 pCi/g dry weight		0.017	0.017	U		
SESPMNT	B1NDM1	RIVERVIEW AREA	COMMUNITY	BI	ALFALFA	STM-LV	03-May-07	Co-60	0.00402 pCi/g dry weight		0.016	0.016	U		
SESPMNT	B1NDL9	SAGEMOOR AREA	PERIMETER	BI	ALFALFA	STM-LV	17-May-07	Co-60	0.00367 pCi/g dry weight		0.017	0.017	U		
SESPMNT	B1NDM6	SUNNYSIDE AREA	DISTANT	BI	ALFALFA	STM-LV	24-May-07	Co-60	0.01 pCi/g dry weight		0.014	0.014	U		
SESPMNT	B1NDN0	HORN RAPIDS AREA	PERIMETER	BI	ALFALFA	STM-LV	11-May-07	Cs-134	-0.00332 pCi/g dry weight		0.016	0.016	U		
SESPMNT	B1NDM1	RIVERVIEW AREA	COMMUNITY	BI	ALFALFA	STM-LV	03-May-07	Cs-134	0.00969 pCi/g dry weight		0.015	0.015	U		
SESPMNT	B1NDL9	SAGEMOOR AREA	PERIMETER	BI	ALFALFA	STM-LV	17-May-07	Cs-134	0.00948 pCi/g dry weight		0.016	0.016	U		
SESPMNT	B1NDM6	SUNNYSIDE AREA	DISTANT	BI	ALFALFA	STM-LV	24-May-07	Cs-134	0.00145 pCi/g dry weight		0.016	0.016	U		
SESPMNT	B1NDN0	HORN RAPIDS AREA	PERIMETER	BI	ALFALFA	STM-LV	11-May-07	Cs-137	-0.0164 pCi/g dry weight		0.014	0.014	U		
SESPMNT	B1NDM1	RIVERVIEW AREA	COMMUNITY	BI	ALFALFA	STM-LV	03-May-07	Cs-137	0.00652 pCi/g dry weight		0.014	0.014	U		
SESPMNT	B1NDL9	SAGEMOOR AREA	PERIMETER	BI	ALFALFA	STM-LV	17-May-07	Cs-137	0.00213 pCi/g dry weight		0.014	0.014	U		
SESPMNT	B1NDM6	SUNNYSIDE AREA	DISTANT	BI	ALFALFA	STM-LV	24-May-07	Cs-137	0.00586 pCi/g dry weight		0.013	0.013	U		
SESPMNT	B1NDN0	HORN RAPIDS AREA	PERIMETER	BI	ALFALFA	STM-LV	11-May-07	Eu-152	0.00314 pCi/g dry weight		0.032	0.032	U		
SESPMNT	B1NDM1	RIVERVIEW AREA	COMMUNITY	BI	ALFALFA	STM-LV	03-May-07	Eu-152	-0.00329 pCi/g dry weight		0.029	0.029	U		
SESPMNT	B1NDL9	SAGEMOOR AREA	PERIMETER	BI	ALFALFA	STM-LV	17-May-07	Eu-152	0.028 pCi/g dry weight		0.029	0.029	U		
SESPMNT	B1NDM6	SUNNYSIDE AREA	DISTANT	BI	ALFALFA	STM-LV	24-May-07	Eu-152	-0.0475 pCi/g dry weight		0.03	0.03	U		
SESPMNT	B1NDN0	HORN RAPIDS AREA	PERIMETER	BI	ALFALFA	STM-LV	11-May-07	Eu-154	0.0108 pCi/g dry weight		0.062	0.062	U		
SESPMNT	B1NDM1	RIVERVIEW AREA	COMMUNITY	BI	ALFALFA	STM-LV	03-May-07	Eu-154	-0.031 pCi/g dry weight		0.055	0.055	U		
SESPMNT	B1NDL9	SAGEMOOR AREA	PERIMETER	BI	ALFALFA	STM-LV	17-May-07	Eu-154	0.0561 pCi/g dry weight		0.059	0.059	U		
SESPMNT	B1NDM6	SUNNYSIDE AREA	DISTANT	BI	ALFALFA	STM-LV	24-May-07	Eu-154	-0.0202 pCi/g dry weight		0.054	0.054	U		
SESPMNT	B1NDN0	HORN RAPIDS AREA	PERIMETER	BI	ALFALFA	STM-LV	11-May-07	Eu-155	0.00358 pCi/g dry weight		0.03	0.03	U		
SESPMNT	B1NDM1	RIVERVIEW AREA	COMMUNITY	BI	ALFALFA	STM-LV	03-May-07	Eu-155	0.00373 pCi/g dry weight		0.025	0.025	U		
SESPMNT	B1NDL9	SAGEMOOR AREA	PERIMETER	BI	ALFALFA	STM-LV	17-May-07	Eu-155	0.00465 pCi/g dry weight		0.023	0.023	U		
SESPMNT	B1NDM6	SUNNYSIDE AREA	DISTANT	BI	ALFALFA	STM-LV	24-May-07	Eu-155	-0.00316 pCi/g dry weight		0.026	0.026	U		
SESPMNT	B1NDN0	HORN RAPIDS AREA	PERIMETER	BI	ALFALFA	STM-LV	11-May-07	K-40	26.3 pCi/g dry weight		3.4	3.4			
SESPMNT	B1NDM1	RIVERVIEW AREA	COMMUNITY	BI	ALFALFA	STM-LV	03-May-07	K-40	20.4 pCi/g dry weight		3.8	3.8			
SESPMNT	B1NDL9	SAGEMOOR AREA	PERIMETER	BI	ALFALFA	STM-LV	17-May-07	K-40	24.7 pCi/g dry weight		4.5	4.5			
SESPMNT	B1NDM6	SUNNYSIDE AREA	DISTANT	BI	ALFALFA	STM-LV	24-May-07	K-40	30 pCi/g dry weight		3.7	3.7			
SESPMNT	B1NDN0	HORN RAPIDS AREA	PERIMETER	BI	ALFALFA	STM-LV	11-May-07	Ru-106	-0.0932 pCi/g dry weight		0.12	0.12	U		
SESPMNT	B1NDM1	RIVERVIEW AREA	COMMUNITY	BI	ALFALFA	STM-LV	03-May-07	Ru-106	0.0578 pCi/g dry weight		0.12	0.12	U		
SESPMNT	B1NDL9	SAGEMOOR AREA	PERIMETER	BI	ALFALFA	STM-LV	17-May-07	Ru-106	0.0419 pCi/g dry weight		0.11	0.11	U		
SESPMNT	B1NDM6	SUNNYSIDE AREA	DISTANT	BI	ALFALFA	STM-LV	24-May-07	Ru-106	0.0308 pCi/g dry weight		0.11	0.11	U		
SESPMNT	B1NDN0	HORN RAPIDS AREA	PERIMETER	BI	ALFALFA	STM-LV	11-May-07	Sb-125	0.0264 pCi/g dry weight		0.033	0.033	U		
SESPMNT	B1NDM1	RIVERVIEW AREA	COMMUNITY	BI	ALFALFA	STM-LV	03-May-07	Sb-125	0.00474 pCi/g dry weight		0.029	0.029	U		
SESPMNT	B1NDL9	SAGEMOOR AREA	PERIMETER	BI	ALFALFA	STM-LV	17-May-07	Sb-125	-0.0165 pCi/g dry weight		0.03	0.03	U		
SESPMNT	B1NDM6	SUNNYSIDE AREA	DISTANT	BI	ALFALFA	STM-LV	24-May-07	Sb-125	0.0244 pCi/g dry weight		0.028	0.028	U		
SESPMNT	B1NDN0	HORN RAPIDS AREA	PERIMETER	BI	ALFALFA	STM-LV	11-May-07	Sr-90	0.0861 pCi/g dry weight		0.0064	0.015			
SESPMNT	B1NDM1	RIVERVIEW AREA	COMMUNITY	BI	ALFALFA	STM-LV	03-May-07	Sr-90	0.0518 pCi/g dry weight		0.0052	0.011			
SESPMNT	B1NDL9	SAGEMOOR AREA	PERIMETER	BI	ALFALFA	STM-LV	17-May-07	Sr-90	0.022 pCi/g dry weight		0.0034	0.0071			
SESPMNT	B1NDM6	SUNNYSIDE AREA	DISTANT	BI	ALFALFA	STM-LV	24-May-07	Sr-90	0.0124 pCi/g dry weight		0.0024	0.0061			
SESPMNT	B1PTJ5	COLD CREEK AREA	PERIMETER	BI	CONCORD GRAPES	FRUIT	27-Sep-07	Be-7	0.032 pCi/g		0.033	0.033	U	CABERNET GRAPES.	
SESPMNT	B1PTH7	RIVERVIEW AREA	COMMUNITY	BI	CONCORD GRAPES	FRUIT	03-Oct-07	Be-7	-0.00507 pCi/g		0.032	0.032	U		
SESPMNT	B1PTJ2	SAGEMOOR AREA	PERIMETER	BI	CONCORD GRAPES	FRUIT	04-Oct-07	Be-7	-0.00594 pCi/g		0.03	0.03	U	CABERNET GRAPES.	
SESPMNT	B1PTJ7	SUNNYSIDE AREA	DISTANT	BI	CONCORD GRAPES	FRUIT	27-Sep-07	Be-7	-0.0235 pCi/g		0.035	0.035	U		
SESPMNT	B1PTJ5	COLD CREEK AREA	PERIMETER	BI	CONCORD GRAPES	FRUIT	27-Sep-07	Co-60	0.00318 pCi/g		0.0044	0.0044	U	CABERNET GRAPES.	
SESPMNT	B1PTH7	RIVERVIEW AREA	COMMUNITY	BI	CONCORD GRAPES	FRUIT	03-Oct-07	Co-60	-0.00111 pCi/g		0.0046	0.0046	U		
SESPMNT	B1PTJ2	SAGEMOOR AREA	PERIMETER	BI	CONCORD GRAPES	FRUIT	04-Oct-07	Co-60	-0.000531 pCi/g		0.004	0.004	U	CABERNET GRAPES.	
SESPMNT	B1PTJ7	SUNNYSIDE AREA	DISTANT	BI	CONCORD GRAPES	FRUIT	27-Sep-07	Co-60	0.00297 pCi/g		0.0043	0.0043	U		
SESPMNT	B1PTJ5	COLD CREEK AREA	PERIMETER	BI	CONCORD GRAPES	FRUIT	27-Sep-07	Cs-134	0.000554 pCi/g		0.0043	0.0043	U	CABERNET GRAPES.	
SESPMNT	B1PTH7	RIVERVIEW AREA	COMMUNITY	BI	CONCORD GRAPES	FRUIT	03-Oct-07	Cs-134	0.00216 pCi/g		0.0043	0.0043	U		
SESPMNT	B1PTJ2	SAGEMOOR AREA	PERIMETER	BI	CONCORD GRAPES	FRUIT	04-Oct-07	Cs-134	0.00175 pCi/g		0.0044	0.0044	U	CABERNET GRAPES.	
SESPMNT	B1PTJ7	SUNNYSIDE AREA	DISTANT	BI	CONCORD GRAPES	FRUIT	27-Sep-07	Cs-134	-0.00132 pCi/g		0.0046	0.0046	U		
SESPMNT	B1PTJ5	COLD CREEK AREA	PERIMETER	BI	CONCORD GRAPES	FRUIT	27-Sep-07	Cs-137	0.00283 pCi/g		0.0041	0.0041	U	CABERNET GRAPES.	
SESPMNT	B1PTH7	RIVERVIEW AREA	COMMUNITY	BI	CONCORD GRAPES	FRUIT	03-Oct-07	Cs-137	0.00215 pCi/g		0.0037	0.0037	U		
SESPMNT	B1PTJ2	SAGEMOOR AREA	PERIMETER	BI	CONCORD GRAPES	FRUIT	04-Oct-07	Cs-137	-0.00115 pCi/g		0.0039	0.0039	U	CABERNET GRAPES.	
SESPMNT	B1PTJ7	SUNNYSIDE AREA	DISTANT	BI	CONCORD GRAPES	FRUIT	27-Sep-07	Cs-137	-0.000286 pCi/g		0.0041	0.0041	U		
SESPMNT	B1PTJ5	COLD CREEK AREA	PERIMETER	BI	CONCORD GRAPES	FRUIT	27-Sep-07	Eu-152	-0.00116 pCi/g		0.0092	0.0092	U	CABERNET GRAPES.	
SESPMNT	B1PTH7	RIVERVIEW AREA	COMMUNITY	BI	CONCORD GRAPES	FRUIT	03-Oct-07	Eu-152	-0.00167 pCi/g		0.01	0.01	U		
SESPMNT	B1PTJ2	SAGEMOOR AREA	PERIMETER	BI	CONCORD GRAPES	FRUIT	04-Oct-07	Eu-152	0.01 pCi/g		0.01	0.01	U	CABERNET GRAPES.	
SESPMNT	B1PTJ7	SUNNYSIDE AREA	DISTANT	BI	CONCORD GRAPES	FRUIT	27-Sep-07	Eu-152	0.00287 pCi/g		0.0099	0.0099	U		
SESPMNT	B1PTJ5	COLD CREEK AREA	PERIMETER	BI	CONCORD GRAPES	FRUIT	27-Sep-07	Eu-154	0.006 pCi/g		0.014	0.014	U	CABERNET GRAPES.	
SESPMNT	B1PTH7	RIVERVIEW AREA	COMMUNITY	BI	CONCORD GRAPES	FRUIT	03-Oct-07	Eu-154	0.0112 pCi/g		0.013	0.013	U		
SESPMNT	B1PTJ2	SAGEMOOR AREA	PERIMETER	BI	CONCORD GRAPES	FRUIT	04-Oct-07	Eu-154	-0.00229 pCi/g		0.013	0.013	U	CABERNET GRAPES.	
SESPMNT	B1PTJ7	SUNNYSIDE AREA	DISTANT	BI	CONCORD GRAPES	FRUIT	27-Sep-07	Eu-154	-0.00222 pCi/g		0.013	0.013	U		
SESPMNT	B1PTJ5	COLD CREEK AREA	PERIMETER	BI	CONCORD GRAPES	FRUIT	27-Sep-07	Eu-155	0.000556 pCi/g		0.0079	0.0079	U	CABERNET GRAPES.	

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## BIOTA - FOODSTUFFS (pCi/g Wet Weight unless otherwise noted)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1PTH7	RIVERVIEW AREA	COMMUNITY	BI	CONCORD GRAPES	FRUIT	03-Oct-07	Eu-155	0.00549 pCi/g		0.0087	0.0087	U		
SESPMNT	B1PTJ2	SAGEMOOR AREA	PERIMETER	BI	CONCORD GRAPES	FRUIT	04-Oct-07	Eu-155	-0.00466 pCi/g		0.0091	0.0091	U	CABERNET GRAPES.	
SESPMNT	B1PTJ7	SUNNYSIDE AREA	DISTANT	BI	CONCORD GRAPES	FRUIT	27-Sep-07	Eu-155	0.00334 pCi/g		0.01	0.01	U		
SESPMNT	B1PTJ5	COLD CREEK AREA	PERIMETER	BI	CONCORD GRAPES	FRUIT	27-Sep-07	K-40	1.72 pCi/g		0.26	0.26		CABERNET GRAPES.	
SESPMNT	B1PTH7	RIVERVIEW AREA	COMMUNITY	BI	CONCORD GRAPES	FRUIT	03-Oct-07	K-40	3.52 pCi/g		0.47	0.47			
SESPMNT	B1PTJ2	SAGEMOOR AREA	PERIMETER	BI	CONCORD GRAPES	FRUIT	04-Oct-07	K-40	2.31 pCi/g		0.33	0.33		CABERNET GRAPES.	
SESPMNT	B1PTJ7	SUNNYSIDE AREA	DISTANT	BI	CONCORD GRAPES	FRUIT	27-Sep-07	K-40	1.7 pCi/g		0.27	0.27			
SESPMNT	B1PTJ5	COLD CREEK AREA	PERIMETER	BI	CONCORD GRAPES	FRUIT	27-Sep-07	Ru-106	0.0259 pCi/g		0.035	0.035	U	CABERNET GRAPES.	
SESPMNT	B1PTH7	RIVERVIEW AREA	COMMUNITY	BI	CONCORD GRAPES	FRUIT	03-Oct-07	Ru-106	0.0122 pCi/g		0.034	0.034	U		
SESPMNT	B1PTJ2	SAGEMOOR AREA	PERIMETER	BI	CONCORD GRAPES	FRUIT	04-Oct-07	Ru-106	-0.0185 pCi/g		0.031	0.031	U	CABERNET GRAPES.	
SESPMNT	B1PTJ7	SUNNYSIDE AREA	DISTANT	BI	CONCORD GRAPES	FRUIT	27-Sep-07	Ru-106	0.00771 pCi/g		0.036	0.036	U		
SESPMNT	B1PTJ5	COLD CREEK AREA	PERIMETER	BI	CONCORD GRAPES	FRUIT	27-Sep-07	Sb-125	-0.00361 pCi/g		0.0094	0.0094	U	CABERNET GRAPES.	
SESPMNT	B1PTH7	RIVERVIEW AREA	COMMUNITY	BI	CONCORD GRAPES	FRUIT	03-Oct-07	Sb-125	0.00167 pCi/g		0.0095	0.0095	U		
SESPMNT	B1PTJ2	SAGEMOOR AREA	PERIMETER	BI	CONCORD GRAPES	FRUIT	04-Oct-07	Sb-125	-0.00368 pCi/g		0.0091	0.0091	U	CABERNET GRAPES.	
SESPMNT	B1PTJ7	SUNNYSIDE AREA	DISTANT	BI	CONCORD GRAPES	FRUIT	27-Sep-07	Sb-125	0.00342 pCi/g		0.0095	0.0095	U		
SESPMNT	B1PTJ5	COLD CREEK AREA	PERIMETER	BI	CONCORD GRAPES	FRUIT	27-Sep-07	Sr-90	0.000406 pCi/g		0.0013	0.0013	U	CABERNET GRAPES.	
SESPMNT	B1PTH7	RIVERVIEW AREA	COMMUNITY	BI	CONCORD GRAPES	FRUIT	03-Oct-07	Sr-90	0.00326 pCi/g		0.0017	0.0019	U		
SESPMNT	B1PTJ2	SAGEMOOR AREA	PERIMETER	BI	CONCORD GRAPES	FRUIT	04-Oct-07	Sr-90	0.00104 pCi/g		0.0014	0.0015	U	CABERNET GRAPES.	
SESPMNT	B1PTJ7	SUNNYSIDE AREA	DISTANT	BI	CONCORD GRAPES	FRUIT	27-Sep-07	Sr-90	0.00116 pCi/g		0.0014	0.0014	U		
SESPSPEC	B1NH10	FRANKLIN FARM A	PERIMETER	BI	COW	MILK	17-May-07	Be-7	2.62 pCi/L		22	22	U	POSSIBLE THAT SAMPLE IS NOT A COMPOSITE SAMPLE, BUT COLLECTED FROM A SINGLE DAIRY.	
SESPSPEC	B1NH09	FRANKLIN FARM B	PERIMETER	BI	COW	MILK	17-May-07	Be-7	-9.73 pCi/L		22	22	U	POSSIBLE THAT SAMPLE IS NOT A COMPOSITE SAMPLE, BUT COLLECTED FROM A SINGLE DAIRY.	
SESPMNT	B1NH14	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	17-May-07	Be-7	-15.2 pCi/L		19	19	U		
SESPMNT	B1P362	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	13-Jul-07	Be-7	9.35 pCi/L		26	26	U		
SESPMNT	B1PYD1	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	19-Oct-07	Be-7	10.1 pCi/L		26	26	U		
SESPMNT	B1MVK6	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	22-Mar-07	Be-7	-10.4 pCi/L		24	24	U		
SESPMNT	B1NHJ3	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	24-May-07	Be-7	-0.00391 pCi/L		0.027	0.027	U		
SESPMNT	B1P3J0	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	19-Jul-07	Be-7	-2.21 pCi/L		31	31	U		
SESPMNT	B1R119	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	26-Oct-07	Be-7	-6.88 pCi/L		23	23	U		
SESPMNT	B1MWT0	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	03-Apr-07	Be-7	5.08 pCi/L		23	23	U		
SESPMNT	B1NH15	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	16-May-07	Be-7	-19.7 pCi/L		22	22	U		
SESPMNT	B1P363	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	10-Jul-07	Be-7	-9.18 pCi/L		28	28	U		
SESPMNT	B1PYD2	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	18-Oct-07	Be-7	7.38 pCi/L		25	25	U		
SESPMNT	B1MVK7	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	20-Mar-07	Be-7	-8.48 pCi/L		21	21	U		
SESPSPEC	B1NH10	FRANKLIN FARM A	PERIMETER	BI	COW	MILK	17-May-07	Co-60	1.58 pCi/L		3.1	3.1	U	POSSIBLE THAT SAMPLE IS NOT A COMPOSITE SAMPLE, BUT COLLECTED FROM A SINGLE DAIRY.	
SESPSPEC	B1NH09	FRANKLIN FARM B	PERIMETER	BI	COW	MILK	17-May-07	Co-60	3.27 pCi/L		3.7	3.7	U	POSSIBLE THAT SAMPLE IS NOT A COMPOSITE SAMPLE, BUT COLLECTED FROM A SINGLE DAIRY.	
SESPMNT	B1NH14	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	17-May-07	Co-60	1.53 pCi/L		2.6	2.6	U		
SESPMNT	B1P362	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	13-Jul-07	Co-60	-0.187 pCi/L		3.4	3.4	U		
SESPMNT	B1PYD1	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	19-Oct-07	Co-60	2.14 pCi/L		3.6	3.6	U		
SESPMNT	B1MVK6	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	22-Mar-07	Co-60	-1.47 pCi/L		3.2	3.2	U		
SESPMNT	B1NHJ3	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	24-May-07	Co-60	0.00268 pCi/L		0.0032	0.0032	U		
SESPMNT	B1P3J0	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	19-Jul-07	Co-60	0.367 pCi/L		2.9	2.9	U		
SESPMNT	B1R119	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	26-Oct-07	Co-60	-0.3 pCi/L		3	3	U		
SESPMNT	B1MWT0	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	03-Apr-07	Co-60	0.497 pCi/L		3.4	3.4	U		
SESPMNT	B1NH15	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	16-May-07	Co-60	0.483 pCi/L		3	3	U		
SESPMNT	B1P363	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	10-Jul-07	Co-60	2.7 pCi/L		3.9	3.9	U		
SESPMNT	B1PYD2	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	18-Oct-07	Co-60	0.817 pCi/L		3.2	3.2	U		
SESPMNT	B1MVK7	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	20-Mar-07	Co-60	0.0619 pCi/L		2.9	2.9	U		
SESPSPEC	B1NH10	FRANKLIN FARM A	PERIMETER	BI	COW	MILK	17-May-07	Cs-134	0.26 pCi/L		3.3	3.3	U	POSSIBLE THAT SAMPLE IS NOT A COMPOSITE SAMPLE, BUT COLLECTED FROM A SINGLE DAIRY.	
SESPSPEC	B1NH09	FRANKLIN FARM B	PERIMETER	BI	COW	MILK	17-May-07	Cs-134	0.541 pCi/L		3.5	3.5	U	POSSIBLE THAT SAMPLE IS NOT A COMPOSITE SAMPLE, BUT COLLECTED FROM A SINGLE DAIRY.	
SESPMNT	B1NH14	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	17-May-07	Cs-134	0.291 pCi/L		2.5	2.5	U		
SESPMNT	B1P362	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	13-Jul-07	Cs-134	3.69 pCi/L		3.4	3.4	U		
SESPMNT	B1PYD1	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	19-Oct-07	Cs-134	0.145 pCi/L		3.4	3.4	U		
SESPMNT	B1MVK6	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	22-Mar-07	Cs-134	1.02 pCi/L		3.1	3.1	U		
SESPMNT	B1NHJ3	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	24-May-07	Cs-134	-0.0012 pCi/L		0.0033	0.0033	U		
SESPMNT	B1P3J0	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	19-Jul-07	Cs-134	0.869 pCi/L		3.3	3.3	U		
SESPMNT	B1R119	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	26-Oct-07	Cs-134	-0.0659 pCi/L		3.2	3.2	U		
SESPMNT	B1MWT0	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	03-Apr-07	Cs-134	0.988 pCi/L		3.2	3.2	U		
SESPMNT	B1NH15	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	16-May-07	Cs-134	-1.01 pCi/L		2.8	2.8	U		
SESPMNT	B1P363	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	10-Jul-07	Cs-134	1.42 pCi/L		3.7	3.7	U		
SESPMNT	B1PYD2	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	18-Oct-07	Cs-134	0.242 pCi/L		3.2	3.2	U		
SESPMNT	B1MVK7	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	20-Mar-07	Cs-134	-0.854 pCi/L		2.6	2.6	U		
SESPSPEC	B1NH10	FRANKLIN FARM A	PERIMETER	BI	COW	MILK	17-May-07	Cs-137	1.23 pCi/L		2.8	2.8	U	POSSIBLE THAT SAMPLE IS NOT A COMPOSITE SAMPLE, BUT COLLECTED FROM A SINGLE DAIRY.	

## ENVIRONMENTAL SURVEILLANCE DATA CY07

BIOTA - FOODSTUFFS (pCi/g Wet Weight unless otherwise noted)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPSPEC	B1NH09	FRANKLIN FARM B	PERIMETER	BI	COW	MILK	17-May-07	Cs-137	-0.718 pCi/L		3	3	U	POSSIBLE THAT SAMPLE IS NOT A COMPOSITE SAMPLE, BUT COLLECTED FROM A SINGLE DAIRY.	
SESPMNT	B1NH14	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	17-May-07	Cs-137	0.449 pCi/L		2.6	2.6	U		
SESPMNT	B1P362	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	13-Jul-07	Cs-137	-1.73 pCi/L		3.1	3.1	U		
SESPMNT	B1PYD1	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	19-Oct-07	Cs-137	2.49 pCi/L		3	3	U		
SESPMNT	B1MVK6	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	22-Mar-07	Cs-137	-0.803 pCi/L		2.9	2.9	U		
SESPMNT	B1NHJ3	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	24-May-07	Cs-137	0.00149 pCi/L		0.003	0.003	U		
SESPMNT	B1P3J0	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	19-Jul-07	Cs-137	0.525 pCi/L		3	3	U		
SESPMNT	B1R119	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	26-Oct-07	Cs-137	0.645 pCi/L		2.7	2.7	U		
SESPMNT	B1MWT0	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	03-Apr-07	Cs-137	1.13 pCi/L		3	3	U		
SESPMNT	B1NH15	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	16-May-07	Cs-137	2.01 pCi/L		2.9	2.9	U		
SESPMNT	B1P363	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	10-Jul-07	Cs-137	-1.1 pCi/L		3	3	U		
SESPMNT	B1PYD2	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	18-Oct-07	Cs-137	1.08 pCi/L		2.9	2.9	U		
SESPMNT	B1MVK7	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	20-Mar-07	Cs-137	0.178 pCi/L		2.6	2.6	U		
SESPSPEC	B1NH10	FRANKLIN FARM A	PERIMETER	BI	COW	MILK	17-May-07	Eu-152	2.35 pCi/L		7.1	7.1	U	POSSIBLE THAT SAMPLE IS NOT A COMPOSITE SAMPLE, BUT COLLECTED FROM A SINGLE DAIRY.	
SESPSPEC	B1NH09	FRANKLIN FARM B	PERIMETER	BI	COW	MILK	17-May-07	Eu-152	2.68 pCi/L		7.1	7.1	U	POSSIBLE THAT SAMPLE IS NOT A COMPOSITE SAMPLE, BUT COLLECTED FROM A SINGLE DAIRY.	
SESPMNT	B1NH14	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	17-May-07	Eu-152	6.86 pCi/L		6.4	6.4	U		
SESPMNT	B1P362	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	13-Jul-07	Eu-152	4.06 pCi/L		7.6	7.6	U		
SESPMNT	B1PYD1	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	19-Oct-07	Eu-152	4.35 pCi/L		7.4	7.4	U		
SESPMNT	B1MVK6	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	22-Mar-07	Eu-152	-2.21 pCi/L		8.1	8.1	U		
SESPMNT	B1NHJ3	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	24-May-07	Eu-152	0.00592 pCi/L		0.0079	0.0079	U		
SESPMNT	B1P3J0	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	19-Jul-07	Eu-152	-0.3 pCi/L		7.9	7.9	U		
SESPMNT	B1R119	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	26-Oct-07	Eu-152	-0.336 pCi/L		6.8	6.8	U		
SESPMNT	B1MWT0	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	03-Apr-07	Eu-152	-6.65 pCi/L		8.1	8.1	U		
SESPMNT	B1NH15	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	16-May-07	Eu-152	-7.2 pCi/L		7.2	7.2	U		
SESPMNT	B1P363	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	10-Jul-07	Eu-152	1.35 pCi/L		7.6	7.6	U		
SESPMNT	B1PYD2	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	18-Oct-07	Eu-152	-6.31 pCi/L		7	7	U		
SESPMNT	B1MVK7	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	20-Mar-07	Eu-152	-3.34 pCi/L		6.7	6.7	U		
SESPSPEC	B1NH10	FRANKLIN FARM A	PERIMETER	BI	COW	MILK	17-May-07	Eu-154	-0.35 pCi/L		11	11	U	POSSIBLE THAT SAMPLE IS NOT A COMPOSITE SAMPLE, BUT COLLECTED FROM A SINGLE DAIRY.	
SESPSPEC	B1NH09	FRANKLIN FARM B	PERIMETER	BI	COW	MILK	17-May-07	Eu-154	3.87 pCi/L		11	11	U	POSSIBLE THAT SAMPLE IS NOT A COMPOSITE SAMPLE, BUT COLLECTED FROM A SINGLE DAIRY.	
SESPMNT	B1NH14	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	17-May-07	Eu-154	-0.782 pCi/L		8.4	8.4	U		
SESPMNT	B1P362	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	13-Jul-07	Eu-154	9.37 pCi/L		11	11	U		
SESPMNT	B1PYD1	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	19-Oct-07	Eu-154	10.1 pCi/L		11	11	U		
SESPMNT	B1MVK6	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	22-Mar-07	Eu-154	-2.95 pCi/L		9.4	9.4	U		
SESPMNT	B1NHJ3	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	24-May-07	Eu-154	0.002 pCi/L		0.0094	0.0094	U		
SESPMNT	B1P3J0	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	19-Jul-07	Eu-154	1.45 pCi/L		9.7	9.7	U		
SESPMNT	B1R119	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	26-Oct-07	Eu-154	-4.6 pCi/L		9.9	9.9	U		
SESPMNT	B1MWT0	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	03-Apr-07	Eu-154	0.107 pCi/L		9.5	9.5	U		
SESPMNT	B1NH15	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	16-May-07	Eu-154	-2.75 pCi/L		9.3	9.3	U		
SESPMNT	B1P363	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	10-Jul-07	Eu-154	-4.25 pCi/L		12	12	U		
SESPMNT	B1PYD2	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	18-Oct-07	Eu-154	-0.965 pCi/L		9.4	9.4	U		
SESPMNT	B1MVK7	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	20-Mar-07	Eu-154	2.9 pCi/L		9.5	9.5	U		
SESPSPEC	B1NH10	FRANKLIN FARM A	PERIMETER	BI	COW	MILK	17-May-07	Eu-155	-0.184 pCi/L		7.9	7.9	U	POSSIBLE THAT SAMPLE IS NOT A COMPOSITE SAMPLE, BUT COLLECTED FROM A SINGLE DAIRY.	
SESPSPEC	B1NH09	FRANKLIN FARM B	PERIMETER	BI	COW	MILK	17-May-07	Eu-155	4.37 pCi/L		6.3	6.3	U	POSSIBLE THAT SAMPLE IS NOT A COMPOSITE SAMPLE, BUT COLLECTED FROM A SINGLE DAIRY.	
SESPMNT	B1NH14	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	17-May-07	Eu-155	2.47 pCi/L		6.1	6.1	U		
SESPMNT	B1P362	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	13-Jul-07	Eu-155	-1.1 pCi/L		7.8	7.8	U		
SESPMNT	B1PYD1	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	19-Oct-07	Eu-155	-1.07 pCi/L		5.8	5.8	U		
SESPMNT	B1MVK6	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	22-Mar-07	Eu-155	-5.52 pCi/L		6.9	6.9	U		
SESPMNT	B1NHJ3	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	24-May-07	Eu-155	-0.00714 pCi/L		0.0069	0.0069	U		
SESPMNT	B1P3J0	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	19-Jul-07	Eu-155	0.224 pCi/L		7	7	U		
SESPMNT	B1R119	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	26-Oct-07	Eu-155	0.964 pCi/L		5.6	5.6	U		
SESPMNT	B1MWT0	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	03-Apr-07	Eu-155	-4.91 pCi/L		7.1	7.1	U		
SESPMNT	B1NH15	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	16-May-07	Eu-155	1.8 pCi/L		6.7	6.7	U		
SESPMNT	B1P363	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	10-Jul-07	Eu-155	3.65 pCi/L		6.5	6.5	U		
SESPMNT	B1PYD2	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	18-Oct-07	Eu-155	-1.9 pCi/L		7.1	7.1	U		
SESPMNT	B1MVK7	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	20-Mar-07	Eu-155	1.26 pCi/L		6.6	6.6	U		
SESPSPEC	B1NH10	FRANKLIN FARM A	PERIMETER	BI	COW	MILK	17-May-07	K-40	1210 pCi/L		190	190		POSSIBLE THAT SAMPLE IS NOT A COMPOSITE SAMPLE, BUT COLLECTED FROM A SINGLE DAIRY.	
SESPSPEC	B1NH09	FRANKLIN FARM B	PERIMETER	BI	COW	MILK	17-May-07	K-40	1190 pCi/L		190	190		POSSIBLE THAT SAMPLE IS NOT A COMPOSITE SAMPLE, BUT COLLECTED FROM A SINGLE DAIRY.	
SESPMNT	B1NH14	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	17-May-07	K-40	1330 pCi/L		190	190			
SESPMNT	B1P362	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	13-Jul-07	K-40	1240 pCi/L		200	200			
SESPMNT	B1PYD1	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	19-Oct-07	K-40	871 pCi/L		160	160			

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## BIOTA - FOODSTUFFS (pCi/g Wet Weight unless otherwise noted)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1MVK6	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	22-Mar-07	K-40	1140 pCi/L		190	190			
SESPMNT	B1NHJ3	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	24-May-07	K-40	1.17 pCi/L		0.19	0.19			
SESPMNT	B1P3J0	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	19-Jul-07	K-40	1220 pCi/L		190	190			
SESPMNT	B1R119	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	26-Oct-07	K-40	1150 pCi/L		170	170			
SESPMNT	B1MWT0	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	03-Apr-07	K-40	1250 pCi/L		200	200			
SESPMNT	B1NH15	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	16-May-07	K-40	1200 pCi/L		190	190			
SESPMNT	B1P363	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	10-Jul-07	K-40	1150 pCi/L		180	180			
SESPMNT	B1PYD2	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	18-Oct-07	K-40	1150 pCi/L		180	180			
SESPMNT	B1MVK7	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	20-Mar-07	K-40	1030 pCi/L		170	170			
SESPSPEC	B1NH10	FRANKLIN FARM A	PERIMETER	BI	COW	MILK	17-May-07	Ru-106	7.46 pCi/L		26	26	U	POSSIBLE THAT SAMPLE IS NOT A COMPOSITE SAMPLE, BUT COLLECTED FROM A SINGLE DAIRY.	
SESPSPEC	B1NH09	FRANKLIN FARM B	PERIMETER	BI	COW	MILK	17-May-07	Ru-106	-8.5 pCi/L		25	25	U	POSSIBLE THAT SAMPLE IS NOT A COMPOSITE SAMPLE, BUT COLLECTED FROM A SINGLE DAIRY.	
SESPMNT	B1NH14	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	17-May-07	Ru-106	-1.45 pCi/L		22	22	U		
SESPMNT	B1P362	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	13-Jul-07	Ru-106	16.5 pCi/L		26	26	U		
SESPMNT	B1PYD1	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	19-Oct-07	Ru-106	19.4 pCi/L		27	27	U		
SESPMNT	B1MVK6	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	22-Mar-07	Ru-106	-21.2 pCi/L		25	25	U		
SESPMNT	B1NHJ3	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	24-May-07	Ru-106	-0.0159 pCi/L		0.025	0.025	U		
SESPMNT	B1P3J0	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	19-Jul-07	Ru-106	-6.75 pCi/L		27	27	U		
SESPMNT	B1R119	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	26-Oct-07	Ru-106	21.9 pCi/L		24	24	U		
SESPMNT	B1MWT0	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	03-Apr-07	Ru-106	14.8 pCi/L		24	24	U		
SESPMNT	B1NH15	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	16-May-07	Ru-106	17.2 pCi/L		23	23	U		
SESPMNT	B1P363	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	10-Jul-07	Ru-106	-1.49 pCi/L		29	29	U		
SESPMNT	B1PYD2	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	18-Oct-07	Ru-106	4.4 pCi/L		24	24	U		
SESPMNT	B1MVK7	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	20-Mar-07	Ru-106	24.9 pCi/L		24	24	U		
SESPSPEC	B1NH10	FRANKLIN FARM A	PERIMETER	BI	COW	MILK	17-May-07	Sb-125	-4.74 pCi/L		7	7	U	POSSIBLE THAT SAMPLE IS NOT A COMPOSITE SAMPLE, BUT COLLECTED FROM A SINGLE DAIRY.	
SESPSPEC	B1NH09	FRANKLIN FARM B	PERIMETER	BI	COW	MILK	17-May-07	Sb-125	0.615 pCi/L		6.8	6.8	U	POSSIBLE THAT SAMPLE IS NOT A COMPOSITE SAMPLE, BUT COLLECTED FROM A SINGLE DAIRY.	
SESPMNT	B1NH14	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	17-May-07	Sb-125	-0.631 pCi/L		6.1	6.1	U		
SESPMNT	B1P362	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	13-Jul-07	Sb-125	-1.57 pCi/L		7.9	7.9	U		
SESPMNT	B1PYD1	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	19-Oct-07	Sb-125	-2.02 pCi/L		7.4	7.4	U		
SESPMNT	B1MVK6	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	22-Mar-07	Sb-125	0.969 pCi/L		7.4	7.4	U		
SESPMNT	B1NHJ3	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	24-May-07	Sb-125	0.00347 pCi/L		0.0072	0.0072	U		
SESPMNT	B1P3J0	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	19-Jul-07	Sb-125	-0.833 pCi/L		7.6	7.6	U		
SESPMNT	B1R119	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	26-Oct-07	Sb-125	-0.689 pCi/L		6.6	6.6	U		
SESPMNT	B1MWT0	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	03-Apr-07	Sb-125	-0.361 pCi/L		7.3	7.3	U		
SESPMNT	B1NH15	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	16-May-07	Sb-125	4.48 pCi/L		7	7	U		
SESPMNT	B1P363	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	10-Jul-07	Sb-125	-3.21 pCi/L		8.1	8.1	U		
SESPMNT	B1PYD2	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	18-Oct-07	Sb-125	6.32 pCi/L		7.3	7.3	U		
SESPMNT	B1MVK7	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	20-Mar-07	Sb-125	-5.84 pCi/L		6.5	6.5	U		
SESPSPEC	B1NH10	FRANKLIN FARM A	PERIMETER	BI	COW	MILK	17-May-07	Sr-90	0.336 pCi/L		0.33	0.45	U	POSSIBLE THAT SAMPLE IS NOT A COMPOSITE SAMPLE, BUT COLLECTED FROM A SINGLE DAIRY.	
SESPSPEC	B1NH09	FRANKLIN FARM B	PERIMETER	BI	COW	MILK	17-May-07	Sr-90	0.0926 pCi/L		0.21	0.37	U	POSSIBLE THAT SAMPLE IS NOT A COMPOSITE SAMPLE, BUT COLLECTED FROM A SINGLE DAIRY.	
SESPMNT	B1MVK6	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	22-Mar-07	Sr-90	0.243 pCi/L		0.21	0.37	U		
SESPMNT	B1NH14	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	17-May-07	Sr-90	-0.13 pCi/L		0.16	0.35	U		
SESPMNT	B1P362	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	13-Jul-07	Sr-90	0.197 pCi/L		0.23	0.38	U		
SESPMNT	B1PYD1	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	19-Oct-07	Sr-90	0.0854 pCi/L		0.24	0.39	U		
SESPMNT	B1MWT0	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	03-Apr-07	Sr-90	-0.105 pCi/L		0.21	0.4	U		
SESPMNT	B1NHJ3	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	24-May-07	Sr-90	-0.161 pCi/L		0.074	0.35	U		
SESPMNT	B1P3J0	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	19-Jul-07	Sr-90	0.642 pCi/L		0.23	0.4			
SESPMNT	B1R119	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	26-Oct-07	Sr-90	0.297 pCi/L		0.26	0.42	U		
SESPMNT	B1MVK7	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	20-Mar-07	Sr-90	0.171 pCi/L		0.21	0.37	U		
SESPMNT	B1NH15	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	16-May-07	Sr-90	0.15 pCi/L		0.2	0.37	U		
SESPMNT	B1P363	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	10-Jul-07	Sr-90	0.102 pCi/L		0.24	0.4	U		
SESPMNT	B1PYD2	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	18-Oct-07	Sr-90	0.0465 pCi/L		0.22	0.38	U		
SESPSPEC	B1NH10	FRANKLIN FARM A	PERIMETER	BI	COW	MILK	17-May-07	Lo H-3	153 pCi/L		11	29		POSSIBLE THAT SAMPLE IS NOT A COMPOSITE SAMPLE, BUT COLLECTED FROM A SINGLE DAIRY.	
SESPSPEC	B1NH09	FRANKLIN FARM B	PERIMETER	BI	COW	MILK	17-May-07	Lo H-3	137 pCi/L		10	27		POSSIBLE THAT SAMPLE IS NOT A COMPOSITE SAMPLE, BUT COLLECTED FROM A SINGLE DAIRY.	
SESPMNT	B1MVK6	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	22-Mar-07	Lo H-3	80.9 pCi/L		12	18			
SESPMNT	B1NH14	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	17-May-07	Lo H-3	162 pCi/L		11	31			
SESPMNT	B1P362	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	13-Jul-07	Lo H-3	97.4 pCi/L		8.7	20			
SESPMNT	B1PYD1	SAGEMOOR COMPOSITE	PERIMETER	BI	COW	MILK	19-Oct-07	Lo H-3	160 pCi/L		12	31			
SESPMNT	B1MWT0	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	03-Apr-07	Lo H-3	47.7 pCi/L		6.5	12			
SESPMNT	B1NHJ3	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	24-May-07	Lo H-3	111 pCi/L		9.7	22			
SESPMNT	B1P3J0	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	19-Jul-07	Lo H-3	81.8 pCi/L		9.4	18			
SESPMNT	B1R119	SUNNYSIDE AREA	DISTANT	BI	COW	MILK	26-Oct-07	Lo H-3	63.4 pCi/L		8.5	16			

## ENVIRONMENTAL SURVEILLANCE DATA CY07

BIOTA - FOODSTUFFS (pCi/g Wet Weight unless otherwise noted)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1MVK7	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	20-Mar-07	Lo H-3	50 pCi/L		6.7	12			
SESPMNT	B1NH15	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	16-May-07	Lo H-3	103 pCi/L		9	21			
SESPMNT	B1P363	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	10-Jul-07	Lo H-3	81.4 pCi/L		8.2	17			
SESPMNT	B1PYD2	WAHLUKE AREA COMP	COMMUNITY	BI	COW	MILK	18-Oct-07	Lo H-3	102 pCi/L		10	22			
SESPMNT	B1NDL1	RIVERVIEW AREA	COMMUNITY	BI	LEAFY VEGETABLES	STM-LV	31-May-07	Gamma Scan						NO SAMPLE. UNABLE TO FIND A SOURCE FOR THIS PRODUCT.	
SESPMNT	B1NDK8	SAGEMOOR AREA	PERIMETER	BI	LEAFY VEGETABLES	STM-LV	17-May-07	Gamma Scan						NO SAMPLE. UNABLE TO FIND A SOURCE FOR THIS PRODUCT.	
SESPMNT	B1NDL5	SUNNYSIDE AREA	DISTANT	BI	LEAFY VEGETABLES	STM-LV	11-May-07	Gamma Scan						NO SAMPLE. UNABLE TO FIND A SOURCE FOR THIS PRODUCT.	
SESPMNT	B1NDL1	RIVERVIEW AREA	COMMUNITY	BI	LEAFY VEGETABLES	STM-LV	31-May-07	Sr-90						NO SAMPLE. UNABLE TO FIND A SOURCE FOR THIS PRODUCT.	
SESPMNT	B1NDK8	SAGEMOOR AREA	PERIMETER	BI	LEAFY VEGETABLES	STM-LV	17-May-07	Sr-90						NO SAMPLE. UNABLE TO FIND A SOURCE FOR THIS PRODUCT.	
SESPMNT	B1NDL5	SUNNYSIDE AREA	DISTANT	BI	LEAFY VEGETABLES	STM-LV	11-May-07	Sr-90						NO SAMPLE. UNABLE TO FIND A SOURCE FOR THIS PRODUCT.	
SESPMNT	B1PJY4	EAST WAHLUKE AREA	COMMUNITY	BI	POTATO	TUBER	06-Sep-07	Be-7	0.00176 pCi/g		0.036	0.036	U		
SESPMNT	B1PJX5	HORN RAPIDS AREA	PERIMETER	BI	POTATO	TUBER	16-Aug-07	Be-7	-0.0316 pCi/g		0.044	0.044	U		
SESPMNT	B1PJY0	SUNNYSIDE AREA	DISTANT	BI	POTATO	TUBER	16-Aug-07	Be-7	-0.00725 pCi/g		0.037	0.037	U		
SESPMNT	B1PJY4	EAST WAHLUKE AREA	COMMUNITY	BI	POTATO	TUBER	06-Sep-07	Co-60	0.000418 pCi/g		0.0048	0.0048	U		
SESPMNT	B1PJX5	HORN RAPIDS AREA	PERIMETER	BI	POTATO	TUBER	16-Aug-07	Co-60	0.00485 pCi/g		0.006	0.006	U		
SESPMNT	B1PJY0	SUNNYSIDE AREA	DISTANT	BI	POTATO	TUBER	16-Aug-07	Co-60	0.0014 pCi/g		0.0044	0.0044	U		
SESPMNT	B1PJY4	EAST WAHLUKE AREA	COMMUNITY	BI	POTATO	TUBER	06-Sep-07	Cs-134	0.000512 pCi/g		0.0043	0.0043	U		
SESPMNT	B1PJX5	HORN RAPIDS AREA	PERIMETER	BI	POTATO	TUBER	16-Aug-07	Cs-134	-0.00129 pCi/g		0.0052	0.0052	U		
SESPMNT	B1PJY0	SUNNYSIDE AREA	DISTANT	BI	POTATO	TUBER	16-Aug-07	Cs-134	0.00308 pCi/g		0.0044	0.0044	U		
SESPMNT	B1PJY4	EAST WAHLUKE AREA	COMMUNITY	BI	POTATO	TUBER	06-Sep-07	Cs-137	-0.00233 pCi/g		0.0043	0.0043	U		
SESPMNT	B1PJX5	HORN RAPIDS AREA	PERIMETER	BI	POTATO	TUBER	16-Aug-07	Cs-137	0.00275 pCi/g		0.0046	0.0046	U		
SESPMNT	B1PJY0	SUNNYSIDE AREA	DISTANT	BI	POTATO	TUBER	16-Aug-07	Cs-137	0.00171 pCi/g		0.0039	0.0039	U		
SESPMNT	B1PJY4	EAST WAHLUKE AREA	COMMUNITY	BI	POTATO	TUBER	06-Sep-07	Eu-152	-0.000134 pCi/g		0.011	0.011	U		
SESPMNT	B1PJX5	HORN RAPIDS AREA	PERIMETER	BI	POTATO	TUBER	16-Aug-07	Eu-152	-0.00748 pCi/g		0.011	0.011	U		
SESPMNT	B1PJY0	SUNNYSIDE AREA	DISTANT	BI	POTATO	TUBER	16-Aug-07	Eu-152	0.000609 pCi/g		0.0095	0.0095	U		
SESPMNT	B1PJY4	EAST WAHLUKE AREA	COMMUNITY	BI	POTATO	TUBER	06-Sep-07	Eu-154	-0.00319 pCi/g		0.014	0.014	U		
SESPMNT	B1PJX5	HORN RAPIDS AREA	PERIMETER	BI	POTATO	TUBER	16-Aug-07	Eu-154	-0.00331 pCi/g		0.018	0.018	U		
SESPMNT	B1PJY0	SUNNYSIDE AREA	DISTANT	BI	POTATO	TUBER	16-Aug-07	Eu-154	-0.00698 pCi/g		0.016	0.016	U		
SESPMNT	B1PJY4	EAST WAHLUKE AREA	COMMUNITY	BI	POTATO	TUBER	06-Sep-07	Eu-155	0.0065 pCi/g		0.0096	0.0096	U		
SESPMNT	B1PJX5	HORN RAPIDS AREA	PERIMETER	BI	POTATO	TUBER	16-Aug-07	Eu-155	-0.00595 pCi/g		0.0088	0.0088	U		
SESPMNT	B1PJY0	SUNNYSIDE AREA	DISTANT	BI	POTATO	TUBER	16-Aug-07	Eu-155	-0.00211 pCi/g		0.0089	0.0089	U		
SESPMNT	B1PJX2	RIVERVIEW AREA	COMMUNITY	BI	POTATO	TUBER	21-Sep-07	Gamma Scan						NO SAMPLE. UNABLE TO FIND A SOURCE FOR THIS PRODUCT.	
SESPMNT	B1PJY4	EAST WAHLUKE AREA	COMMUNITY	BI	POTATO	TUBER	06-Sep-07	K-40	3.99 pCi/g		0.53	0.53			
SESPMNT	B1PJX5	HORN RAPIDS AREA	PERIMETER	BI	POTATO	TUBER	16-Aug-07	K-40	3.27 pCi/g		0.45	0.45			
SESPMNT	B1PJY0	SUNNYSIDE AREA	DISTANT	BI	POTATO	TUBER	16-Aug-07	K-40	4 pCi/g		0.52	0.52			
SESPMNT	B1PJY4	EAST WAHLUKE AREA	COMMUNITY	BI	POTATO	TUBER	06-Sep-07	Ru-106	0.00731 pCi/g		0.034	0.034	U		
SESPMNT	B1PJX5	HORN RAPIDS AREA	PERIMETER	BI	POTATO	TUBER	16-Aug-07	Ru-106	-0.0293 pCi/g		0.042	0.042	U		
SESPMNT	B1PJY0	SUNNYSIDE AREA	DISTANT	BI	POTATO	TUBER	16-Aug-07	Ru-106	0.00583 pCi/g		0.036	0.036	U		
SESPMNT	B1PJY4	EAST WAHLUKE AREA	COMMUNITY	BI	POTATO	TUBER	06-Sep-07	Sb-125	0.000401 pCi/g		0.01	0.01	U		
SESPMNT	B1PJX5	HORN RAPIDS AREA	PERIMETER	BI	POTATO	TUBER	16-Aug-07	Sb-125	0.00366 pCi/g		0.011	0.011	U		
SESPMNT	B1PJY0	SUNNYSIDE AREA	DISTANT	BI	POTATO	TUBER	16-Aug-07	Sb-125	0.00346 pCi/g		0.0095	0.0095	U		
SESPMNT	B1PJY4	EAST WAHLUKE AREA	COMMUNITY	BI	POTATO	TUBER	06-Sep-07	Sr-90	-0.00145 pCi/g		0.0013	0.0037	U		
SESPMNT	B1PJX5	HORN RAPIDS AREA	PERIMETER	BI	POTATO	TUBER	16-Aug-07	Sr-90	-0.00138 pCi/g		0.0013	0.0055	U		
SESPMNT	B1PJX2	RIVERVIEW AREA	COMMUNITY	BI	POTATO	TUBER	21-Sep-07	Sr-90						NO SAMPLE. UNABLE TO FIND A SOURCE FOR THIS PRODUCT.	
SESPMNT	B1PJY0	SUNNYSIDE AREA	DISTANT	BI	POTATO	TUBER	16-Aug-07	Sr-90	0.000822 pCi/g		0.0019	0.0056	U		
SESPMNT	B1PCF0	RIVERVIEW AREA	COMMUNITY	BI	TOMATO	FRUIT	10-Aug-07	Be-7	-0.00728 pCi/g		0.025	0.025	U		
SESPMNT	B1PCF2	SUNNYSIDE AREA	DISTANT	BI	TOMATO	FRUIT	16-Aug-07	Be-7	-0.0253 pCi/g		0.032	0.032	U		
SESPMNT	B1PCF0	RIVERVIEW AREA	COMMUNITY	BI	TOMATO	FRUIT	10-Aug-07	Co-60	-0.00213 pCi/g		0.0035	0.0035	U		
SESPMNT	B1PCF2	SUNNYSIDE AREA	DISTANT	BI	TOMATO	FRUIT	16-Aug-07	Co-60	0.00196 pCi/g		0.0035	0.0035	U		
SESPMNT	B1PCF0	RIVERVIEW AREA	COMMUNITY	BI	TOMATO	FRUIT	10-Aug-07	Cs-134	0.00284 pCi/g		0.0036	0.0036	U		
SESPMNT	B1PCF2	SUNNYSIDE AREA	DISTANT	BI	TOMATO	FRUIT	16-Aug-07	Cs-134	0.00104 pCi/g		0.0036	0.0036	U		
SESPMNT	B1PCF0	RIVERVIEW AREA	COMMUNITY	BI	TOMATO	FRUIT	10-Aug-07	Cs-137	-0.00152 pCi/g		0.003	0.003	U		
SESPMNT	B1PCF2	SUNNYSIDE AREA	DISTANT	BI	TOMATO	FRUIT	16-Aug-07	Cs-137	-0.00345 pCi/g		0.0034	0.0034	U		
SESPMNT	B1PCF0	RIVERVIEW AREA	COMMUNITY	BI	TOMATO	FRUIT	10-Aug-07	Eu-152	0.00207 pCi/g		0.0079	0.0079	U		
SESPMNT	B1PCF2	SUNNYSIDE AREA	DISTANT	BI	TOMATO	FRUIT	16-Aug-07	Eu-152	-0.000481 pCi/g		0.0076	0.0076	U		
SESPMNT	B1PCF0	RIVERVIEW AREA	COMMUNITY	BI	TOMATO	FRUIT	10-Aug-07	Eu-154	-0.00289 pCi/g		0.01	0.01	U		
SESPMNT	B1PCF2	SUNNYSIDE AREA	DISTANT	BI	TOMATO	FRUIT	16-Aug-07	Eu-154	0.0109 pCi/g		0.012	0.012	U		
SESPMNT	B1PCF0	RIVERVIEW AREA	COMMUNITY	BI	TOMATO	FRUIT	10-Aug-07	Eu-155	-0.00151 pCi/g		0.0083	0.0083	U		
SESPMNT	B1PCF2	SUNNYSIDE AREA	DISTANT	BI	TOMATO	FRUIT	16-Aug-07	Eu-155	0.00344 pCi/g		0.0085	0.0085	U		
SESPMNT	B1PCF0	RIVERVIEW AREA	COMMUNITY	BI	TOMATO	FRUIT	10-Aug-07	K-40	1.86 pCi/g		0.27	0.27			
SESPMNT	B1PCF2	SUNNYSIDE AREA	DISTANT	BI	TOMATO	FRUIT	16-Aug-07	K-40	2.04 pCi/g		0.29	0.29			

## ENVIRONMENTAL SURVEILLANCE DATA CY07

## BIOTA - FOODSTUFFS (pCi/g Wet Weight unless otherwise noted)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1PCF0	RIVERVIEW AREA	COMMUNITY	BI	TOMATO	FRUIT	10-Aug-07	Ru-106	-0.00219 pCi/g		0.024	0.024	U		
SESPMNT	B1PCF2	SUNNYSIDE AREA	DISTANT	BI	TOMATO	FRUIT	16-Aug-07	Ru-106	-0.00553 pCi/g		0.029	0.029	U		
SESPMNT	B1PCF0	RIVERVIEW AREA	COMMUNITY	BI	TOMATO	FRUIT	10-Aug-07	Sb-125	0.00186 pCi/g		0.0075	0.0075	U		
SESPMNT	B1PCF2	SUNNYSIDE AREA	DISTANT	BI	TOMATO	FRUIT	16-Aug-07	Sb-125	-0.00196 pCi/g		0.0073	0.0073	U		
SESPMNT	B1PCF0	RIVERVIEW AREA	COMMUNITY	BI	TOMATO	FRUIT	10-Aug-07	Sr-90	0.00227 pCi/g		0.0017	0.0018	U		
SESPMNT	B1PCF2	SUNNYSIDE AREA	DISTANT	BI	TOMATO	FRUIT	16-Aug-07	Sr-90	-0.000112 pCi/g		0.0024	0.0054	U		
SESPMNT	B1PCF0	RIVERVIEW AREA	COMMUNITY	BI	TOMATO	FRUIT	10-Aug-07	H-3	0.0384 pCi/g		0.039	0.048	U		
SESPMNT	B1PCF2	SUNNYSIDE AREA	DISTANT	BI	TOMATO	FRUIT	16-Aug-07	H-3	0.0346 pCi/g		0.053	0.06	U		
SESPMNT	B1RMJ5	COLUMBIA BASIN	COMMUNITY	BI	WINE	RED WINE	12-Dec-07	Be-7	11.2 pCi/L		22	22	U		
SESPMNT	B1RMJ6	COLUMBIA BASIN	COMMUNITY	BI	WINE	RED WINE	12-Dec-07	Be-7	-0.329 pCi/L		21	21	U		
SESPMNT	B1RMJ8	COLUMBIA BASIN	COMMUNITY	BI	WINE	WHITE WINE	12-Dec-07	Be-7	-6.74 pCi/L		22	22	U		
SESPMNT	B1RMJ9	COLUMBIA BASIN	COMMUNITY	BI	WINE	WHITE WINE	12-Dec-07	Be-7	7.84 pCi/L		19	19	U		
SESPSPEC	B1RPD0	COLUMBIA BASIN	COMMUNITY	BI	WINE	WHITE WINE	12-Dec-07	Be-7	-18.9 pCi/L		33	33	U		
SESPSPEC	B1RPD1	COLUMBIA BASIN	COMMUNITY	BI	WINE	RED WINE	12-Dec-07	Be-7	-22.3 pCi/L		30	30	U		
SESPMNT	B1RMK1	MATTAWA AREA	COMMUNITY	BI	WINE	RED WINE	11-Dec-07	Be-7	8.34 pCi/L		21	21	U		
SESPMNT	B1RMK2	MATTAWA AREA	COMMUNITY	BI	WINE	RED WINE	11-Dec-07	Be-7	10.5 pCi/L		19	19	U		
SESPMNT	B1RMK4	MATTAWA AREA	COMMUNITY	BI	WINE	WHITE WINE	11-Dec-07	Be-7	-2.41 pCi/L		21	21	U		
SESPMNT	B1RMK5	MATTAWA AREA	COMMUNITY	BI	WINE	WHITE WINE	11-Dec-07	Be-7	1.29 pCi/L		18	18	U		
SESPMNT	B1RMH9	YAKIMA VALLEY	DISTANT	BI	WINE	RED WINE	07-Dec-07	Be-7	7.42 pCi/L		17	17	U		
SESPMNT	B1RMJ0	YAKIMA VALLEY	DISTANT	BI	WINE	RED WINE	07-Dec-07	Be-7	1.83 pCi/L		20	20	U		
SESPMNT	B1RMJ2	YAKIMA VALLEY	DISTANT	BI	WINE	WHITE WINE	07-Dec-07	Be-7	13.8 pCi/L		20	20	U		
SESPMNT	B1RMJ3	YAKIMA VALLEY	DISTANT	BI	WINE	WHITE WINE	07-Dec-07	Be-7	7.31 pCi/L		18	18	U		
SESPSPEC	B1RPC9	YAKIMA VALLEY	DISTANT	BI	WINE	RED WINE	07-Dec-07	Be-7	34.4 pCi/L		39	39	U		
SESPSPEC	B1RPC8	YAKIMA VALLEY	DISTANT	BI	WINE	WHITE WINE	07-Dec-07	Be-7	-2.57 pCi/L		35	35	U		
SESPMNT	B1RMJ5	COLUMBIA BASIN	COMMUNITY	BI	WINE	RED WINE	12-Dec-07	Co-60	-0.252 pCi/L		3.2	3.2	U		
SESPMNT	B1RMJ6	COLUMBIA BASIN	COMMUNITY	BI	WINE	RED WINE	12-Dec-07	Co-60	0.257 pCi/L		2.9	2.9	U		
SESPMNT	B1RMJ8	COLUMBIA BASIN	COMMUNITY	BI	WINE	WHITE WINE	12-Dec-07	Co-60	0.326 pCi/L		2.7	2.7	U		
SESPMNT	B1RMJ9	COLUMBIA BASIN	COMMUNITY	BI	WINE	WHITE WINE	12-Dec-07	Co-60	1.33 pCi/L		3.1	3.1	U		
SESPSPEC	B1RPD0	COLUMBIA BASIN	COMMUNITY	BI	WINE	WHITE WINE	12-Dec-07	Co-60	-0.664 pCi/L		2.5	2.5	U		
SESPSPEC	B1RPD1	COLUMBIA BASIN	COMMUNITY	BI	WINE	RED WINE	12-Dec-07	Co-60	2.2 pCi/L		2.9	2.9	U		
SESPMNT	B1RMK1	MATTAWA AREA	COMMUNITY	BI	WINE	RED WINE	11-Dec-07	Co-60	-0.868 pCi/L		2.7	2.7	U		
SESPMNT	B1RMK2	MATTAWA AREA	COMMUNITY	BI	WINE	RED WINE	11-Dec-07	Co-60	0.93 pCi/L		2.3	2.3	U		
SESPMNT	B1RMK4	MATTAWA AREA	COMMUNITY	BI	WINE	WHITE WINE	11-Dec-07	Co-60	0.561 pCi/L		2.9	2.9	U		
SESPMNT	B1RMK5	MATTAWA AREA	COMMUNITY	BI	WINE	WHITE WINE	11-Dec-07	Co-60	-0.162 pCi/L		2.3	2.3	U		
SESPMNT	B1RMH9	YAKIMA VALLEY	DISTANT	BI	WINE	RED WINE	07-Dec-07	Co-60	-1.32 pCi/L		2.6	2.6	U		
SESPMNT	B1RMJ0	YAKIMA VALLEY	DISTANT	BI	WINE	RED WINE	07-Dec-07	Co-60	-1.42 pCi/L		3	3	U		
SESPMNT	B1RMJ2	YAKIMA VALLEY	DISTANT	BI	WINE	WHITE WINE	07-Dec-07	Co-60	1.8 pCi/L		2.1	2.1	U		
SESPMNT	B1RMJ3	YAKIMA VALLEY	DISTANT	BI	WINE	WHITE WINE	07-Dec-07	Co-60	0.568 pCi/L		2.8	2.8	U		
SESPSPEC	B1RPC9	YAKIMA VALLEY	DISTANT	BI	WINE	RED WINE	07-Dec-07	Co-60	-1.97 pCi/L		3	3	U		
SESPSPEC	B1RPC8	YAKIMA VALLEY	DISTANT	BI	WINE	WHITE WINE	07-Dec-07	Co-60	-0.209 pCi/L		2.7	2.7	U		
SESPMNT	B1RMJ5	COLUMBIA BASIN	COMMUNITY	BI	WINE	RED WINE	12-Dec-07	Cs-134	2.17 pCi/L		3.2	3.2	U		
SESPMNT	B1RMJ6	COLUMBIA BASIN	COMMUNITY	BI	WINE	RED WINE	12-Dec-07	Cs-134	3.33 pCi/L		3.1	3.1	U		
SESPMNT	B1RMJ8	COLUMBIA BASIN	COMMUNITY	BI	WINE	WHITE WINE	12-Dec-07	Cs-134	0.964 pCi/L		3	3	U		
SESPMNT	B1RMJ9	COLUMBIA BASIN	COMMUNITY	BI	WINE	WHITE WINE	12-Dec-07	Cs-134	1.87 pCi/L		2.7	2.7	U		
SESPSPEC	B1RPD0	COLUMBIA BASIN	COMMUNITY	BI	WINE	WHITE WINE	12-Dec-07	Cs-134	-0.97 pCi/L		4.1	4.1	U		
SESPSPEC	B1RPD1	COLUMBIA BASIN	COMMUNITY	BI	WINE	RED WINE	12-Dec-07	Cs-134	2.02 pCi/L		2.5	2.5	U		
SESPMNT	B1RMK1	MATTAWA AREA	COMMUNITY	BI	WINE	RED WINE	11-Dec-07	Cs-134	-1.03 pCi/L		2.6	2.6	U		
SESPMNT	B1RMK2	MATTAWA AREA	COMMUNITY	BI	WINE	RED WINE	11-Dec-07	Cs-134	1.55 pCi/L		2.5	2.5	U		
SESPMNT	B1RMK4	MATTAWA AREA	COMMUNITY	BI	WINE	WHITE WINE	11-Dec-07	Cs-134	1.2 pCi/L		2.7	2.7	U		
SESPMNT	B1RMK5	MATTAWA AREA	COMMUNITY	BI	WINE	WHITE WINE	11-Dec-07	Cs-134	-0.896 pCi/L		2.5	2.5	U		
SESPMNT	B1RMH9	YAKIMA VALLEY	DISTANT	BI	WINE	RED WINE	07-Dec-07	Cs-134	0.104 pCi/L		2.4	2.4	U		
SESPMNT	B1RMJ0	YAKIMA VALLEY	DISTANT	BI	WINE	RED WINE	07-Dec-07	Cs-134	0.726 pCi/L		3	3	U		
SESPMNT	B1RMJ2	YAKIMA VALLEY	DISTANT	BI	WINE	WHITE WINE	07-Dec-07	Cs-134	4.74 pCi/L		2.8	2.8	U		
SESPMNT	B1RMJ3	YAKIMA VALLEY	DISTANT	BI	WINE	WHITE WINE	07-Dec-07	Cs-134	0.344 pCi/L		2.8	2.8	U		
SESPSPEC	B1RPC9	YAKIMA VALLEY	DISTANT	BI	WINE	RED WINE	07-Dec-07	Cs-134	-0.669 pCi/L		3.1	3.1	U		
SESPSPEC	B1RPC8	YAKIMA VALLEY	DISTANT	BI	WINE	WHITE WINE	07-Dec-07	Cs-134	4.22 pCi/L		2.9	2.9	U		
SESPMNT	B1RMJ5	COLUMBIA BASIN	COMMUNITY	BI	WINE	RED WINE	12-Dec-07	Cs-137	0.34 pCi/L		2.8	2.8	U		
SESPMNT	B1RMJ6	COLUMBIA BASIN	COMMUNITY	BI	WINE	RED WINE	12-Dec-07	Cs-137	-0.948 pCi/L		2.6	2.6	U		
SESPMNT	B1RMJ8	COLUMBIA BASIN	COMMUNITY	BI	WINE	WHITE WINE	12-Dec-07	Cs-137	3.17 pCi/L		2.9	2.9	U		
SESPMNT	B1RMJ9	COLUMBIA BASIN	COMMUNITY	BI	WINE	WHITE WINE	12-Dec-07	Cs-137	-1.77 pCi/L		2.6	2.6	U		
SESPSPEC	B1RPD0	COLUMBIA BASIN	COMMUNITY	BI	WINE	WHITE WINE	12-Dec-07	Cs-137	0.725 pCi/L		2.4	2.4	U		
SESPSPEC	B1RPD1	COLUMBIA BASIN	COMMUNITY	BI	WINE	RED WINE	12-Dec-07	Cs-137	-0.458 pCi/L		2.6	2.6	U		
SESPMNT	B1RMK1	MATTAWA AREA	COMMUNITY	BI	WINE	RED WINE	11-Dec-07	Cs-137	1.3 pCi/L		2.5	2.5	U		
SESPMNT	B1RMK2	MATTAWA AREA	COMMUNITY	BI	WINE	RED WINE	11-Dec-07	Cs-137	-0.413 pCi/L		2.4	2.4	U		
SESPMNT	B1RMK4	MATTAWA AREA	COMMUNITY	BI	WINE	WHITE WINE	11-Dec-07	Cs-137	-0.696 pCi/L		2.5	2.5	U		
SESPMNT	B1RMK5	MATTAWA AREA	COMMUNITY	BI	WINE	WHITE WINE	11-Dec-07	Cs-137	-1.11 pCi/L		2.3	2.3	U		
SESPMNT	B1RMH9	YAKIMA VALLEY	DISTANT	BI	WINE	RED WINE	07-Dec-07	Cs-137	-1.02 pCi/L		2.2	2.2	U		
SESPMNT	B1RMJ0	YAKIMA VALLEY	DISTANT	BI	WINE	RED WINE	07-Dec-07	Cs-137	0.157 pCi/L		2.7	2.7	U		
SESPMNT	B1RMJ2	YAKIMA VALLEY	DISTANT	BI	WINE	WHITE WINE	07-Dec-07	Cs-137	-0.165 pCi/L		2.4	2.4	U		

## ENVIRONMENTAL SURVEILLANCE DATA CY07

BIOTA - FOODSTUFFS (pCi/g Wet Weight unless otherwise noted)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1RMJ3	YAKIMA VALLEY	DISTANT	BI	WINE	WHITE WINE	07-Dec-07	Cs-137	-1.24 pCi/L		2.7	2.7	U		
SESPSPEC	B1RPC9	YAKIMA VALLEY	DISTANT	BI	WINE	RED WINE	07-Dec-07	Cs-137	0.768 pCi/L		2.8	2.8	U		
SESPSPEC	B1RPC8	YAKIMA VALLEY	DISTANT	BI	WINE	WHITE WINE	07-Dec-07	Cs-137	2.64 pCi/L		2.5	2.5	U		
SESPMNT	B1RMJ5	COLUMBIA BASIN	COMMUNITY	BI	WINE	RED WINE	12-Dec-07	Eu-152	-0.00454 pCi/L		7	7	U		
SESPMNT	B1RMJ6	COLUMBIA BASIN	COMMUNITY	BI	WINE	RED WINE	12-Dec-07	Eu-152	1.74 pCi/L		6.8	6.8	U		
SESPMNT	B1RMJ8	COLUMBIA BASIN	COMMUNITY	BI	WINE	WHITE WINE	12-Dec-07	Eu-152	-5.92 pCi/L		7.1	7.1	U		
SESPMNT	B1RMJ9	COLUMBIA BASIN	COMMUNITY	BI	WINE	WHITE WINE	12-Dec-07	Eu-152	3.96 pCi/L		6.2	6.2	U		
SESPSPEC	B1RPD0	COLUMBIA BASIN	COMMUNITY	BI	WINE	WHITE WINE	12-Dec-07	Eu-152	2.91 pCi/L		6.7	6.7	U		
SESPSPEC	B1RPD1	COLUMBIA BASIN	COMMUNITY	BI	WINE	RED WINE	12-Dec-07	Eu-152	-6.93 pCi/L		6	6	U		
SESPMNT	B1RMK1	MATTAWA AREA	COMMUNITY	BI	WINE	RED WINE	11-Dec-07	Eu-152	1.88 pCi/L		6.1	6.1	U		
SESPMNT	B1RMK2	MATTAWA AREA	COMMUNITY	BI	WINE	RED WINE	11-Dec-07	Eu-152	1.65 pCi/L		6	6	U		
SESPMNT	B1RMK4	MATTAWA AREA	COMMUNITY	BI	WINE	WHITE WINE	11-Dec-07	Eu-152	2.82 pCi/L		6.6	6.6	U		
SESPMNT	B1RMK5	MATTAWA AREA	COMMUNITY	BI	WINE	WHITE WINE	11-Dec-07	Eu-152	-1.19 pCi/L		6	6	U		
SESPMNT	B1RMH9	YAKIMA VALLEY	DISTANT	BI	WINE	RED WINE	07-Dec-07	Eu-152	-5.03 pCi/L		5.8	5.8	U		
SESPMNT	B1RMJ0	YAKIMA VALLEY	DISTANT	BI	WINE	RED WINE	07-Dec-07	Eu-152	-3.98 pCi/L		6.6	6.6	U		
SESPMNT	B1RMJ2	YAKIMA VALLEY	DISTANT	BI	WINE	WHITE WINE	07-Dec-07	Eu-152	2.4 pCi/L		6.1	6.1	U		
SESPMNT	B1RMJ3	YAKIMA VALLEY	DISTANT	BI	WINE	WHITE WINE	07-Dec-07	Eu-152	1.32 pCi/L		6.5	6.5	U		
SESPSPEC	B1RPC9	YAKIMA VALLEY	DISTANT	BI	WINE	RED WINE	07-Dec-07	Eu-152	2.99 pCi/L		9.4	9.4	U		
SESPSPEC	B1RPC8	YAKIMA VALLEY	DISTANT	BI	WINE	WHITE WINE	07-Dec-07	Eu-152	3.09 pCi/L		6.3	6.3	U		
SESPMNT	B1RMJ5	COLUMBIA BASIN	COMMUNITY	BI	WINE	RED WINE	12-Dec-07	Eu-154	-1.94 pCi/L		9.3	9.3	U		
SESPMNT	B1RMJ6	COLUMBIA BASIN	COMMUNITY	BI	WINE	RED WINE	12-Dec-07	Eu-154	-1.98 pCi/L		8.3	8.3	U		
SESPMNT	B1RMJ8	COLUMBIA BASIN	COMMUNITY	BI	WINE	WHITE WINE	12-Dec-07	Eu-154	1.33 pCi/L		8.3	8.3	U		
SESPMNT	B1RMJ9	COLUMBIA BASIN	COMMUNITY	BI	WINE	WHITE WINE	12-Dec-07	Eu-154	9.19 pCi/L		7.9	7.9	U		
SESPSPEC	B1RPD0	COLUMBIA BASIN	COMMUNITY	BI	WINE	WHITE WINE	12-Dec-07	Eu-154	0.602 pCi/L		7.1	7.1	U		
SESPSPEC	B1RPD1	COLUMBIA BASIN	COMMUNITY	BI	WINE	RED WINE	12-Dec-07	Eu-154	1.32 pCi/L		7.5	7.5	U		
SESPMNT	B1RMK1	MATTAWA AREA	COMMUNITY	BI	WINE	RED WINE	11-Dec-07	Eu-154	2.6 pCi/L		8	8	U		
SESPMNT	B1RMK2	MATTAWA AREA	COMMUNITY	BI	WINE	RED WINE	11-Dec-07	Eu-154	-4.71 pCi/L		7.6	7.6	U		
SESPMNT	B1RMK4	MATTAWA AREA	COMMUNITY	BI	WINE	WHITE WINE	11-Dec-07	Eu-154	-8.31 pCi/L		8	8	U		
SESPMNT	B1RMK5	MATTAWA AREA	COMMUNITY	BI	WINE	WHITE WINE	11-Dec-07	Eu-154	-8.1 pCi/L		7.2	7.2	U		
SESPMNT	B1RMH9	YAKIMA VALLEY	DISTANT	BI	WINE	RED WINE	07-Dec-07	Eu-154	-3.07 pCi/L		7.5	7.5	U		
SESPMNT	B1RMJ0	YAKIMA VALLEY	DISTANT	BI	WINE	RED WINE	07-Dec-07	Eu-154	-4.24 pCi/L		9.7	9.7	U		
SESPMNT	B1RMJ2	YAKIMA VALLEY	DISTANT	BI	WINE	WHITE WINE	07-Dec-07	Eu-154	1.23 pCi/L		6.7	6.7	U		
SESPMNT	B1RMJ3	YAKIMA VALLEY	DISTANT	BI	WINE	WHITE WINE	07-Dec-07	Eu-154	-0.375 pCi/L		7.8	7.8	U		
SESPSPEC	B1RPC9	YAKIMA VALLEY	DISTANT	BI	WINE	RED WINE	07-Dec-07	Eu-154	1.06 pCi/L		8.6	8.6	U		
SESPSPEC	B1RPC8	YAKIMA VALLEY	DISTANT	BI	WINE	WHITE WINE	07-Dec-07	Eu-154	-5.81 pCi/L		6.9	6.9	U		
SESPMNT	B1RMJ5	COLUMBIA BASIN	COMMUNITY	BI	WINE	RED WINE	12-Dec-07	Eu-155	0.918 pCi/L		7.3	7.3	U		
SESPMNT	B1RMJ6	COLUMBIA BASIN	COMMUNITY	BI	WINE	RED WINE	12-Dec-07	Eu-155	3.54 pCi/L		6.3	6.3	U		
SESPMNT	B1RMJ8	COLUMBIA BASIN	COMMUNITY	BI	WINE	WHITE WINE	12-Dec-07	Eu-155	3.04 pCi/L		6.9	6.9	U		
SESPMNT	B1RMJ9	COLUMBIA BASIN	COMMUNITY	BI	WINE	WHITE WINE	12-Dec-07	Eu-155	3.22 pCi/L		5.9	5.9	U		
SESPSPEC	B1RPD0	COLUMBIA BASIN	COMMUNITY	BI	WINE	WHITE WINE	12-Dec-07	Eu-155	0.671 pCi/L		7.5	7.5	U		
SESPSPEC	B1RPD1	COLUMBIA BASIN	COMMUNITY	BI	WINE	RED WINE	12-Dec-07	Eu-155	0.701 pCi/L		7.6	7.6	U		
SESPMNT	B1RMK1	MATTAWA AREA	COMMUNITY	BI	WINE	RED WINE	11-Dec-07	Eu-155	3.96 pCi/L		5.7	5.7	U		
SESPMNT	B1RMK2	MATTAWA AREA	COMMUNITY	BI	WINE	RED WINE	11-Dec-07	Eu-155	-1.68 pCi/L		5.6	5.6	U		
SESPMNT	B1RMK4	MATTAWA AREA	COMMUNITY	BI	WINE	WHITE WINE	11-Dec-07	Eu-155	3.55 pCi/L		7	7	U		
SESPMNT	B1RMK5	MATTAWA AREA	COMMUNITY	BI	WINE	WHITE WINE	11-Dec-07	Eu-155	-0.416 pCi/L		5.3	5.3	U		
SESPMNT	B1RMH9	YAKIMA VALLEY	DISTANT	BI	WINE	RED WINE	07-Dec-07	Eu-155	2.11 pCi/L		5.3	5.3	U		
SESPMNT	B1RMJ0	YAKIMA VALLEY	DISTANT	BI	WINE	RED WINE	07-Dec-07	Eu-155	-1.78 pCi/L		6.9	6.9	U		
SESPMNT	B1RMJ2	YAKIMA VALLEY	DISTANT	BI	WINE	WHITE WINE	07-Dec-07	Eu-155	1.51 pCi/L		5.9	5.9	U		
SESPMNT	B1RMJ3	YAKIMA VALLEY	DISTANT	BI	WINE	WHITE WINE	07-Dec-07	Eu-155	2.28 pCi/L		6.7	6.7	U		
SESPSPEC	B1RPC8	YAKIMA VALLEY	DISTANT	BI	WINE	WHITE WINE	07-Dec-07	Eu-155	-0.935 pCi/L		9	9	U		
SESPSPEC	B1RPC9	YAKIMA VALLEY	DISTANT	BI	WINE	RED WINE	07-Dec-07	Eu-155	2 pCi/L		12	12	U		
SESPMNT	B1RMJ5	COLUMBIA BASIN	COMMUNITY	BI	WINE	RED WINE	12-Dec-07	K-40	1030 pCi/L		170	170			
SESPMNT	B1RMJ6	COLUMBIA BASIN	COMMUNITY	BI	WINE	RED WINE	12-Dec-07	K-40	1100 pCi/L		170	170			
SESPMNT	B1RMJ8	COLUMBIA BASIN	COMMUNITY	BI	WINE	WHITE WINE	12-Dec-07	K-40	264 pCi/L		100	100			
SESPMNT	B1RMJ9	COLUMBIA BASIN	COMMUNITY	BI	WINE	WHITE WINE	12-Dec-07	K-40	360 pCi/L		89	89			
SESPSPEC	B1RPD0	COLUMBIA BASIN	COMMUNITY	BI	WINE	WHITE WINE	12-Dec-07	K-40	431 pCi/L		79	79			
SESPSPEC	B1RPD1	COLUMBIA BASIN	COMMUNITY	BI	WINE	RED WINE	12-Dec-07	K-40	1400 pCi/L		140	140			
SESPMNT	B1RMK1	MATTAWA AREA	COMMUNITY	BI	WINE	RED WINE	11-Dec-07	K-40	888 pCi/L		140	140			
SESPMNT	B1RMK2	MATTAWA AREA	COMMUNITY	BI	WINE	RED WINE	11-Dec-07	K-40	852 pCi/L		140	140			
SESPMNT	B1RMK4	MATTAWA AREA	COMMUNITY	BI	WINE	WHITE WINE	11-Dec-07	K-40	279 pCi/L		100	100			
SESPMNT	B1RMK5	MATTAWA AREA	COMMUNITY	BI	WINE	WHITE WINE	11-Dec-07	K-40	490 pCi/L		98	98			
SESPMNT	B1RMH9	YAKIMA VALLEY	DISTANT	BI	WINE	RED WINE	07-Dec-07	K-40	1230 pCi/L		180	180			
SESPMNT	B1RMJ0	YAKIMA VALLEY	DISTANT	BI	WINE	RED WINE	07-Dec-07	K-40	986 pCi/L		160	160			
SESPMNT	B1RMJ2	YAKIMA VALLEY	DISTANT	BI	WINE	WHITE WINE	07-Dec-07	K-40	420 pCi/L		93	93			
SESPMNT	B1RMJ3	YAKIMA VALLEY	DISTANT	BI	WINE	WHITE WINE	07-Dec-07	K-40	331 pCi/L		99	99			
SESPSPEC	B1RPC8	YAKIMA VALLEY	DISTANT	BI	WINE	WHITE WINE	07-Dec-07	K-40	636 pCi/L		95	95			
SESPSPEC	B1RPC9	YAKIMA VALLEY	DISTANT	BI	WINE	RED WINE	07-Dec-07	K-40	1480 pCi/L		180	180			
SESPMNT	B1RMJ5	COLUMBIA BASIN	COMMUNITY	BI	WINE	RED WINE	12-Dec-07	Ru-106	9.37 pCi/L		24	24	U		
SESPMNT	B1RMJ6	COLUMBIA BASIN	COMMUNITY	BI	WINE	RED WINE	12-Dec-07	Ru-106	-5.42 pCi/L		22	22	U		



## ENVIRONMENTAL SURVEILLANCE DATA CY07

BIOTA - FOODSTUFFS (pCi/g Wet Weight unless otherwise noted)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1RMJ8	COLUMBIA BASIN	COMMUNITY	BI	WINE	WHITE WINE	12-Dec-07	Ru-106	-13.9	pCi/L	25	25	U		
SESPMNT	B1RMJ9	COLUMBIA BASIN	COMMUNITY	BI	WINE	WHITE WINE	12-Dec-07	Ru-106	3.13	pCi/L	22	22	U		
SESPSPEC	B1RPD0	COLUMBIA BASIN	COMMUNITY	BI	WINE	WHITE WINE	12-Dec-07	Ru-106	-0.698	pCi/L	23	23	U		
SESPSPEC	B1RPD1	COLUMBIA BASIN	COMMUNITY	BI	WINE	RED WINE	12-Dec-07	Ru-106	20	pCi/L	28	28	U		
SESPMNT	B1RMK1	MATTAWA AREA	COMMUNITY	BI	WINE	RED WINE	11-Dec-07	Ru-106	-17.2	pCi/L	20	20	U		
SESPMNT	B1RMK2	MATTAWA AREA	COMMUNITY	BI	WINE	RED WINE	11-Dec-07	Ru-106	-16.1	pCi/L	20	20	U		
SESPMNT	B1RMK4	MATTAWA AREA	COMMUNITY	BI	WINE	WHITE WINE	11-Dec-07	Ru-106	-4.07	pCi/L	24	24	U		
SESPMNT	B1RMK5	MATTAWA AREA	COMMUNITY	BI	WINE	WHITE WINE	11-Dec-07	Ru-106	-2.19	pCi/L	19	19	U		
SESPMNT	B1RMH9	YAKIMA VALLEY	DISTANT	BI	WINE	RED WINE	07-Dec-07	Ru-106	-15.8	pCi/L	21	21	U		
SESPMNT	B1RMJ0	YAKIMA VALLEY	DISTANT	BI	WINE	RED WINE	07-Dec-07	Ru-106	-5.29	pCi/L	22	22	U		
SESPMNT	B1RMJ2	YAKIMA VALLEY	DISTANT	BI	WINE	WHITE WINE	07-Dec-07	Ru-106	-4.7	pCi/L	21	21	U		
SESPMNT	B1RMJ3	YAKIMA VALLEY	DISTANT	BI	WINE	WHITE WINE	07-Dec-07	Ru-106	-0.609	pCi/L	21	21	U		
SESPSPEC	B1RPC8	YAKIMA VALLEY	DISTANT	BI	WINE	WHITE WINE	07-Dec-07	Ru-106	-8.42	pCi/L	20	20	U		
SESPSPEC	B1RPC9	YAKIMA VALLEY	DISTANT	BI	WINE	RED WINE	07-Dec-07	Ru-106	-1.66	pCi/L	27	27	U		
SESPMNT	B1RMJ5	COLUMBIA BASIN	COMMUNITY	BI	WINE	RED WINE	12-Dec-07	Sb-125	-3.43	pCi/L	6.6	6.6	U		
SESPMNT	B1RMJ6	COLUMBIA BASIN	COMMUNITY	BI	WINE	RED WINE	12-Dec-07	Sb-125	-5.1	pCi/L	6.7	6.7	U		
SESPMNT	B1RMJ8	COLUMBIA BASIN	COMMUNITY	BI	WINE	WHITE WINE	12-Dec-07	Sb-125	1.6	pCi/L	6.6	6.6	U		
SESPMNT	B1RMJ9	COLUMBIA BASIN	COMMUNITY	BI	WINE	WHITE WINE	12-Dec-07	Sb-125	5.58	pCi/L	5.9	5.9	U		
SESPSPEC	B1RPD0	COLUMBIA BASIN	COMMUNITY	BI	WINE	WHITE WINE	12-Dec-07	Sb-125	-4.76	pCi/L	6.3	6.3	U		
SESPSPEC	B1RPD1	COLUMBIA BASIN	COMMUNITY	BI	WINE	RED WINE	12-Dec-07	Sb-125	-1.11	pCi/L	6	6	U		
SESPMNT	B1RMK1	MATTAWA AREA	COMMUNITY	BI	WINE	RED WINE	11-Dec-07	Sb-125	6.89	pCi/L	5.7	5.7	U		
SESPMNT	B1RMK2	MATTAWA AREA	COMMUNITY	BI	WINE	RED WINE	11-Dec-07	Sb-125	1.43	pCi/L	5.7	5.7	U		
SESPMNT	B1RMK4	MATTAWA AREA	COMMUNITY	BI	WINE	WHITE WINE	11-Dec-07	Sb-125	6.56	pCi/L	6.4	6.4	U		
SESPMNT	B1RMK5	MATTAWA AREA	COMMUNITY	BI	WINE	WHITE WINE	11-Dec-07	Sb-125	0.614	pCi/L	5.6	5.6	U		
SESPMNT	B1RMH9	YAKIMA VALLEY	DISTANT	BI	WINE	RED WINE	07-Dec-07	Sb-125	0.164	pCi/L	5.5	5.5	U		
SESPMNT	B1RMJ0	YAKIMA VALLEY	DISTANT	BI	WINE	RED WINE	07-Dec-07	Sb-125	0.578	pCi/L	6.3	6.3	U		
SESPMNT	B1RMJ2	YAKIMA VALLEY	DISTANT	BI	WINE	WHITE WINE	07-Dec-07	Sb-125	-7.88	pCi/L	5.8	5.8	U		
SESPMNT	B1RMJ3	YAKIMA VALLEY	DISTANT	BI	WINE	WHITE WINE	07-Dec-07	Sb-125	1.22	pCi/L	6.5	6.5	U		
SESPSPEC	B1RPC8	YAKIMA VALLEY	DISTANT	BI	WINE	WHITE WINE	07-Dec-07	Sb-125	2.69	pCi/L	6.4	6.4	U		
SESPSPEC	B1RPC9	YAKIMA VALLEY	DISTANT	BI	WINE	RED WINE	07-Dec-07	Sb-125	-0.971	pCi/L	8.3	8.3	U		
SESPSPEC	B1RPD0	COLUMBIA BASIN	COMMUNITY	BI	WINE	WHITE WINE	12-Dec-07	Lo H-3	12.7	pCi/L	3.8	3.8			
SESPSPEC	B1RPD1	COLUMBIA BASIN	COMMUNITY	BI	WINE	RED WINE	12-Dec-07	Lo H-3	18.1	pCi/L	4.6	4.6			
SESPSPEC	B1RPC8	YAKIMA VALLEY	DISTANT	BI	WINE	WHITE WINE	07-Dec-07	Lo H-3	5.34	pCi/L	3.8	3.8	U		
SESPSPEC	B1RPC9	YAKIMA VALLEY	DISTANT	BI	WINE	RED WINE	07-Dec-07	Lo H-3	13.4	pCi/L	3.8	3.8			

## ENVIRONMENTAL SURVEILLANCE DATA CY07

BIOTA - WILDLIFE  
(pCi/g Wet Weight, ug/g Dry Weight)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	TAG ID	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1NDH8	100 AREAS	ONSITE	BI	2007CANADA GOOSE1	CANADA GOOSE	MUSCLE	26-Jul-07	Be-7	0.00187 pCi/g		0.15	0.15	U		
SESPMNT	B1NDH8	100 AREAS	ONSITE	BI	2007CANADA GOOSE1	CANADA GOOSE	MUSCLE	26-Jul-07	Co-60	-0.0102 pCi/g		0.013	0.013	U		
SESPMNT	B1NDH8	100 AREAS	ONSITE	BI	2007CANADA GOOSE1	CANADA GOOSE	MUSCLE	26-Jul-07	Cs-134	0.00409 pCi/g		0.014	0.014	U		
SESPMNT	B1NDH8	100 AREAS	ONSITE	BI	2007CANADA GOOSE1	CANADA GOOSE	MUSCLE	26-Jul-07	Cs-137	0.00637 pCi/g		0.013	0.013	U		
SESPMNT	B1NDH8	100 AREAS	ONSITE	BI	2007CANADA GOOSE1	CANADA GOOSE	MUSCLE	26-Jul-07	Eu-152	0.0145 pCi/g		0.034	0.034	U		
SESPMNT	B1NDH8	100 AREAS	ONSITE	BI	2007CANADA GOOSE1	CANADA GOOSE	MUSCLE	26-Jul-07	Eu-154	0.0103 pCi/g		0.035	0.035	U		
SESPMNT	B1NDH8	100 AREAS	ONSITE	BI	2007CANADA GOOSE1	CANADA GOOSE	MUSCLE	26-Jul-07	Eu-155	0.00401 pCi/g		0.026	0.026	U		
SESPMNT	B1NDH8	100 AREAS	ONSITE	BI	2007CANADA GOOSE1	CANADA GOOSE	MUSCLE	26-Jul-07	K-40	1.85 pCi/g		0.51	0.51			
SESPMNT	B1NDH8	100 AREAS	ONSITE	BI	2007CANADA GOOSE1	CANADA GOOSE	MUSCLE	26-Jul-07	Ru-106	0.0988 pCi/g		0.12	0.12	U		
SESPMNT	B1NDH8	100 AREAS	ONSITE	BI	2007CANADA GOOSE1	CANADA GOOSE	MUSCLE	26-Jul-07	Sb-125	0.00432 pCi/g		0.033	0.033	U		
SESPMNT	B1NDJ3	100 AREAS	ONSITE	BI	2007CANADA GOOSE1	CANADA GOOSE	BONES	26-Jul-07	Sr-90	0.0545 pCi/g		0.0082	0.012			
SESPMNT	B1NDP1	100 AREAS	ONSITE	BI	2007CANADA GOOSE1	CANADA GOOSE	LIVER	26-Jul-07	Ag	0.012 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP1	100 AREAS	ONSITE	BI	2007CANADA GOOSE1	CANADA GOOSE	LIVER	26-Jul-07	Al	2.8 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP1	100 AREAS	ONSITE	BI	2007CANADA GOOSE1	CANADA GOOSE	LIVER	26-Jul-07	As	0.376 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP1	100 AREAS	ONSITE	BI	2007CANADA GOOSE1	CANADA GOOSE	LIVER	26-Jul-07	Be	0.02 ug/g				UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP1	100 AREAS	ONSITE	BI	2007CANADA GOOSE1	CANADA GOOSE	LIVER	26-Jul-07	Cd	0.491 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP1	100 AREAS	ONSITE	BI	2007CANADA GOOSE1	CANADA GOOSE	LIVER	26-Jul-07	Cr	0.271 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP1	100 AREAS	ONSITE	BI	2007CANADA GOOSE1	CANADA GOOSE	LIVER	26-Jul-07	Cu	44.1 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP1	100 AREAS	ONSITE	BI	2007CANADA GOOSE1	CANADA GOOSE	LIVER	26-Jul-07	Hg	0.0563 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP1	100 AREAS	ONSITE	BI	2007CANADA GOOSE1	CANADA GOOSE	LIVER	26-Jul-07	Mn	6.59 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP1	100 AREAS	ONSITE	BI	2007CANADA GOOSE1	CANADA GOOSE	LIVER	26-Jul-07	Ni	0.04 ug/g				UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP1	100 AREAS	ONSITE	BI	2007CANADA GOOSE1	CANADA GOOSE	LIVER	26-Jul-07	Pb	0.0718 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP1	100 AREAS	ONSITE	BI	2007CANADA GOOSE1	CANADA GOOSE	LIVER	26-Jul-07	Sb	0.02 ug/g				UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP1	100 AREAS	ONSITE	BI	2007CANADA GOOSE1	CANADA GOOSE	LIVER	26-Jul-07	Se	6.41 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP1	100 AREAS	ONSITE	BI	2007CANADA GOOSE1	CANADA GOOSE	LIVER	26-Jul-07	Th	0.0104 ug/g				CX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP1	100 AREAS	ONSITE	BI	2007CANADA GOOSE1	CANADA GOOSE	LIVER	26-Jul-07	Tl	0.0243 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP1	100 AREAS	ONSITE	BI	2007CANADA GOOSE1	CANADA GOOSE	LIVER	26-Jul-07	U	0.00298 ug/g				BX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP1	100 AREAS	ONSITE	BI	2007CANADA GOOSE1	CANADA GOOSE	LIVER	26-Jul-07	Zn	150 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDH9	100 AREAS	ONSITE	BI	2007CANADA GOOSE2	CANADA GOOSE	MUSCLE	26-Jul-07	Be-7	-0.124 pCi/g		0.12	0.12	U		
SESPMNT	B1NDH9	100 AREAS	ONSITE	BI	2007CANADA GOOSE2	CANADA GOOSE	MUSCLE	26-Jul-07	Co-60	-0.00723 pCi/g		0.0099	0.0099	U		
SESPMNT	B1NDH9	100 AREAS	ONSITE	BI	2007CANADA GOOSE2	CANADA GOOSE	MUSCLE	26-Jul-07	Cs-134	0.00914 pCi/g		0.011	0.011	U		
SESPMNT	B1NDH9	100 AREAS	ONSITE	BI	2007CANADA GOOSE2	CANADA GOOSE	MUSCLE	26-Jul-07	Cs-137	-0.00285 pCi/g		0.01	0.01	U		
SESPMNT	B1NDH9	100 AREAS	ONSITE	BI	2007CANADA GOOSE2	CANADA GOOSE	MUSCLE	26-Jul-07	Eu-152	0.00926 pCi/g		0.028	0.028	U		
SESPMNT	B1NDH9	100 AREAS	ONSITE	BI	2007CANADA GOOSE2	CANADA GOOSE	MUSCLE	26-Jul-07	Eu-154	-0.0143 pCi/g		0.03	0.03	U		
SESPMNT	B1NDH9	100 AREAS	ONSITE	BI	2007CANADA GOOSE2	CANADA GOOSE	MUSCLE	26-Jul-07	Eu-155	0.0144 pCi/g		0.022	0.022	U		
SESPMNT	B1NDH9	100 AREAS	ONSITE	BI	2007CANADA GOOSE2	CANADA GOOSE	MUSCLE	26-Jul-07	K-40	2.36 pCi/g		0.51	0.51			
SESPMNT	B1NDH9	100 AREAS	ONSITE	BI	2007CANADA GOOSE2	CANADA GOOSE	MUSCLE	26-Jul-07	Ru-106	0.0224 pCi/g		0.095	0.095	U		
SESPMNT	B1NDH9	100 AREAS	ONSITE	BI	2007CANADA GOOSE2	CANADA GOOSE	MUSCLE	26-Jul-07	Sb-125	0.0134 pCi/g		0.026	0.026	U		
SESPMNT	B1NDJ4	100 AREAS	ONSITE	BI	2007CANADA GOOSE2	CANADA GOOSE	BONES	26-Jul-07	Sr-90	0.147 pCi/g		0.016	0.027		SMALL AMOUNT OF WING BONE INCLUDED IN SAMPLE.	
SESPMNT	B1NDP2	100 AREAS	ONSITE	BI	2007CANADA GOOSE2	CANADA GOOSE	LIVER	26-Jul-07	Ag	0.01 ug/g				UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP2	100 AREAS	ONSITE	BI	2007CANADA GOOSE2	CANADA GOOSE	LIVER	26-Jul-07	Al	1.16 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP2	100 AREAS	ONSITE	BI	2007CANADA GOOSE2	CANADA GOOSE	LIVER	26-Jul-07	As	0.281 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP2	100 AREAS	ONSITE	BI	2007CANADA GOOSE2	CANADA GOOSE	LIVER	26-Jul-07	Be	0.02 ug/g				UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP2	100 AREAS	ONSITE	BI	2007CANADA GOOSE2	CANADA GOOSE	LIVER	26-Jul-07	Cd	5.28 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP2	100 AREAS	ONSITE	BI	2007CANADA GOOSE2	CANADA GOOSE	LIVER	26-Jul-07	Cr	0.237 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP2	100 AREAS	ONSITE	BI	2007CANADA GOOSE2	CANADA GOOSE	LIVER	26-Jul-07	Cu	17.8 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP2	100 AREAS	ONSITE	BI	2007CANADA GOOSE2	CANADA GOOSE	LIVER	26-Jul-07	Hg	0.0362 ug/g				CX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP2	100 AREAS	ONSITE	BI	2007CANADA GOOSE2	CANADA GOOSE	LIVER	26-Jul-07	Mn	6.61 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP2	100 AREAS	ONSITE	BI	2007CANADA GOOSE2	CANADA GOOSE	LIVER	26-Jul-07	Ni	0.04 ug/g				UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP2	100 AREAS	ONSITE	BI	2007CANADA GOOSE2	CANADA GOOSE	LIVER	26-Jul-07	Pb	0.194 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP2	100 AREAS	ONSITE	BI	2007CANADA GOOSE2	CANADA GOOSE	LIVER	26-Jul-07	Sb	0.02 ug/g				UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP2	100 AREAS	ONSITE	BI	2007CANADA GOOSE2	CANADA GOOSE	LIVER	26-Jul-07	Se	3.97 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP2	100 AREAS	ONSITE	BI	2007CANADA GOOSE2	CANADA GOOSE	LIVER	26-Jul-07	Th	0.0189 ug/g				CX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP2	100 AREAS	ONSITE	BI	2007CANADA GOOSE2	CANADA GOOSE	LIVER	26-Jul-07	Tl	0.0428 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP2	100 AREAS	ONSITE	BI	2007CANADA GOOSE2	CANADA GOOSE	LIVER	26-Jul-07	U	0.002 ug/g				UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP2	100 AREAS	ONSITE	BI	2007CANADA GOOSE2	CANADA GOOSE	LIVER	26-Jul-07	Zn	144 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDJ0	100 AREAS	ONSITE	BI	2007CANADA GOOSE3	CANADA GOOSE	MUSCLE	26-Jul-07	Be-7	0.0512 pCi/g		0.12	0.12	U		
SESPMNT	B1NDJ0	100 AREAS	ONSITE	BI	2007CANADA GOOSE3	CANADA GOOSE	MUSCLE	26-Jul-07	Co-60	-0.00298 pCi/g		0.013	0.013	U		
SESPMNT	B1NDJ0	100 AREAS	ONSITE	BI	2007CANADA GOOSE3	CANADA GOOSE	MUSCLE	26-Jul-07	Cs-134	-0.00282 pCi/g		0.012	0.012	U		
SESPMNT	B1NDJ0	100 AREAS	ONSITE	BI	2007CANADA GOOSE3	CANADA GOOSE	MUSCLE	26-Jul-07	Cs-137	0.00827 pCi/g		0.011	0.011	U		
SESPMNT	B1NDJ0	100 AREAS	ONSITE	BI	2007CANADA GOOSE3	CANADA GOOSE	MUSCLE	26-Jul-07	Eu-152	-0.0127 pCi/g		0.027	0.027	U		
SESPMNT	B1NDJ0	100 AREAS	ONSITE	BI	2007CANADA GOOSE3	CANADA GOOSE	MUSCLE	26-Jul-07	Eu-154	0.00811 pCi/g		0.037	0.037	U		
SESPMNT	B1NDJ0	100 AREAS	ONSITE	BI	2007CANADA GOOSE3	CANADA GOOSE	MUSCLE	26-Jul-07	Eu-155	-0.00733 pCi/g		0.019	0.019	U		
SESPMNT	B1NDJ0	100 AREAS	ONSITE	BI	2007CANADA GOOSE3	CANADA GOOSE	MUSCLE	26-Jul-07	K-40	0.866 pCi/g		0.42	0.42			
SESPMNT	B1NDJ0	100 AREAS	ONSITE	BI	2007CANADA GOOSE3	CANADA GOOSE	MUSCLE	26-Jul-07	Ru-106	0.0468 pCi/g		0.096	0.096	U		
SESPMNT	B1NDJ0	100 AREAS	ONSITE	BI	2007CANADA GOOSE3	CANADA GOOSE	MUSCLE	26-Jul-07	Sb-125	0.00215 pCi/g		0.026	0.026	U		
SESPMNT	B1NDJ5	100 AREAS	ONSITE	BI	2007CANADA GOOSE3	CANADA GOOSE	BONES	26-Jul-07	Sr-90	0.07 pCi/g		0.0094	0.014			
SESPMNT	B1NDP3	100 AREAS	ONSITE	BI	2007CANADA GOOSE3	CANADA GOOSE	LIVER	26-Jul-07	Ag	0.0135 ug/g				X		RESULT NOT BLANK CORRECTED.

## ENVIRONMENTAL SURVEILLANCE DATA CY07

BIOTA - WILDLIFE  
(pCi/g Wet Weight, ug/g Dry Weight)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	TAG ID	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1NDP3	100 AREAS	ON SITE	BI	2007CANADA GOOSE3	CANADA GOOSE	LIVER	26-Jul-07	AI	1.12 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP3	100 AREAS	ON SITE	BI	2007CANADA GOOSE3	CANADA GOOSE	LIVER	26-Jul-07	As	0.267 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP3	100 AREAS	ON SITE	BI	2007CANADA GOOSE3	CANADA GOOSE	LIVER	26-Jul-07	Be	0.02 ug/g				UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP3	100 AREAS	ON SITE	BI	2007CANADA GOOSE3	CANADA GOOSE	LIVER	26-Jul-07	Cd	0.204 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP3	100 AREAS	ON SITE	BI	2007CANADA GOOSE3	CANADA GOOSE	LIVER	26-Jul-07	Cr	0.27 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP3	100 AREAS	ON SITE	BI	2007CANADA GOOSE3	CANADA GOOSE	LIVER	26-Jul-07	Cu	35.1 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP3	100 AREAS	ON SITE	BI	2007CANADA GOOSE3	CANADA GOOSE	LIVER	26-Jul-07	Hg	0.0417 ug/g				BX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP3	100 AREAS	ON SITE	BI	2007CANADA GOOSE3	CANADA GOOSE	LIVER	26-Jul-07	Mn	10 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP3	100 AREAS	ON SITE	BI	2007CANADA GOOSE3	CANADA GOOSE	LIVER	26-Jul-07	Ni	0.04 ug/g				UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP3	100 AREAS	ON SITE	BI	2007CANADA GOOSE3	CANADA GOOSE	LIVER	26-Jul-07	Pb	0.0492 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP3	100 AREAS	ON SITE	BI	2007CANADA GOOSE3	CANADA GOOSE	LIVER	26-Jul-07	Sb	0.02 ug/g				UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP3	100 AREAS	ON SITE	BI	2007CANADA GOOSE3	CANADA GOOSE	LIVER	26-Jul-07	Se	5.88 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP3	100 AREAS	ON SITE	BI	2007CANADA GOOSE3	CANADA GOOSE	LIVER	26-Jul-07	Th	0.0128 ug/g				CX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP3	100 AREAS	ON SITE	BI	2007CANADA GOOSE3	CANADA GOOSE	LIVER	26-Jul-07	Tl	0.0796 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP3	100 AREAS	ON SITE	BI	2007CANADA GOOSE3	CANADA GOOSE	LIVER	26-Jul-07	U	0.002 ug/g				UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP3	100 AREAS	ON SITE	BI	2007CANADA GOOSE3	CANADA GOOSE	LIVER	26-Jul-07	Zn	158 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDJ1	100 AREAS	ON SITE	BI	2007CANADA GOOSE4	CANADA GOOSE	MUSCLE	26-Jul-07	Be-7	0.0788 pCi/g		0.11	0.11	U		
SESPMNT	B1NDJ1	100 AREAS	ON SITE	BI	2007CANADA GOOSE4	CANADA GOOSE	MUSCLE	26-Jul-07	Co-60	-0.00324 pCi/g		0.011	0.011	U		
SESPMNT	B1NDJ1	100 AREAS	ON SITE	BI	2007CANADA GOOSE4	CANADA GOOSE	MUSCLE	26-Jul-07	Cs-134	0.0039 pCi/g		0.01	0.01	U		
SESPMNT	B1NDJ1	100 AREAS	ON SITE	BI	2007CANADA GOOSE4	CANADA GOOSE	MUSCLE	26-Jul-07	Cs-137	0.00373 pCi/g		0.01	0.01	U		
SESPMNT	B1NDJ1	100 AREAS	ON SITE	BI	2007CANADA GOOSE4	CANADA GOOSE	MUSCLE	26-Jul-07	Eu-152	0.0103 pCi/g		0.027	0.027	U		
SESPMNT	B1NDJ1	100 AREAS	ON SITE	BI	2007CANADA GOOSE4	CANADA GOOSE	MUSCLE	26-Jul-07	Eu-154	0.00943 pCi/g		0.033	0.033	U		
SESPMNT	B1NDJ1	100 AREAS	ON SITE	BI	2007CANADA GOOSE4	CANADA GOOSE	MUSCLE	26-Jul-07	Eu-155	0.0053 pCi/g		0.02	0.02	U		
SESPMNT	B1NDJ1	100 AREAS	ON SITE	BI	2007CANADA GOOSE4	CANADA GOOSE	MUSCLE	26-Jul-07	K-40	3.55 pCi/g		0.54	0.54			
SESPMNT	B1NDJ1	100 AREAS	ON SITE	BI	2007CANADA GOOSE4	CANADA GOOSE	MUSCLE	26-Jul-07	Ru-106	-0.0384 pCi/g		0.093	0.093	U		
SESPMNT	B1NDJ1	100 AREAS	ON SITE	BI	2007CANADA GOOSE4	CANADA GOOSE	MUSCLE	26-Jul-07	Sb-125	-0.0193 pCi/g		0.026	0.026	U		
SESPMNT	B1NDJ6	100 AREAS	ON SITE	BI	2007CANADA GOOSE4	CANADA GOOSE	BONES	26-Jul-07	Sr-90	0.0797 pCi/g		0.0083	0.014			
SESPMNT	B1NDP4	100 AREAS	ON SITE	BI	2007CANADA GOOSE4	CANADA GOOSE	LIVER	26-Jul-07	Ag	0.01 ug/g				UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP4	100 AREAS	ON SITE	BI	2007CANADA GOOSE4	CANADA GOOSE	LIVER	26-Jul-07	Al	0.677 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP4	100 AREAS	ON SITE	BI	2007CANADA GOOSE4	CANADA GOOSE	LIVER	26-Jul-07	As	0.404 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP4	100 AREAS	ON SITE	BI	2007CANADA GOOSE4	CANADA GOOSE	LIVER	26-Jul-07	Be	0.02 ug/g				UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP4	100 AREAS	ON SITE	BI	2007CANADA GOOSE4	CANADA GOOSE	LIVER	26-Jul-07	Cd	2.84 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP4	100 AREAS	ON SITE	BI	2007CANADA GOOSE4	CANADA GOOSE	LIVER	26-Jul-07	Cr	0.215 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP4	100 AREAS	ON SITE	BI	2007CANADA GOOSE4	CANADA GOOSE	LIVER	26-Jul-07	Cu	35.9 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP4	100 AREAS	ON SITE	BI	2007CANADA GOOSE4	CANADA GOOSE	LIVER	26-Jul-07	Hg	0.0452 ug/g				BX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP4	100 AREAS	ON SITE	BI	2007CANADA GOOSE4	CANADA GOOSE	LIVER	26-Jul-07	Mn	6.42 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP4	100 AREAS	ON SITE	BI	2007CANADA GOOSE4	CANADA GOOSE	LIVER	26-Jul-07	Ni	0.04 ug/g				UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP4	100 AREAS	ON SITE	BI	2007CANADA GOOSE4	CANADA GOOSE	LIVER	26-Jul-07	Pb	0.0951 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP4	100 AREAS	ON SITE	BI	2007CANADA GOOSE4	CANADA GOOSE	LIVER	26-Jul-07	Sb	0.02 ug/g				UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP4	100 AREAS	ON SITE	BI	2007CANADA GOOSE4	CANADA GOOSE	LIVER	26-Jul-07	Se	4.5 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP4	100 AREAS	ON SITE	BI	2007CANADA GOOSE4	CANADA GOOSE	LIVER	26-Jul-07	Th	0.00696 ug/g				BCX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP4	100 AREAS	ON SITE	BI	2007CANADA GOOSE4	CANADA GOOSE	LIVER	26-Jul-07	Tl	0.0438 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP4	100 AREAS	ON SITE	BI	2007CANADA GOOSE4	CANADA GOOSE	LIVER	26-Jul-07	U	0.002 ug/g				UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP4	100 AREAS	ON SITE	BI	2007CANADA GOOSE4	CANADA GOOSE	LIVER	26-Jul-07	Zn	143 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDJ2	100 AREAS	ON SITE	BI	2007CANADA GOOSE5	CANADA GOOSE	MUSCLE	26-Jul-07	Be-7	0.0127 pCi/g		0.089	0.089	U		
SESPMNT	B1NDJ2	100 AREAS	ON SITE	BI	2007CANADA GOOSE5	CANADA GOOSE	MUSCLE	26-Jul-07	Co-60	-0.00337 pCi/g		0.0071	0.0071	U		
SESPMNT	B1NDJ2	100 AREAS	ON SITE	BI	2007CANADA GOOSE5	CANADA GOOSE	MUSCLE	26-Jul-07	Cs-134	0.000412 pCi/g		0.0077	0.0077	U		
SESPMNT	B1NDJ2	100 AREAS	ON SITE	BI	2007CANADA GOOSE5	CANADA GOOSE	MUSCLE	26-Jul-07	Cs-137	0.00451 pCi/g		0.0075	0.0075	U		
SESPMNT	B1NDJ2	100 AREAS	ON SITE	BI	2007CANADA GOOSE5	CANADA GOOSE	MUSCLE	26-Jul-07	Eu-152	-0.0169 pCi/g		0.02	0.02	U		
SESPMNT	B1NDJ2	100 AREAS	ON SITE	BI	2007CANADA GOOSE5	CANADA GOOSE	MUSCLE	26-Jul-07	Eu-154	0.0104 pCi/g		0.022	0.022	U		
SESPMNT	B1NDJ2	100 AREAS	ON SITE	BI	2007CANADA GOOSE5	CANADA GOOSE	MUSCLE	26-Jul-07	Eu-155	-0.0222 pCi/g		0.019	0.019	U		
SESPMNT	B1NDJ2	100 AREAS	ON SITE	BI	2007CANADA GOOSE5	CANADA GOOSE	MUSCLE	26-Jul-07	K-40	3.05 pCi/g		0.46	0.46			
SESPMNT	B1NDJ2	100 AREAS	ON SITE	BI	2007CANADA GOOSE5	CANADA GOOSE	MUSCLE	26-Jul-07	Ru-106	0.000467 pCi/g		0.074	0.074	U		
SESPMNT	B1NDJ2	100 AREAS	ON SITE	BI	2007CANADA GOOSE5	CANADA GOOSE	MUSCLE	26-Jul-07	Sb-125	-0.00959 pCi/g		0.02	0.02	U		
SESPMNT	B1NDJ7	100 AREAS	ON SITE	BI	2007CANADA GOOSE5	CANADA GOOSE	BONES	26-Jul-07	Sr-90	0.135 pCi/g		0.011	0.022			
SESPMNT	B1NDP5	100 AREAS	ON SITE	BI	2007CANADA GOOSE5	CANADA GOOSE	LIVER	26-Jul-07	Ag	0.01 ug/g				UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP5	100 AREAS	ON SITE	BI	2007CANADA GOOSE5	CANADA GOOSE	LIVER	26-Jul-07	Al	1.29 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP5	100 AREAS	ON SITE	BI	2007CANADA GOOSE5	CANADA GOOSE	LIVER	26-Jul-07	As	0.446 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP5	100 AREAS	ON SITE	BI	2007CANADA GOOSE5	CANADA GOOSE	LIVER	26-Jul-07	Be	0.02 ug/g				UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP5	100 AREAS	ON SITE	BI	2007CANADA GOOSE5	CANADA GOOSE	LIVER	26-Jul-07	Cd	5.54 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP5	100 AREAS	ON SITE	BI	2007CANADA GOOSE5	CANADA GOOSE	LIVER	26-Jul-07	Cr	0.397 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP5	100 AREAS	ON SITE	BI	2007CANADA GOOSE5	CANADA GOOSE	LIVER	26-Jul-07	Cu	36.6 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP5	100 AREAS	ON SITE	BI	2007CANADA GOOSE5	CANADA GOOSE	LIVER	26-Jul-07	Hg	0.0417 ug/g				BX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP5	100 AREAS	ON SITE	BI	2007CANADA GOOSE5	CANADA GOOSE	LIVER	26-Jul-07	Mn	6.15 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP5	100 AREAS	ON SITE	BI	2007CANADA GOOSE5	CANADA GOOSE	LIVER	26-Jul-07	Ni	0.061 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP5	100 AREAS	ON SITE	BI	2007CANADA GOOSE5	CANADA GOOSE	LIVER	26-Jul-07	Pb	1.14 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP5	100 AREAS	ON SITE	BI	2007CANADA GOOSE5	CANADA GOOSE	LIVER	26-Jul-07	Sb	0.02 ug/g				UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP5	100 AREAS	ON SITE	BI	2007CANADA GOOSE5	CANADA GOOSE	LIVER	26-Jul-07	Se	4.87 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP5	100 AREAS	ON SITE	BI	2007CANADA GOOSE5	CANADA GOOSE	LIVER	26-Jul-07	Th	0.0144 ug/g				CX		RESULT NOT BLANK CORRECTED.

## ENVIRONMENTAL SURVEILLANCE DATA CY07

BIOTA - WILDLIFE  
(pCi/g Wet Weight, ug/g Dry Weight)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	TAG ID	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1NDP5	100 AREAS	ON SITE	BI	2007CANADA GOOSE5	CANADA GOOSE	LIVER	26-Jul-07	TI	0.065 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP5	100 AREAS	ON SITE	BI	2007CANADA GOOSE5	CANADA GOOSE	LIVER	26-Jul-07	U	0.00204 ug/g				BX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP5	100 AREAS	ON SITE	BI	2007CANADA GOOSE5	CANADA GOOSE	LIVER	26-Jul-07	Zn	166 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDJ8	HANF TOWNSITE TO 300 AREA	ON SITE	BI	2007CANADA GOOSE6	CANADA GOOSE	MUSCLE	25-Jul-07	Be-7	-0.0307 pCi/g		0.074	0.074	U		
SESPMNT	B1NDJ8	HANF TOWNSITE TO 300 AREA	ON SITE	BI	2007CANADA GOOSE6	CANADA GOOSE	MUSCLE	25-Jul-07	Co-60	0.00257 pCi/g		0.0071	0.0071	U		
SESPMNT	B1NDJ8	HANF TOWNSITE TO 300 AREA	ON SITE	BI	2007CANADA GOOSE6	CANADA GOOSE	MUSCLE	25-Jul-07	Cs-134	0.00335 pCi/g		0.0074	0.0074	U		
SESPMNT	B1NDJ8	HANF TOWNSITE TO 300 AREA	ON SITE	BI	2007CANADA GOOSE6	CANADA GOOSE	MUSCLE	25-Jul-07	Cs-137	-0.000409 pCi/g		0.0066	0.0066	U		
SESPMNT	B1NDJ8	HANF TOWNSITE TO 300 AREA	ON SITE	BI	2007CANADA GOOSE6	CANADA GOOSE	MUSCLE	25-Jul-07	Eu-152	0.00182 pCi/g		0.017	0.017	U		
SESPMNT	B1NDJ8	HANF TOWNSITE TO 300 AREA	ON SITE	BI	2007CANADA GOOSE6	CANADA GOOSE	MUSCLE	25-Jul-07	Eu-154	-0.00431 pCi/g		0.02	0.02	U		
SESPMNT	B1NDJ8	HANF TOWNSITE TO 300 AREA	ON SITE	BI	2007CANADA GOOSE6	CANADA GOOSE	MUSCLE	25-Jul-07	Eu-155	-0.00309 pCi/g		0.014	0.014	U		
SESPMNT	B1NDJ8	HANF TOWNSITE TO 300 AREA	ON SITE	BI	2007CANADA GOOSE6	CANADA GOOSE	MUSCLE	25-Jul-07	K-40	3.08 pCi/g		0.5	0.5			
SESPMNT	B1NDJ8	HANF TOWNSITE TO 300 AREA	ON SITE	BI	2007CANADA GOOSE6	CANADA GOOSE	MUSCLE	25-Jul-07	Ru-106	-0.0103 pCi/g		0.06	0.06	U		
SESPMNT	B1NDJ8	HANF TOWNSITE TO 300 AREA	ON SITE	BI	2007CANADA GOOSE6	CANADA GOOSE	MUSCLE	25-Jul-07	Sb-125	-0.00378 pCi/g		0.017	0.017	U		
SESPMNT	B1NDK3	HANF TOWNSITE TO 300 AREA	ON SITE	BI	2007CANADA GOOSE6	CANADA GOOSE	BONES	25-Jul-07	Sr-90	0.0574 pCi/g		0.0084	0.013			
SESPMNT	B1NDP6	HANF TOWNSITE TO 300 AREA	ON SITE	BI	2007CANADA GOOSE6	CANADA GOOSE	LIVER	25-Jul-07	Ag	0.01 ug/g				UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP6	HANF TOWNSITE TO 300 AREA	ON SITE	BI	2007CANADA GOOSE6	CANADA GOOSE	LIVER	25-Jul-07	Al	1.26 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP6	HANF TOWNSITE TO 300 AREA	ON SITE	BI	2007CANADA GOOSE6	CANADA GOOSE	LIVER	25-Jul-07	As	0.366 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP6	HANF TOWNSITE TO 300 AREA	ON SITE	BI	2007CANADA GOOSE6	CANADA GOOSE	LIVER	25-Jul-07	Be	0.02 ug/g				UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP6	HANF TOWNSITE TO 300 AREA	ON SITE	BI	2007CANADA GOOSE6	CANADA GOOSE	LIVER	25-Jul-07	Cd	6.35 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP6	HANF TOWNSITE TO 300 AREA	ON SITE	BI	2007CANADA GOOSE6	CANADA GOOSE	LIVER	25-Jul-07	Cr	0.287 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP6	HANF TOWNSITE TO 300 AREA	ON SITE	BI	2007CANADA GOOSE6	CANADA GOOSE	LIVER	25-Jul-07	Cu	40.4 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP6	HANF TOWNSITE TO 300 AREA	ON SITE	BI	2007CANADA GOOSE6	CANADA GOOSE	LIVER	25-Jul-07	Hg	0.0516 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP6	HANF TOWNSITE TO 300 AREA	ON SITE	BI	2007CANADA GOOSE6	CANADA GOOSE	LIVER	25-Jul-07	Mn	9.08 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP6	HANF TOWNSITE TO 300 AREA	ON SITE	BI	2007CANADA GOOSE6	CANADA GOOSE	LIVER	25-Jul-07	Ni	0.04 ug/g				UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP6	HANF TOWNSITE TO 300 AREA	ON SITE	BI	2007CANADA GOOSE6	CANADA GOOSE	LIVER	25-Jul-07	Pb	0.114 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP6	HANF TOWNSITE TO 300 AREA	ON SITE	BI	2007CANADA GOOSE6	CANADA GOOSE	LIVER	25-Jul-07	Sb	0.02 ug/g				UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP6	HANF TOWNSITE TO 300 AREA	ON SITE	BI	2007CANADA GOOSE6	CANADA GOOSE	LIVER	25-Jul-07	Se	6.79 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP6	HANF TOWNSITE TO 300 AREA	ON SITE	BI	2007CANADA GOOSE6	CANADA GOOSE	LIVER	25-Jul-07	Th	0.00748 ug/g				BCX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP6	HANF TOWNSITE TO 300 AREA	ON SITE	BI	2007CANADA GOOSE6	CANADA GOOSE	LIVER	25-Jul-07	TI	0.0483 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP6	HANF TOWNSITE TO 300 AREA	ON SITE	BI	2007CANADA GOOSE6	CANADA GOOSE	LIVER	25-Jul-07	U	0.002 ug/g				UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP6	HANF TOWNSITE TO 300 AREA	ON SITE	BI	2007CANADA GOOSE6	CANADA GOOSE	LIVER	25-Jul-07	Zn	188 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDJ9	HANF TOWNSITE TO 300 AREA	ON SITE	BI	2007CANADA GOOSE7	CANADA GOOSE	MUSCLE	25-Jul-07	Be-7	0.0342 pCi/g		0.074	0.074	U		
SESPMNT	B1NDJ9	HANF TOWNSITE TO 300 AREA	ON SITE	BI	2007CANADA GOOSE7	CANADA GOOSE	MUSCLE	25-Jul-07	Co-60	0.0052 pCi/g		0.0075	0.0075	U		
SESPMNT	B1NDJ9	HANF TOWNSITE TO 300 AREA	ON SITE	BI	2007CANADA GOOSE7	CANADA GOOSE	MUSCLE	25-Jul-07	Cs-134	-0.00344 pCi/g		0.0074	0.0074	U		
SESPMNT	B1NDJ9	HANF TOWNSITE TO 300 AREA	ON SITE	BI	2007CANADA GOOSE7	CANADA GOOSE	MUSCLE	25-Jul-07	Cs-137	0.00782 pCi/g		0.0076	0.0076	U		
SESPMNT	B1NDJ9	HANF TOWNSITE TO 300 AREA	ON SITE	BI	2007CANADA GOOSE7	CANADA GOOSE	MUSCLE	25-Jul-07	Eu-152	-0.00162 pCi/g		0.016	0.016	U		
SESPMNT	B1NDJ9	HANF TOWNSITE TO 300 AREA	ON SITE	BI	2007CANADA GOOSE7	CANADA GOOSE	MUSCLE	25-Jul-07	Eu-154	0.0045 pCi/g		0.022	0.022	U		
SESPMNT	B1NDJ9	HANF TOWNSITE TO 300 AREA	ON SITE	BI	2007CANADA GOOSE7	CANADA GOOSE	MUSCLE	25-Jul-07	Eu-155	0.00276 pCi/g		0.015	0.015	U		
SESPMNT	B1NDJ9	HANF TOWNSITE TO 300 AREA	ON SITE	BI	2007CANADA GOOSE7	CANADA GOOSE	MUSCLE	25-Jul-07	K-40	2.35 pCi/g		0.42	0.42			
SESPMNT	B1NDJ9	HANF TOWNSITE TO 300 AREA	ON SITE	BI	2007CANADA GOOSE7	CANADA GOOSE	MUSCLE	25-Jul-07	Ru-106	-0.0363 pCi/g		0.061	0.061	U		
SESPMNT	B1NDJ9	HANF TOWNSITE TO 300 AREA	ON SITE	BI	2007CANADA GOOSE7	CANADA GOOSE	MUSCLE	25-Jul-07	Sb-125	0.0058 pCi/g		0.017	0.017	U		
SESPMNT	B1NDK4	HANF TOWNSITE TO 300 AREA	ON SITE	BI	2007CANADA GOOSE7	CANADA GOOSE	BONES	25-Jul-07	Sr-90	0.0522 pCi/g		0.0082	0.013			
SESPMNT	B1NDP7	HANF TOWNSITE TO 300 AREA	ON SITE	BI	2007CANADA GOOSE7	CANADA GOOSE	LIVER	25-Jul-07	Ag	0.01 ug/g				UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP7	HANF TOWNSITE TO 300 AREA	ON SITE	BI	2007CANADA GOOSE7	CANADA GOOSE	LIVER	25-Jul-07	Al	1.24 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP7	HANF TOWNSITE TO 300 AREA	ON SITE	BI	2007CANADA GOOSE7	CANADA GOOSE	LIVER	25-Jul-07	As	0.396 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP7	HANF TOWNSITE TO 300 AREA	ON SITE	BI	2007CANADA GOOSE7	CANADA GOOSE	LIVER	25-Jul-07	Be	0.02 ug/g				UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP7	HANF TOWNSITE TO 300 AREA	ON SITE	BI	2007CANADA GOOSE7	CANADA GOOSE	LIVER	25-Jul-07	Cd	0.31 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP7	HANF TOWNSITE TO 300 AREA	ON SITE	BI	2007CANADA GOOSE7	CANADA GOOSE	LIVER	25-Jul-07	Cr	0.279 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP7	HANF TOWNSITE TO 300 AREA	ON SITE	BI	2007CANADA GOOSE7	CANADA GOOSE	LIVER	25-Jul-07	Cu	43.9 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP7	HANF TOWNSITE TO 300 AREA	ON SITE	BI	2007CANADA GOOSE7	CANADA GOOSE	LIVER	25-Jul-07	Hg	0.0408 ug/g				BX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP7	HANF TOWNSITE TO 300 AREA	ON SITE	BI	2007CANADA GOOSE7	CANADA GOOSE	LIVER	25-Jul-07	Mn	12.5 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP7	HANF TOWNSITE TO 300 AREA	ON SITE	BI	2007CANADA GOOSE7	CANADA GOOSE	LIVER	25-Jul-07	Ni	0.04 ug/g				UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP7	HANF TOWNSITE TO 300 AREA	ON SITE	BI	2007CANADA GOOSE7	CANADA GOOSE	LIVER	25-Jul-07	Pb	0.0384 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP7	HANF TOWNSITE TO 300 AREA	ON SITE	BI	2007CANADA GOOSE7	CANADA GOOSE	LIVER	25-Jul-07	Sb	0.02 ug/g				UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP7	HANF TOWNSITE TO 300 AREA	ON SITE	BI	2007CANADA GOOSE7	CANADA GOOSE	LIVER	25-Jul-07	Se	6.97 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP7	HANF TOWNSITE TO 300 AREA	ON SITE	BI	2007CANADA GOOSE7	CANADA GOOSE	LIVER	25-Jul-07	Th	0.003 ug/g				UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP7	HANF TOWNSITE TO 300 AREA	ON SITE	BI	2007CANADA GOOSE7	CANADA GOOSE	LIVER	25-Jul-07	TI	0.0576 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP7	HANF TOWNSITE TO 300 AREA	ON SITE	BI	2007CANADA GOOSE7	CANADA GOOSE	LIVER	25-Jul-07	U	0.002 ug/g				UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP7	HANF TOWNSITE TO 300 AREA	ON SITE	BI	2007CANADA GOOSE7	CANADA GOOSE	LIVER	25-Jul-07	Zn	179 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDK0	HANF TOWNSITE TO 300 AREA	ON SITE	BI	2007CANADA GOOSE8	CANADA GOOSE	MUSCLE	25-Jul-07	Be-7	0.0152 pCi/g		0.091	0.091	U		
SESPMNT	B1NDK0	HANF TOWNSITE TO 300 AREA	ON SITE	BI	2007CANADA GOOSE8	CANADA GOOSE	MUSCLE	25-Jul-07	Co-60	-0.00246 pCi/g		0.008	0.008	U		
SESPMNT	B1NDK0	HANF TOWNSITE TO 300 AREA	ON SITE	BI	2007CANADA GOOSE8	CANADA GOOSE	MUSCLE	25-Jul-07	Cs-134	-0.00113 pCi/g		0.0088	0.0088	U		
SESPMNT	B1NDK0	HANF TOWNSITE TO 300 AREA	ON SITE	BI	2007CANADA GOOSE8	CANADA GOOSE	MUSCLE	25-Jul-07	Cs-137	0.00284 pCi/g		0.0076	0.0076	U		
SESPMNT	B1NDK0	HANF TOWNSITE TO 300 AREA	ON SITE	BI	2007CANADA GOOSE8	CANADA GOOSE	MUSCLE	25-Jul-07	Eu-152	0.00942 pCi/g		0.022	0.022	U		
SESPMNT	B1NDK0	HANF TOWNSITE TO 300 AREA	ON SITE	BI	2007CANADA GOOSE8	CANADA GOOSE	MUSCLE	25-Jul-07	Eu-154	0.00405 pCi/g		0.023	0.023	U		
SESPMNT	B1NDK0	HANF TOWNSITE TO 300 AREA	ON SITE	BI	2007CANADA GOOSE8	CANADA GOOSE	MUSCLE	25-Jul-07	Eu-155	-0.00557 pCi/g		0.019	0.019	U		
SESPMNT	B1NDK0	HANF TOWNSITE TO 300 AREA	ON SITE	BI	2007CANADA GOOSE8	CANADA GOOSE	MUSCLE	25-Jul-07	K-40	3 pCi/g		0.45	0.45			
SESPMNT	B1NDK0	HANF TOWNSITE TO 300 AREA	ON SITE	BI	2007CANADA GOOSE8	CANADA GOOSE	MUSCLE	25-Jul-07	Ru-106	-0.0611 pCi/g		0.077	0.077	U		
SESPMNT	B1NDK0	HANF TOWNSITE TO 300 AREA	ON SITE	BI	2007CANADA GOOSE8	CANADA GOOSE	MUSCLE	25-Jul-07	Sb-125	0.00415 pCi/g		0.021	0.021	U		

**BIOTA - WILDLIFE**  
(pCi/g Wet Weight, ug/g Dry Weight)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	TAG ID	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1NDK5	HANF TOWNSITE TO 300 AREA	ONSITE	BI	2007CANADA GOOSE8	CANADA GOOSE	BONES	25-Jul-07	Sr-90	0.0159	pCi/g	0.0062	0.0071			
SESPMNT	B1NDP8	HANF TOWNSITE TO 300 AREA	ONSITE	BI	2007CANADA GOOSE8	CANADA GOOSE	LIVER	25-Jul-07	Ag	0.01	ug/g			UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP8	HANF TOWNSITE TO 300 AREA	ONSITE	BI	2007CANADA GOOSE8	CANADA GOOSE	LIVER	25-Jul-07	Al	0.836	ug/g			X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP8	HANF TOWNSITE TO 300 AREA	ONSITE	BI	2007CANADA GOOSE8	CANADA GOOSE	LIVER	25-Jul-07	As	0.445	ug/g			X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP8	HANF TOWNSITE TO 300 AREA	ONSITE	BI	2007CANADA GOOSE8	CANADA GOOSE	LIVER	25-Jul-07	Be	0.02	ug/g			UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP8	HANF TOWNSITE TO 300 AREA	ONSITE	BI	2007CANADA GOOSE8	CANADA GOOSE	LIVER	25-Jul-07	Cd	6.11	ug/g			X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP8	HANF TOWNSITE TO 300 AREA	ONSITE	BI	2007CANADA GOOSE8	CANADA GOOSE	LIVER	25-Jul-07	Cr	0.23	ug/g			X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP8	HANF TOWNSITE TO 300 AREA	ONSITE	BI	2007CANADA GOOSE8	CANADA GOOSE	LIVER	25-Jul-07	Cu	37.8	ug/g			X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP8	HANF TOWNSITE TO 300 AREA	ONSITE	BI	2007CANADA GOOSE8	CANADA GOOSE	LIVER	25-Jul-07	Hg	0.0571	ug/g			X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP8	HANF TOWNSITE TO 300 AREA	ONSITE	BI	2007CANADA GOOSE8	CANADA GOOSE	LIVER	25-Jul-07	Mn	9.63	ug/g			X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP8	HANF TOWNSITE TO 300 AREA	ONSITE	BI	2007CANADA GOOSE8	CANADA GOOSE	LIVER	25-Jul-07	Ni	0.04	ug/g			UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP8	HANF TOWNSITE TO 300 AREA	ONSITE	BI	2007CANADA GOOSE8	CANADA GOOSE	LIVER	25-Jul-07	Pb	0.226	ug/g			X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP8	HANF TOWNSITE TO 300 AREA	ONSITE	BI	2007CANADA GOOSE8	CANADA GOOSE	LIVER	25-Jul-07	Sb	0.02	ug/g			UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP8	HANF TOWNSITE TO 300 AREA	ONSITE	BI	2007CANADA GOOSE8	CANADA GOOSE	LIVER	25-Jul-07	Se	6.66	ug/g			X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP8	HANF TOWNSITE TO 300 AREA	ONSITE	BI	2007CANADA GOOSE8	CANADA GOOSE	LIVER	25-Jul-07	Th	0.00398	ug/g			BCX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP8	HANF TOWNSITE TO 300 AREA	ONSITE	BI	2007CANADA GOOSE8	CANADA GOOSE	LIVER	25-Jul-07	Tl	0.0358	ug/g			X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP8	HANF TOWNSITE TO 300 AREA	ONSITE	BI	2007CANADA GOOSE8	CANADA GOOSE	LIVER	25-Jul-07	U	0.002	ug/g			UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP8	HANF TOWNSITE TO 300 AREA	ONSITE	BI	2007CANADA GOOSE8	CANADA GOOSE	LIVER	25-Jul-07	Zn	169	ug/g			X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDK1	HANF TOWNSITE TO 300 AREA	ONSITE	BI	2007CANADA GOOSE9	CANADA GOOSE	MUSCLE	25-Jul-07	Be-7	0.00618	pCi/g	0.12	0.12	U		
SESPMNT	B1NDK1	HANF TOWNSITE TO 300 AREA	ONSITE	BI	2007CANADA GOOSE9	CANADA GOOSE	MUSCLE	25-Jul-07	Co-60	-0.0117	pCi/g	0.014	0.014	U		
SESPMNT	B1NDK1	HANF TOWNSITE TO 300 AREA	ONSITE	BI	2007CANADA GOOSE9	CANADA GOOSE	MUSCLE	25-Jul-07	Cs-134	-0.000746	pCi/g	0.013	0.013	U		
SESPMNT	B1NDK1	HANF TOWNSITE TO 300 AREA	ONSITE	BI	2007CANADA GOOSE9	CANADA GOOSE	MUSCLE	25-Jul-07	Cs-137	0.00323	pCi/g	0.011	0.011	U		
SESPMNT	B1NDK1	HANF TOWNSITE TO 300 AREA	ONSITE	BI	2007CANADA GOOSE9	CANADA GOOSE	MUSCLE	25-Jul-07	Eu-152	0.00066	pCi/g	0.025	0.025	U		
SESPMNT	B1NDK1	HANF TOWNSITE TO 300 AREA	ONSITE	BI	2007CANADA GOOSE9	CANADA GOOSE	MUSCLE	25-Jul-07	Eu-154	-0.000212	pCi/g	0.037	0.037	U		
SESPMNT	B1NDK1	HANF TOWNSITE TO 300 AREA	ONSITE	BI	2007CANADA GOOSE9	CANADA GOOSE	MUSCLE	25-Jul-07	Eu-155	-0.000245	pCi/g	0.017	0.017	U		
SESPMNT	B1NDK1	HANF TOWNSITE TO 300 AREA	ONSITE	BI	2007CANADA GOOSE9	CANADA GOOSE	MUSCLE	25-Jul-07	K-40	2.46	pCi/g	0.52	0.52			
SESPMNT	B1NDK1	HANF TOWNSITE TO 300 AREA	ONSITE	BI	2007CANADA GOOSE9	CANADA GOOSE	MUSCLE	25-Jul-07	Ru-106	0.00704	pCi/g	0.098	0.098	U		
SESPMNT	B1NDK1	HANF TOWNSITE TO 300 AREA	ONSITE	BI	2007CANADA GOOSE9	CANADA GOOSE	MUSCLE	25-Jul-07	Sb-125	-0.00102	pCi/g	0.027	0.027	U		
SESPMNT	B1NDK6	HANF TOWNSITE TO 300 AREA	ONSITE	BI	2007CANADA GOOSE9	CANADA GOOSE	BONES	25-Jul-07	Sr-90	0.0205	pCi/g	0.0057	0.007			
SESPMNT	B1NDP9	HANF TOWNSITE TO 300 AREA	ONSITE	BI	2007CANADA GOOSE9	CANADA GOOSE	LIVER	25-Jul-07	Ag	0.0197	ug/g			X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP9	HANF TOWNSITE TO 300 AREA	ONSITE	BI	2007CANADA GOOSE9	CANADA GOOSE	LIVER	25-Jul-07	Al	1.02	ug/g			X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP9	HANF TOWNSITE TO 300 AREA	ONSITE	BI	2007CANADA GOOSE9	CANADA GOOSE	LIVER	25-Jul-07	As	0.37	ug/g			X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP9	HANF TOWNSITE TO 300 AREA	ONSITE	BI	2007CANADA GOOSE9	CANADA GOOSE	LIVER	25-Jul-07	Be	0.02	ug/g			UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP9	HANF TOWNSITE TO 300 AREA	ONSITE	BI	2007CANADA GOOSE9	CANADA GOOSE	LIVER	25-Jul-07	Cd	0.353	ug/g			X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP9	HANF TOWNSITE TO 300 AREA	ONSITE	BI	2007CANADA GOOSE9	CANADA GOOSE	LIVER	25-Jul-07	Cr	0.646	ug/g			X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP9	HANF TOWNSITE TO 300 AREA	ONSITE	BI	2007CANADA GOOSE9	CANADA GOOSE	LIVER	25-Jul-07	Cu	47	ug/g			X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP9	HANF TOWNSITE TO 300 AREA	ONSITE	BI	2007CANADA GOOSE9	CANADA GOOSE	LIVER	25-Jul-07	Hg	0.0384	ug/g			BX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP9	HANF TOWNSITE TO 300 AREA	ONSITE	BI	2007CANADA GOOSE9	CANADA GOOSE	LIVER	25-Jul-07	Mn	9.11	ug/g			X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP9	HANF TOWNSITE TO 300 AREA	ONSITE	BI	2007CANADA GOOSE9	CANADA GOOSE	LIVER	25-Jul-07	Ni	0.043	ug/g			BX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP9	HANF TOWNSITE TO 300 AREA	ONSITE	BI	2007CANADA GOOSE9	CANADA GOOSE	LIVER	25-Jul-07	Pb	0.066	ug/g			X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP9	HANF TOWNSITE TO 300 AREA	ONSITE	BI	2007CANADA GOOSE9	CANADA GOOSE	LIVER	25-Jul-07	Sb	0.02	ug/g			X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP9	HANF TOWNSITE TO 300 AREA	ONSITE	BI	2007CANADA GOOSE9	CANADA GOOSE	LIVER	25-Jul-07	Se	6.33	ug/g			UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP9	HANF TOWNSITE TO 300 AREA	ONSITE	BI	2007CANADA GOOSE9	CANADA GOOSE	LIVER	25-Jul-07	Th	0.003	ug/g			UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP9	HANF TOWNSITE TO 300 AREA	ONSITE	BI	2007CANADA GOOSE9	CANADA GOOSE	LIVER	25-Jul-07	Tl	0.0629	ug/g			X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP9	HANF TOWNSITE TO 300 AREA	ONSITE	BI	2007CANADA GOOSE9	CANADA GOOSE	LIVER	25-Jul-07	U	0.0024	ug/g			BX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDP9	HANF TOWNSITE TO 300 AREA	ONSITE	BI	2007CANADA GOOSE9	CANADA GOOSE	LIVER	25-Jul-07	Zn	147	ug/g			X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDK2	HANF TOWNSITE TO 300 AREA	ONSITE	BI	2007CANADA GOOSE10	CANADA GOOSE	MUSCLE	25-Jul-07	Be-7	-0.00833	pCi/g	0.11	0.11	U		
SESPMNT	B1NDK2	HANF TOWNSITE TO 300 AREA	ONSITE	BI	2007CANADA GOOSE10	CANADA GOOSE	MUSCLE	25-Jul-07	Co-60	0.00926	pCi/g	0.01	0.01	U		
SESPMNT	B1NDK2	HANF TOWNSITE TO 300 AREA	ONSITE	BI	2007CANADA GOOSE10	CANADA GOOSE	MUSCLE	25-Jul-07	Cs-134	0.00139	pCi/g	0.011	0.011	U		
SESPMNT	B1NDK2	HANF TOWNSITE TO 300 AREA	ONSITE	BI	2007CANADA GOOSE10	CANADA GOOSE	MUSCLE	25-Jul-07	Cs-137	0.00822	pCi/g	0.01	0.01	U		
SESPMNT	B1NDK2	HANF TOWNSITE TO 300 AREA	ONSITE	BI	2007CANADA GOOSE10	CANADA GOOSE	MUSCLE	25-Jul-07	Eu-152	0.0136	pCi/g	0.027	0.027	U		
SESPMNT	B1NDK2	HANF TOWNSITE TO 300 AREA	ONSITE	BI	2007CANADA GOOSE10	CANADA GOOSE	MUSCLE	25-Jul-07	Eu-154	0.000809	pCi/g	0.028	0.028	U		
SESPMNT	B1NDK2	HANF TOWNSITE TO 300 AREA	ONSITE	BI	2007CANADA GOOSE10	CANADA GOOSE	MUSCLE	25-Jul-07	Eu-155	0.0322	pCi/g	0.023	0.023	U		
SESPMNT	B1NDK2	HANF TOWNSITE TO 300 AREA	ONSITE	BI	2007CANADA GOOSE10	CANADA GOOSE	MUSCLE	25-Jul-07	K-40	2.4	pCi/g	0.51	0.51			
SESPMNT	B1NDK2	HANF TOWNSITE TO 300 AREA	ONSITE	BI	2007CANADA GOOSE10	CANADA GOOSE	MUSCLE	25-Jul-07	Ru-106	-0.0171	pCi/g	0.094	0.094	U		
SESPMNT	B1NDK2	HANF TOWNSITE TO 300 AREA	ONSITE	BI	2007CANADA GOOSE10	CANADA GOOSE	MUSCLE	25-Jul-07	Sb-125	-0.00215	pCi/g	0.025	0.025	U		
SESPMNT	B1NDK7	HANF TOWNSITE TO 300 AREA	ONSITE	BI	2007CANADA GOOSE10	CANADA GOOSE	BONES	25-Jul-07	Sr-90	0.0267	pCi/g	0.0069	0.0088			
SESPMNT	B1NDR0	HANF TOWNSITE TO 300 AREA	ONSITE	BI	2007CANADA GOOSE10	CANADA GOOSE	LIVER	25-Jul-07	Ag	0.0102	ug/g			X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDR0	HANF TOWNSITE TO 300 AREA	ONSITE	BI	2007CANADA GOOSE10	CANADA GOOSE	LIVER	25-Jul-07	Al	1.41	ug/g			X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDR0	HANF TOWNSITE TO 300 AREA	ONSITE	BI	2007CANADA GOOSE10	CANADA GOOSE	LIVER	25-Jul-07	As	0.415	ug/g			X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDR0	HANF TOWNSITE TO 300 AREA	ONSITE	BI	2007CANADA GOOSE10	CANADA GOOSE	LIVER	25-Jul-07	Be	0.02	ug/g			UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDR0	HANF TOWNSITE TO 300 AREA	ONSITE	BI	2007CANADA GOOSE10	CANADA GOOSE	LIVER	25-Jul-07	Cd	0.4	ug/g			X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDR0	HANF TOWNSITE TO 300 AREA	ONSITE	BI	2007CANADA GOOSE10	CANADA GOOSE	LIVER	25-Jul-07	Cr	0.274	ug/g			X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDR0	HANF TOWNSITE TO 300 AREA	ONSITE	BI	2007CANADA GOOSE10	CANADA GOOSE	LIVER	25-Jul-07	Cu	45.2	ug/g			X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDR0	HANF TOWNSITE TO 300 AREA	ONSITE	BI	2007CANADA GOOSE10	CANADA GOOSE	LIVER	25-Jul-07	Hg	0.0337	ug/g			BCX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDR0	HANF TOWNSITE TO 300 AREA	ONSITE	BI	2007CANADA GOOSE10	CANADA GOOSE	LIVER	25-Jul-07	Mn	12.3	ug/g			X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDR0	HANF TOWNSITE TO 300 AREA	ONSITE	BI	2007CANADA GOOSE10	CANADA GOOSE	LIVER	25-Jul-07	Ni	0.04	ug/g			UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDR0	HANF TOWNSITE TO 300 AREA	ONSITE	BI	2007CANADA GOOSE10	CANADA GOOSE	LIVER	25-Jul-07	Pb	0.0404	ug/g			X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDR0	HANF TOWNSITE TO 300 AREA	ONSITE	BI	2007CANADA GOOSE10	CANADA GOOSE	LIVER	25-Jul-07	Sb	0.02	ug/g			UX		RESULT NOT BLANK CORRECTED.

## ENVIRONMENTAL SURVEILLANCE DATA CY07

BIOTA - WILDLIFE  
(pCi/g Wet Weight, ug/g Dry Weight)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	TAG ID	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1NDR0	HANF TOWNSITE TO 300 AREA	ONSITE	BI	2007CANADA GOOSE10	CANADA GOOSE	LIVER	25-Jul-07	Se	6.93 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDR0	HANF TOWNSITE TO 300 AREA	ONSITE	BI	2007CANADA GOOSE10	CANADA GOOSE	LIVER	25-Jul-07	Th	0.0133 ug/g				CX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDR0	HANF TOWNSITE TO 300 AREA	ONSITE	BI	2007CANADA GOOSE10	CANADA GOOSE	LIVER	25-Jul-07	Ti	0.046 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDR0	HANF TOWNSITE TO 300 AREA	ONSITE	BI	2007CANADA GOOSE10	CANADA GOOSE	LIVER	25-Jul-07	U	0.00236 ug/g				BX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDR0	HANF TOWNSITE TO 300 AREA	ONSITE	BI	2007CANADA GOOSE10	CANADA GOOSE	LIVER	25-Jul-07	Zn	161 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDR1	BACKGROUND		BI	2007CANADA GOOSE11	CANADA GOOSE	LIVER	01-Dec-07	Ag	0.01 ug/g				UX	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDR1	BACKGROUND		BI	2007CANADA GOOSE11	CANADA GOOSE	LIVER	01-Dec-07	Al	2.89 ug/g				BX	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDR1	BACKGROUND		BI	2007CANADA GOOSE11	CANADA GOOSE	LIVER	01-Dec-07	As	0.1 ug/g				UX	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDR1	BACKGROUND		BI	2007CANADA GOOSE11	CANADA GOOSE	LIVER	01-Dec-07	Be	0.01 ug/g				UX	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDR1	BACKGROUND		BI	2007CANADA GOOSE11	CANADA GOOSE	LIVER	01-Dec-07	Cd	0.116 ug/g				X	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDR1	BACKGROUND		BI	2007CANADA GOOSE11	CANADA GOOSE	LIVER	01-Dec-07	Cr	0.139 ug/g				X	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDR1	BACKGROUND		BI	2007CANADA GOOSE11	CANADA GOOSE	LIVER	01-Dec-07	Cu	9.74 ug/g				X	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDR1	BACKGROUND		BI	2007CANADA GOOSE11	CANADA GOOSE	LIVER	01-Dec-07	Hg	0.0408 ug/g				BCX	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDR1	BACKGROUND		BI	2007CANADA GOOSE11	CANADA GOOSE	LIVER	01-Dec-07	Mn	8.87 ug/g				X	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDR1	BACKGROUND		BI	2007CANADA GOOSE11	CANADA GOOSE	LIVER	01-Dec-07	Ni	0.04 ug/g				UX	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDR1	BACKGROUND		BI	2007CANADA GOOSE11	CANADA GOOSE	LIVER	01-Dec-07	Pb	0.0939 ug/g				X	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDR1	BACKGROUND		BI	2007CANADA GOOSE11	CANADA GOOSE	LIVER	01-Dec-07	Sb	0.02 ug/g				UX	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDR1	BACKGROUND		BI	2007CANADA GOOSE11	CANADA GOOSE	LIVER	01-Dec-07	Se	0.893 ug/g				X	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDR1	BACKGROUND		BI	2007CANADA GOOSE11	CANADA GOOSE	LIVER	01-Dec-07	Th	0.01 ug/g				UX	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDR1	BACKGROUND		BI	2007CANADA GOOSE11	CANADA GOOSE	LIVER	01-Dec-07	Ti	0.01 ug/g				UX	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDR1	BACKGROUND		BI	2007CANADA GOOSE11	CANADA GOOSE	LIVER	01-Dec-07	U	0.002 ug/g				UX	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDR1	BACKGROUND		BI	2007CANADA GOOSE11	CANADA GOOSE	LIVER	01-Dec-07	Zn	500 ug/g				X	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDR6	BACKGROUND		BI	2007CANADA GOOSE11	CANADA GOOSE	MUSCLE	01-Dec-07	Be-7	-0.0645 pCi/g		0.11	0.11	U	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	
SESPMNT	B1NDR6	BACKGROUND		BI	2007CANADA GOOSE11	CANADA GOOSE	MUSCLE	01-Dec-07	Co-60	0.00227 pCi/g		0.0095	0.0095	U	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	
SESPMNT	B1NDR6	BACKGROUND		BI	2007CANADA GOOSE11	CANADA GOOSE	MUSCLE	01-Dec-07	Cs-134	0.0063 pCi/g		0.01	0.01	U	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	
SESPMNT	B1NDR6	BACKGROUND		BI	2007CANADA GOOSE11	CANADA GOOSE	MUSCLE	01-Dec-07	Cs-137	-0.00125 pCi/g		0.0094	0.0094	U	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	

## ENVIRONMENTAL SURVEILLANCE DATA CY07

BIOTA - WILDLIFE  
(pCi/g Wet Weight, ug/g Dry Weight)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	TAG ID	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1NDR6	BACKGROUND		BI	2007CANADA GOOSE11	CANADA GOOSE	MUSCLE	01-Dec-07	Eu-152	0.00614	pCi/g	0.025	0.025	U	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	
SESPMNT	B1NDR6	BACKGROUND		BI	2007CANADA GOOSE11	CANADA GOOSE	MUSCLE	01-Dec-07	Eu-154	0.00862	pCi/g	0.031	0.031	U	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	
SESPMNT	B1NDR6	BACKGROUND		BI	2007CANADA GOOSE11	CANADA GOOSE	MUSCLE	01-Dec-07	Eu-155	-0.00203	pCi/g	0.022	0.022	U	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	
SESPMNT	B1NDR6	BACKGROUND		BI	2007CANADA GOOSE11	CANADA GOOSE	MUSCLE	01-Dec-07	K-40	2.76	pCi/g	0.53	0.53		MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	
SESPMNT	B1NDR6	BACKGROUND		BI	2007CANADA GOOSE11	CANADA GOOSE	MUSCLE	01-Dec-07	Ru-106	0.0196	pCi/g	0.089	0.089	U	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	
SESPMNT	B1NDR6	BACKGROUND		BI	2007CANADA GOOSE11	CANADA GOOSE	MUSCLE	01-Dec-07	Sb-125	0.0141	pCi/g	0.024	0.024	U	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	
SESPMNT	B1NDT1	BACKGROUND		BI	2007CANADA GOOSE11	CANADA GOOSE	BONES	01-Dec-07	Sr-90	0.00517	pCi/g	0.016	0.018	U	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	
SESPMNT	B1NDR2	BACKGROUND		BI	2007CANADA GOOSE12	CANADA GOOSE	LIVER	01-Dec-07	Ag	0.0305	ug/g			X	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDR2	BACKGROUND		BI	2007CANADA GOOSE12	CANADA GOOSE	LIVER	01-Dec-07	Al	1.2	ug/g			BX	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDR2	BACKGROUND		BI	2007CANADA GOOSE12	CANADA GOOSE	LIVER	01-Dec-07	As	0.1	ug/g			UX	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDR2	BACKGROUND		BI	2007CANADA GOOSE12	CANADA GOOSE	LIVER	01-Dec-07	Be	0.01	ug/g			UX	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDR2	BACKGROUND		BI	2007CANADA GOOSE12	CANADA GOOSE	LIVER	01-Dec-07	Cd	0.192	ug/g			X	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDR2	BACKGROUND		BI	2007CANADA GOOSE12	CANADA GOOSE	LIVER	01-Dec-07	Cr	0.157	ug/g			X	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDR2	BACKGROUND		BI	2007CANADA GOOSE12	CANADA GOOSE	LIVER	01-Dec-07	Cu	59.1	ug/g			X	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDR2	BACKGROUND		BI	2007CANADA GOOSE12	CANADA GOOSE	LIVER	01-Dec-07	Hg	0.0242	ug/g			BCX	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDR2	BACKGROUND		BI	2007CANADA GOOSE12	CANADA GOOSE	LIVER	01-Dec-07	Mn	12	ug/g			X	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDR2	BACKGROUND		BI	2007CANADA GOOSE12	CANADA GOOSE	LIVER	01-Dec-07	Ni	0.04	ug/g			UX	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDR2	BACKGROUND		BI	2007CANADA GOOSE12	CANADA GOOSE	LIVER	01-Dec-07	Pb	0.0365	ug/g			CX	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDR2	BACKGROUND		BI	2007CANADA GOOSE12	CANADA GOOSE	LIVER	01-Dec-07	Sb	0.02	ug/g			UX	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDR2	BACKGROUND		BI	2007CANADA GOOSE12	CANADA GOOSE	LIVER	01-Dec-07	Se	2.11	ug/g			X	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDR2	BACKGROUND		BI	2007CANADA GOOSE12	CANADA GOOSE	LIVER	01-Dec-07	Th	0.01	ug/g			UX	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDR2	BACKGROUND		BI	2007CANADA GOOSE12	CANADA GOOSE	LIVER	01-Dec-07	Ti	0.01	ug/g			UX	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDR2	BACKGROUND		BI	2007CANADA GOOSE12	CANADA GOOSE	LIVER	01-Dec-07	U	0.002	ug/g			UX	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	RESULT NOT BLANK CORRECTED.

## ENVIRONMENTAL SURVEILLANCE DATA CY07

BIOTA - WILDLIFE  
(pCi/g Wet Weight, ug/g Dry Weight)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	TAG ID	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1NDR2	BACKGROUND		BI	2007CANADA GOOSE12	CANADA GOOSE	LIVER	01-Dec-07	Zn	129 ug/g				X	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDR7	BACKGROUND		BI	2007CANADA GOOSE12	CANADA GOOSE	MUSCLE	01-Dec-07	Be-7	0.0286 pCi/g		0.1	0.1	U	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	
SESPMNT	B1NDR7	BACKGROUND		BI	2007CANADA GOOSE12	CANADA GOOSE	MUSCLE	01-Dec-07	Co-60	0.00328 pCi/g		0.01	0.01	U	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	
SESPMNT	B1NDR7	BACKGROUND		BI	2007CANADA GOOSE12	CANADA GOOSE	MUSCLE	01-Dec-07	Cs-134	0.00617 pCi/g		0.011	0.011	U	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	
SESPMNT	B1NDR7	BACKGROUND		BI	2007CANADA GOOSE12	CANADA GOOSE	MUSCLE	01-Dec-07	Cs-137	0.00805 pCi/g		0.0094	0.0094	U	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	
SESPMNT	B1NDR7	BACKGROUND		BI	2007CANADA GOOSE12	CANADA GOOSE	MUSCLE	01-Dec-07	Eu-152	0.012 pCi/g		0.021	0.021	U	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	
SESPMNT	B1NDR7	BACKGROUND		BI	2007CANADA GOOSE12	CANADA GOOSE	MUSCLE	01-Dec-07	Eu-154	-0.00438 pCi/g		0.033	0.033	U	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	
SESPMNT	B1NDR7	BACKGROUND		BI	2007CANADA GOOSE12	CANADA GOOSE	MUSCLE	01-Dec-07	Eu-155	-0.00127 pCi/g		0.015	0.015	U	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	
SESPMNT	B1NDR7	BACKGROUND		BI	2007CANADA GOOSE12	CANADA GOOSE	MUSCLE	01-Dec-07	K-40	2.87 pCi/g		0.5	0.5		MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	
SESPMNT	B1NDR7	BACKGROUND		BI	2007CANADA GOOSE12	CANADA GOOSE	MUSCLE	01-Dec-07	Ru-106	-0.0279 pCi/g		0.083	0.083	U	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	
SESPMNT	B1NDR7	BACKGROUND		BI	2007CANADA GOOSE12	CANADA GOOSE	MUSCLE	01-Dec-07	Sb-125	-0.00369 pCi/g		0.021	0.021	U	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	
SESPMNT	B1NDT2	BACKGROUND		BI	2007CANADA GOOSE12	CANADA GOOSE	BONES	01-Dec-07	Sr-90	0.362 pCi/g		0.026	0.059		MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	
SESPMNT	B1NDR3	BACKGROUND		BI	2007CANADA GOOSE13	CANADA GOOSE	LIVER	05-Dec-07	Ag	0.0386 ug/g				X	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDR3	BACKGROUND		BI	2007CANADA GOOSE13	CANADA GOOSE	LIVER	05-Dec-07	Al	1.77 ug/g				BX	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDR3	BACKGROUND		BI	2007CANADA GOOSE13	CANADA GOOSE	LIVER	05-Dec-07	As	0.1 ug/g				UX	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDR3	BACKGROUND		BI	2007CANADA GOOSE13	CANADA GOOSE	LIVER	05-Dec-07	Be	0.01 ug/g				UX	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDR3	BACKGROUND		BI	2007CANADA GOOSE13	CANADA GOOSE	LIVER	05-Dec-07	Cd	0.423 ug/g				X	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDR3	BACKGROUND		BI	2007CANADA GOOSE13	CANADA GOOSE	LIVER	05-Dec-07	Cr	0.132 ug/g				X	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDR3	BACKGROUND		BI	2007CANADA GOOSE13	CANADA GOOSE	LIVER	05-Dec-07	Cu	28.4 ug/g				X	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDR3	BACKGROUND		BI	2007CANADA GOOSE13	CANADA GOOSE	LIVER	05-Dec-07	Hg	0.0431 ug/g				BCX	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDR3	BACKGROUND		BI	2007CANADA GOOSE13	CANADA GOOSE	LIVER	05-Dec-07	Mn	13.6 ug/g				X	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDR3	BACKGROUND		BI	2007CANADA GOOSE13	CANADA GOOSE	LIVER	05-Dec-07	Ni	0.04 ug/g				UX	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDR3	BACKGROUND		BI	2007CANADA GOOSE13	CANADA GOOSE	LIVER	05-Dec-07	Pb	0.123 ug/g				X	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	RESULT NOT BLANK CORRECTED.



## ENVIRONMENTAL SURVEILLANCE DATA CY07

BIOTA - WILDLIFE  
(pCi/g Wet Weight, ug/g Dry Weight)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	TAG ID	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1NDR3	BACKGROUND		BI	2007CANADA GOOSE13	CANADA GOOSE	LIVER	05-Dec-07	Sb	0.02 ug/g				UX	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDR3	BACKGROUND		BI	2007CANADA GOOSE13	CANADA GOOSE	LIVER	05-Dec-07	Se	1.14 ug/g				X	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDR3	BACKGROUND		BI	2007CANADA GOOSE13	CANADA GOOSE	LIVER	05-Dec-07	Th	0.033 ug/g				X	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDR3	BACKGROUND		BI	2007CANADA GOOSE13	CANADA GOOSE	LIVER	05-Dec-07	Tl	0.0389 ug/g				X	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDR3	BACKGROUND		BI	2007CANADA GOOSE13	CANADA GOOSE	LIVER	05-Dec-07	U	0.002 ug/g				UX	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDR3	BACKGROUND		BI	2007CANADA GOOSE13	CANADA GOOSE	LIVER	05-Dec-07	Zn	130 ug/g				X	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDR8	BACKGROUND		BI	2007CANADA GOOSE13	CANADA GOOSE	MUSCLE	05-Dec-07	Be-7	-0.0324 pCi/g		0.11	0.11	U	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	
SESPMNT	B1NDR8	BACKGROUND		BI	2007CANADA GOOSE13	CANADA GOOSE	MUSCLE	05-Dec-07	Co-60	0.00353 pCi/g		0.011	0.011	U	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	
SESPMNT	B1NDR8	BACKGROUND		BI	2007CANADA GOOSE13	CANADA GOOSE	MUSCLE	05-Dec-07	Cs-134	0.0046 pCi/g		0.01	0.01	U	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	
SESPMNT	B1NDR8	BACKGROUND		BI	2007CANADA GOOSE13	CANADA GOOSE	MUSCLE	05-Dec-07	Cs-137	-0.000586 pCi/g		0.01	0.01	U	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	
SESPMNT	B1NDR8	BACKGROUND		BI	2007CANADA GOOSE13	CANADA GOOSE	MUSCLE	05-Dec-07	Eu-152	0.0156 pCi/g		0.025	0.025	U	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	
SESPMNT	B1NDR8	BACKGROUND		BI	2007CANADA GOOSE13	CANADA GOOSE	MUSCLE	05-Dec-07	Eu-154	0.00101 pCi/g		0.03	0.03	U	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	
SESPMNT	B1NDR8	BACKGROUND		BI	2007CANADA GOOSE13	CANADA GOOSE	MUSCLE	05-Dec-07	Eu-155	0.00208 pCi/g		0.019	0.019	U	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	
SESPMNT	B1NDR8	BACKGROUND		BI	2007CANADA GOOSE13	CANADA GOOSE	MUSCLE	05-Dec-07	K-40	3.12 pCi/g		0.51	0.51		MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	
SESPMNT	B1NDR8	BACKGROUND		BI	2007CANADA GOOSE13	CANADA GOOSE	MUSCLE	05-Dec-07	Ru-106	0.0657 pCi/g		0.085	0.085	U	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	
SESPMNT	B1NDR8	BACKGROUND		BI	2007CANADA GOOSE13	CANADA GOOSE	MUSCLE	05-Dec-07	Sb-125	-0.00167 pCi/g		0.024	0.024	U	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	
SESPMNT	B1NDT3	BACKGROUND		BI	2007CANADA GOOSE13	CANADA GOOSE	BONES	05-Dec-07	Sr-90	0.0652 pCi/g		0.013	0.018		MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	
SESPMNT	B1NDR4	BACKGROUND		BI	2007CANADA GOOSE14	CANADA GOOSE	LIVER	05-Dec-07	Ag	0.021 ug/g				X	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDR4	BACKGROUND		BI	2007CANADA GOOSE14	CANADA GOOSE	LIVER	05-Dec-07	Al	1.29 ug/g				BX	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDR4	BACKGROUND		BI	2007CANADA GOOSE14	CANADA GOOSE	LIVER	05-Dec-07	As	0.1 ug/g				UX	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDR4	BACKGROUND		BI	2007CANADA GOOSE14	CANADA GOOSE	LIVER	05-Dec-07	Be	0.01 ug/g				UX	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDR4	BACKGROUND		BI	2007CANADA GOOSE14	CANADA GOOSE	LIVER	05-Dec-07	Cd	0.972 ug/g				X	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDR4	BACKGROUND		BI	2007CANADA GOOSE14	CANADA GOOSE	LIVER	05-Dec-07	Cr	0.141 ug/g				X	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	RESULT NOT BLANK CORRECTED.

## ENVIRONMENTAL SURVEILLANCE DATA CY07

BIOTA - WILDLIFE  
(pCi/g Wet Weight, ug/g Dry Weight)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	TAG ID	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1NDR4	BACKGROUND		BI	2007CANADA GOOSE14	CANADA GOOSE	LIVER	05-Dec-07	Cu	29.4 ug/g				X	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDR4	BACKGROUND		BI	2007CANADA GOOSE14	CANADA GOOSE	LIVER	05-Dec-07	Hg	0.0443 ug/g				BCX	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDR4	BACKGROUND		BI	2007CANADA GOOSE14	CANADA GOOSE	LIVER	05-Dec-07	Mn	9.25 ug/g				X	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDR4	BACKGROUND		BI	2007CANADA GOOSE14	CANADA GOOSE	LIVER	05-Dec-07	Ni	0.04 ug/g				UX	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDR4	BACKGROUND		BI	2007CANADA GOOSE14	CANADA GOOSE	LIVER	05-Dec-07	Pb	0.0776 ug/g				X	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDR4	BACKGROUND		BI	2007CANADA GOOSE14	CANADA GOOSE	LIVER	05-Dec-07	Sb	0.02 ug/g				UX	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDR4	BACKGROUND		BI	2007CANADA GOOSE14	CANADA GOOSE	LIVER	05-Dec-07	Se	0.931 ug/g				X	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDR4	BACKGROUND		BI	2007CANADA GOOSE14	CANADA GOOSE	LIVER	05-Dec-07	Th	0.01 ug/g				UX	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDR4	BACKGROUND		BI	2007CANADA GOOSE14	CANADA GOOSE	LIVER	05-Dec-07	Ti	0.022 ug/g				X	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDR4	BACKGROUND		BI	2007CANADA GOOSE14	CANADA GOOSE	LIVER	05-Dec-07	U	0.002 ug/g				UX	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDR4	BACKGROUND		BI	2007CANADA GOOSE14	CANADA GOOSE	LIVER	05-Dec-07	Zn	269 ug/g				X	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDR9	BACKGROUND		BI	2007CANADA GOOSE14	CANADA GOOSE	MUSCLE	05-Dec-07	Be-7	-0.0276 pCi/g		0.072	0.072	U	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	
SESPMNT	B1NDR9	BACKGROUND		BI	2007CANADA GOOSE14	CANADA GOOSE	MUSCLE	05-Dec-07	Co-60	-0.00345 pCi/g		0.0078	0.0078	U	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	
SESPMNT	B1NDR9	BACKGROUND		BI	2007CANADA GOOSE14	CANADA GOOSE	MUSCLE	05-Dec-07	Cs-134	-0.00158 pCi/g		0.0072	0.0072	U	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	
SESPMNT	B1NDR9	BACKGROUND		BI	2007CANADA GOOSE14	CANADA GOOSE	MUSCLE	05-Dec-07	Cs-137	0.0209 pCi/g		0.008	0.008	U	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	
SESPMNT	B1NDR9	BACKGROUND		BI	2007CANADA GOOSE14	CANADA GOOSE	MUSCLE	05-Dec-07	Eu-152	0.00956 pCi/g		0.017	0.017	U	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	
SESPMNT	B1NDR9	BACKGROUND		BI	2007CANADA GOOSE14	CANADA GOOSE	MUSCLE	05-Dec-07	Eu-154	0.00574 pCi/g		0.021	0.021	U	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	
SESPMNT	B1NDR9	BACKGROUND		BI	2007CANADA GOOSE14	CANADA GOOSE	MUSCLE	05-Dec-07	Eu-155	0.0147 pCi/g		0.015	0.015	U	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	
SESPMNT	B1NDR9	BACKGROUND		BI	2007CANADA GOOSE14	CANADA GOOSE	MUSCLE	05-Dec-07	K-40	2.84 pCi/g		0.47	0.47		MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	
SESPMNT	B1NDR9	BACKGROUND		BI	2007CANADA GOOSE14	CANADA GOOSE	MUSCLE	05-Dec-07	Ru-106	0.00844 pCi/g		0.064	0.064	U	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	
SESPMNT	B1NDR9	BACKGROUND		BI	2007CANADA GOOSE14	CANADA GOOSE	MUSCLE	05-Dec-07	Sb-125	-0.00596 pCi/g		0.016	0.016	U	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	
SESPMNT	B1NDT4	BACKGROUND		BI	2007CANADA GOOSE14	CANADA GOOSE	BONES	05-Dec-07	Sr-90	0.124 pCi/g		0.014	0.024		MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	
SESPMNT	B1NDR5	BACKGROUND		BI	2007CANADA GOOSE15	CANADA GOOSE	LIVER	05-Dec-07	Ag	0.01 ug/g				UX	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	RESULT NOT BLANK CORRECTED.

## ENVIRONMENTAL SURVEILLANCE DATA CY07

BIOTA - WILDLIFE  
(pCi/g Wet Weight, ug/g Dry Weight)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	TAG ID	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1NDR5	BACKGROUND		BI	2007CANADA GOOSE15	CANADA GOOSE	LIVER	05-Dec-07	Al	2.7 ug/g				BX	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDR5	BACKGROUND		BI	2007CANADA GOOSE15	CANADA GOOSE	LIVER	05-Dec-07	As	0.1 ug/g				UX	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDR5	BACKGROUND		BI	2007CANADA GOOSE15	CANADA GOOSE	LIVER	05-Dec-07	Be	0.01 ug/g				UX	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDR5	BACKGROUND		BI	2007CANADA GOOSE15	CANADA GOOSE	LIVER	05-Dec-07	Cd	0.993 ug/g				X	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDR5	BACKGROUND		BI	2007CANADA GOOSE15	CANADA GOOSE	LIVER	05-Dec-07	Cr	0.167 ug/g				X	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDR5	BACKGROUND		BI	2007CANADA GOOSE15	CANADA GOOSE	LIVER	05-Dec-07	Cu	13.3 ug/g				X	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDR5	BACKGROUND		BI	2007CANADA GOOSE15	CANADA GOOSE	LIVER	05-Dec-07	Hg	0.0336 ug/g				BCX	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDR5	BACKGROUND		BI	2007CANADA GOOSE15	CANADA GOOSE	LIVER	05-Dec-07	Mn	12.5 ug/g				X	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDR5	BACKGROUND		BI	2007CANADA GOOSE15	CANADA GOOSE	LIVER	05-Dec-07	Ni	0.04 ug/g				UX	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDR5	BACKGROUND		BI	2007CANADA GOOSE15	CANADA GOOSE	LIVER	05-Dec-07	Pb	0.0224 ug/g				BCX	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDR5	BACKGROUND		BI	2007CANADA GOOSE15	CANADA GOOSE	LIVER	05-Dec-07	Sb	0.02 ug/g				UX	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDR5	BACKGROUND		BI	2007CANADA GOOSE15	CANADA GOOSE	LIVER	05-Dec-07	Se	1.36 ug/g				X	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDR5	BACKGROUND		BI	2007CANADA GOOSE15	CANADA GOOSE	LIVER	05-Dec-07	Th	0.01 ug/g				UX	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDR5	BACKGROUND		BI	2007CANADA GOOSE15	CANADA GOOSE	LIVER	05-Dec-07	Ti	0.012 ug/g				X	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDR5	BACKGROUND		BI	2007CANADA GOOSE15	CANADA GOOSE	LIVER	05-Dec-07	U	0.002 ug/g				UX	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDR5	BACKGROUND		BI	2007CANADA GOOSE15	CANADA GOOSE	LIVER	05-Dec-07	Zn	135 ug/g				X	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NDT0	BACKGROUND		BI	2007CANADA GOOSE15	CANADA GOOSE	MUSCLE	05-Dec-07	Be-7	0.0829 pCi/g		0.091	0.091	U	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	
SESPMNT	B1NDT0	BACKGROUND		BI	2007CANADA GOOSE15	CANADA GOOSE	MUSCLE	05-Dec-07	Co-60	0.00488 pCi/g		0.0092	0.0092	U	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	
SESPMNT	B1NDT0	BACKGROUND		BI	2007CANADA GOOSE15	CANADA GOOSE	MUSCLE	05-Dec-07	Cs-134	0.00641 pCi/g		0.0092	0.0092	U	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	
SESPMNT	B1NDT0	BACKGROUND		BI	2007CANADA GOOSE15	CANADA GOOSE	MUSCLE	05-Dec-07	Cs-137	0.0249 pCi/g		0.014	0.014		MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	
SESPMNT	B1NDT0	BACKGROUND		BI	2007CANADA GOOSE15	CANADA GOOSE	MUSCLE	05-Dec-07	Eu-152	0.0077 pCi/g		0.023	0.023	U	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	
SESPMNT	B1NDT0	BACKGROUND		BI	2007CANADA GOOSE15	CANADA GOOSE	MUSCLE	05-Dec-07	Eu-154	-0.0112 pCi/g		0.026	0.026	U	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	
SESPMNT	B1NDT0	BACKGROUND		BI	2007CANADA GOOSE15	CANADA GOOSE	MUSCLE	05-Dec-07	Eu-155	0.00346 pCi/g		0.018	0.018	U	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	

## ENVIRONMENTAL SURVEILLANCE DATA CY07

BIOTA - WILDLIFE  
(pCi/g Wet Weight, ug/g Dry Weight)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	TAG ID	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1NDT0	BACKGROUND		BI	2007CANADA GOOSE15	CANADA GOOSE	MUSCLE	05-Dec-07	K-40	3.47	pCi/g	0.51	0.51		MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	
SESPMNT	B1NDT0	BACKGROUND		BI	2007CANADA GOOSE15	CANADA GOOSE	MUSCLE	05-Dec-07	Ru-106	-0.0356	pCi/g	0.077	0.077	U	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	
SESPMNT	B1NDT0	BACKGROUND		BI	2007CANADA GOOSE15	CANADA GOOSE	MUSCLE	05-Dec-07	Sb-125	-0.00815	pCi/g	0.022	0.022	U	MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	
SESPMNT	B1NDT5	BACKGROUND		BI	2007CANADA GOOSE15	CANADA GOOSE	BONES	05-Dec-07	Sr-90	0.211	pCi/g	0.022	0.039		MOSES LAKE AREA, DONATED BY HUNTER, TENTATIVE ID LESSER CANADA GOOSE.	
SESPMNT	B1N426	200 E AREA	ONSITE	BI	2007COTTONTAIL RABBIT1	COTTONTAIL RABBIT	MUSCLE	09-Nov-07	Be-7	-0.0331	pCi/g	0.18	0.18	U		
SESPMNT	B1N426	200 E AREA	ONSITE	BI	2007COTTONTAIL RABBIT1	COTTONTAIL RABBIT	MUSCLE	09-Nov-07	Co-60	-0.00151	pCi/g	0.015	0.015	U		
SESPMNT	B1N426	200 E AREA	ONSITE	BI	2007COTTONTAIL RABBIT1	COTTONTAIL RABBIT	MUSCLE	09-Nov-07	Cs-134	-0.0128	pCi/g	0.016	0.016	U		
SESPMNT	B1N426	200 E AREA	ONSITE	BI	2007COTTONTAIL RABBIT1	COTTONTAIL RABBIT	MUSCLE	09-Nov-07	Cs-137	0.00356	pCi/g	0.013	0.013	U		
SESPMNT	B1N426	200 E AREA	ONSITE	BI	2007COTTONTAIL RABBIT1	COTTONTAIL RABBIT	MUSCLE	09-Nov-07	Eu-152	0.0077	pCi/g	0.032	0.032	U		
SESPMNT	B1N426	200 E AREA	ONSITE	BI	2007COTTONTAIL RABBIT1	COTTONTAIL RABBIT	MUSCLE	09-Nov-07	Eu-154	-0.00751	pCi/g	0.041	0.041	U		
SESPMNT	B1N426	200 E AREA	ONSITE	BI	2007COTTONTAIL RABBIT1	COTTONTAIL RABBIT	MUSCLE	09-Nov-07	Eu-155	0.00496	pCi/g	0.029	0.029	U		
SESPMNT	B1N426	200 E AREA	ONSITE	BI	2007COTTONTAIL RABBIT1	COTTONTAIL RABBIT	MUSCLE	09-Nov-07	K-40	2.16	pCi/g	0.65	0.65			
SESPMNT	B1N426	200 E AREA	ONSITE	BI	2007COTTONTAIL RABBIT1	COTTONTAIL RABBIT	MUSCLE	09-Nov-07	Ru-106	-0.142	pCi/g	0.13	0.13	U		
SESPMNT	B1N426	200 E AREA	ONSITE	BI	2007COTTONTAIL RABBIT1	COTTONTAIL RABBIT	MUSCLE	09-Nov-07	Sb-125	0.0107	pCi/g	0.033	0.033	U		
SESPMNT	B1N431	200 E AREA	ONSITE	BI	2007COTTONTAIL RABBIT1	COTTONTAIL RABBIT	LIVER	09-Nov-07	Pu-238	-0.000305	pCi/g	0.00097	0.00097	U		
SESPMNT	B1N431	200 E AREA	ONSITE	BI	2007COTTONTAIL RABBIT1	COTTONTAIL RABBIT	LIVER	09-Nov-07	Pu-239/240	-0.000115	pCi/g	0.0011	0.0011	U		
SESPMNT	B1N435	200 E AREA	ONSITE	BI	2007COTTONTAIL RABBIT1	COTTONTAIL RABBIT	BONES	09-Nov-07	Sr-90	0.338	pCi/g	0.029	0.058			
SESPMNT	B1N478	200 E AREA	ONSITE	BI	2007COTTONTAIL RABBIT1	COTTONTAIL RABBIT	LIVER	09-Nov-07	Ag	0.01	ug/g			UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1N478	200 E AREA	ONSITE	BI	2007COTTONTAIL RABBIT1	COTTONTAIL RABBIT	LIVER	09-Nov-07	Al	4.9	ug/g			BX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1N478	200 E AREA	ONSITE	BI	2007COTTONTAIL RABBIT1	COTTONTAIL RABBIT	LIVER	09-Nov-07	As	0.1	ug/g			UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1N478	200 E AREA	ONSITE	BI	2007COTTONTAIL RABBIT1	COTTONTAIL RABBIT	LIVER	09-Nov-07	Be	0.01	ug/g			UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1N478	200 E AREA	ONSITE	BI	2007COTTONTAIL RABBIT1	COTTONTAIL RABBIT	LIVER	09-Nov-07	Cd	0.614	ug/g			X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1N478	200 E AREA	ONSITE	BI	2007COTTONTAIL RABBIT1	COTTONTAIL RABBIT	LIVER	09-Nov-07	Cr	0.147	ug/g			X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1N478	200 E AREA	ONSITE	BI	2007COTTONTAIL RABBIT1	COTTONTAIL RABBIT	LIVER	09-Nov-07	Cu	7.92	ug/g			X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1N478	200 E AREA	ONSITE	BI	2007COTTONTAIL RABBIT1	COTTONTAIL RABBIT	LIVER	09-Nov-07	Mn	7.06	ug/g			X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1N478	200 E AREA	ONSITE	BI	2007COTTONTAIL RABBIT1	COTTONTAIL RABBIT	LIVER	09-Nov-07	Ni	0.04	ug/g			UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1N478	200 E AREA	ONSITE	BI	2007COTTONTAIL RABBIT1	COTTONTAIL RABBIT	LIVER	09-Nov-07	Pb	0.629	ug/g			X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1N478	200 E AREA	ONSITE	BI	2007COTTONTAIL RABBIT1	COTTONTAIL RABBIT	LIVER	09-Nov-07	Sb	0.02	ug/g			UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1N478	200 E AREA	ONSITE	BI	2007COTTONTAIL RABBIT1	COTTONTAIL RABBIT	LIVER	09-Nov-07	Se	2.01	ug/g			X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1N478	200 E AREA	ONSITE	BI	2007COTTONTAIL RABBIT1	COTTONTAIL RABBIT	LIVER	09-Nov-07	Th	0.01	ug/g			UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1N478	200 E AREA	ONSITE	BI	2007COTTONTAIL RABBIT1	COTTONTAIL RABBIT	LIVER	09-Nov-07	Ti	0.01	ug/g			UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1N478	200 E AREA	ONSITE	BI	2007COTTONTAIL RABBIT1	COTTONTAIL RABBIT	LIVER	09-Nov-07	U	0.002	ug/g			UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1N478	200 E AREA	ONSITE	BI	2007COTTONTAIL RABBIT1	COTTONTAIL RABBIT	LIVER	09-Nov-07	Zn	104	ug/g			X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1N427	200 E AREA	ONSITE	BI	2007COTTONTAIL RABBIT2	COTTONTAIL RABBIT	MUSCLE	09-Nov-07	Gamma Scan						NO SAMPLE. UNSUCCESSFUL SAMPLING EFFORT.	
SESPMNT	B1N432	200 E AREA	ONSITE	BI	2007COTTONTAIL RABBIT2	COTTONTAIL RABBIT	LIVER	09-Nov-07	Pu iso						NO SAMPLE. UNSUCCESSFUL SAMPLING EFFORT.	
SESPMNT	B1N436	200 E AREA	ONSITE	BI	2007COTTONTAIL RABBIT2	COTTONTAIL RABBIT	BONES	09-Nov-07	Sr-90						NO SAMPLE. UNSUCCESSFUL SAMPLING EFFORT.	
SESPMNT	B1N479	200 E AREA	ONSITE	BI	2007COTTONTAIL RABBIT2	COTTONTAIL RABBIT	LIVER	09-Nov-07	METALS ICP-MS						NO SAMPLE. UNSUCCESSFUL SAMPLING EFFORT.	
SESPMNT	B1N428	200 E AREA	ONSITE	BI	2007COTTONTAIL RABBIT3	COTTONTAIL RABBIT	MUSCLE	09-Nov-07	Gamma Scan						NO SAMPLE. UNSUCCESSFUL SAMPLING EFFORT.	
SESPMNT	B1N433	200 E AREA	ONSITE	BI	2007COTTONTAIL RABBIT3	COTTONTAIL RABBIT	LIVER	09-Nov-07	Pu iso						NO SAMPLE. UNSUCCESSFUL SAMPLING EFFORT.	
SESPMNT	B1N437	200 E AREA	ONSITE	BI	2007COTTONTAIL RABBIT3	COTTONTAIL RABBIT	BONES	09-Nov-07	Sr-90						NO SAMPLE. UNSUCCESSFUL SAMPLING EFFORT.	
SESPMNT	B1N480	200 E AREA	ONSITE	BI	2007COTTONTAIL RABBIT3	COTTONTAIL RABBIT	LIVER	09-Nov-07	METALS ICP-MS						NO SAMPLE. UNSUCCESSFUL SAMPLING EFFORT.	
SESPMNT	B1N429	200 E AREA	ONSITE	BI	2007COTTONTAIL RABBIT4	COTTONTAIL RABBIT	MUSCLE	09-Nov-07	Gamma Scan						NO SAMPLE. UNSUCCESSFUL SAMPLING EFFORT.	
SESPMNT	B1N434	200 E AREA	ONSITE	BI	2007COTTONTAIL RABBIT4	COTTONTAIL RABBIT	LIVER	09-Nov-07	Pu iso						NO SAMPLE. UNSUCCESSFUL SAMPLING EFFORT.	
SESPMNT	B1N438	200 E AREA	ONSITE	BI	2007COTTONTAIL RABBIT4	COTTONTAIL RABBIT	BONES	09-Nov-07	Sr-90						NO SAMPLE. UNSUCCESSFUL SAMPLING EFFORT.	
SESPMNT	B1N481	200 E AREA	ONSITE	BI	2007COTTONTAIL RABBIT4	COTTONTAIL RABBIT	LIVER	09-Nov-07	METALS ICP-MS						NO SAMPLE. UNSUCCESSFUL SAMPLING EFFORT.	
SESPMNT	B1N440	200 W AREA	ONSITE	BI	2007COTTONTAIL RABBIT6	COTTONTAIL RABBIT	MUSCLE	09-Nov-07	Gamma Scan						NO SAMPLE. UNSUCCESSFUL SAMPLING EFFORT.	
SESPMNT	B1N445	200 W AREA	ONSITE	BI	2007COTTONTAIL RABBIT6	COTTONTAIL RABBIT	LIVER	09-Nov-07	Pu iso						NO SAMPLE. UNSUCCESSFUL SAMPLING EFFORT.	

## ENVIRONMENTAL SURVEILLANCE DATA CY07

BIOTA - WILDLIFE  
(pCi/g Wet Weight, ug/g Dry Weight)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	TAG ID	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1N449	200 W AREA	ONSITE	BI	2007COTTONTAIL RABBIT6	COTTONTAIL RABBIT	BONES	09-Nov-07	Sr-90						NO SAMPLE. UNSUCCESSFUL SAMPLING EFFORT.	
SESPMNT	B1N482	200 W AREA	ONSITE	BI	2007COTTONTAIL RABBIT6	COTTONTAIL RABBIT	LIVER	09-Nov-07	METALS ICP-MS						NO SAMPLE. UNSUCCESSFUL SAMPLING EFFORT.	
SESPMNT	B1N441	200 W AREA	ONSITE	BI	2007COTTONTAIL RABBIT7	COTTONTAIL RABBIT	MUSCLE	09-Nov-07	Gamma Scan						NO SAMPLE. UNSUCCESSFUL SAMPLING EFFORT.	
SESPMNT	B1N446	200 W AREA	ONSITE	BI	2007COTTONTAIL RABBIT7	COTTONTAIL RABBIT	LIVER	09-Nov-07	Pu iso						NO SAMPLE. UNSUCCESSFUL SAMPLING EFFORT.	
SESPMNT	B1N450	200 W AREA	ONSITE	BI	2007COTTONTAIL RABBIT7	COTTONTAIL RABBIT	BONES	09-Nov-07	Sr-90						NO SAMPLE. UNSUCCESSFUL SAMPLING EFFORT.	
SESPMNT	B1N483	200 W AREA	ONSITE	BI	2007COTTONTAIL RABBIT7	COTTONTAIL RABBIT	LIVER	09-Nov-07	METALS ICP-MS						NO SAMPLE. UNSUCCESSFUL SAMPLING EFFORT.	
SESPMNT	B1N442	200 W AREA	ONSITE	BI	2007COTTONTAIL RABBIT8	COTTONTAIL RABBIT	MUSCLE	09-Nov-07	Gamma Scan						NO SAMPLE. UNSUCCESSFUL SAMPLING EFFORT.	
SESPMNT	B1N447	200 W AREA	ONSITE	BI	2007COTTONTAIL RABBIT8	COTTONTAIL RABBIT	LIVER	09-Nov-07	Pu iso						NO SAMPLE. UNSUCCESSFUL SAMPLING EFFORT.	
SESPMNT	B1N451	200 W AREA	ONSITE	BI	2007COTTONTAIL RABBIT8	COTTONTAIL RABBIT	BONES	09-Nov-07	Sr-90						NO SAMPLE. UNSUCCESSFUL SAMPLING EFFORT.	
SESPMNT	B1N484	200 W AREA	ONSITE	BI	2007COTTONTAIL RABBIT8	COTTONTAIL RABBIT	LIVER	09-Nov-07	METALS ICP-MS						NO SAMPLE. UNSUCCESSFUL SAMPLING EFFORT.	
SESPMNT	B1N443	200 W AREA	ONSITE	BI	2007COTTONTAIL RABBIT9	COTTONTAIL RABBIT	MUSCLE	09-Nov-07	Gamma Scan						NO SAMPLE. UNSUCCESSFUL SAMPLING EFFORT.	
SESPMNT	B1N448	200 W AREA	ONSITE	BI	2007COTTONTAIL RABBIT9	COTTONTAIL RABBIT	LIVER	09-Nov-07	Pu iso						NO SAMPLE. UNSUCCESSFUL SAMPLING EFFORT.	
SESPMNT	B1N452	200 W AREA	ONSITE	BI	2007COTTONTAIL RABBIT9	COTTONTAIL RABBIT	BONES	09-Nov-07	Sr-90						NO SAMPLE. UNSUCCESSFUL SAMPLING EFFORT.	
SESPMNT	B1N485	200 W AREA	ONSITE	BI	2007COTTONTAIL RABBIT9	COTTONTAIL RABBIT	LIVER	09-Nov-07	METALS ICP-MS						NO SAMPLE. UNSUCCESSFUL SAMPLING EFFORT.	
SESPMNT	B1N454	100 N AREA	ONSITE	BI	2007COTTONTAIL RABBIT11	COTTONTAIL RABBIT	MUSCLE	20-Nov-07	Be-7	0.243 pCi/g		0.35	0.35	U		
SESPMNT	B1N454	100 N AREA	ONSITE	BI	2007COTTONTAIL RABBIT11	COTTONTAIL RABBIT	MUSCLE	20-Nov-07	Co-60	-0.0145 pCi/g		0.029	0.029	U		
SESPMNT	B1N454	100 N AREA	ONSITE	BI	2007COTTONTAIL RABBIT11	COTTONTAIL RABBIT	MUSCLE	20-Nov-07	Cs-134	0.0146 pCi/g		0.029	0.029	U		
SESPMNT	B1N454	100 N AREA	ONSITE	BI	2007COTTONTAIL RABBIT11	COTTONTAIL RABBIT	MUSCLE	20-Nov-07	Cs-137	0.4 pCi/g		0.069	0.069			
SESPMNT	B1N454	100 N AREA	ONSITE	BI	2007COTTONTAIL RABBIT11	COTTONTAIL RABBIT	MUSCLE	20-Nov-07	Eu-152	0.0362 pCi/g		0.067	0.067	U		
SESPMNT	B1N454	100 N AREA	ONSITE	BI	2007COTTONTAIL RABBIT11	COTTONTAIL RABBIT	MUSCLE	20-Nov-07	Eu-154	0.00366 pCi/g		0.078	0.078	U		
SESPMNT	B1N454	100 N AREA	ONSITE	BI	2007COTTONTAIL RABBIT11	COTTONTAIL RABBIT	MUSCLE	20-Nov-07	Eu-155	-0.00996 pCi/g		0.044	0.044	U		
SESPMNT	B1N454	100 N AREA	ONSITE	BI	2007COTTONTAIL RABBIT11	COTTONTAIL RABBIT	MUSCLE	20-Nov-07	K-40	2.08 pCi/g		0.97	0.97			
SESPMNT	B1N454	100 N AREA	ONSITE	BI	2007COTTONTAIL RABBIT11	COTTONTAIL RABBIT	MUSCLE	20-Nov-07	Ru-106	0.0829 pCi/g		0.23	0.23	U		
SESPMNT	B1N454	100 N AREA	ONSITE	BI	2007COTTONTAIL RABBIT11	COTTONTAIL RABBIT	MUSCLE	20-Nov-07	Sb-125	-0.024 pCi/g		0.066	0.066	U		
SESPMNT	B1N459	100 N AREA	ONSITE	BI	2007COTTONTAIL RABBIT11	COTTONTAIL RABBIT	BONES	20-Nov-07	Sr-90	5.03 pCi/g		0.1	0.73			
SESPMNT	B1N474	100 N AREA	ONSITE	BI	2007COTTONTAIL RABBIT11	COTTONTAIL RABBIT	LIVER	20-Nov-07	Ag	0.01 ug/g				UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1N474	100 N AREA	ONSITE	BI	2007COTTONTAIL RABBIT11	COTTONTAIL RABBIT	LIVER	20-Nov-07	Al	3.62 ug/g				BX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1N474	100 N AREA	ONSITE	BI	2007COTTONTAIL RABBIT11	COTTONTAIL RABBIT	LIVER	20-Nov-07	As	0.1 ug/g				UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1N474	100 N AREA	ONSITE	BI	2007COTTONTAIL RABBIT11	COTTONTAIL RABBIT	LIVER	20-Nov-07	Be	0.01 ug/g				UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1N474	100 N AREA	ONSITE	BI	2007COTTONTAIL RABBIT11	COTTONTAIL RABBIT	LIVER	20-Nov-07	Cd	1.43 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1N474	100 N AREA	ONSITE	BI	2007COTTONTAIL RABBIT11	COTTONTAIL RABBIT	LIVER	20-Nov-07	Cr	0.17 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1N474	100 N AREA	ONSITE	BI	2007COTTONTAIL RABBIT11	COTTONTAIL RABBIT	LIVER	20-Nov-07	Cu	8.65 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1N474	100 N AREA	ONSITE	BI	2007COTTONTAIL RABBIT11	COTTONTAIL RABBIT	LIVER	20-Nov-07	Mn	7.27 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1N474	100 N AREA	ONSITE	BI	2007COTTONTAIL RABBIT11	COTTONTAIL RABBIT	LIVER	20-Nov-07	Ni	0.04 ug/g				UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1N474	100 N AREA	ONSITE	BI	2007COTTONTAIL RABBIT11	COTTONTAIL RABBIT	LIVER	20-Nov-07	Pb	0.376 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1N474	100 N AREA	ONSITE	BI	2007COTTONTAIL RABBIT11	COTTONTAIL RABBIT	LIVER	20-Nov-07	Sb	0.02 ug/g				UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1N474	100 N AREA	ONSITE	BI	2007COTTONTAIL RABBIT11	COTTONTAIL RABBIT	LIVER	20-Nov-07	Se	2.06 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1N474	100 N AREA	ONSITE	BI	2007COTTONTAIL RABBIT11	COTTONTAIL RABBIT	LIVER	20-Nov-07	Th	0.01 ug/g				UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1N474	100 N AREA	ONSITE	BI	2007COTTONTAIL RABBIT11	COTTONTAIL RABBIT	LIVER	20-Nov-07	Ti	0.01 ug/g				UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1N474	100 N AREA	ONSITE	BI	2007COTTONTAIL RABBIT11	COTTONTAIL RABBIT	LIVER	20-Nov-07	U	0.002 ug/g				UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1N474	100 N AREA	ONSITE	BI	2007COTTONTAIL RABBIT11	COTTONTAIL RABBIT	LIVER	20-Nov-07	Zn	127 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1N455	100 N AREA	ONSITE	BI	2007COTTONTAIL RABBIT12	COTTONTAIL RABBIT	MUSCLE	20-Dec-07	Gamma Scan						NO SAMPLE. UNSUCCESSFUL SAMPLING EFFORT.	
SESPMNT	B1N460	100 N AREA	ONSITE	BI	2007COTTONTAIL RABBIT12	COTTONTAIL RABBIT	BONES	20-Dec-07	Sr-90						NO SAMPLE. UNSUCCESSFUL SAMPLING EFFORT.	
SESPMNT	B1N475	100 N AREA	ONSITE	BI	2007COTTONTAIL RABBIT12	COTTONTAIL RABBIT	LIVER	20-Dec-07	METALS ICP-MS						NO SAMPLE. UNSUCCESSFUL SAMPLING EFFORT.	
SESPMNT	B1N456	100 N AREA	ONSITE	BI	2007COTTONTAIL RABBIT13	COTTONTAIL RABBIT	MUSCLE	20-Dec-07	Gamma Scan						NO SAMPLE. UNSUCCESSFUL SAMPLING EFFORT.	
SESPMNT	B1N461	100 N AREA	ONSITE	BI	2007COTTONTAIL RABBIT13	COTTONTAIL RABBIT	BONES	20-Dec-07	Sr-90						NO SAMPLE. UNSUCCESSFUL SAMPLING EFFORT.	
SESPMNT	B1N476	100 N AREA	ONSITE	BI	2007COTTONTAIL RABBIT13	COTTONTAIL RABBIT	LIVER	20-Dec-07	METALS ICP-MS						NO SAMPLE. UNSUCCESSFUL SAMPLING EFFORT.	
SESPMNT	B1N457	100 N AREA	ONSITE	BI	2007COTTONTAIL RABBIT14	COTTONTAIL RABBIT	MUSCLE	20-Dec-07	Gamma Scan						NO SAMPLE. UNSUCCESSFUL SAMPLING EFFORT.	

## ENVIRONMENTAL SURVEILLANCE DATA CY07

BIOTA - WILDLIFE  
(pCi/g Wet Weight, ug/g Dry Weight)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	TAG ID	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1N462	100 N AREA	ONSITE	BI	2007COTTONTAIL RABBIT14	COTTONTAIL RABBIT	BONES	20-Dec-07	Sr-90						NO SAMPLE. UNSUCCESSFUL SAMPLING EFFORT.	
SESPMNT	B1N477	100 N AREA	ONSITE	BI	2007COTTONTAIL RABBIT14	COTTONTAIL RABBIT	LIVER	20-Dec-07	METALS ICP-MS						NO SAMPLE. UNSUCCESSFUL SAMPLING EFFORT.	
SESPMNT	B1N464	BACKGROUND		BI	2007COTTONTAIL RABBIT16	COTTONTAIL RABBIT	MUSCLE	03-Apr-07	Gamma Scan						NO SAMPLE. UNABLE TO FIND REPRESENTATIVE BACKGROUND LOCATION.	
SESPMNT	B1N469	BACKGROUND		BI	2007COTTONTAIL RABBIT16	COTTONTAIL RABBIT	BONES	03-Apr-07	Sr-90						NO SAMPLE. UNABLE TO FIND REPRESENTATIVE BACKGROUND LOCATION.	
SESPMNT	B1N486	BACKGROUND		BI	2007COTTONTAIL RABBIT16	COTTONTAIL RABBIT	LIVER	03-Apr-07	METALS ICP-MS						NO SAMPLE. UNABLE TO FIND REPRESENTATIVE BACKGROUND LOCATION.	
SESPMNT	B1N491	BACKGROUND		BI	2007COTTONTAIL RABBIT16	COTTONTAIL RABBIT	LIVER	03-Apr-07	Pu iso						NO SAMPLE. UNABLE TO FIND REPRESENTATIVE BACKGROUND LOCATION.	
SESPMNT	B1N465	BACKGROUND		BI	2007COTTONTAIL RABBIT17	COTTONTAIL RABBIT	MUSCLE	03-Apr-07	Gamma Scan						NO SAMPLE. UNABLE TO FIND REPRESENTATIVE BACKGROUND LOCATION.	
SESPMNT	B1N470	BACKGROUND		BI	2007COTTONTAIL RABBIT17	COTTONTAIL RABBIT	BONES	03-Apr-07	Sr-90						NO SAMPLE. UNABLE TO FIND REPRESENTATIVE BACKGROUND LOCATION.	
SESPMNT	B1N487	BACKGROUND		BI	2007COTTONTAIL RABBIT17	COTTONTAIL RABBIT	LIVER	03-Apr-07	METALS ICP-MS						NO SAMPLE. UNABLE TO FIND REPRESENTATIVE BACKGROUND LOCATION.	
SESPMNT	B1N492	BACKGROUND		BI	2007COTTONTAIL RABBIT17	COTTONTAIL RABBIT	LIVER	03-Apr-07	Pu iso						NO SAMPLE. UNABLE TO FIND REPRESENTATIVE BACKGROUND LOCATION.	
SESPMNT	B1N466	BACKGROUND		BI	2007COTTONTAIL RABBIT18	COTTONTAIL RABBIT	MUSCLE	03-Apr-07	Gamma Scan						NO SAMPLE. UNABLE TO FIND REPRESENTATIVE BACKGROUND LOCATION.	
SESPMNT	B1N471	BACKGROUND		BI	2007COTTONTAIL RABBIT18	COTTONTAIL RABBIT	BONES	03-Apr-07	Sr-90						NO SAMPLE. UNABLE TO FIND REPRESENTATIVE BACKGROUND LOCATION.	
SESPMNT	B1N488	BACKGROUND		BI	2007COTTONTAIL RABBIT18	COTTONTAIL RABBIT	LIVER	03-Apr-07	METALS ICP-MS						NO SAMPLE. UNABLE TO FIND REPRESENTATIVE BACKGROUND LOCATION.	
SESPMNT	B1N493	BACKGROUND		BI	2007COTTONTAIL RABBIT18	COTTONTAIL RABBIT	LIVER	03-Apr-07	Pu iso						NO SAMPLE. UNABLE TO FIND REPRESENTATIVE BACKGROUND LOCATION.	
SESPMNT	B1N467	BACKGROUND		BI	2007COTTONTAIL RABBIT19	COTTONTAIL RABBIT	MUSCLE	03-Apr-07	Gamma Scan						NO SAMPLE. UNABLE TO FIND REPRESENTATIVE BACKGROUND LOCATION.	
SESPMNT	B1N472	BACKGROUND		BI	2007COTTONTAIL RABBIT19	COTTONTAIL RABBIT	BONES	03-Apr-07	Sr-90						NO SAMPLE. UNABLE TO FIND REPRESENTATIVE BACKGROUND LOCATION.	
SESPMNT	B1N489	BACKGROUND		BI	2007COTTONTAIL RABBIT19	COTTONTAIL RABBIT	LIVER	03-Apr-07	METALS ICP-MS						NO SAMPLE. UNABLE TO FIND REPRESENTATIVE BACKGROUND LOCATION.	
SESPMNT	B1N494	BACKGROUND		BI	2007COTTONTAIL RABBIT19	COTTONTAIL RABBIT	LIVER	03-Apr-07	Pu iso						NO SAMPLE. UNABLE TO FIND REPRESENTATIVE BACKGROUND LOCATION.	
SESPMNT	B1N468	BACKGROUND		BI	2007COTTONTAIL RABBIT20	COTTONTAIL RABBIT	MUSCLE	03-Apr-07	Gamma Scan						NO SAMPLE. UNABLE TO FIND REPRESENTATIVE BACKGROUND LOCATION.	
SESPMNT	B1N473	BACKGROUND		BI	2007COTTONTAIL RABBIT20	COTTONTAIL RABBIT	BONES	03-Apr-07	Sr-90						NO SAMPLE. UNABLE TO FIND REPRESENTATIVE BACKGROUND LOCATION.	
SESPMNT	B1N490	BACKGROUND		BI	2007COTTONTAIL RABBIT20	COTTONTAIL RABBIT	LIVER	03-Apr-07	METALS ICP-MS						NO SAMPLE. UNABLE TO FIND REPRESENTATIVE BACKGROUND LOCATION.	
SESPMNT	B1N495	BACKGROUND		BI	2007COTTONTAIL RABBIT20	COTTONTAIL RABBIT	LIVER	03-Apr-07	Pu iso						NO SAMPLE. UNABLE TO FIND REPRESENTATIVE BACKGROUND LOCATION.	
SESPMNT	B1M586	100-N - 100-D	ONSITE	BI	2007WHITEFISH1	WHITEFISH	MUSCLE	29-Oct-07	Be-7	-0.0897	pCi/g	0.18	0.18	U		
SESPMNT	B1M586	100-N - 100-D	ONSITE	BI	2007WHITEFISH1	WHITEFISH	MUSCLE	29-Oct-07	Co-60	0.000241	pCi/g	0.019	0.019	U		
SESPMNT	B1M586	100-N - 100-D	ONSITE	BI	2007WHITEFISH1	WHITEFISH	MUSCLE	29-Oct-07	Cs-134	-0.0025	pCi/g	0.02	0.02	U		
SESPMNT	B1M586	100-N - 100-D	ONSITE	BI	2007WHITEFISH1	WHITEFISH	MUSCLE	29-Oct-07	Cs-137	0.00441	pCi/g	0.018	0.018	U		
SESPMNT	B1M586	100-N - 100-D	ONSITE	BI	2007WHITEFISH1	WHITEFISH	MUSCLE	29-Oct-07	Eu-152	0.0252	pCi/g	0.043	0.043	U		

## ENVIRONMENTAL SURVEILLANCE DATA CY07

BIOTA - WILDLIFE  
(pCi/g Wet Weight, ug/g Dry Weight)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	TAG ID	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1M586	100-N - 100-D	ONSITE	BI	2007WHITEFISH1	WHITEFISH	MUSCLE	29-Oct-07	Eu-154	0.0196 pCi/g	0.058	0.058	U			
SESPMNT	B1M586	100-N - 100-D	ONSITE	BI	2007WHITEFISH1	WHITEFISH	MUSCLE	29-Oct-07	Eu-155	0.0277 pCi/g	0.039	0.039	U			
SESPMNT	B1M586	100-N - 100-D	ONSITE	BI	2007WHITEFISH1	WHITEFISH	MUSCLE	29-Oct-07	K-40	3.96 pCi/g	0.87	0.87	U			
SESPMNT	B1M586	100-N - 100-D	ONSITE	BI	2007WHITEFISH1	WHITEFISH	MUSCLE	29-Oct-07	Ru-106	0.0465 pCi/g	0.16	0.16	U			
SESPMNT	B1M586	100-N - 100-D	ONSITE	BI	2007WHITEFISH1	WHITEFISH	MUSCLE	29-Oct-07	Sb-125	-0.0258 pCi/g	0.041	0.041	U			
SESPMNT	B1M592	100-N - 100-D	ONSITE	BI	2007WHITEFISH1	WHITEFISH	CARCASS	29-Oct-07	Sr-90	0.0096 pCi/g	0.0039	0.0042				
SESPMNT	B1M588	100-N - 100-D	ONSITE	BI	2007WHITEFISH1	WHITEFISH	LIVER	29-Oct-07	Ag	0.01 ug/g				UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1M588	100-N - 100-D	ONSITE	BI	2007WHITEFISH1	WHITEFISH	LIVER	29-Oct-07	Al	1.99 ug/g				BX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1M588	100-N - 100-D	ONSITE	BI	2007WHITEFISH1	WHITEFISH	LIVER	29-Oct-07	As	0.3 ug/g				UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1M588	100-N - 100-D	ONSITE	BI	2007WHITEFISH1	WHITEFISH	LIVER	29-Oct-07	Be	0.01 ug/g				UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1M588	100-N - 100-D	ONSITE	BI	2007WHITEFISH1	WHITEFISH	LIVER	29-Oct-07	Cd	1.1 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1M588	100-N - 100-D	ONSITE	BI	2007WHITEFISH1	WHITEFISH	LIVER	29-Oct-07	Cr	0.198 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1M588	100-N - 100-D	ONSITE	BI	2007WHITEFISH1	WHITEFISH	LIVER	29-Oct-07	Cu	8.64 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1M588	100-N - 100-D	ONSITE	BI	2007WHITEFISH1	WHITEFISH	LIVER	29-Oct-07	Mn	4.45 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1M588	100-N - 100-D	ONSITE	BI	2007WHITEFISH1	WHITEFISH	LIVER	29-Oct-07	Ni	0.0482 ug/g				BX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1M588	100-N - 100-D	ONSITE	BI	2007WHITEFISH1	WHITEFISH	LIVER	29-Oct-07	Pb	0.0235 ug/g				BCX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1M588	100-N - 100-D	ONSITE	BI	2007WHITEFISH1	WHITEFISH	LIVER	29-Oct-07	Sb	0.3 ug/g				UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1M588	100-N - 100-D	ONSITE	BI	2007WHITEFISH1	WHITEFISH	LIVER	29-Oct-07	Se	12 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1M588	100-N - 100-D	ONSITE	BI	2007WHITEFISH1	WHITEFISH	LIVER	29-Oct-07	Th	0.01 ug/g				UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1M588	100-N - 100-D	ONSITE	BI	2007WHITEFISH1	WHITEFISH	LIVER	29-Oct-07	Tl	0.507 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1M588	100-N - 100-D	ONSITE	BI	2007WHITEFISH1	WHITEFISH	LIVER	29-Oct-07	U	0.0202 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1M588	100-N - 100-D	ONSITE	BI	2007WHITEFISH1	WHITEFISH	LIVER	29-Oct-07	Zn	116 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1M587	100-N - 100-D	ONSITE	BI	2007WHITEFISH2	WHITEFISH	MUSCLE	29-Oct-07	Be-7	0.0512 pCi/g	0.21	0.21	U			
SESPMNT	B1M587	100-N - 100-D	ONSITE	BI	2007WHITEFISH2	WHITEFISH	MUSCLE	29-Oct-07	Co-60	-0.00893 pCi/g	0.02	0.02	U			
SESPMNT	B1M587	100-N - 100-D	ONSITE	BI	2007WHITEFISH2	WHITEFISH	MUSCLE	29-Oct-07	Cs-134	0.00616 pCi/g	0.022	0.022	U			
SESPMNT	B1M587	100-N - 100-D	ONSITE	BI	2007WHITEFISH2	WHITEFISH	MUSCLE	29-Oct-07	Cs-137	0.0132 pCi/g	0.02	0.02	U			
SESPMNT	B1M587	100-N - 100-D	ONSITE	BI	2007WHITEFISH2	WHITEFISH	MUSCLE	29-Oct-07	Eu-152	-0.015 pCi/g	0.054	0.054	U			
SESPMNT	B1M587	100-N - 100-D	ONSITE	BI	2007WHITEFISH2	WHITEFISH	MUSCLE	29-Oct-07	Eu-154	0.0278 pCi/g	0.06	0.06	U			
SESPMNT	B1M587	100-N - 100-D	ONSITE	BI	2007WHITEFISH2	WHITEFISH	MUSCLE	29-Oct-07	Eu-155	-0.00278 pCi/g	0.041	0.041	U			
SESPMNT	B1M587	100-N - 100-D	ONSITE	BI	2007WHITEFISH2	WHITEFISH	MUSCLE	29-Oct-07	K-40	3.63 pCi/g	0.9	0.9				
SESPMNT	B1M587	100-N - 100-D	ONSITE	BI	2007WHITEFISH2	WHITEFISH	MUSCLE	29-Oct-07	Ru-106	-0.0439 pCi/g	0.18	0.18	U			
SESPMNT	B1M587	100-N - 100-D	ONSITE	BI	2007WHITEFISH2	WHITEFISH	MUSCLE	29-Oct-07	Sb-125	-0.0195 pCi/g	0.049	0.049	U			
SESPMNT	B1M593	100-N - 100-D	ONSITE	BI	2007WHITEFISH2	WHITEFISH	CARCASS	29-Oct-07	Sr-90	0.0118 pCi/g	0.0028	0.0035				
SESPMNT	B1M589	100-N - 100-D	ONSITE	BI	2007WHITEFISH2	WHITEFISH	LIVER	29-Oct-07	Ag	0.291 ug/g				CX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1M589	100-N - 100-D	ONSITE	BI	2007WHITEFISH2	WHITEFISH	LIVER	29-Oct-07	Al	6.36 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1M589	100-N - 100-D	ONSITE	BI	2007WHITEFISH2	WHITEFISH	LIVER	29-Oct-07	As	0.686 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1M589	100-N - 100-D	ONSITE	BI	2007WHITEFISH2	WHITEFISH	LIVER	29-Oct-07	Be	0.01 ug/g				UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1M589	100-N - 100-D	ONSITE	BI	2007WHITEFISH2	WHITEFISH	LIVER	29-Oct-07	Cd	1.47 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1M589	100-N - 100-D	ONSITE	BI	2007WHITEFISH2	WHITEFISH	LIVER	29-Oct-07	Cr	0.232 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1M589	100-N - 100-D	ONSITE	BI	2007WHITEFISH2	WHITEFISH	LIVER	29-Oct-07	Cu	25.3 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1M589	100-N - 100-D	ONSITE	BI	2007WHITEFISH2	WHITEFISH	LIVER	29-Oct-07	Mn	5.72 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1M589	100-N - 100-D	ONSITE	BI	2007WHITEFISH2	WHITEFISH	LIVER	29-Oct-07	Ni	0.126 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1M589	100-N - 100-D	ONSITE	BI	2007WHITEFISH2	WHITEFISH	LIVER	29-Oct-07	Pb	0.178 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1M589	100-N - 100-D	ONSITE	BI	2007WHITEFISH2	WHITEFISH	LIVER	29-Oct-07	Sb	0.3 ug/g				UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1M589	100-N - 100-D	ONSITE	BI	2007WHITEFISH2	WHITEFISH	LIVER	29-Oct-07	Se	9.39 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1M589	100-N - 100-D	ONSITE	BI	2007WHITEFISH2	WHITEFISH	LIVER	29-Oct-07	Th	0.01 ug/g				UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1M589	100-N - 100-D	ONSITE	BI	2007WHITEFISH2	WHITEFISH	LIVER	29-Oct-07	Tl	1.17 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1M589	100-N - 100-D	ONSITE	BI	2007WHITEFISH2	WHITEFISH	LIVER	29-Oct-07	U	0.125 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1M589	100-N - 100-D	ONSITE	BI	2007WHITEFISH2	WHITEFISH	LIVER	29-Oct-07	Zn	100 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1M588	100-N - 100-D	ONSITE	BI	2007WHITEFISH3	WHITEFISH	MUSCLE	29-Oct-07	Be-7	0.241 pCi/g	0.23	0.23	U			
SESPMNT	B1M588	100-N - 100-D	ONSITE	BI	2007WHITEFISH3	WHITEFISH	MUSCLE	29-Oct-07	Co-60	0.00505 pCi/g	0.022	0.022	U			
SESPMNT	B1M588	100-N - 100-D	ONSITE	BI	2007WHITEFISH3	WHITEFISH	MUSCLE	29-Oct-07	Cs-134	0.00644 pCi/g	0.022	0.022	U			
SESPMNT	B1M588	100-N - 100-D	ONSITE	BI	2007WHITEFISH3	WHITEFISH	MUSCLE	29-Oct-07	Cs-137	0.0087 pCi/g	0.021	0.021	U			
SESPMNT	B1M588	100-N - 100-D	ONSITE	BI	2007WHITEFISH3	WHITEFISH	MUSCLE	29-Oct-07	Eu-152	-0.00267 pCi/g	0.049	0.049	U			
SESPMNT	B1M588	100-N - 100-D	ONSITE	BI	2007WHITEFISH3	WHITEFISH	MUSCLE	29-Oct-07	Eu-154	-0.00945 pCi/g	0.063	0.063	U			
SESPMNT	B1M588	100-N - 100-D	ONSITE	BI	2007WHITEFISH3	WHITEFISH	MUSCLE	29-Oct-07	Eu-155	0.0366 pCi/g	0.038	0.038	U			
SESPMNT	B1M588	100-N - 100-D	ONSITE	BI	2007WHITEFISH3	WHITEFISH	MUSCLE	29-Oct-07	K-40	5.24 pCi/g	0.97	0.97				
SESPMNT	B1M588	100-N - 100-D	ONSITE	BI	2007WHITEFISH3	WHITEFISH	MUSCLE	29-Oct-07	Ru-106	0.0563 pCi/g	0.18	0.18	U			
SESPMNT	B1M588	100-N - 100-D	ONSITE	BI	2007WHITEFISH3	WHITEFISH	MUSCLE	29-Oct-07	Sb-125	0.00976 pCi/g	0.05	0.05	U			
SESPMNT	B1M594	100-N - 100-D	ONSITE	BI	2007WHITEFISH3	WHITEFISH	CARCASS	29-Oct-07	Sr-90	0.00678 pCi/g	0.0018	0.0023				
SESPMNT	B1M5C0	100-N - 100-D	ONSITE	BI	2007WHITEFISH3	WHITEFISH	LIVER	29-Oct-07	Ag	0.01 ug/g				UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1M5C0	100-N - 100-D	ONSITE	BI	2007WHITEFISH3	WHITEFISH	LIVER	29-Oct-07	Al	2.86 ug/g				BX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1M5C0	100-N - 100-D	ONSITE	BI	2007WHITEFISH3	WHITEFISH	LIVER	29-Oct-07	As	0.3 ug/g				UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1M5C0	100-N - 100-D	ONSITE	BI	2007WHITEFISH3	WHITEFISH	LIVER	29-Oct-07	Be	0.01 ug/g				UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1M5C0	100-N - 100-D	ONSITE	BI	2007WHITEFISH3	WHITEFISH	LIVER	29-Oct-07	Cd	1.82 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1M5C0	100-N - 100-D	ONSITE	BI	2007WHITEFISH3	WHITEFISH	LIVER	29-Oct-07	Cr	0.263 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1M5C0	100-N - 100-D	ONSITE	BI	2007WHITEFISH3	WHITEFISH	LIVER	29-Oct-07	Cu	6.83 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1M5C0	100-N - 100-D	ONSITE	BI	2007WHITEFISH3	WHITEFISH	LIVER	29-Oct-07	Mn	8.32 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1M5C0	100-N - 100-D	ONSITE	BI	2007WHITEFISH3	WHITEFISH	LIVER	29-Oct-07	Ni	0.0453 ug/g				BX		RESULT NOT BLANK CORRECTED.

## ENVIRONMENTAL SURVEILLANCE DATA CY07

BIOTA - WILDLIFE  
(pCi/g Wet Weight, ug/g Dry Weight)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	TAG ID	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1M5C0	100-N - 100-D	ON SITE	BI	2007WHITEFISH3	WHITEFISH	LIVER	29-Oct-07	Pb	0.0513 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1M5C0	100-N - 100-D	ON SITE	BI	2007WHITEFISH3	WHITEFISH	LIVER	29-Oct-07	Sb	0.3 ug/g				UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1M5C0	100-N - 100-D	ON SITE	BI	2007WHITEFISH3	WHITEFISH	LIVER	29-Oct-07	Se	6.76 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1M5C0	100-N - 100-D	ON SITE	BI	2007WHITEFISH3	WHITEFISH	LIVER	29-Oct-07	Th	0.01 ug/g				UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1M5C0	100-N - 100-D	ON SITE	BI	2007WHITEFISH3	WHITEFISH	LIVER	29-Oct-07	Tl	0.453 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1M5C0	100-N - 100-D	ON SITE	BI	2007WHITEFISH3	WHITEFISH	LIVER	29-Oct-07	U	0.0344 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1M5C0	100-N - 100-D	ON SITE	BI	2007WHITEFISH3	WHITEFISH	LIVER	29-Oct-07	Zn	84 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1M589	100-N - 100-D	ON SITE	BI	2007WHITEFISH4	WHITEFISH	MUSCLE	29-Oct-07	Be-7	-0.0569 pCi/g		0.15	0.15	U		
SESPMNT	B1M589	100-N - 100-D	ON SITE	BI	2007WHITEFISH4	WHITEFISH	MUSCLE	29-Oct-07	Co-60	-0.00255 pCi/g		0.015	0.015	U		
SESPMNT	B1M589	100-N - 100-D	ON SITE	BI	2007WHITEFISH4	WHITEFISH	MUSCLE	29-Oct-07	Cs-134	0.00215 pCi/g		0.015	0.015	U		
SESPMNT	B1M589	100-N - 100-D	ON SITE	BI	2007WHITEFISH4	WHITEFISH	MUSCLE	29-Oct-07	Cs-137	0.0164 pCi/g		0.014	0.014	U		
SESPMNT	B1M589	100-N - 100-D	ON SITE	BI	2007WHITEFISH4	WHITEFISH	MUSCLE	29-Oct-07	Eu-152	0.000557 pCi/g		0.037	0.037	U		
SESPMNT	B1M589	100-N - 100-D	ON SITE	BI	2007WHITEFISH4	WHITEFISH	MUSCLE	29-Oct-07	Eu-154	0.0101 pCi/g		0.039	0.039	U		
SESPMNT	B1M589	100-N - 100-D	ON SITE	BI	2007WHITEFISH4	WHITEFISH	MUSCLE	29-Oct-07	Eu-155	-0.00215 pCi/g		0.028	0.028	U		
SESPMNT	B1M589	100-N - 100-D	ON SITE	BI	2007WHITEFISH4	WHITEFISH	MUSCLE	29-Oct-07	K-40	4.56 pCi/g		0.73	0.73			
SESPMNT	B1M589	100-N - 100-D	ON SITE	BI	2007WHITEFISH4	WHITEFISH	MUSCLE	29-Oct-07	Ru-106	0.0557 pCi/g		0.12	0.12	U		
SESPMNT	B1M589	100-N - 100-D	ON SITE	BI	2007WHITEFISH4	WHITEFISH	MUSCLE	29-Oct-07	Sb-125	0.00543 pCi/g		0.033	0.033	U		
SESPMNT	B1M595	100-N - 100-D	ON SITE	BI	2007WHITEFISH4	WHITEFISH	CARCASS	29-Oct-07	Sr-90	0.00925 pCi/g		0.0025	0.0031			
SESPMNT	B1M5C1	100-N - 100-D	ON SITE	BI	2007WHITEFISH4	WHITEFISH	LIVER	29-Oct-07	Ag	0.01 ug/g				UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1M5C1	100-N - 100-D	ON SITE	BI	2007WHITEFISH4	WHITEFISH	LIVER	29-Oct-07	Al	4.61 ug/g				BX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1M5C1	100-N - 100-D	ON SITE	BI	2007WHITEFISH4	WHITEFISH	LIVER	29-Oct-07	As	0.3 ug/g				UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1M5C1	100-N - 100-D	ON SITE	BI	2007WHITEFISH4	WHITEFISH	LIVER	29-Oct-07	Be	0.01 ug/g				UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1M5C1	100-N - 100-D	ON SITE	BI	2007WHITEFISH4	WHITEFISH	LIVER	29-Oct-07	Cd	1.57 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1M5C1	100-N - 100-D	ON SITE	BI	2007WHITEFISH4	WHITEFISH	LIVER	29-Oct-07	Cr	0.158 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1M5C1	100-N - 100-D	ON SITE	BI	2007WHITEFISH4	WHITEFISH	LIVER	29-Oct-07	Cu	8.45 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1M5C1	100-N - 100-D	ON SITE	BI	2007WHITEFISH4	WHITEFISH	LIVER	29-Oct-07	Mn	4.73 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1M5C1	100-N - 100-D	ON SITE	BI	2007WHITEFISH4	WHITEFISH	LIVER	29-Oct-07	Ni	0.112 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1M5C1	100-N - 100-D	ON SITE	BI	2007WHITEFISH4	WHITEFISH	LIVER	29-Oct-07	Pb	0.131 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1M5C1	100-N - 100-D	ON SITE	BI	2007WHITEFISH4	WHITEFISH	LIVER	29-Oct-07	Sb	0.3 ug/g				UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1M5C1	100-N - 100-D	ON SITE	BI	2007WHITEFISH4	WHITEFISH	LIVER	29-Oct-07	Se	15.7 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1M5C1	100-N - 100-D	ON SITE	BI	2007WHITEFISH4	WHITEFISH	LIVER	29-Oct-07	Th	0.01 ug/g				UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1M5C1	100-N - 100-D	ON SITE	BI	2007WHITEFISH4	WHITEFISH	LIVER	29-Oct-07	Tl	1.4 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1M5C1	100-N - 100-D	ON SITE	BI	2007WHITEFISH4	WHITEFISH	LIVER	29-Oct-07	U	0.0391 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1M5C1	100-N - 100-D	ON SITE	BI	2007WHITEFISH4	WHITEFISH	LIVER	29-Oct-07	Zn	116 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1M590	100-N - 100-D	ON SITE	BI	2007WHITEFISH5	WHITEFISH	MUSCLE	22-Jan-07	Gamma Scan						NO SAMPLE.	
SESPMNT	B1M596	100-N - 100-D	ON SITE	BI	2007WHITEFISH5	WHITEFISH	CARCASS	22-Jan-07	Sr-90						NO SAMPLE.	
SESPMNT	B1M5C2	100-N - 100-D	ON SITE	BI	2007WHITEFISH5	WHITEFISH	LIVER	22-Jan-07	METALS ICP-MS						NO SAMPLE.	
SESPMNT	B1M598	BACKGROUND		BI	2007WHITEFISH7	WHITEFISH	MUSCLE	30-Oct-07	Be-7	0.0924 pCi/g		0.11	0.11	U	SAMPLE COLLECTED BELOW WANAPUM DAM.	
SESPMNT	B1M598	BACKGROUND		BI	2007WHITEFISH7	WHITEFISH	MUSCLE	30-Oct-07	Co-60	-0.0016 pCi/g		0.012	0.012	U	SAMPLE COLLECTED BELOW WANAPUM DAM.	
SESPMNT	B1M598	BACKGROUND		BI	2007WHITEFISH7	WHITEFISH	MUSCLE	30-Oct-07	Cs-134	0.00188 pCi/g		0.012	0.012	U	SAMPLE COLLECTED BELOW WANAPUM DAM.	
SESPMNT	B1M598	BACKGROUND		BI	2007WHITEFISH7	WHITEFISH	MUSCLE	30-Oct-07	Cs-137	0.0293 pCi/g		0.013	0.013	U	SAMPLE COLLECTED BELOW WANAPUM DAM.	
SESPMNT	B1M598	BACKGROUND		BI	2007WHITEFISH7	WHITEFISH	MUSCLE	30-Oct-07	Eu-152	0.0267 pCi/g		0.028	0.028	U	SAMPLE COLLECTED BELOW WANAPUM DAM.	
SESPMNT	B1M598	BACKGROUND		BI	2007WHITEFISH7	WHITEFISH	MUSCLE	30-Oct-07	Eu-154	0.0208 pCi/g		0.036	0.036	U	SAMPLE COLLECTED BELOW WANAPUM DAM.	
SESPMNT	B1M598	BACKGROUND		BI	2007WHITEFISH7	WHITEFISH	MUSCLE	30-Oct-07	Eu-155	0.00856 pCi/g		0.024	0.024	U	SAMPLE COLLECTED BELOW WANAPUM DAM.	
SESPMNT	B1M598	BACKGROUND		BI	2007WHITEFISH7	WHITEFISH	MUSCLE	30-Oct-07	K-40	3.82 pCi/g		0.66	0.66		SAMPLE COLLECTED BELOW WANAPUM DAM.	
SESPMNT	B1M598	BACKGROUND		BI	2007WHITEFISH7	WHITEFISH	MUSCLE	30-Oct-07	Ru-106	-0.00304 pCi/g		0.096	0.096	U	SAMPLE COLLECTED BELOW WANAPUM DAM.	
SESPMNT	B1M598	BACKGROUND		BI	2007WHITEFISH7	WHITEFISH	MUSCLE	30-Oct-07	Sb-125	0.0142 pCi/g		0.026	0.026	U	SAMPLE COLLECTED BELOW WANAPUM DAM.	
SESPMNT	B1M5B3	BACKGROUND		BI	2007WHITEFISH7	WHITEFISH	CARCASS	30-Oct-07	Sr-90	0.00692 pCi/g		0.0018	0.0022		SAMPLE COLLECTED BELOW WANAPUM DAM.	
SESPMNT	B1M5C3	BACKGROUND		BI	2007WHITEFISH7	WHITEFISH	LIVER	30-Oct-07	Ag	0.01 ug/g				UX	SAMPLE COLLECTED BELOW WANAPUM DAM.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1M5C3	BACKGROUND		BI	2007WHITEFISH7	WHITEFISH	LIVER	30-Oct-07	Al	1 ug/g				UX	SAMPLE COLLECTED BELOW WANAPUM DAM.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1M5C3	BACKGROUND		BI	2007WHITEFISH7	WHITEFISH	LIVER	30-Oct-07	As	0.3 ug/g				UX	SAMPLE COLLECTED BELOW WANAPUM DAM.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1M5C3	BACKGROUND		BI	2007WHITEFISH7	WHITEFISH	LIVER	30-Oct-07	Be	0.01 ug/g				UX	SAMPLE COLLECTED BELOW WANAPUM DAM.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1M5C3	BACKGROUND		BI	2007WHITEFISH7	WHITEFISH	LIVER	30-Oct-07	Cd	0.247 ug/g				X	SAMPLE COLLECTED BELOW WANAPUM DAM.	RESULT NOT BLANK CORRECTED.



## ENVIRONMENTAL SURVEILLANCE DATA CY07

BIOTA - WILDLIFE  
(pCi/g Wet Weight, ug/g Dry Weight)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	TAG ID	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1M5C3	BACKGROUND		BI	2007WHITEFISH7	WHITEFISH	LIVER	30-Oct-07	Cr	0.288 ug/g				X	SAMPLE COLLECTED BELOW WANAPUM DAM.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1M5C3	BACKGROUND		BI	2007WHITEFISH7	WHITEFISH	LIVER	30-Oct-07	Cu	5.15 ug/g				X	SAMPLE COLLECTED BELOW WANAPUM DAM.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1M5C3	BACKGROUND		BI	2007WHITEFISH7	WHITEFISH	LIVER	30-Oct-07	Hg	2.14 ug/g				X	SAMPLE COLLECTED BELOW WANAPUM DAM.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1M5C3	BACKGROUND		BI	2007WHITEFISH7	WHITEFISH	LIVER	30-Oct-07	Mn	5.86 ug/g				X	SAMPLE COLLECTED BELOW WANAPUM DAM.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1M5C3	BACKGROUND		BI	2007WHITEFISH7	WHITEFISH	LIVER	30-Oct-07	Ni	0.04 ug/g				UX	SAMPLE COLLECTED BELOW WANAPUM DAM.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1M5C3	BACKGROUND		BI	2007WHITEFISH7	WHITEFISH	LIVER	30-Oct-07	Pb	0.01 ug/g				UX	SAMPLE COLLECTED BELOW WANAPUM DAM.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1M5C3	BACKGROUND		BI	2007WHITEFISH7	WHITEFISH	LIVER	30-Oct-07	Sb	0.3 ug/g				UX	SAMPLE COLLECTED BELOW WANAPUM DAM.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1M5C3	BACKGROUND		BI	2007WHITEFISH7	WHITEFISH	LIVER	30-Oct-07	Se	4.11 ug/g				X	SAMPLE COLLECTED BELOW WANAPUM DAM.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1M5C3	BACKGROUND		BI	2007WHITEFISH7	WHITEFISH	LIVER	30-Oct-07	Th	0.01 ug/g				UX	SAMPLE COLLECTED BELOW WANAPUM DAM.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1M5C3	BACKGROUND		BI	2007WHITEFISH7	WHITEFISH	LIVER	30-Oct-07	Tl	0.253 ug/g				X	SAMPLE COLLECTED BELOW WANAPUM DAM.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1M5C3	BACKGROUND		BI	2007WHITEFISH7	WHITEFISH	LIVER	30-Oct-07	U	0.00581 ug/g				BX	SAMPLE COLLECTED BELOW WANAPUM DAM.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1M5C3	BACKGROUND		BI	2007WHITEFISH7	WHITEFISH	LIVER	30-Oct-07	Zn	88.2 ug/g				X	SAMPLE COLLECTED BELOW WANAPUM DAM.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1M599	BACKGROUND		BI	2007WHITEFISH8	WHITEFISH	MUSCLE	30-Oct-07	Be-7	-0.0217 pCi/g		0.15	0.15	U	SAMPLE COLLECTED BELOW WANAPUM DAM.	
SESPMNT	B1M599	BACKGROUND		BI	2007WHITEFISH8	WHITEFISH	MUSCLE	30-Oct-07	Co-60	-0.00387 pCi/g		0.014	0.014	U	SAMPLE COLLECTED BELOW WANAPUM DAM.	
SESPMNT	B1M599	BACKGROUND		BI	2007WHITEFISH8	WHITEFISH	MUSCLE	30-Oct-07	Cs-134	0.00242 pCi/g		0.014	0.014	U	SAMPLE COLLECTED BELOW WANAPUM DAM.	
SESPMNT	B1M599	BACKGROUND		BI	2007WHITEFISH8	WHITEFISH	MUSCLE	30-Oct-07	Cs-137	0.00237 pCi/g		0.014	0.014	U	SAMPLE COLLECTED BELOW WANAPUM DAM.	
SESPMNT	B1M599	BACKGROUND		BI	2007WHITEFISH8	WHITEFISH	MUSCLE	30-Oct-07	Eu-152	-0.00111 pCi/g		0.037	0.037	U	SAMPLE COLLECTED BELOW WANAPUM DAM.	
SESPMNT	B1M599	BACKGROUND		BI	2007WHITEFISH8	WHITEFISH	MUSCLE	30-Oct-07	Eu-154	-0.00084 pCi/g		0.042	0.042	U	SAMPLE COLLECTED BELOW WANAPUM DAM.	
SESPMNT	B1M599	BACKGROUND		BI	2007WHITEFISH8	WHITEFISH	MUSCLE	30-Oct-07	Eu-155	0.00671 pCi/g		0.039	0.039	U	SAMPLE COLLECTED BELOW WANAPUM DAM.	
SESPMNT	B1M599	BACKGROUND		BI	2007WHITEFISH8	WHITEFISH	MUSCLE	30-Oct-07	K-40	3.34 pCi/g		0.8	0.8		SAMPLE COLLECTED BELOW WANAPUM DAM.	
SESPMNT	B1M599	BACKGROUND		BI	2007WHITEFISH8	WHITEFISH	MUSCLE	30-Oct-07	Ru-106	-0.00901 pCi/g		0.11	0.11	U	SAMPLE COLLECTED BELOW WANAPUM DAM.	
SESPMNT	B1M599	BACKGROUND		BI	2007WHITEFISH8	WHITEFISH	MUSCLE	30-Oct-07	Sb-125	0.0419 pCi/g		0.034	0.034	U	SAMPLE COLLECTED BELOW WANAPUM DAM.	
SESPMNT	B1M5B4	BACKGROUND		BI	2007WHITEFISH8	WHITEFISH	CARCASS	30-Oct-07	Sr-90	0.011 pCi/g		0.0025	0.0032		SAMPLE COLLECTED BELOW WANAPUM DAM.	
SESPMNT	B1M5C4	BACKGROUND		BI	2007WHITEFISH8	WHITEFISH	LIVER	30-Oct-07	Ag	0.01 ug/g				UX	SAMPLE COLLECTED BELOW WANAPUM DAM.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1M5C4	BACKGROUND		BI	2007WHITEFISH8	WHITEFISH	LIVER	30-Oct-07	Al	4.27 ug/g				BX	SAMPLE COLLECTED BELOW WANAPUM DAM.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1M5C4	BACKGROUND		BI	2007WHITEFISH8	WHITEFISH	LIVER	30-Oct-07	As	0.3 ug/g				UX	SAMPLE COLLECTED BELOW WANAPUM DAM.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1M5C4	BACKGROUND		BI	2007WHITEFISH8	WHITEFISH	LIVER	30-Oct-07	Be	0.01 ug/g				UX	SAMPLE COLLECTED BELOW WANAPUM DAM.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1M5C4	BACKGROUND		BI	2007WHITEFISH8	WHITEFISH	LIVER	30-Oct-07	Cd	0.816 ug/g				X	SAMPLE COLLECTED BELOW WANAPUM DAM.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1M5C4	BACKGROUND		BI	2007WHITEFISH8	WHITEFISH	LIVER	30-Oct-07	Cr	0.173 ug/g				X	SAMPLE COLLECTED BELOW WANAPUM DAM.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1M5C4	BACKGROUND		BI	2007WHITEFISH8	WHITEFISH	LIVER	30-Oct-07	Cu	7.18 ug/g				X	SAMPLE COLLECTED BELOW WANAPUM DAM.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1M5C4	BACKGROUND		BI	2007WHITEFISH8	WHITEFISH	LIVER	30-Oct-07	Hg	0.521 ug/g				X	SAMPLE COLLECTED BELOW WANAPUM DAM.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1M5C4	BACKGROUND		BI	2007WHITEFISH8	WHITEFISH	LIVER	30-Oct-07	Mn	5.18 ug/g				X	SAMPLE COLLECTED BELOW WANAPUM DAM.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1M5C4	BACKGROUND		BI	2007WHITEFISH8	WHITEFISH	LIVER	30-Oct-07	Ni	0.0712 ug/g				X	SAMPLE COLLECTED BELOW WANAPUM DAM.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1M5C4	BACKGROUND		BI	2007WHITEFISH8	WHITEFISH	LIVER	30-Oct-07	Pb	0.0475 ug/g				X	SAMPLE COLLECTED BELOW WANAPUM DAM.	RESULT NOT BLANK CORRECTED.

## ENVIRONMENTAL SURVEILLANCE DATA CY07

BIOTA - WILDLIFE  
(pCi/g Wet Weight, ug/g Dry Weight)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	TAG ID	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1M5C4	BACKGROUND		BI	2007WHITEFISH8	WHITEFISH	LIVER	30-Oct-07	Sb	0.3 ug/g				UX	SAMPLE COLLECTED BELOW WANAPUM DAM.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1M5C4	BACKGROUND		BI	2007WHITEFISH8	WHITEFISH	LIVER	30-Oct-07	Se	8.67 ug/g				X	SAMPLE COLLECTED BELOW WANAPUM DAM.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1M5C4	BACKGROUND		BI	2007WHITEFISH8	WHITEFISH	LIVER	30-Oct-07	Th	0.01 ug/g				UX	SAMPLE COLLECTED BELOW WANAPUM DAM.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1M5C4	BACKGROUND		BI	2007WHITEFISH8	WHITEFISH	LIVER	30-Oct-07	Tl	0.897 ug/g				X	SAMPLE COLLECTED BELOW WANAPUM DAM.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1M5C4	BACKGROUND		BI	2007WHITEFISH8	WHITEFISH	LIVER	30-Oct-07	U	0.0761 ug/g				X	SAMPLE COLLECTED BELOW WANAPUM DAM.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1M5C4	BACKGROUND		BI	2007WHITEFISH8	WHITEFISH	LIVER	30-Oct-07	Zn	87.3 ug/g				X	SAMPLE COLLECTED BELOW WANAPUM DAM.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1M5B0	BACKGROUND		BI	2007WHITEFISH9	WHITEFISH	MUSCLE	30-Oct-07	Be-7	0.012 pCi/g		0.18	0.18	U	SAMPLE COLLECTED BELOW WANAPUM DAM.	
SESPMNT	B1M5B0	BACKGROUND		BI	2007WHITEFISH9	WHITEFISH	MUSCLE	30-Oct-07	Co-60	0.00467 pCi/g		0.018	0.018	U	SAMPLE COLLECTED BELOW WANAPUM DAM.	
SESPMNT	B1M5B0	BACKGROUND		BI	2007WHITEFISH9	WHITEFISH	MUSCLE	30-Oct-07	Cs-134	0.000475 pCi/g		0.018	0.018	U	SAMPLE COLLECTED BELOW WANAPUM DAM.	
SESPMNT	B1M5B0	BACKGROUND		BI	2007WHITEFISH9	WHITEFISH	MUSCLE	30-Oct-07	Cs-137	0.0000694 pCi/g		0.016	0.016	U	SAMPLE COLLECTED BELOW WANAPUM DAM.	
SESPMNT	B1M5B0	BACKGROUND		BI	2007WHITEFISH9	WHITEFISH	MUSCLE	30-Oct-07	Eu-152	0.0228 pCi/g		0.045	0.045	U	SAMPLE COLLECTED BELOW WANAPUM DAM.	
SESPMNT	B1M5B0	BACKGROUND		BI	2007WHITEFISH9	WHITEFISH	MUSCLE	30-Oct-07	Eu-154	-0.0194 pCi/g		0.051	0.051	U	SAMPLE COLLECTED BELOW WANAPUM DAM.	
SESPMNT	B1M5B0	BACKGROUND		BI	2007WHITEFISH9	WHITEFISH	MUSCLE	30-Oct-07	Eu-155	-0.0137 pCi/g		0.035	0.035	U	SAMPLE COLLECTED BELOW WANAPUM DAM.	
SESPMNT	B1M5B0	BACKGROUND		BI	2007WHITEFISH9	WHITEFISH	MUSCLE	30-Oct-07	K-40	3.45 pCi/g		0.74	0.74		SAMPLE COLLECTED BELOW WANAPUM DAM.	
SESPMNT	B1M5B0	BACKGROUND		BI	2007WHITEFISH9	WHITEFISH	MUSCLE	30-Oct-07	Ru-106	-0.0156 pCi/g		0.15	0.15	U	SAMPLE COLLECTED BELOW WANAPUM DAM.	
SESPMNT	B1M5B0	BACKGROUND		BI	2007WHITEFISH9	WHITEFISH	MUSCLE	30-Oct-07	Sb-125	-0.0173 pCi/g		0.043	0.043	U	SAMPLE COLLECTED BELOW WANAPUM DAM.	
SESPMNT	B1M5B5	BACKGROUND		BI	2007WHITEFISH9	WHITEFISH	CARCASS	30-Oct-07	Sr-90	0.0122 pCi/g		0.0023	0.0031		SAMPLE COLLECTED BELOW WANAPUM DAM.	
SESPMNT	B1M5C5	BACKGROUND		BI	2007WHITEFISH9	WHITEFISH	LIVER	30-Oct-07	Ag	0.01 ug/g				UX	SAMPLE COLLECTED BELOW WANAPUM DAM.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1M5C5	BACKGROUND		BI	2007WHITEFISH9	WHITEFISH	LIVER	30-Oct-07	Al	1.93 ug/g				BX	SAMPLE COLLECTED BELOW WANAPUM DAM.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1M5C5	BACKGROUND		BI	2007WHITEFISH9	WHITEFISH	LIVER	30-Oct-07	As	0.3 ug/g				UX	SAMPLE COLLECTED BELOW WANAPUM DAM.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1M5C5	BACKGROUND		BI	2007WHITEFISH9	WHITEFISH	LIVER	30-Oct-07	Be	0.01 ug/g				UX	SAMPLE COLLECTED BELOW WANAPUM DAM.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1M5C5	BACKGROUND		BI	2007WHITEFISH9	WHITEFISH	LIVER	30-Oct-07	Cd	0.616 ug/g				X	SAMPLE COLLECTED BELOW WANAPUM DAM.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1M5C5	BACKGROUND		BI	2007WHITEFISH9	WHITEFISH	LIVER	30-Oct-07	Cr	0.28 ug/g				X	SAMPLE COLLECTED BELOW WANAPUM DAM.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1M5C5	BACKGROUND		BI	2007WHITEFISH9	WHITEFISH	LIVER	30-Oct-07	Cu	5.96 ug/g				X	SAMPLE COLLECTED BELOW WANAPUM DAM.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1M5C5	BACKGROUND		BI	2007WHITEFISH9	WHITEFISH	LIVER	30-Oct-07	Hg	0.456 ug/g				X	SAMPLE COLLECTED BELOW WANAPUM DAM.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1M5C5	BACKGROUND		BI	2007WHITEFISH9	WHITEFISH	LIVER	30-Oct-07	Mn	12.1 ug/g				X	SAMPLE COLLECTED BELOW WANAPUM DAM.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1M5C5	BACKGROUND		BI	2007WHITEFISH9	WHITEFISH	LIVER	30-Oct-07	Ni	0.04 ug/g				UX	SAMPLE COLLECTED BELOW WANAPUM DAM.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1M5C5	BACKGROUND		BI	2007WHITEFISH9	WHITEFISH	LIVER	30-Oct-07	Pb	0.148 ug/g				X	SAMPLE COLLECTED BELOW WANAPUM DAM.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1M5C5	BACKGROUND		BI	2007WHITEFISH9	WHITEFISH	LIVER	30-Oct-07	Sb	0.3 ug/g				UX	SAMPLE COLLECTED BELOW WANAPUM DAM.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1M5C5	BACKGROUND		BI	2007WHITEFISH9	WHITEFISH	LIVER	30-Oct-07	Se	4.17 ug/g				X	SAMPLE COLLECTED BELOW WANAPUM DAM.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1M5C5	BACKGROUND		BI	2007WHITEFISH9	WHITEFISH	LIVER	30-Oct-07	Th	0.01 ug/g				UX	SAMPLE COLLECTED BELOW WANAPUM DAM.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1M5C5	BACKGROUND		BI	2007WHITEFISH9	WHITEFISH	LIVER	30-Oct-07	Tl	0.601 ug/g				X	SAMPLE COLLECTED BELOW WANAPUM DAM.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1M5C5	BACKGROUND		BI	2007WHITEFISH9	WHITEFISH	LIVER	30-Oct-07	U	0.0157 ug/g				X	SAMPLE COLLECTED BELOW WANAPUM DAM.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1M5C5	BACKGROUND		BI	2007WHITEFISH9	WHITEFISH	LIVER	30-Oct-07	Zn	87.6 ug/g				X	SAMPLE COLLECTED BELOW WANAPUM DAM.	RESULT NOT BLANK CORRECTED.

## ENVIRONMENTAL SURVEILLANCE DATA CY07

BIOTA - WILDLIFE  
(pCi/g Wet Weight, ug/g Dry Weight)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	TAG ID	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1M5B1	BACKGROUND		BI	2007WHITEFISH10	WHITEFISH	MUSCLE	30-Oct-07	Be-7	0.0779	pCi/g	0.12	0.12	U	SAMPLE COLLECTED BELOW WANAPUM DAM.	
SESPMNT	B1M5B1	BACKGROUND		BI	2007WHITEFISH10	WHITEFISH	MUSCLE	30-Oct-07	Co-60	-0.000765	pCi/g	0.012	0.012	U	SAMPLE COLLECTED BELOW WANAPUM DAM.	
SESPMNT	B1M5B1	BACKGROUND		BI	2007WHITEFISH10	WHITEFISH	MUSCLE	30-Oct-07	Cs-134	0.00117	pCi/g	0.012	0.012	U	SAMPLE COLLECTED BELOW WANAPUM DAM.	
SESPMNT	B1M5B1	BACKGROUND		BI	2007WHITEFISH10	WHITEFISH	MUSCLE	30-Oct-07	Cs-137	0.000318	pCi/g	0.012	0.012	U	SAMPLE COLLECTED BELOW WANAPUM DAM.	
SESPMNT	B1M5B1	BACKGROUND		BI	2007WHITEFISH10	WHITEFISH	MUSCLE	30-Oct-07	Eu-152	-0.0179	pCi/g	0.031	0.031	U	SAMPLE COLLECTED BELOW WANAPUM DAM.	
SESPMNT	B1M5B1	BACKGROUND		BI	2007WHITEFISH10	WHITEFISH	MUSCLE	30-Oct-07	Eu-154	-0.0083	pCi/g	0.032	0.032	U	SAMPLE COLLECTED BELOW WANAPUM DAM.	
SESPMNT	B1M5B1	BACKGROUND		BI	2007WHITEFISH10	WHITEFISH	MUSCLE	30-Oct-07	Eu-155	-0.01	pCi/g	0.024	0.024	U	SAMPLE COLLECTED BELOW WANAPUM DAM.	
SESPMNT	B1M5B1	BACKGROUND		BI	2007WHITEFISH10	WHITEFISH	MUSCLE	30-Oct-07	K-40	2.81	pCi/g	0.59	0.59		SAMPLE COLLECTED BELOW WANAPUM DAM.	
SESPMNT	B1M5B1	BACKGROUND		BI	2007WHITEFISH10	WHITEFISH	MUSCLE	30-Oct-07	Ru-106	0.0154	pCi/g	0.1	0.1	U	SAMPLE COLLECTED BELOW WANAPUM DAM.	
SESPMNT	B1M5B1	BACKGROUND		BI	2007WHITEFISH10	WHITEFISH	MUSCLE	30-Oct-07	Sb-125	0.0143	pCi/g	0.03	0.03	U	SAMPLE COLLECTED BELOW WANAPUM DAM.	
SESPMNT	B1M5B6	BACKGROUND		BI	2007WHITEFISH10	WHITEFISH	CARCASS	30-Oct-07	Sr-90	0.00633	pCi/g	0.0029	0.0034		SAMPLE COLLECTED BELOW WANAPUM DAM.	
SESPMNT	B1M5C6	BACKGROUND		BI	2007WHITEFISH10	WHITEFISH	LIVER	30-Oct-07	Ag	0.01	ug/g			UX	SAMPLE COLLECTED BELOW WANAPUM DAM.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1M5C6	BACKGROUND		BI	2007WHITEFISH10	WHITEFISH	LIVER	30-Oct-07	Al	1.36	ug/g			BX	SAMPLE COLLECTED BELOW WANAPUM DAM.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1M5C6	BACKGROUND		BI	2007WHITEFISH10	WHITEFISH	LIVER	30-Oct-07	As	0.3	ug/g			UX	SAMPLE COLLECTED BELOW WANAPUM DAM.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1M5C6	BACKGROUND		BI	2007WHITEFISH10	WHITEFISH	LIVER	30-Oct-07	Be	0.01	ug/g			UX	SAMPLE COLLECTED BELOW WANAPUM DAM.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1M5C6	BACKGROUND		BI	2007WHITEFISH10	WHITEFISH	LIVER	30-Oct-07	Cd	1.33	ug/g			X	SAMPLE COLLECTED BELOW WANAPUM DAM.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1M5C6	BACKGROUND		BI	2007WHITEFISH10	WHITEFISH	LIVER	30-Oct-07	Cr	0.185	ug/g			X	SAMPLE COLLECTED BELOW WANAPUM DAM.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1M5C6	BACKGROUND		BI	2007WHITEFISH10	WHITEFISH	LIVER	30-Oct-07	Cu	8.21	ug/g			X	SAMPLE COLLECTED BELOW WANAPUM DAM.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1M5C6	BACKGROUND		BI	2007WHITEFISH10	WHITEFISH	LIVER	30-Oct-07	Hg	0.346	ug/g			X	SAMPLE COLLECTED BELOW WANAPUM DAM.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1M5C6	BACKGROUND		BI	2007WHITEFISH10	WHITEFISH	LIVER	30-Oct-07	Mn	5.61	ug/g			X	SAMPLE COLLECTED BELOW WANAPUM DAM.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1M5C6	BACKGROUND		BI	2007WHITEFISH10	WHITEFISH	LIVER	30-Oct-07	Ni	0.04	ug/g			UX	SAMPLE COLLECTED BELOW WANAPUM DAM.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1M5C6	BACKGROUND		BI	2007WHITEFISH10	WHITEFISH	LIVER	30-Oct-07	Pb	0.762	ug/g			X	SAMPLE COLLECTED BELOW WANAPUM DAM.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1M5C6	BACKGROUND		BI	2007WHITEFISH10	WHITEFISH	LIVER	30-Oct-07	Sb	0.3	ug/g			UX	SAMPLE COLLECTED BELOW WANAPUM DAM.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1M5C6	BACKGROUND		BI	2007WHITEFISH10	WHITEFISH	LIVER	30-Oct-07	Se	14.9	ug/g			X	SAMPLE COLLECTED BELOW WANAPUM DAM.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1M5C6	BACKGROUND		BI	2007WHITEFISH10	WHITEFISH	LIVER	30-Oct-07	Th	0.0236	ug/g			BX	SAMPLE COLLECTED BELOW WANAPUM DAM.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1M5C6	BACKGROUND		BI	2007WHITEFISH10	WHITEFISH	LIVER	30-Oct-07	Ti	0.68	ug/g			X	SAMPLE COLLECTED BELOW WANAPUM DAM.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1M5C6	BACKGROUND		BI	2007WHITEFISH10	WHITEFISH	LIVER	30-Oct-07	U	0.0227	ug/g			X	SAMPLE COLLECTED BELOW WANAPUM DAM.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1M5C6	BACKGROUND		BI	2007WHITEFISH10	WHITEFISH	LIVER	30-Oct-07	Zn	97.7	ug/g			X	SAMPLE COLLECTED BELOW WANAPUM DAM.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1M5B2	BACKGROUND		BI	2007WHITEFISH11	WHITEFISH	MUSCLE	30-Oct-07	Be-7	-0.0104	pCi/g	0.13	0.13	U	SAMPLE COLLECTED BELOW WANAPUM DAM.	
SESPMNT	B1M5B2	BACKGROUND		BI	2007WHITEFISH11	WHITEFISH	MUSCLE	30-Oct-07	Co-60	-0.0119	pCi/g	0.014	0.014	U	SAMPLE COLLECTED BELOW WANAPUM DAM.	
SESPMNT	B1M5B2	BACKGROUND		BI	2007WHITEFISH11	WHITEFISH	MUSCLE	30-Oct-07	Cs-134	0.0128	pCi/g	0.015	0.015	U	SAMPLE COLLECTED BELOW WANAPUM DAM.	
SESPMNT	B1M5B2	BACKGROUND		BI	2007WHITEFISH11	WHITEFISH	MUSCLE	30-Oct-07	Cs-137	-0.00141	pCi/g	0.013	0.013	U	SAMPLE COLLECTED BELOW WANAPUM DAM.	
SESPMNT	B1M5B2	BACKGROUND		BI	2007WHITEFISH11	WHITEFISH	MUSCLE	30-Oct-07	Eu-152	0.00218	pCi/g	0.03	0.03	U	SAMPLE COLLECTED BELOW WANAPUM DAM.	
SESPMNT	B1M5B2	BACKGROUND		BI	2007WHITEFISH11	WHITEFISH	MUSCLE	30-Oct-07	Eu-154	-0.0613	pCi/g	0.045	0.045	U	SAMPLE COLLECTED BELOW WANAPUM DAM.	

## ENVIRONMENTAL SURVEILLANCE DATA CY07

BIOTA - WILDLIFE  
(pCi/g Wet Weight, ug/g Dry Weight)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	TAG ID	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1M5B2	BACKGROUND		BI	2007WHITEFISH11	WHITEFISH	MUSCLE	30-Oct-07	Eu-155	0.0157	pCi/g	0.021	0.021	U	SAMPLE COLLECTED BELOW WANAPUM DAM.	
SESPMNT	B1M5B2	BACKGROUND		BI	2007WHITEFISH11	WHITEFISH	MUSCLE	30-Oct-07	K-40	3.05	pCi/g	0.62	0.62		SAMPLE COLLECTED BELOW WANAPUM DAM.	
SESPMNT	B1M5B2	BACKGROUND		BI	2007WHITEFISH11	WHITEFISH	MUSCLE	30-Oct-07	Ru-106	-0.0927	pCi/g	0.12	0.12	U	SAMPLE COLLECTED BELOW WANAPUM DAM.	
SESPMNT	B1M5B2	BACKGROUND		BI	2007WHITEFISH11	WHITEFISH	MUSCLE	30-Oct-07	Sb-125	0.00513	pCi/g	0.031	0.031	U	SAMPLE COLLECTED BELOW WANAPUM DAM.	
SESPMNT	B1M5B7	BACKGROUND		BI	2007WHITEFISH11	WHITEFISH	CARCASS	30-Oct-07	Sr-90	0.00813	pCi/g	0.0031	0.0036		SAMPLE COLLECTED BELOW WANAPUM DAM.	
SESPMNT	B1M5C7	BACKGROUND		BI	2007WHITEFISH11	WHITEFISH	LIVER	30-Oct-07	Ag	0.01	ug/g			UX	SAMPLE COLLECTED BELOW WANAPUM DAM.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1M5C7	BACKGROUND		BI	2007WHITEFISH11	WHITEFISH	LIVER	30-Oct-07	Al	1.17	ug/g			BX	SAMPLE COLLECTED BELOW WANAPUM DAM.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1M5C7	BACKGROUND		BI	2007WHITEFISH11	WHITEFISH	LIVER	30-Oct-07	As	0.3	ug/g			UX	SAMPLE COLLECTED BELOW WANAPUM DAM.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1M5C7	BACKGROUND		BI	2007WHITEFISH11	WHITEFISH	LIVER	30-Oct-07	Be	0.01	ug/g			UX	SAMPLE COLLECTED BELOW WANAPUM DAM.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1M5C7	BACKGROUND		BI	2007WHITEFISH11	WHITEFISH	LIVER	30-Oct-07	Cd	0.557	ug/g			X	SAMPLE COLLECTED BELOW WANAPUM DAM.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1M5C7	BACKGROUND		BI	2007WHITEFISH11	WHITEFISH	LIVER	30-Oct-07	Cr	0.156	ug/g			X	SAMPLE COLLECTED BELOW WANAPUM DAM.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1M5C7	BACKGROUND		BI	2007WHITEFISH11	WHITEFISH	LIVER	30-Oct-07	Cu	8.69	ug/g			X	SAMPLE COLLECTED BELOW WANAPUM DAM.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1M5C7	BACKGROUND		BI	2007WHITEFISH11	WHITEFISH	LIVER	30-Oct-07	Hg	0.149	ug/g			X	SAMPLE COLLECTED BELOW WANAPUM DAM.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1M5C7	BACKGROUND		BI	2007WHITEFISH11	WHITEFISH	LIVER	30-Oct-07	Mn	4.62	ug/g			X	SAMPLE COLLECTED BELOW WANAPUM DAM.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1M5C7	BACKGROUND		BI	2007WHITEFISH11	WHITEFISH	LIVER	30-Oct-07	Ni	0.04	ug/g			UX	SAMPLE COLLECTED BELOW WANAPUM DAM.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1M5C7	BACKGROUND		BI	2007WHITEFISH11	WHITEFISH	LIVER	30-Oct-07	Pb	0.0212	ug/g			BX	SAMPLE COLLECTED BELOW WANAPUM DAM.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1M5C7	BACKGROUND		BI	2007WHITEFISH11	WHITEFISH	LIVER	30-Oct-07	Sb	0.3	ug/g			UX	SAMPLE COLLECTED BELOW WANAPUM DAM.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1M5C7	BACKGROUND		BI	2007WHITEFISH11	WHITEFISH	LIVER	30-Oct-07	Se	9.32	ug/g			X	SAMPLE COLLECTED BELOW WANAPUM DAM.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1M5C7	BACKGROUND		BI	2007WHITEFISH11	WHITEFISH	LIVER	30-Oct-07	Th	0.01	ug/g			UX	SAMPLE COLLECTED BELOW WANAPUM DAM.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1M5C7	BACKGROUND		BI	2007WHITEFISH11	WHITEFISH	LIVER	30-Oct-07	Tl	0.364	ug/g			X	SAMPLE COLLECTED BELOW WANAPUM DAM.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1M5C7	BACKGROUND		BI	2007WHITEFISH11	WHITEFISH	LIVER	30-Oct-07	U	0.0122	ug/g			X	SAMPLE COLLECTED BELOW WANAPUM DAM.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1M5C7	BACKGROUND		BI	2007WHITEFISH11	WHITEFISH	LIVER	30-Oct-07	Zn	102	ug/g			X	SAMPLE COLLECTED BELOW WANAPUM DAM.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1M9M8	RINGOLD-RIVER		BI	2007WHITEFISH12	WHITEFISH	MUSCLE	22-Jan-07	Be-7	-0.0325	pCi/g	0.12	0.12	U		
SESPMNT	B1M9M8	RINGOLD-RIVER		BI	2007WHITEFISH12	WHITEFISH	MUSCLE	22-Jan-07	Co-60	-0.00497	pCi/g	0.014	0.014	U		
SESPMNT	B1M9M8	RINGOLD-RIVER		BI	2007WHITEFISH12	WHITEFISH	MUSCLE	22-Jan-07	Cs-134	-0.000192	pCi/g	0.016	0.016	U		
SESPMNT	B1M9M8	RINGOLD-RIVER		BI	2007WHITEFISH12	WHITEFISH	MUSCLE	22-Jan-07	Cs-137	0.00902	pCi/g	0.014	0.014	U		
SESPMNT	B1M9M8	RINGOLD-RIVER		BI	2007WHITEFISH12	WHITEFISH	MUSCLE	22-Jan-07	Eu-152	0.0412	pCi/g	0.036	0.036	U		
SESPMNT	B1M9M8	RINGOLD-RIVER		BI	2007WHITEFISH12	WHITEFISH	MUSCLE	22-Jan-07	Eu-154	0.0269	pCi/g	0.043	0.043	U		
SESPMNT	B1M9M8	RINGOLD-RIVER		BI	2007WHITEFISH12	WHITEFISH	MUSCLE	22-Jan-07	Eu-155	-0.00571	pCi/g	0.031	0.031	U		
SESPMNT	B1M9M8	RINGOLD-RIVER		BI	2007WHITEFISH12	WHITEFISH	MUSCLE	22-Jan-07	K-40	3.89	pCi/g	0.82	0.82			
SESPMNT	B1M9M8	RINGOLD-RIVER		BI	2007WHITEFISH12	WHITEFISH	MUSCLE	22-Jan-07	Ru-106	0.117	pCi/g	0.13	0.13	U		
SESPMNT	B1M9M8	RINGOLD-RIVER		BI	2007WHITEFISH12	WHITEFISH	MUSCLE	22-Jan-07	Sb-125	0.000192	pCi/g	0.032	0.032	U		
SESPMNT	B1M9N0	RINGOLD-RIVER		BI	2007WHITEFISH12	WHITEFISH	CARCASS	22-Jan-07	Sr-90	0.00821	pCi/g	0.0022	0.0027			
SESPMNT	B1M9N2	RINGOLD-RIVER		BI	2007WHITEFISH12	WHITEFISH	LIVER	22-Jan-07	Ag	0.0345	ug/g			X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1M9N2	RINGOLD-RIVER		BI	2007WHITEFISH12	WHITEFISH	LIVER	22-Jan-07	Al	2.93	ug/g			X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1M9N2	RINGOLD-RIVER		BI	2007WHITEFISH12	WHITEFISH	LIVER	22-Jan-07	As	1.52	ug/g			X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1M9N2	RINGOLD-RIVER		BI	2007WHITEFISH12	WHITEFISH	LIVER	22-Jan-07	Be	0.02	ug/g			UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1M9N2	RINGOLD-RIVER		BI	2007WHITEFISH12	WHITEFISH	LIVER	22-Jan-07	Cd	2.76	ug/g			X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1M9N2	RINGOLD-RIVER		BI	2007WHITEFISH12	WHITEFISH	LIVER	22-Jan-07	Cr	0.296	ug/g			X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1M9N2	RINGOLD-RIVER		BI	2007WHITEFISH12	WHITEFISH	LIVER	22-Jan-07	Cu	8.03	ug/g			X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1M9N2	RINGOLD-RIVER		BI	2007WHITEFISH12	WHITEFISH	LIVER	22-Jan-07	Hg	0.178	ug/g			X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1M9N2	RINGOLD-RIVER		BI	2007WHITEFISH12	WHITEFISH	LIVER	22-Jan-07	Mn	7.47	ug/g			X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1M9N2	RINGOLD-RIVER		BI	2007WHITEFISH12	WHITEFISH	LIVER	22-Jan-07	Ni	0.249	ug/g			X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1M9N2	RINGOLD-RIVER		BI	2007WHITEFISH12	WHITEFISH	LIVER	22-Jan-07	Pb	0.0881	ug/g			X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1M9N2	RINGOLD-RIVER		BI	2007WHITEFISH12	WHITEFISH	LIVER	22-Jan-07	Sb	0.0328	ug/g			CX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1M9N2	RINGOLD-RIVER		BI	2007WHITEFISH12	WHITEFISH	LIVER	22-Jan-07	Se	21	ug/g			X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1M9N2	RINGOLD-RIVER		BI	2007WHITEFISH12	WHITEFISH	LIVER	22-Jan-07	Th	0.114	ug/g			CX		RESULT NOT BLANK CORRECTED.

## ENVIRONMENTAL SURVEILLANCE DATA CY07

BIOTA - WILDLIFE  
(pCi/g Wet Weight, ug/g Dry Weight)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	TAG ID	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1M9N2	RINGOLD-RIVER		BI	2007WHITEFISH12	WHITEFISH	LIVER	22-Jan-07	Tl	0.59 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1M9N2	RINGOLD-RIVER		BI	2007WHITEFISH12	WHITEFISH	LIVER	22-Jan-07	U	0.0773 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1M9N2	RINGOLD-RIVER		BI	2007WHITEFISH12	WHITEFISH	LIVER	22-Jan-07	Zn	238 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1M9M9	RINGOLD-RIVER		BI	2007WHITEFISH13	WHITEFISH	MUSCLE	22-Jan-07	Be-7	0.0909 pCi/g		0.15	0.15	U		
SESPMNT	B1M9M9	RINGOLD-RIVER		BI	2007WHITEFISH13	WHITEFISH	MUSCLE	22-Jan-07	Co-60	-0.0013 pCi/g		0.019	0.019	U		
SESPMNT	B1M9M9	RINGOLD-RIVER		BI	2007WHITEFISH13	WHITEFISH	MUSCLE	22-Jan-07	Cs-134	0.00941 pCi/g		0.018	0.018	U		
SESPMNT	B1M9M9	RINGOLD-RIVER		BI	2007WHITEFISH13	WHITEFISH	MUSCLE	22-Jan-07	Cs-137	0.0159 pCi/g		0.018	0.018	U		
SESPMNT	B1M9M9	RINGOLD-RIVER		BI	2007WHITEFISH13	WHITEFISH	MUSCLE	22-Jan-07	Eu-152	-0.0206 pCi/g		0.045	0.045	U		
SESPMNT	B1M9M9	RINGOLD-RIVER		BI	2007WHITEFISH13	WHITEFISH	MUSCLE	22-Jan-07	Eu-154	-0.00717 pCi/g		0.05	0.05	U		
SESPMNT	B1M9M9	RINGOLD-RIVER		BI	2007WHITEFISH13	WHITEFISH	MUSCLE	22-Jan-07	Eu-155	0.0128 pCi/g		0.032	0.032	U		
SESPMNT	B1M9M9	RINGOLD-RIVER		BI	2007WHITEFISH13	WHITEFISH	MUSCLE	22-Jan-07	K-40	3.05 pCi/g		0.84	0.84			
SESPMNT	B1M9M9	RINGOLD-RIVER		BI	2007WHITEFISH13	WHITEFISH	MUSCLE	22-Jan-07	Ru-106	-0.0621 pCi/g		0.16	0.16	U		
SESPMNT	B1M9M9	RINGOLD-RIVER		BI	2007WHITEFISH13	WHITEFISH	MUSCLE	22-Jan-07	Sb-125	0.0115 pCi/g		0.042	0.042	U		
SESPMNT	B1M9N1	RINGOLD-RIVER		BI	2007WHITEFISH13	WHITEFISH	CARCASS	22-Jan-07	Sr-90	0.00798 pCi/g		0.0022	0.0027			
SESPMNT	B1M9N3	RINGOLD-RIVER		BI	2007WHITEFISH13	WHITEFISH	LIVER	22-Jan-07	Ag	0.0351 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1M9N3	RINGOLD-RIVER		BI	2007WHITEFISH13	WHITEFISH	LIVER	22-Jan-07	Al	2.83 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1M9N3	RINGOLD-RIVER		BI	2007WHITEFISH13	WHITEFISH	LIVER	22-Jan-07	As	1.49 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1M9N3	RINGOLD-RIVER		BI	2007WHITEFISH13	WHITEFISH	LIVER	22-Jan-07	Be	0.02 ug/g				UX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1M9N3	RINGOLD-RIVER		BI	2007WHITEFISH13	WHITEFISH	LIVER	22-Jan-07	Cd	1.45 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1M9N3	RINGOLD-RIVER		BI	2007WHITEFISH13	WHITEFISH	LIVER	22-Jan-07	Cr	0.403 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1M9N3	RINGOLD-RIVER		BI	2007WHITEFISH13	WHITEFISH	LIVER	22-Jan-07	Cu	8.53 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1M9N3	RINGOLD-RIVER		BI	2007WHITEFISH13	WHITEFISH	LIVER	22-Jan-07	Hg	0.137 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1M9N3	RINGOLD-RIVER		BI	2007WHITEFISH13	WHITEFISH	LIVER	22-Jan-07	Mn	14.4 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1M9N3	RINGOLD-RIVER		BI	2007WHITEFISH13	WHITEFISH	LIVER	22-Jan-07	Ni	0.22 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1M9N3	RINGOLD-RIVER		BI	2007WHITEFISH13	WHITEFISH	LIVER	22-Jan-07	Pb	0.0601 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1M9N3	RINGOLD-RIVER		BI	2007WHITEFISH13	WHITEFISH	LIVER	22-Jan-07	Sb	0.0243 ug/g				CX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1M9N3	RINGOLD-RIVER		BI	2007WHITEFISH13	WHITEFISH	LIVER	22-Jan-07	Se	16.6 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1M9N3	RINGOLD-RIVER		BI	2007WHITEFISH13	WHITEFISH	LIVER	22-Jan-07	Th	0.0256 ug/g				CX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1M9N3	RINGOLD-RIVER		BI	2007WHITEFISH13	WHITEFISH	LIVER	22-Jan-07	Tl	0.66 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1M9N3	RINGOLD-RIVER		BI	2007WHITEFISH13	WHITEFISH	LIVER	22-Jan-07	U	0.0278 ug/g				X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1M9N3	RINGOLD-RIVER		BI	2007WHITEFISH13	WHITEFISH	LIVER	22-Jan-07	Zn	153 ug/g				X		RESULT NOT BLANK CORRECTED.

# **Sediment**

## ENVIRONMENTAL SURVEILLANCE DATA CY07

SEDIMENT  
(Analyses Units in Dry Weight)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1MVK8	WEST LAKE	ONSITE	SO	POND	SEDIMENT	29-Mar-07	ALPHA	6.4	pCi/g	2.6	3			
SESPMNT	B1PTK2	WEST LAKE	ONSITE	SO	POND	SEDIMENT	02-Oct-07	ALPHA	1.95	pCi/g	2.6	2.6	U		
SESPMNT	B1MVK8	WEST LAKE	ONSITE	SO	POND	SEDIMENT	29-Mar-07	BETA	24.3	pCi/g	2	5.7			
SESPMNT	B1PTK2	WEST LAKE	ONSITE	SO	POND	SEDIMENT	02-Oct-07	BETA	19.1	pCi/g	3.5	5.1			
SESPMNT	B1MVK8	WEST LAKE	ONSITE	SO	POND	SEDIMENT	29-Mar-07	Be-7	0.0308	pCi/g	0.11	0.11	U		
SESPMNT	B1PTK2	WEST LAKE	ONSITE	SO	POND	SEDIMENT	02-Oct-07	Be-7	0.243	pCi/g	0.1	0.1	U		
SESPMNT	B1MVK8	WEST LAKE	ONSITE	SO	POND	SEDIMENT	29-Mar-07	Co-60	-0.00752	pCi/g	0.01	0.01	U		
SESPMNT	B1PTK2	WEST LAKE	ONSITE	SO	POND	SEDIMENT	02-Oct-07	Co-60	0.00256	pCi/g	0.012	0.012	U		
SESPMNT	B1MVK8	WEST LAKE	ONSITE	SO	POND	SEDIMENT	29-Mar-07	Cs-134	0.0395	pCi/g	0.023	0.023	U		
SESPMNT	B1PTK2	WEST LAKE	ONSITE	SO	POND	SEDIMENT	02-Oct-07	Cs-134	0.0328	pCi/g	0.013	0.013	U		
SESPMNT	B1MVK8	WEST LAKE	ONSITE	SO	POND	SEDIMENT	29-Mar-07	Cs-137	1.03	pCi/g	0.13	0.13			
SESPMNT	B1PTK2	WEST LAKE	ONSITE	SO	POND	SEDIMENT	02-Oct-07	Cs-137	0.885	pCi/g	0.11	0.11			
SESPMNT	B1MVK8	WEST LAKE	ONSITE	SO	POND	SEDIMENT	29-Mar-07	Eu-152	0.00424	pCi/g	0.026	0.026	U		
SESPMNT	B1PTK2	WEST LAKE	ONSITE	SO	POND	SEDIMENT	02-Oct-07	Eu-152	-0.00248	pCi/g	0.027	0.027	U		
SESPMNT	B1MVK8	WEST LAKE	ONSITE	SO	POND	SEDIMENT	29-Mar-07	Eu-154	-0.0125	pCi/g	0.036	0.036	U		
SESPMNT	B1PTK2	WEST LAKE	ONSITE	SO	POND	SEDIMENT	02-Oct-07	Eu-154	-0.0131	pCi/g	0.037	0.037	U		
SESPMNT	B1MVK8	WEST LAKE	ONSITE	SO	POND	SEDIMENT	29-Mar-07	Eu-155	0.0941	pCi/g	0.032	0.032	U		
SESPMNT	B1PTK2	WEST LAKE	ONSITE	SO	POND	SEDIMENT	02-Oct-07	Eu-155	0.0241	pCi/g	0.028	0.028	U		
SESPMNT	B1MVK8	WEST LAKE	ONSITE	SO	POND	SEDIMENT	29-Mar-07	K-40	15.7	pCi/g	2	2			
SESPMNT	B1PTK2	WEST LAKE	ONSITE	SO	POND	SEDIMENT	02-Oct-07	K-40	11.9	pCi/g	1.6	1.6			
SESPMNT	B1MVK8	WEST LAKE	ONSITE	SO	POND	SEDIMENT	29-Mar-07	Ru-106	0.0973	pCi/g	0.087	0.087	U		
SESPMNT	B1PTK2	WEST LAKE	ONSITE	SO	POND	SEDIMENT	02-Oct-07	Ru-106	0.0393	pCi/g	0.084	0.084	U		
SESPMNT	B1MVK8	WEST LAKE	ONSITE	SO	POND	SEDIMENT	29-Mar-07	Sb-125	0.000533	pCi/g	0.028	0.028	U		
SESPMNT	B1PTK2	WEST LAKE	ONSITE	SO	POND	SEDIMENT	02-Oct-07	Sb-125	-0.0128	pCi/g	0.028	0.028	U		
SESPMNT	B1MVK8	WEST LAKE	ONSITE	SO	POND	SEDIMENT	29-Mar-07	Sr-90	0.0499	pCi/g	0.0036	0.009			
SESPMNT	B1PTK2	WEST LAKE	ONSITE	SO	POND	SEDIMENT	02-Oct-07	Sr-90	0.293	pCi/g	0.0091	0.044			
SESPMNT	B1MVK8	WEST LAKE	ONSITE	SO	POND	SEDIMENT	29-Mar-07	Tc-99	0.119	pCi/g	0.27	0.39	U		
SESPMNT	B1PTK2	WEST LAKE	ONSITE	SO	POND	SEDIMENT	02-Oct-07	Tc-99	0.127	pCi/g	0.16	0.28	U		
SESPMNT	B1MVK8	WEST LAKE	ONSITE	SO	POND	SEDIMENT	29-Mar-07	U-234	1.11	pCi/g	0.052	0.18			
SESPMNT	B1PTK2	WEST LAKE	ONSITE	SO	POND	SEDIMENT	02-Oct-07	U-234	1.81	pCi/g	0.072	0.29			
SESPMNT	B1MVK8	WEST LAKE	ONSITE	SO	POND	SEDIMENT	29-Mar-07	U-235	0.0379	pCi/g	0.011	0.013			
SESPMNT	B1PTK2	WEST LAKE	ONSITE	SO	POND	SEDIMENT	02-Oct-07	U-235	0.0472	pCi/g	0.012	0.015			
SESPMNT	B1MVK8	WEST LAKE	ONSITE	SO	POND	SEDIMENT	29-Mar-07	U-238	0.944	pCi/g	0.048	0.17			
SESPMNT	B1PTK2	WEST LAKE	ONSITE	SO	POND	SEDIMENT	02-Oct-07	U-238	1.66	pCi/g	0.069	0.27			
SESPSPEC	B1P3H7	WHITE BLUFFS SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Gamma Scan						NO SAMPLE. ROCKS IN AREA, SEDIMENT NOT FOUND.	
SESPSPEC	B1P3H8	WHITE BLUFFS SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Gamma Scan						NO SAMPLE. ROCKS IN AREA, SEDIMENT NOT FOUND.	
SESPSPEC	B1P3H9	WHITE BLUFFS SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Gamma Scan						NO SAMPLE. ROCKS IN AREA, SEDIMENT NOT FOUND.	
SESPMNT	B1NWC9	100 F SLOUGH	ONSITE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Be-7	0.0461	pCi/g	0.083	0.083	U	WATER DEPTH 6.7 FT, COARSE BLACK/BROWN SEDIMENT.	
SESPMNT	B1PLM4	100-B SPRING 37-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	24-Sep-07	Be-7	0.00495	pCi/g	0.091	0.091	U		
SESPMNT	B1PLN7	100-F SPRING 207-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	22-Oct-07	Be-7	0.155	pCi/g	0.087	0.087	U		
SESPMNT	B1PLX4	100-H SPRING 145-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	15-Oct-07	Be-7	0.00138	pCi/g	0.0012	0.0012		SEDIMENT NOT AVAILABLE AT SAME LOCATION AS WATER SAMPLE. SEDIMENT COLLECTED APPROXIMATELY 60 METERS DOWN RIVER.	
SESPMNT	B1PLN4	100-K SPRING 63-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	24-Sep-07	Be-7	0.0905	pCi/g	0.075	0.075	U	COLLECTED AT 63-1.	
SESPMNT	B1PLN1	300 AREA SPR DR 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	05-Dec-07	Be-7	0.0232	pCi/g	0.084	0.084	U	COLLECTED 5 METERS UPSTREAM FROM NORMAL LOCATION.	
SESPMNT	B1PLX6	300 AREA SPRING 41-9	ONSITE	SO	SUB_SURFACE	SEDIMENT	20-Sep-07	Be-7	0.169	pCi/g	0.2	0.2	U		
SESPMNT	B1PLK5	300 AREA SPRING 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	05-Dec-07	Be-7	0.0721	pCi/g	0.086	0.086	U		
SESPMNT	B1PLX7	300 AREA SPRING 42-7	ONSITE	SO	SUB_SURFACE	SEDIMENT	05-Dec-07	Be-7	0.206	pCi/g	0.098	0.098	U		
SESPMNT	B1NWC6	HANFORD SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Be-7	-0.0538	pCi/g	0.095	0.095	U	WATER DEPTH 16 FT, MEDIUM COARSE SAND WITH BIO-PLANT MATERIAL, COARSE PEBBLES. COLLECTED UNDERNEATH POWERLINES.	
SESPMNT	B1PLM8	HANFORD SPR DR 28-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	20-Sep-07	Be-7	0.143	pCi/g	0.11	0.11	U		
SESPMNT	B1PLM6	HANFORD SPR UR 28-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	20-Sep-07	Be-7	0.095	pCi/g	0.087	0.087	U		
SESPMNT	B1NWD9	MENARY-OR.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	12-Jul-07	Be-7	-0.0566	pCi/g	0.12	0.12	U	WATER DEPTH 81 FT, FINE GRAINED MATERIAL, GREEN/GRAY SEDIMENT.	
SESPMNT	B1NWF1	MENARY-WASH.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	12-Jul-07	Be-7	0.0336	pCi/g	0.13	0.13	U	WATER DEPTH 81 FT, FINE GRAINED MATERIAL, GREEN/GRAY SEDIMENT.	

## ENVIRONMENTAL SURVEILLANCE DATA CY07

SEDIMENT  
(Analyses Units in Dry Weight)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1NWD5	PRD-GRANT SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Be-7	0.0196	pCi/g	0.1	0.1	U	WATER DEPTH 30 FT, EXCELLENT FINE GRAIN SEDIMENT, COARSER GRAIN MATERIAL, FEW CLAM SHELLS.	
SESPMNT	B1NWD3	PRD-YAKIMA SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Be-7	-0.0281	pCi/g	0.13	0.13	U	WATER DEPTH 78.5 FT, FINE GRAIN MATERIAL, BROWN/GREEN SEDIMENT.	
SESPMNT	B1PLX8	RICHLAND SPR(SRL 437-1)	ONSITE	SO	SUB_SURFACE	SEDIMENT	05-Dec-07	Be-7	0.0134	pCi/g	0.062	0.062	U		
SESPMNT	B1NWC7	RICHLAND-RIVER	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	12-Jul-07	Be-7	-0.00323	pCi/g	0.084	0.084	U	MEDIUM SAND WITH LITTLE ORGANIC MATERIAL. COLLECTED AT RICHLAND BEACH NEAR SNYDER ST. RAMP, WADED WAIST DEEP.	
SESPMNT	B1NWC8	WHITE BLUFFS SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Be-7	0.0539	pCi/g	0.099	0.099	U	WATER DEPTH 2.5 FT, MEDIUM BROWN SAND, WITH ROOTED VEGETATION.	
SESPMNT	B1NWC9	100 F SLOUGH	ONSITE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Co-60	0.00653	pCi/g	0.0093	0.0093	U	WATER DEPTH 6.7 FT, COARSE BLACK/BROWN SEDIMENT.	
SESPMNT	B1PLM4	100-B SPRING 37-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	24-Sep-07	Co-60	0.00512	pCi/g	0.01	0.01	U		
SESPMNT	B1PLN7	100-F SPRING 207-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	22-Oct-07	Co-60	0.00545	pCi/g	0.011	0.011	U		
SESPMNT	B1PLX4	100-H SPRING 145-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	15-Oct-07	Co-60	0.00523	pCi/g	0.0092	0.0092	U	SEDIMENT NOT AVAILABLE AT SAME LOCATION AS WATER SAMPLE. SEDIMENT COLLECTED APPROXIMATELY 60 METERS DOWN RIVER.	
SESPMNT	B1PLN4	100-K SPRING 63-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	24-Sep-07	Co-60	0.0127	pCi/g	0.0085	0.0085	U	COLLECTED AT 63-1.	
SESPMNT	B1PLN1	300 AREA SPR DR 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	05-Dec-07	Co-60	-0.00319	pCi/g	0.01	0.01	U	COLLECTED 5 METERS UPSTREAM FROM NORMAL LOCATION.	
SESPMNT	B1PLX6	300 AREA SPRING 41-9	ONSITE	SO	SUB_SURFACE	SEDIMENT	20-Sep-07	Co-60	-0.000359	pCi/g	0.011	0.011	U		
SESPMNT	B1PLK5	300 AREA SPRING 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	05-Dec-07	Co-60	-0.0052	pCi/g	0.01	0.01	U		
SESPMNT	B1PLX7	300 AREA SPRING 42-7	ONSITE	SO	SUB_SURFACE	SEDIMENT	05-Dec-07	Co-60	0.00437	pCi/g	0.012	0.012	U		
SESPMNT	B1NWC6	HANFORD SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Co-60	0.0395	pCi/g	0.026	0.026	U	WATER DEPTH 16 FT, MEDIUM COARSE SAND WITH BIO-PLANT MATERIAL, COARSE PEBBLES. COLLECTED UNDERNEATH POWERLINES.	
SESPMNT	B1PLM8	HANFORD SPR DR 28-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	20-Sep-07	Co-60	0.00807	pCi/g	0.012	0.012	U		
SESPMNT	B1PLM6	HANFORD SPR UR 28-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	20-Sep-07	Co-60	0.00313	pCi/g	0.01	0.01	U		
SESPMNT	B1NWD9	MENARY-OR.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	12-Jul-07	Co-60	-0.0103	pCi/g	0.014	0.014	U	WATER DEPTH 81 FT, FINE GRAINED MATERIAL, GREEN/GRAY SEDIMENT.	
SESPMNT	B1NWF1	MENARY-WASH.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	12-Jul-07	Co-60	0.0185	pCi/g	0.016	0.016	U	WATER DEPTH 81 FT, FINE GRAINED MATERIAL, GREEN/GRAY SEDIMENT.	
SESPMNT	B1NWD5	PRD-GRANT SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Co-60	0.00226	pCi/g	0.011	0.011	U	WATER DEPTH 30 FT, EXCELLENT FINE GRAIN SEDIMENT, COARSER GRAIN MATERIAL, FEW CLAM SHELLS.	
SESPMNT	B1NWD3	PRD-YAKIMA SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Co-60	0.0103	pCi/g	0.015	0.015	U	WATER DEPTH 78.5 FT, FINE GRAIN MATERIAL, BROWN/GREEN SEDIMENT.	
SESPMNT	B1PLX8	RICHLAND SPR(SRL 437-1)	ONSITE	SO	SUB_SURFACE	SEDIMENT	05-Dec-07	Co-60	0.00588	pCi/g	0.0087	0.0087	U		
SESPMNT	B1NWC7	RICHLAND-RIVER	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	12-Jul-07	Co-60	-0.000496	pCi/g	0.011	0.011	U	MEDIUM SAND WITH LITTLE ORGANIC MATERIAL. COLLECTED AT RICHLAND BEACH NEAR SNYDER ST. RAMP, WADED WAIST DEEP.	
SESPMNT	B1NWC8	WHITE BLUFFS SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Co-60	0.0177	pCi/g	0.011	0.011	U	WATER DEPTH 2.5 FT, MEDIUM BROWN SAND, WITH ROOTED VEGETATION.	
SESPMNT	B1NWC9	100 F SLOUGH	ONSITE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Cs-134	0.0436	pCi/g	0.014	0.014	U	WATER DEPTH 6.7 FT, COARSE BLACK/BROWN SEDIMENT.	
SESPMNT	B1PLM4	100-B SPRING 37-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	24-Sep-07	Cs-134	0.0628	pCi/g	0.021	0.021	U		
SESPMNT	B1PLN7	100-F SPRING 207-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	22-Oct-07	Cs-134	0.0445	pCi/g	0.015	0.015	U		
SESPMNT	B1PLX4	100-H SPRING 145-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	15-Oct-07	Cs-134	0.0305	pCi/g	0.012	0.012	U	SEDIMENT NOT AVAILABLE AT SAME LOCATION AS WATER SAMPLE. SEDIMENT COLLECTED APPROXIMATELY 60 METERS DOWN RIVER.	
SESPMNT	B1PLN4	100-K SPRING 63-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	24-Sep-07	Cs-134	0.0491	pCi/g	0.023	0.023	U	COLLECTED AT 63-1.	
SESPMNT	B1PLN1	300 AREA SPR DR 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	05-Dec-07	Cs-134	0.0578	pCi/g	0.02	0.02	U	COLLECTED 5 METERS UPSTREAM FROM NORMAL LOCATION.	
SESPMNT	B1PLX6	300 AREA SPRING 41-9	ONSITE	SO	SUB_SURFACE	SEDIMENT	20-Sep-07	Cs-134	0.043	pCi/g	0.016	0.016	U		
SESPMNT	B1PLK5	300 AREA SPRING 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	05-Dec-07	Cs-134	0.0442	pCi/g	0.016	0.016	U		
SESPMNT	B1PLX7	300 AREA SPRING 42-7	ONSITE	SO	SUB_SURFACE	SEDIMENT	05-Dec-07	Cs-134	0.0707	pCi/g	0.019	0.019	U		



**ENVIRONMENTAL SURVEILLANCE DATA CY07**

**SEDIMENT**  
(Analyses Units in Dry Weight)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1NWC6	HANFORD SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Cs-134	0.0452	pCi/g	0.017	0.017	U	WATER DEPTH 16 FT, MEDIUM COARSE SAND WITH BIO-PLANT MATERIAL, COARSE PEBBLES. COLLECTED UNDERNEATH POWERLINES.	
SESPMNT	B1PLM8	HANFORD SPR DR 28-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	20-Sep-07	Cs-134	0.0825	pCi/g	0.023	0.023	U		
SESPMNT	B1PLM6	HANFORD SPR UR 28-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	20-Sep-07	Cs-134	0.0619	pCi/g	0.019	0.019	U		
SESPMNT	B1NWD9	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	12-Jul-07	Cs-134	0.0485	pCi/g	0.025	0.025	U	WATER DEPTH 81 FT, FINE GRAINED MATERIAL, GREEN/GRAY SEDIMENT.	
SESPMNT	B1NWF1	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	12-Jul-07	Cs-134	0.0468	pCi/g	0.018	0.018	U	WATER DEPTH 81 FT, FINE GRAINED MATERIAL, GREEN/GRAY SEDIMENT.	
SESPMNT	B1NWD5	PRD-GRANT SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Cs-134	0.036	pCi/g	0.018	0.018	U	WATER DEPTH 30 FT, EXCELLENT FINE GRAIN SEDIMENT, COARSER GRAIN MATERIAL, FEW CLAM SHELLS.	
SESPMNT	B1NWD3	PRD-YAKIMA SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Cs-134	0.0307	pCi/g	0.016	0.016	U	WATER DEPTH 78.5 FT, FINE GRAIN MATERIAL, BROWN/GREEN SEDIMENT.	
SESPMNT	B1PLX8	RICHLAND SPR(SRL 437-1)	ONSITE	SO	SUB_SURFACE	SEDIMENT	05-Dec-07	Cs-134	0.0309	pCi/g	0.014	0.014	U		
SESPMNT	B1NWC7	RICHLAND-RIVER	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	12-Jul-07	Cs-134	0.0343	pCi/g	0.016	0.016	U	MEDIUM SAND WITH LITTLE ORGANIC MATERIAL. COLLECTED AT RICHLAND BEACH NEAR SNYDER ST. RAMP, WADED WAIST DEEP.	
SESPMNT	B1NWC8	WHITE BLUFFS SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Cs-134	0.0552	pCi/g	0.02	0.02	U	WATER DEPTH 2.5 FT, MEDIUM BROWN SAND, WITH ROOTED VEGETATION.	
SESPMNT	B1NWC9	100 F SLOUGH	ONSITE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Cs-137	0.302	pCi/g	0.043	0.043		WATER DEPTH 6.7 FT, COARSE BLACK/BROWN SEDIMENT.	
SESPMNT	B1PLM4	100-B SPRING 37-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	24-Sep-07	Cs-137	0.0442	pCi/g	0.018	0.018			
SESPMNT	B1PLN7	100-F SPRING 207-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	22-Oct-07	Cs-137	0.106	pCi/g	0.025	0.025			
SESPMNT	B1PLX4	100-H SPRING 145-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	15-Oct-07	Cs-137	0.0908	pCi/g	0.02	0.02		SEDIMENT NOT AVAILABLE AT SAME LOCATION AS WATER SAMPLE. SEDIMENT COLLECTED APPROXIMATELY 60 METERS DOWN RIVER.	
SESPMNT	B1PLN4	100-K SPRING 63-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	24-Sep-07	Cs-137	0.0935	pCi/g	0.02	0.02		COLLECTED AT 63-1.	
SESPMNT	B1PLN1	300 AREA SPR DR 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	05-Dec-07	Cs-137	0.228	pCi/g	0.035	0.035		COLLECTED 5 METERS UPSTREAM FROM NORMAL LOCATION.	
SESPMNT	B1PLX6	300 AREA SPRING 41-9	ONSITE	SO	SUB_SURFACE	SEDIMENT	20-Sep-07	Cs-137	0.0292	pCi/g	0.018	0.018			
SESPMNT	B1PLK5	300 AREA SPRING 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	05-Dec-07	Cs-137	0.0638	pCi/g	0.019	0.019			
SESPMNT	B1PLX7	300 AREA SPRING 42-7	ONSITE	SO	SUB_SURFACE	SEDIMENT	05-Dec-07	Cs-137	0.146	pCi/g	0.027	0.027			
SESPMNT	B1NWC6	HANFORD SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Cs-137	0.275	pCi/g	0.041	0.041		WATER DEPTH 16 FT, MEDIUM COARSE SAND WITH BIO-PLANT MATERIAL, COARSE PEBBLES. COLLECTED UNDERNEATH POWERLINES.	
SESPMNT	B1PLM8	HANFORD SPR DR 28-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	20-Sep-07	Cs-137	0.0904	pCi/g	0.022	0.022			
SESPMNT	B1PLM6	HANFORD SPR UR 28-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	20-Sep-07	Cs-137	0.184	pCi/g	0.031	0.031			
SESPMNT	B1NWD9	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	12-Jul-07	Cs-137	0.193	pCi/g	0.04	0.04		WATER DEPTH 81 FT, FINE GRAINED MATERIAL, GREEN/GRAY SEDIMENT.	
SESPMNT	B1NWF1	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	12-Jul-07	Cs-137	0.319	pCi/g	0.05	0.05		WATER DEPTH 81 FT, FINE GRAINED MATERIAL, GREEN/GRAY SEDIMENT.	
SESPMNT	B1NWD5	PRD-GRANT SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Cs-137	0.245	pCi/g	0.041	0.041		WATER DEPTH 30 FT, EXCELLENT FINE GRAIN SEDIMENT, COARSER GRAIN MATERIAL, FEW CLAM SHELLS.	
SESPMNT	B1NWD3	PRD-YAKIMA SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Cs-137	0.285	pCi/g	0.052	0.052		WATER DEPTH 78.5 FT, FINE GRAIN MATERIAL, BROWN/GREEN SEDIMENT.	
SESPMNT	B1PLX8	RICHLAND SPR(SRL 437-1)	ONSITE	SO	SUB_SURFACE	SEDIMENT	05-Dec-07	Cs-137	0.0346	pCi/g	0.013	0.013			
SESPMNT	B1NWC7	RICHLAND-RIVER	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	12-Jul-07	Cs-137	0.142	pCi/g	0.025	0.025		MEDIUM SAND WITH LITTLE ORGANIC MATERIAL. COLLECTED AT RICHLAND BEACH NEAR SNYDER ST. RAMP, WADED WAIST DEEP.	
SESPMNT	B1NWC8	WHITE BLUFFS SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Cs-137	0.644	pCi/g	0.085	0.085		WATER DEPTH 2.5 FT, MEDIUM BROWN SAND, WITH ROOTED VEGETATION.	
SESPMNT	B1NWC9	100 F SLOUGH	ONSITE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Eu-152	0.0247	pCi/g	0.023	0.023	U	WATER DEPTH 6.7 FT, COARSE BLACK/BROWN SEDIMENT.	
SESPMNT	B1PLM4	100-B SPRING 37-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	24-Sep-07	Eu-152	-0.0193	pCi/g	0.027	0.027	U		
SESPMNT	B1PLN7	100-F SPRING 207-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	22-Oct-07	Eu-152	-0.00133	pCi/g	0.026	0.026	U		

ENVIRONMENTAL SURVEILLANCE DATA CY07

SEDIMENT  
(Analyses Units in Dry Weight)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1PLX4	100-H SPRING 145-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	15-Oct-07	Eu-152	0.0434	pCi/g	0.026	0.026	U	SEDIMENT NOT AVAILABLE AT SAME LOCATION AS WATER SAMPLE. SEDIMENT COLLECTED APPROXIMATELY 60 METERS DOWN RIVER.	
SESPMNT	B1PLN4	100-K SPRING 63-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	24-Sep-07	Eu-152	-0.0182	pCi/g	0.022	0.022	U	COLLECTED AT 63-1.	
SESPMNT	B1PLN1	300 AREA SPR DR 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	05-Dec-07	Eu-152	0.0641	pCi/g	0.028	0.028	U	COLLECTED 5 METERS UPSTREAM FROM NORMAL LOCATION.	
SESPMNT	B1PLX6	300 AREA SPRING 41-9	ONSITE	SO	SUB_SURFACE	SEDIMENT	20-Sep-07	Eu-152	0.017	pCi/g	0.026	0.026	U		
SESPMNT	B1PLK5	300 AREA SPRING 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	05-Dec-07	Eu-152	-0.00325	pCi/g	0.026	0.026	U		
SESPMNT	B1PLX7	300 AREA SPRING 42-7	ONSITE	SO	SUB_SURFACE	SEDIMENT	05-Dec-07	Eu-152	0.0264	pCi/g	0.03	0.03	U		
SESPMNT	B1NWC6	HANFORD SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Eu-152	0.069	pCi/g	0.028	0.028	U	WATER DEPTH 16 FT, MEDIUM COARSE SAND WITH BIO-PLANT MATERIAL, COARSE PEBBLES. COLLECTED UNDERNEATH POWERLINES.	
SESPMNT	B1PLM8	HANFORD SPR DR 28-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	20-Sep-07	Eu-152	0.0334	pCi/g	0.035	0.035	U		
SESPMNT	B1PLM6	HANFORD SPR UR 28-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	20-Sep-07	Eu-152	0.117	pCi/g	0.041	0.041	U		
SESPMNT	B1NWD9	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	12-Jul-07	Eu-152	0.00964	pCi/g	0.034	0.034	U	WATER DEPTH 81 FT, FINE GRAINED MATERIAL, GREEN/GRAY SEDIMENT.	
SESPMNT	B1NWF1	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	12-Jul-07	Eu-152	0.17	pCi/g	0.05	0.05	U	WATER DEPTH 81 FT, FINE GRAINED MATERIAL, GREEN/GRAY SEDIMENT.	
SESPMNT	B1NWD5	PRD-GRANT SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Eu-152	0.0139	pCi/g	0.029	0.029	U	WATER DEPTH 30 FT, EXCELLENT FINE GRAIN SEDIMENT, COARSER GRAIN MATERIAL, FEW CLAM SHELLS.	
SESPMNT	B1NWD3	PRD-YAKIMA SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Eu-152	-0.00335	pCi/g	0.036	0.036	U	WATER DEPTH 78.5 FT, FINE GRAIN MATERIAL, BROWN/GREEN SEDIMENT.	
SESPMNT	B1PLX8	RICHLAND SPR(SRL 437-1)	ONSITE	SO	SUB_SURFACE	SEDIMENT	05-Dec-07	Eu-152	0.00568	pCi/g	0.018	0.018	U		
SESPMNT	B1NWC7	RICHLAND-RIVER	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	12-Jul-07	Eu-152	0.0322	pCi/g	0.024	0.024	U	MEDIUM SAND WITH LITTLE ORGANIC MATERIAL. COLLECTED AT RICHLAND BEACH NEAR SNYDER ST. RAMP, WADED WAIST DEEP.	
SESPMNT	B1NWC8	WHITE BLUFFS SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Eu-152	0.204	pCi/g	0.053	0.053	U	WATER DEPTH 2.5 FT, MEDIUM BROWN SAND, WITH ROOTED VEGETATION.	
SESPMNT	B1NWC9	100 F SLOUGH	ONSITE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Eu-154	0.000527	pCi/g	0.029	0.029	U	WATER DEPTH 6.7 FT, COARSE BLACK/BROWN SEDIMENT.	
SESPMNT	B1PLM4	100-B SPRING 37-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	24-Sep-07	Eu-154	-0.00739	pCi/g	0.032	0.032	U		
SESPMNT	B1PLN7	100-F SPRING 207-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	22-Oct-07	Eu-154	-0.00859	pCi/g	0.037	0.037	U		
SESPMNT	B1PLX4	100-H SPRING 145-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	15-Oct-07	Eu-154	0.000801	pCi/g	0.031	0.031	U	SEDIMENT NOT AVAILABLE AT SAME LOCATION AS WATER SAMPLE. SEDIMENT COLLECTED APPROXIMATELY 60 METERS DOWN RIVER.	
SESPMNT	B1PLN4	100-K SPRING 63-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	24-Sep-07	Eu-154	-0.0142	pCi/g	0.028	0.028	U	COLLECTED AT 63-1.	
SESPMNT	B1PLN1	300 AREA SPR DR 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	05-Dec-07	Eu-154	-0.0199	pCi/g	0.033	0.033	U	COLLECTED 5 METERS UPSTREAM FROM NORMAL LOCATION.	
SESPMNT	B1PLX6	300 AREA SPRING 41-9	ONSITE	SO	SUB_SURFACE	SEDIMENT	20-Sep-07	Eu-154	-0.0313	pCi/g	0.038	0.038	U		
SESPMNT	B1PLK5	300 AREA SPRING 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	05-Dec-07	Eu-154	-0.00485	pCi/g	0.038	0.038	U		
SESPMNT	B1PLX7	300 AREA SPRING 42-7	ONSITE	SO	SUB_SURFACE	SEDIMENT	05-Dec-07	Eu-154	-0.0142	pCi/g	0.039	0.039	U		
SESPMNT	B1NWC6	HANFORD SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Eu-154	0.0251	pCi/g	0.036	0.036	U	WATER DEPTH 16 FT, MEDIUM COARSE SAND WITH BIO-PLANT MATERIAL, COARSE PEBBLES. COLLECTED UNDERNEATH POWERLINES.	
SESPMNT	B1PLM8	HANFORD SPR DR 28-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	20-Sep-07	Eu-154	-0.0056	pCi/g	0.042	0.042	U		
SESPMNT	B1PLM6	HANFORD SPR UR 28-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	20-Sep-07	Eu-154	-0.024	pCi/g	0.031	0.031	U		
SESPMNT	B1NWD9	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	12-Jul-07	Eu-154	0.0117	pCi/g	0.04	0.04	U	WATER DEPTH 81 FT, FINE GRAINED MATERIAL, GREEN/GRAY SEDIMENT.	
SESPMNT	B1NWF1	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	12-Jul-07	Eu-154	-0.0101	pCi/g	0.051	0.051	U	WATER DEPTH 81 FT, FINE GRAINED MATERIAL, GREEN/GRAY SEDIMENT.	
SESPMNT	B1NWD5	PRD-GRANT SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Eu-154	-0.0103	pCi/g	0.039	0.039	U	WATER DEPTH 30 FT, EXCELLENT FINE GRAIN SEDIMENT, COARSER GRAIN MATERIAL, FEW CLAM SHELLS.	
SESPMNT	B1NWD3	PRD-YAKIMA SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Eu-154	-0.0641	pCi/g	0.052	0.052	U	WATER DEPTH 78.5 FT, FINE GRAIN MATERIAL, BROWN/GREEN SEDIMENT.	
SESPMNT	B1PLX8	RICHLAND SPR(SRL 437-1)	ONSITE	SO	SUB_SURFACE	SEDIMENT	05-Dec-07	Eu-154	-0.00534	pCi/g	0.031	0.031	U		

ENVIRONMENTAL SURVEILLANCE DATA CY07

SEDIMENT  
(Analyses Units in Dry Weight)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1NWC7	RICHLAND-RIVER	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	12-Jul-07	Eu-154	0.0143	pCi/g	0.035	0.035	U	MEDIUM SAND WITH LITTLE ORGANIC MATERIAL. COLLECTED AT RICHLAND BEACH NEAR SNYDER ST. RAMP, WADED WAIST DEEP.	
SESPMNT	B1NWC8	WHITE BLUFFS SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Eu-154	-0.0212	pCi/g	0.033	0.033	U	WATER DEPTH 2.5 FT, MEDIUM BROWN SAND, WITH ROOTED VEGETATION.	
SESPMNT	B1NWC9	100 F SLOUGH	ONSITE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Eu-155	0.0541	pCi/g	0.026	0.026	U	WATER DEPTH 6.7 FT, COARSE BLACK/BROWN SEDIMENT.	
SESPMNT	B1PLM4	100-B SPRING 37-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	24-Sep-07	Eu-155	0.0824	pCi/g	0.033	0.033	U		
SESPMNT	B1PLN7	100-F SPRING 207-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	22-Oct-07	Eu-155	0.07	pCi/g	0.034	0.034	U		
SESPMNT	B1PLX4	100-H SPRING 145-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	15-Oct-07	Eu-155	0.0477	pCi/g	0.025	0.025	U	SEDIMENT NOT AVAILABLE AT SAME LOCATION AS WATER SAMPLE. SEDIMENT COLLECTED APPROXIMATELY 60 METERS DOWN RIVER.	
SESPMNT	B1PLN4	100-K SPRING 63-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	24-Sep-07	Eu-155	0.0456	pCi/g	0.025	0.025	U	COLLECTED AT 63-1.	
SESPMNT	B1PLN1	300 AREA SPR DR 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	05-Dec-07	Eu-155	0.0646	pCi/g	0.029	0.029	U	COLLECTED 5 METERS UPSTREAM FROM NORMAL LOCATION.	
SESPMNT	B1PLX6	300 AREA SPRING 41-9	ONSITE	SO	SUB_SURFACE	SEDIMENT	20-Sep-07	Eu-155	0.0546	pCi/g	0.032	0.032	U		
SESPMNT	B1PLK5	300 AREA SPRING 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	05-Dec-07	Eu-155	0.0316	pCi/g	0.032	0.032	U		
SESPMNT	B1PLX7	300 AREA SPRING 42-7	ONSITE	SO	SUB_SURFACE	SEDIMENT	05-Dec-07	Eu-155	0.0612	pCi/g	0.032	0.032	U		
SESPMNT	B1NWC6	HANFORD SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Eu-155	0.0697	pCi/g	0.034	0.034	U	WATER DEPTH 16 FT, MEDIUM COARSE SAND WITH BIO-PLANT MATERIAL, COARSE PEBBLES. COLLECTED UNDERNEATH POWERLINES.	
SESPMNT	B1PLM8	HANFORD SPR DR 28-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	20-Sep-07	Eu-155	0.085	pCi/g	0.034	0.034	U		
SESPMNT	B1PLM6	HANFORD SPR UR 28-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	20-Sep-07	Eu-155	0.0528	pCi/g	0.028	0.028	U		
SESPMNT	B1NWD9	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	12-Jul-07	Eu-155	0.0688	pCi/g	0.035	0.035	U	WATER DEPTH 81 FT, FINE GRAINED MATERIAL, GREEN/GRAY SEDIMENT.	
SESPMNT	B1NWF1	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	12-Jul-07	Eu-155	0.0689	pCi/g	0.038	0.038	U	WATER DEPTH 81 FT, FINE GRAINED MATERIAL, GREEN/GRAY SEDIMENT.	
SESPMNT	B1NWD5	PRD-GRANT SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Eu-155	0.0584	pCi/g	0.03	0.03	U	WATER DEPTH 30 FT, EXCELLENT FINE GRAIN SEDIMENT, COARSER GRAIN MATERIAL, FEW CLAM SHELLS.	
SESPMNT	B1NWD3	PRD-YAKIMA SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Eu-155	0.0602	pCi/g	0.035	0.035	U	WATER DEPTH 78.5 FT, FINE GRAIN MATERIAL, BROWN/GREEN SEDIMENT.	
SESPMNT	B1PLX8	RICHLAND SPR(SRL 437-1)	ONSITE	SO	SUB_SURFACE	SEDIMENT	05-Dec-07	Eu-155	0.0163	pCi/g	0.022	0.022	U		
SESPMNT	B1NWC7	RICHLAND-RIVER	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	12-Jul-07	Eu-155	0.0654	pCi/g	0.031	0.031	U	MEDIUM SAND WITH LITTLE ORGANIC MATERIAL. COLLECTED AT RICHLAND BEACH NEAR SNYDER ST. RAMP, WADED WAIST DEEP.	
SESPMNT	B1NWC8	WHITE BLUFFS SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Eu-155	0.0863	pCi/g	0.032	0.032	U	WATER DEPTH 2.5 FT, MEDIUM BROWN SAND, WITH ROOTED VEGETATION.	
SESPMNT	B1NWC9	100 F SLOUGH	ONSITE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	K-40	12.5	pCi/g	1.6	1.6		WATER DEPTH 6.7 FT, COARSE BLACK/BROWN SEDIMENT.	
SESPMNT	B1PLM4	100-B SPRING 37-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	24-Sep-07	K-40	14.7	pCi/g	1.8	1.8			
SESPMNT	B1PLN7	100-F SPRING 207-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	22-Oct-07	K-40	15.7	pCi/g	2.1	2.1			
SESPMNT	B1PLX4	100-H SPRING 145-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	15-Oct-07	K-40	15.6	pCi/g	1.9	1.9		SEDIMENT NOT AVAILABLE AT SAME LOCATION AS WATER SAMPLE. SEDIMENT COLLECTED APPROXIMATELY 60 METERS DOWN RIVER.	
SESPMNT	B1PLN4	100-K SPRING 63-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	24-Sep-07	K-40	13	pCi/g	1.6	1.6		COLLECTED AT 63-1.	
SESPMNT	B1PLN1	300 AREA SPR DR 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	05-Dec-07	K-40	14.7	pCi/g	1.8	1.8		COLLECTED 5 METERS UPSTREAM FROM NORMAL LOCATION.	
SESPMNT	B1PLX6	300 AREA SPRING 41-9	ONSITE	SO	SUB_SURFACE	SEDIMENT	20-Sep-07	K-40	14.8	pCi/g	1.9	1.9			
SESPMNT	B1PLK5	300 AREA SPRING 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	05-Dec-07	K-40	15.4	pCi/g	2	2			
SESPMNT	B1PLX7	300 AREA SPRING 42-7	ONSITE	SO	SUB_SURFACE	SEDIMENT	05-Dec-07	K-40	12	pCi/g	2	2			
SESPMNT	B1NWC6	HANFORD SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	K-40	15.1	pCi/g	2	2		WATER DEPTH 16 FT, MEDIUM COARSE SAND WITH BIO-PLANT MATERIAL, COARSE PEBBLES. COLLECTED UNDERNEATH POWERLINES.	
SESPMNT	B1PLM8	HANFORD SPR DR 28-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	20-Sep-07	K-40	15.1	pCi/g	2.5	2.5			
SESPMNT	B1PLM6	HANFORD SPR UR 28-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	20-Sep-07	K-40	13.4	pCi/g	1.7	1.7			
SESPMNT	B1NWD9	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	12-Jul-07	K-40	13.7	pCi/g	1.7	1.7		WATER DEPTH 81 FT, FINE GRAINED MATERIAL, GREEN/GRAY SEDIMENT.	

## ENVIRONMENTAL SURVEILLANCE DATA CY07

**SEDIMENT**  
(Analyses Units in Dry Weight)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1NWF1	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	12-Jul-07	K-40	14.8	pCi/g	2.5	2.5		WATER DEPTH 81 FT, FINE GRAINED MATERIAL, GREEN/GRAY SEDIMENT.	
SESPMNT	B1NWD5	PRD-GRANT SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	K-40	12.3	pCi/g	1.6	1.6		WATER DEPTH 30 FT, EXCELLENT FINE GRAIN SEDIMENT, COARSER GRAIN MATERIAL, FEW CLAM SHELLS.	
SESPMNT	B1NWD3	PRD-YAKIMA SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	K-40	12	pCi/g	2.2	2.2		WATER DEPTH 78.5 FT, FINE GRAIN MATERIAL, BROWN/GREEN SEDIMENT.	
SESPMNT	B1PLX8	RICHLAND SPR(SRL 437-1)	ONSITE	SO	SUB_SURFACE	SEDIMENT	05-Dec-07	K-40	15.3	pCi/g	1.9	1.9			
SESPMNT	B1NWC7	RICHLAND-RIVER	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	12-Jul-07	K-40	15.8	pCi/g	2.1	2.1		MEDIUM SAND WITH LITTLE ORGANIC MATERIAL, COLLECTED AT RICHLAND BEACH NEAR SNYDER ST. RAMP, WADED WAIST DEEP.	
SESPMNT	B1NWC8	WHITE BLUFFS SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	K-40	15.4	pCi/g	1.9	1.9		WATER DEPTH 2.5 FT, MEDIUM BROWN SAND, WITH ROOTED VEGETATION.	
SESPMNT	B1NWC9	100 F SLOUGH	ONSITE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Ru-106	-0.048	pCi/g	0.071	0.071	U	WATER DEPTH 6.7 FT, COARSE BLACK/BROWN SEDIMENT.	
SESPMNT	B1PLM4	100-B SPRING 37-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	24-Sep-07	Ru-106	-0.0807	pCi/g	0.084	0.084	U		
SESPMNT	B1PLN7	100-F SPRING 207-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	22-Oct-07	Ru-106	0.0106	pCi/g	0.085	0.085	U		
SESPMNT	B1PLX4	100-H SPRING 145-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	15-Oct-07	Ru-106	0.00822	pCi/g	0.038	0.038	U	SEDIMENT NOT AVAILABLE AT SAME LOCATION AS WATER SAMPLE. SEDIMENT COLLECTED APPROXIMATELY 60 METERS DOWN RIVER.	
SESPMNT	B1PLN4	100-K SPRING 63-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	24-Sep-07	Ru-106	-0.0137	pCi/g	0.07	0.07	U	COLLECTED AT 63-1.	
SESPMNT	B1PLN1	300 AREA SPR DR 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	05-Dec-07	Ru-106	0.0141	pCi/g	0.08	0.08	U	COLLECTED 5 METERS UPSTREAM FROM NORMAL LOCATION.	
SESPMNT	B1PLX6	300 AREA SPRING 41-9	ONSITE	SO	SUB_SURFACE	SEDIMENT	20-Sep-07	Ru-106	-0.0118	pCi/g	0.083	0.083	U		
SESPMNT	B1PLK5	300 AREA SPRING 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	05-Dec-07	Ru-106	0.00788	pCi/g	0.083	0.083	U		
SESPMNT	B1PLX7	300 AREA SPRING 42-7	ONSITE	SO	SUB_SURFACE	SEDIMENT	05-Dec-07	Ru-106	0.0891	pCi/g	0.095	0.095	U		
SESPMNT	B1NWC6	HANFORD SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Ru-106	0.00624	pCi/g	0.082	0.082	U	WATER DEPTH 16 FT, MEDIUM COARSE SAND WITH BIO-PLANT MATERIAL, COARSE PEBBLES. COLLECTED UNDERNEATH POWERLINES.	
SESPMNT	B1PLM8	HANFORD SPR DR 28-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	20-Sep-07	Ru-106	0.0267	pCi/g	0.11	0.11	U		
SESPMNT	B1PLM6	HANFORD SPR UR 28-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	20-Sep-07	Ru-106	0.0224	pCi/g	0.074	0.074	U		
SESPMNT	B1NWD9	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	12-Jul-07	Ru-106	-0.0425	pCi/g	0.1	0.1	U	WATER DEPTH 81 FT, FINE GRAINED MATERIAL, GREEN/GRAY SEDIMENT.	
SESPMNT	B1NWF1	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	12-Jul-07	Ru-106	-0.0928	pCi/g	0.12	0.12	U	WATER DEPTH 81 FT, FINE GRAINED MATERIAL, GREEN/GRAY SEDIMENT.	
SESPMNT	B1NWD5	PRD-GRANT SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Ru-106	0.0197	pCi/g	0.093	0.093	U	WATER DEPTH 30 FT, EXCELLENT FINE GRAIN SEDIMENT, COARSER GRAIN MATERIAL, FEW CLAM SHELLS.	
SESPMNT	B1NWD3	PRD-YAKIMA SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Ru-106	-0.0332	pCi/g	0.12	0.12	U	WATER DEPTH 78.5 FT, FINE GRAIN MATERIAL, BROWN/GREEN SEDIMENT.	
SESPMNT	B1PLX8	RICHLAND SPR(SRL 437-1)	ONSITE	SO	SUB_SURFACE	SEDIMENT	05-Dec-07	Ru-106	-0.0423	pCi/g	0.063	0.063	U		
SESPMNT	B1NWC7	RICHLAND-RIVER	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	12-Jul-07	Ru-106	-0.000564	pCi/g	0.076	0.076	U	MEDIUM SAND WITH LITTLE ORGANIC MATERIAL, COLLECTED AT RICHLAND BEACH NEAR SNYDER ST. RAMP, WADED WAIST DEEP.	
SESPMNT	B1NWC8	WHITE BLUFFS SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Ru-106	0.0435	pCi/g	0.081	0.081	U	WATER DEPTH 2.5 FT, MEDIUM BROWN SAND, WITH ROOTED VEGETATION.	
SESPMNT	B1NWC9	100 F SLOUGH	ONSITE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Sb-125	0.029	pCi/g	0.021	0.021	U	WATER DEPTH 6.7 FT, COARSE BLACK/BROWN SEDIMENT.	
SESPMNT	B1PLM4	100-B SPRING 37-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	24-Sep-07	Sb-125	0.00575	pCi/g	0.026	0.026	U		
SESPMNT	B1PLN7	100-F SPRING 207-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	22-Oct-07	Sb-125	0.00933	pCi/g	0.025	0.025	U		
SESPMNT	B1PLX4	100-H SPRING 145-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	15-Oct-07	Sb-125	0.015	pCi/g	0.018	0.018	U	SEDIMENT NOT AVAILABLE AT SAME LOCATION AS WATER SAMPLE. SEDIMENT COLLECTED APPROXIMATELY 60 METERS DOWN RIVER.	
SESPMNT	B1PLN4	100-K SPRING 63-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	24-Sep-07	Sb-125	-0.00486	pCi/g	0.02	0.02	U	COLLECTED AT 63-1.	
SESPMNT	B1PLN1	300 AREA SPR DR 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	05-Dec-07	Sb-125	-0.0125	pCi/g	0.023	0.023	U	COLLECTED 5 METERS UPSTREAM FROM NORMAL LOCATION.	
SESPMNT	B1PLX6	300 AREA SPRING 41-9	ONSITE	SO	SUB_SURFACE	SEDIMENT	20-Sep-07	Sb-125	0.00928	pCi/g	0.024	0.024	U		
SESPMNT	B1PLK5	300 AREA SPRING 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	05-Dec-07	Sb-125	0.0176	pCi/g	0.025	0.025	U		
SESPMNT	B1PLX7	300 AREA SPRING 42-7	ONSITE	SO	SUB_SURFACE	SEDIMENT	05-Dec-07	Sb-125	0.0146	pCi/g	0.027	0.027	U		

ENVIRONMENTAL SURVEILLANCE DATA CY07

SEDIMENT  
(Analyses Units in Dry Weight)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1NWC6	HANFORD SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Sb-125	-0.00261	pCi/g	0.025	0.025	U	WATER DEPTH 16 FT, MEDIUM COARSE SAND WITH BIO-PLANT MATERIAL, COARSE PEBBLES. COLLECTED UNDERNEATH POWERLINES.	
SESPMNT	B1PLM8	HANFORD SPR DR 28-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	20-Sep-07	Sb-125	-0.0046	pCi/g	0.029	0.029	U		
SESPMNT	B1PLM6	HANFORD SPR UR 28-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	20-Sep-07	Sb-125	-0.00605	pCi/g	0.022	0.022	U		
SESPMNT	B1NWD9	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	12-Jul-07	Sb-125	0.0059	pCi/g	0.031	0.031	U	WATER DEPTH 81 FT, FINE GRAINED MATERIAL, GREEN/GRAY SEDIMENT.	
SESPMNT	B1NWF1	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	12-Jul-07	Sb-125	-0.00445	pCi/g	0.035	0.035	U	WATER DEPTH 81 FT, FINE GRAINED MATERIAL, GREEN/GRAY SEDIMENT.	
SESPMNT	B1NWD5	PRD-GRANT SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Sb-125	0.0209	pCi/g	0.026	0.026	U	WATER DEPTH 30 FT, EXCELLENT FINE GRAIN SEDIMENT, COARSER GRAIN MATERIAL, FEW CLAM SHELLS.	
SESPMNT	B1NWD3	PRD-YAKIMA SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Sb-125	0.00874	pCi/g	0.034	0.034	U	WATER DEPTH 78.5 FT, FINE GRAIN MATERIAL, BROWN/GREEN SEDIMENT.	
SESPMNT	B1PLX8	RICHLAND SPR(SRL 437-1)	ONSITE	SO	SUB_SURFACE	SEDIMENT	05-Dec-07	Sb-125	-0.00852	pCi/g	0.018	0.018	U		
SESPMNT	B1NWC7	RICHLAND-RIVER	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	12-Jul-07	Sb-125	-0.00534	pCi/g	0.022	0.022	U	MEDIUM SAND WITH LITTLE ORGANIC MATERIAL. COLLECTED AT RICHLAND BEACH NEAR SNYDER ST. RAMP, WADED WAIST DEEP.	
SESPMNT	B1NWC8	WHITE BLUFFS SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Sb-125	0.000066	pCi/g	0.025	0.025	U	WATER DEPTH 2.5 FT, MEDIUM BROWN SAND, WITH ROOTED VEGETATION.	
SESPMNT	B1NWC9	100 F SLOUGH	ONSITE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Pu-238	0.000184	pCi/g	0.00021	0.00022	U	WATER DEPTH 6.7 FT, COARSE BLACK/BROWN SEDIMENT.	
SESPMNT	B1NWC6	HANFORD SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Pu-238	1.66E-05	pCi/g	0.000094	0.0001	U	WATER DEPTH 16 FT, MEDIUM COARSE SAND WITH BIO-PLANT MATERIAL, COARSE PEBBLES. COLLECTED UNDERNEATH POWERLINES.	
SESPMNT	B1NWD9	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	12-Jul-07	Pu-238	0.000432	pCi/g	0.0003	0.0003		WATER DEPTH 81 FT, FINE GRAINED MATERIAL, GREEN/GRAY SEDIMENT.	
SESPMNT	B1NWF1	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	12-Jul-07	Pu-238	0.000171	pCi/g	0.00017	0.00017	U	WATER DEPTH 81 FT, FINE GRAINED MATERIAL, GREEN/GRAY SEDIMENT.	
SESPMNT	B1NWD5	PRD-GRANT SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Pu-238	-0.000317	pCi/g	0.00042	0.00042	U	WATER DEPTH 30 FT, EXCELLENT FINE GRAIN SEDIMENT, COARSER GRAIN MATERIAL, FEW CLAM SHELLS.	
SESPMNT	B1NWD3	PRD-YAKIMA SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Pu-238	7.63E-05	pCi/g	0.00023	0.00024	U	WATER DEPTH 78.5 FT, FINE GRAIN MATERIAL, BROWN/GREEN SEDIMENT.	
SESPMNT	B1NWC7	RICHLAND-RIVER	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	12-Jul-07	Pu-238	3.46E-05	pCi/g	0.000073	8.3E-05	U	MEDIUM SAND WITH LITTLE ORGANIC MATERIAL. COLLECTED AT RICHLAND BEACH NEAR SNYDER ST. RAMP, WADED WAIST DEEP.	
SESPMNT	B1NWC8	WHITE BLUFFS SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Pu-238	0.000147	pCi/g	0.00013	0.00014	U	WATER DEPTH 2.5 FT, MEDIUM BROWN SAND, WITH ROOTED VEGETATION.	
SESPMNT	B1NWC9	100 F SLOUGH	ONSITE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Pu-239/240	0.00157	pCi/g	0.00056	0.00062		WATER DEPTH 6.7 FT, COARSE BLACK/BROWN SEDIMENT.	
SESPMNT	B1NWC6	HANFORD SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Pu-239/240	0.00255	pCi/g	0.00056	0.00068		WATER DEPTH 16 FT, MEDIUM COARSE SAND WITH BIO-PLANT MATERIAL, COARSE PEBBLES. COLLECTED UNDERNEATH POWERLINES.	
SESPMNT	B1NWD9	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	12-Jul-07	Pu-239/240	0.00725	pCi/g	0.0012	0.0016		WATER DEPTH 81 FT, FINE GRAINED MATERIAL, GREEN/GRAY SEDIMENT.	
SESPMNT	B1NWF1	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	12-Jul-07	Pu-239/240	0.00916	pCi/g	0.0011	0.0017		WATER DEPTH 81 FT, FINE GRAINED MATERIAL, GREEN/GRAY SEDIMENT.	
SESPMNT	B1NWD5	PRD-GRANT SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Pu-239/240	0.00663	pCi/g	0.0021	0.0024		WATER DEPTH 30 FT, EXCELLENT FINE GRAIN SEDIMENT, COARSER GRAIN MATERIAL, FEW CLAM SHELLS.	
SESPMNT	B1NWD3	PRD-YAKIMA SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Pu-239/240	0.0083	pCi/g	0.0013	0.0018		WATER DEPTH 78.5 FT, FINE GRAIN MATERIAL, BROWN/GREEN SEDIMENT.	
SESPMNT	B1NWC7	RICHLAND-RIVER	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	12-Jul-07	Pu-239/240	0.000772	pCi/g	0.00026	0.00032		MEDIUM SAND WITH LITTLE ORGANIC MATERIAL. COLLECTED AT RICHLAND BEACH NEAR SNYDER ST. RAMP, WADED WAIST DEEP.	
SESPMNT	B1NWC8	WHITE BLUFFS SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Pu-239/240	0.0052	pCi/g	0.00067	0.00099		WATER DEPTH 2.5 FT, MEDIUM BROWN SAND, WITH ROOTED VEGETATION.	
SESPMNT	B1NWC9	100 F SLOUGH	ONSITE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Sr-90	0.00155	pCi/g	0.0017	0.004	U	WATER DEPTH 6.7 FT, COARSE BLACK/BROWN SEDIMENT.	
SESPMNT	B1PLM4	100-B SPRING 37-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	24-Sep-07	Sr-90	-0.000667	pCi/g	0.0028	0.0048	U		

ENVIRONMENTAL SURVEILLANCE DATA CY07

SEDIMENT  
(Analyses Units in Dry Weight)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1PLN7	100-F SPRING 207-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	22-Oct-07	Sr-90	0.00496	pCi/g	0.0031	0.0048	U		
SESPMNT	B1PLX4	100-H SPRING 145-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	15-Oct-07	Sr-90	0.00433	pCi/g	0.003	0.0047	U	SEDIMENT NOT AVAILABLE AT SAME LOCATION AS WATER SAMPLE. SEDIMENT COLLECTED APPROXIMATELY 60 METERS DOWN RIVER.	
SESPMNT	B1PLN4	100-K SPRING 63-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	24-Sep-07	Sr-90	0.00268	pCi/g	0.0027	0.0045	U	COLLECTED AT 63-1.	
SESPMNT	B1PLN1	300 AREA SPR DR 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	05-Dec-07	Sr-90	0.00252	pCi/g	0.0019	0.0041	U	COLLECTED 5 METERS UPSTREAM FROM NORMAL LOCATION.	
SESPMNT	B1PLK5	300 AREA SPRING 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	05-Dec-07	Sr-90	0.00126	pCi/g	0.0019	0.004	U		
SESPMNT	B1NWC6	HANFORD SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Sr-90	-0.00164	pCi/g	0.0019	0.0041	U	WATER DEPTH 16 FT, MEDIUM COARSE SAND WITH BIO-PLANT MATERIAL, COARSE PEBBLES. COLLECTED UNDERNEATH POWERLINES.	
SESPMNT	B1PLM8	HANFORD SPR DR 28-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	20-Sep-07	Sr-90	0.00269	pCi/g	0.0032	0.0049	U		
SESPMNT	B1PLM6	HANFORD SPR UR 28-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	20-Sep-07	Sr-90	0.000598	pCi/g	0.0029	0.0046	U		
SESPMNT	B1NWD9	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	12-Jul-07	Sr-90	0.00503	pCi/g	0.0023	0.0044		WATER DEPTH 81 FT, FINE GRAINED MATERIAL, GREEN/GRAY SEDIMENT.	
SESPMNT	B1NWF1	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	12-Jul-07	Sr-90	0.00697	pCi/g	0.0023	0.0044		WATER DEPTH 81 FT, FINE GRAINED MATERIAL, GREEN/GRAY SEDIMENT.	
SESPMNT	B1NWD5	PRD-GRANT SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Sr-90	0.00613	pCi/g	0.0031	0.0049		WATER DEPTH 30 FT, EXCELLENT FINE GRAIN SEDIMENT, COARSER GRAIN MATERIAL, FEW CLAM SHELLS.	
SESPMNT	B1NWD3	PRD-YAKIMA SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Sr-90	0.00518	pCi/g	0.0031	0.0048	U	WATER DEPTH 78.5 FT, FINE GRAIN MATERIAL, BROWN/GREEN SEDIMENT.	
SESPMNT	B1NWC7	RICHLAND-RIVER	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	12-Jul-07	Sr-90	-0.0014	pCi/g	0.0015	0.004	U	MEDIUM SAND WITH LITTLE ORGANIC MATERIAL. COLLECTED AT RICHLAND BEACH NEAR SNYDER ST. RAMP, WADED WAIST DEEP.	
SESPMNT	B1NWC8	WHITE BLUFFS SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Sr-90	-0.000942	pCi/g	0.0023	0.0042	U	WATER DEPTH 2.5 FT, MEDIUM BROWN SAND, WITH ROOTED VEGETATION.	
SESPMNT	B1NWC9	100 F SLOUGH	ONSITE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	U-234	0.145	pCi/g	0.021	0.06		WATER DEPTH 6.7 FT, COARSE BLACK/BROWN SEDIMENT.	
SESPMNT	B1PLM4	100-B SPRING 37-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	24-Sep-07	U-234	0.219	pCi/g	0.027	0.068			
SESPMNT	B1PLN7	100-F SPRING 207-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	22-Oct-07	U-234	0.45	pCi/g	0.034	0.093			
SESPMNT	B1PLX4	100-H SPRING 145-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	15-Oct-07	U-234	0.267	pCi/g	0.026	0.072		SEDIMENT NOT AVAILABLE AT SAME LOCATION AS WATER SAMPLE. SEDIMENT COLLECTED APPROXIMATELY 60 METERS DOWN RIVER.	
SESPMNT	B1PLN4	100-K SPRING 63-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	24-Sep-07	U-234	0.239	pCi/g	0.024	0.068		COLLECTED AT 63-1.	
SESPMNT	B1PLN1	300 AREA SPR DR 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	05-Dec-07	U-234	1.35	pCi/g	0.059	0.22		COLLECTED 5 METERS UPSTREAM FROM NORMAL LOCATION.	
SESPMNT	B1PLX6	300 AREA SPRING 41-9	ONSITE	SO	SUB_SURFACE	SEDIMENT	20-Sep-07	U-234	0.531	pCi/g	0.036	0.1			
SESPMNT	B1PLK5	300 AREA SPRING 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	05-Dec-07	U-234	1.8	pCi/g	0.069	0.28			
SESPMNT	B1PLX7	300 AREA SPRING 42-7	ONSITE	SO	SUB_SURFACE	SEDIMENT	05-Dec-07	U-234	1.63	pCi/g	0.069	0.26			
SESPMNT	B1NWC6	HANFORD SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	U-234	0.215	pCi/g	0.026	0.068		WATER DEPTH 16 FT, MEDIUM COARSE SAND WITH BIO-PLANT MATERIAL, COARSE PEBBLES. COLLECTED UNDERNEATH POWERLINES.	
SESPMNT	B1PLM8	HANFORD SPR DR 28-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	20-Sep-07	U-234	0.663	pCi/g	0.04	0.12			
SESPMNT	B1PLM6	HANFORD SPR UR 28-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	20-Sep-07	U-234	0.4	pCi/g	0.032	0.087			
SESPMNT	B1NWD9	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	12-Jul-07	U-234	1.02	pCi/g	0.053	0.17		WATER DEPTH 81 FT, FINE GRAINED MATERIAL, GREEN/GRAY SEDIMENT.	
SESPMNT	B1NWF1	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	12-Jul-07	U-234	0.87	pCi/g	0.049	0.15		WATER DEPTH 81 FT, FINE GRAINED MATERIAL, GREEN/GRAY SEDIMENT.	
SESPMNT	B1NWD5	PRD-GRANT SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	U-234	0.814	pCi/g	0.049	0.14		WATER DEPTH 30 FT, EXCELLENT FINE GRAIN SEDIMENT, COARSER GRAIN MATERIAL, FEW CLAM SHELLS.	
SESPMNT	B1NWD3	PRD-YAKIMA SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	U-234	0.829	pCi/g	0.05	0.15		WATER DEPTH 78.5 FT, FINE GRAIN MATERIAL, BROWN/GREEN SEDIMENT.	
SESPMNT	B1PLX8	RICHLAND SPR(SRL 437-1)	ONSITE	SO	SUB_SURFACE	SEDIMENT	05-Dec-07	U-234	0.327	pCi/g	0.029	0.077			
SESPMNT	B1NWC7	RICHLAND-RIVER	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	12-Jul-07	U-234	0.167	pCi/g	0.022	0.062		MEDIUM SAND WITH LITTLE ORGANIC MATERIAL. COLLECTED AT RICHLAND BEACH NEAR SNYDER ST. RAMP, WADED WAIST DEEP.	

ENVIRONMENTAL SURVEILLANCE DATA CY07

SEDIMENT  
(Analyses Units in Dry Weight)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1NWC8	WHITE BLUFFS SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	U-234	0.41	pCi/g	0.034	0.089		WATER DEPTH 2.5 FT, MEDIUM BROWN SAND, WITH ROOTED VEGETATION.	
SESPMNT	B1NWC9	100 F SLOUGH	ONSITE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	U-235	0.00411	pCi/g	0.0048	0.0064	U	WATER DEPTH 6.7 FT, COARSE BLACK/BROWN SEDIMENT.	
SESPMNT	B1PLM4	100-B SPRING 37-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	24-Sep-07	U-235	0.00352	pCi/g	0.0042	0.006	U		
SESPMNT	B1PLN7	100-F SPRING 207-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	22-Oct-07	U-235	0.0206	pCi/g	0.0074	0.0091			
SESPMNT	B1PLX4	100-H SPRING 145-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	15-Oct-07	U-235	0.00661	pCi/g	0.0045	0.0064		SEDIMENT NOT AVAILABLE AT SAME LOCATION AS WATER SAMPLE. SEDIMENT COLLECTED APPROXIMATELY 60 METERS DOWN RIVER.	
SESPMNT	B1PLN4	100-K SPRING 63-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	24-Sep-07	U-235	0.00893	pCi/g	0.0049	0.0067		COLLECTED AT 63-1.	
SESPMNT	B1PLN1	300 AREA SPR DR 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	05-Dec-07	U-235	0.0594	pCi/g	0.013	0.016		COLLECTED 5 METERS UPSTREAM FROM NORMAL LOCATION.	
SESPMNT	B1PLX6	300 AREA SPRING 41-9	ONSITE	SO	SUB_SURFACE	SEDIMENT	20-Sep-07	U-235	0.0209	pCi/g	0.0073	0.0091			
SESPMNT	B1PLK5	300 AREA SPRING 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	05-Dec-07	U-235	0.0704	pCi/g	0.014	0.018			
SESPMNT	B1PLX7	300 AREA SPRING 42-7	ONSITE	SO	SUB_SURFACE	SEDIMENT	05-Dec-07	U-235	0.0669	pCi/g	0.015	0.018			
SESPMNT	B1NWC6	HANFORD SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	U-235	0.00866	pCi/g	0.0057	0.0073		WATER DEPTH 16 FT, MEDIUM COARSE SAND WITH BIO-PLANT MATERIAL, COARSE PEBBLES. COLLECTED UNDERNEATH POWERLINES.	
SESPMNT	B1PLM8	HANFORD SPR DR 28-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	20-Sep-07	U-235	0.0187	pCi/g	0.0071	0.0088			
SESPMNT	B1PLM6	HANFORD SPR UR 28-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	20-Sep-07	U-235	0.0112	pCi/g	0.0055	0.0072			
SESPMNT	B1NWD9	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	12-Jul-07	U-235	0.0356	pCi/g	0.01	0.012		WATER DEPTH 81 FT, FINE GRAINED MATERIAL, GREEN/GRAY SEDIMENT.	
SESPMNT	B1NWF1	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	12-Jul-07	U-235	0.0249	pCi/g	0.0085	0.01		WATER DEPTH 81 FT, FINE GRAINED MATERIAL, GREEN/GRAY SEDIMENT.	
SESPMNT	B1NWD5	PRD-GRANT SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	U-235	0.031	pCi/g	0.0097	0.012		WATER DEPTH 30 FT, EXCELLENT FINE GRAIN SEDIMENT, COARSER GRAIN MATERIAL, FEW CLAM SHELLS.	
SESPMNT	B1NWD3	PRD-YAKIMA SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	U-235	0.033	pCi/g	0.01	0.012		WATER DEPTH 78.5 FT, FINE GRAIN MATERIAL, BROWN/GREEN SEDIMENT.	
SESPMNT	B1PLX8	RICHLAND SPR(SRL 437-1)	ONSITE	SO	SUB_SURFACE	SEDIMENT	05-Dec-07	U-235	0.00929	pCi/g	0.0052	0.0069			
SESPMNT	B1NWC7	RICHLAND-RIVER	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	12-Jul-07	U-235	0.00315	pCi/g	0.0036	0.0056	U	MEDIUM SAND WITH LITTLE ORGANIC MATERIAL. COLLECTED AT RICHLAND BEACH NEAR SNYDER ST. RAMP, WADED WAIST DEEP.	
SESPMNT	B1NWC8	WHITE BLUFFS SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	U-235	0.0124	pCi/g	0.0067	0.0082		WATER DEPTH 2.5 FT, MEDIUM BROWN SAND, WITH ROOTED VEGETATION.	
SESPMNT	B1NWC9	100 F SLOUGH	ONSITE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	U-238	0.164	pCi/g	0.023	0.081		WATER DEPTH 6.7 FT, COARSE BLACK/BROWN SEDIMENT.	
SESPMNT	B1PLM4	100-B SPRING 37-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	24-Sep-07	U-238	0.229	pCi/g	0.027	0.086			
SESPMNT	B1PLN7	100-F SPRING 207-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	22-Oct-07	U-238	0.403	pCi/g	0.032	0.1			
SESPMNT	B1PLX4	100-H SPRING 145-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	15-Oct-07	U-238	0.261	pCi/g	0.026	0.088		SEDIMENT NOT AVAILABLE AT SAME LOCATION AS WATER SAMPLE. SEDIMENT COLLECTED APPROXIMATELY 60 METERS DOWN RIVER.	
SESPMNT	B1PLN4	100-K SPRING 63-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	24-Sep-07	U-238	0.189	pCi/g	0.022	0.082		COLLECTED AT 63-1.	
SESPMNT	B1PLN1	300 AREA SPR DR 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	05-Dec-07	U-238	1.26	pCi/g	0.057	0.21		COLLECTED 5 METERS UPSTREAM FROM NORMAL LOCATION.	
SESPMNT	B1PLX6	300 AREA SPRING 41-9	ONSITE	SO	SUB_SURFACE	SEDIMENT	20-Sep-07	U-238	0.506	pCi/g	0.035	0.11			
SESPMNT	B1PLK5	300 AREA SPRING 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	05-Dec-07	U-238	1.72	pCi/g	0.068	0.27			
SESPMNT	B1PLX7	300 AREA SPRING 42-7	ONSITE	SO	SUB_SURFACE	SEDIMENT	05-Dec-07	U-238	1.56	pCi/g	0.068	0.25			
SESPMNT	B1NWC6	HANFORD SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	U-238	0.216	pCi/g	0.027	0.086		WATER DEPTH 16 FT, MEDIUM COARSE SAND WITH BIO-PLANT MATERIAL, COARSE PEBBLES. COLLECTED UNDERNEATH POWERLINES.	
SESPMNT	B1PLM8	HANFORD SPR DR 28-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	20-Sep-07	U-238	0.51	pCi/g	0.036	0.11			
SESPMNT	B1PLM6	HANFORD SPR UR 28-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	20-Sep-07	U-238	0.374	pCi/g	0.031	0.098			
SESPMNT	B1NWD9	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	12-Jul-07	U-238	0.776	pCi/g	0.046	0.15		WATER DEPTH 81 FT, FINE GRAINED MATERIAL, GREEN/GRAY SEDIMENT.	
SESPMNT	B1NWF1	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	12-Jul-07	U-238	0.633	pCi/g	0.042	0.13		WATER DEPTH 81 FT, FINE GRAINED MATERIAL, GREEN/GRAY SEDIMENT.	
SESPMNT	B1NWD5	PRD-GRANT SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	U-238	0.635	pCi/g	0.043	0.13		WATER DEPTH 30 FT, EXCELLENT FINE GRAIN SEDIMENT, COARSER GRAIN MATERIAL, FEW CLAM SHELLS.	

ENVIRONMENTAL SURVEILLANCE DATA CY07

SEDIMENT  
(Analyses Units in Dry Weight)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1NWD3	PRD-YAKIMA SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	U-238	0.707	pCi/g	0.046	0.14		WATER DEPTH 78.5 FT, FINE GRAIN MATERIAL, BROWN/GREEN SEDIMENT.	
SESPMNT	B1PLX8	RICHLAND SPR(SRL 437-1)	ONSITE	SO	SUB_SURFACE	SEDIMENT	05-Dec-07	U-238	0.277	pCi/g	0.027	0.089			
SESPMNT	B1NWC7	RICHLAND-RIVER	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	12-Jul-07	U-238	0.163	pCi/g	0.022	0.08		MEDIUM SAND WITH LITTLE ORGANIC MATERIAL. COLLECTED AT RICHLAND BEACH NEAR SNYDER ST. RAMP, WADED WAIST DEEP.	
SESPMNT	B1NWC8	WHITE BLUFFS SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	U-238	0.308	pCi/g	0.03	0.093		WATER DEPTH 2.5 FT, MEDIUM BROWN SAND, WITH ROOTED VEGETATION.	
SESPMNT	B1NWC3	100 F SLOUGH	ONSITE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Ag	0.0327	ug/g			UX	WATER DEPTH 6.7 FT, COARSE BLACK/BROWN SEDIMENT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NWC4	HANFORD SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Ag	0.0327	ug/g			UX	WATER DEPTH 16 FT, MEDIUM COARSE SAND WITH BIO-PLANT MATERIAL, COARSE PEBBLES. COLLECTED UNDERNEATH POWERLINES.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NWD7	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	12-Jul-07	Ag	0.186	ug/g			X	WATER DEPTH 81 FT, FINE GRAINED MATERIAL, GREEN/GRAY SEDIMENT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NWD8	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	12-Jul-07	Ag	0.184	ug/g			X	WATER DEPTH 81 FT, FINE GRAINED MATERIAL, GREEN/GRAY SEDIMENT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NWD2	PRD-GRANT SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Ag	0.184	ug/g			X	WATER DEPTH 30 FT, EXCELLENT FINE GRAIN SEDIMENT, COARSER GRAIN MATERIAL, FEW CLAM SHELLS.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NWD1	PRD-YAKIMA SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Ag	0.277	ug/g			X	WATER DEPTH 78.5 FT, FINE GRAIN MATERIAL, BROWN/GREEN SEDIMENT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NWC5	RICHLAND-RIVER	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	12-Jul-07	Ag	0.0327	ug/g			UX	MEDIUM SAND WITH LITTLE ORGANIC MATERIAL. COLLECTED AT RICHLAND BEACH NEAR SNYDER ST. RAMP, WADED WAIST DEEP.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NWC2	WHITE BLUFFS SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Ag	0.0647	ug/g			X	WATER DEPTH 2.5 FT, MEDIUM BROWN SAND, WITH ROOTED VEGETATION.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NWC3	100 F SLOUGH	ONSITE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	As	4.34	ug/g			X	WATER DEPTH 6.7 FT, COARSE BLACK/BROWN SEDIMENT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLM5	100-B SPRING 37-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	24-Sep-07	As	3.14	ug/g			X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLN8	100-F SPRING 207-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	22-Oct-07	As	4.76	ug/g			X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLX5	100-H SPRING 145-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	15-Oct-07	As	11	ug/g			X	SEDIMENT NOT AVAILABLE AT SAME LOCATION AS WATER SAMPLE. SEDIMENT COLLECTED APPROXIMATELY 60 METERS DOWN RIVER.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLN6	100-K SPRING 63-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	24-Sep-07	As	4.82	ug/g			X	COLLECTED AT 63-1.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLN3	300 AREA SPR DR 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	05-Dec-07	As	4.93	ug/g			X	COLLECTED 5 METERS UPSTREAM FROM NORMAL LOCATION.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLK4	300 AREA SPRING 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	05-Dec-07	As	5.41	ug/g			X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NWC4	HANFORD SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	As	5.96	ug/g			X	WATER DEPTH 16 FT, MEDIUM COARSE SAND WITH BIO-PLANT MATERIAL, COARSE PEBBLES. COLLECTED UNDERNEATH POWERLINES.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLN0	HANFORD SPR DR 28-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	20-Sep-07	As	8.59	ug/g			X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLM7	HANFORD SPR UR 28-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	20-Sep-07	As	5.43	ug/g			X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NWD7	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	12-Jul-07	As	8.84	ug/g			X	WATER DEPTH 81 FT, FINE GRAINED MATERIAL, GREEN/GRAY SEDIMENT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NWD8	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	12-Jul-07	As	7.74	ug/g			X	WATER DEPTH 81 FT, FINE GRAINED MATERIAL, GREEN/GRAY SEDIMENT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NWD2	PRD-GRANT SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	As	8.82	ug/g			X	WATER DEPTH 30 FT, EXCELLENT FINE GRAIN SEDIMENT, COARSER GRAIN MATERIAL, FEW CLAM SHELLS.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NWD1	PRD-YAKIMA SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	As	11.6	ug/g			X	WATER DEPTH 78.5 FT, FINE GRAIN MATERIAL, BROWN/GREEN SEDIMENT.	RESULT NOT BLANK CORRECTED.



**ENVIRONMENTAL SURVEILLANCE DATA CY07**

**SEDIMENT**  
(Analyses Units in Dry Weight)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1NWC5	RICHLAND-RIVER	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	12-Jul-07	As	6.09	ug/g			X	MEDIUM SAND WITH LITTLE ORGANIC MATERIAL. COLLECTED AT RICHLAND BEACH NEAR SNYDER ST. RAMP, WADED WAIST DEEP.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NWC2	WHITE BLUFFS SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	As	6.1	ug/g			X	WATER DEPTH 2.5 FT, MEDIUM BROWN SAND, WITH ROOTED VEGETATION.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NWC3	100 F SLOUGH	ONSITE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Be	1.23	ug/g			X	WATER DEPTH 6.7 FT, COARSE BLACK/BROWN SEDIMENT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLM5	100-B SPRING 37-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	24-Sep-07	Be	1.43	ug/g			X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLN8	100-F SPRING 207-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	22-Oct-07	Be	1.77	ug/g			X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLX5	100-H SPRING 145-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	15-Oct-07	Be	1.46	ug/g			X	SEDIMENT NOT AVAILABLE AT SAME LOCATION AS WATER SAMPLE. SEDIMENT COLLECTED APPROXIMATELY 60 METERS DOWN RIVER.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLN6	100-K SPRING 63-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	24-Sep-07	Be	1.31	ug/g			X	COLLECTED AT 63-1.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLN3	300 AREA SPR DR 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	05-Dec-07	Be	1.31	ug/g			X	COLLECTED 5 METERS UPSTREAM FROM NORMAL LOCATION.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLK4	300 AREA SPRING 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	05-Dec-07	Be	1.51	ug/g			X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NWC4	HANFORD SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Be	1.31	ug/g			X	WATER DEPTH 16 FT, MEDIUM COARSE SAND WITH BIO-PLANT MATERIAL, COARSE PEBBLES. COLLECTED UNDERNEATH POWERLINES.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLN0	HANFORD SPR DR 28-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	20-Sep-07	Be	1.82	ug/g			X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLM7	HANFORD SPR UR 28-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	20-Sep-07	Be	1.39	ug/g			X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NWD7	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	12-Jul-07	Be	1.56	ug/g			X	WATER DEPTH 81 FT, FINE GRAINED MATERIAL, GREEN/GRAY SEDIMENT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NWD8	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	12-Jul-07	Be	1.43	ug/g			X	WATER DEPTH 81 FT, FINE GRAINED MATERIAL, GREEN/GRAY SEDIMENT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NWD2	PRD-GRANT SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Be	1.27	ug/g			X	WATER DEPTH 30 FT, EXCELLENT FINE GRAIN SEDIMENT, COARSER GRAIN MATERIAL, FEW CLAM SHELLS.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NWD1	PRD-YAKIMA SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Be	1.47	ug/g			X	WATER DEPTH 78.5 FT, FINE GRAIN MATERIAL, BROWN/GREEN SEDIMENT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NWC5	RICHLAND-RIVER	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	12-Jul-07	Be	1.31	ug/g			X	MEDIUM SAND WITH LITTLE ORGANIC MATERIAL. COLLECTED AT RICHLAND BEACH NEAR SNYDER ST. RAMP, WADED WAIST DEEP.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NWC2	WHITE BLUFFS SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Be	1.4	ug/g			X	WATER DEPTH 2.5 FT, MEDIUM BROWN SAND, WITH ROOTED VEGETATION.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NWC3	100 F SLOUGH	ONSITE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Cd	0.628	ug/g			X	WATER DEPTH 6.7 FT, COARSE BLACK/BROWN SEDIMENT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLM5	100-B SPRING 37-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	24-Sep-07	Cd	0.797	ug/g			X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLN8	100-F SPRING 207-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	22-Oct-07	Cd	0.693	ug/g			X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLX5	100-H SPRING 145-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	15-Oct-07	Cd	1.13	ug/g			X	SEDIMENT NOT AVAILABLE AT SAME LOCATION AS WATER SAMPLE. SEDIMENT COLLECTED APPROXIMATELY 60 METERS DOWN RIVER.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLN6	100-K SPRING 63-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	24-Sep-07	Cd	0.58	ug/g			X	COLLECTED AT 63-1.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLN3	300 AREA SPR DR 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	05-Dec-07	Cd	0.43	ug/g			X	COLLECTED 5 METERS UPSTREAM FROM NORMAL LOCATION.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLK4	300 AREA SPRING 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	05-Dec-07	Cd	0.394	ug/g			X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NWC4	HANFORD SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Cd	2.28	ug/g			X	WATER DEPTH 16 FT, MEDIUM COARSE SAND WITH BIO-PLANT MATERIAL, COARSE PEBBLES. COLLECTED UNDERNEATH POWERLINES.	RESULT NOT BLANK CORRECTED.

**ENVIRONMENTAL SURVEILLANCE DATA CY07**

**SEDIMENT**  
(Analyses Units in Dry Weight)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1PLN0	HANFORD SPR DR 28-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	20-Sep-07	Cd	0.449	ug/g			X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLM7	HANFORD SPR UR 28-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	20-Sep-07	Cd	0.626	ug/g			X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NWD7	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	12-Jul-07	Cd	1.38	ug/g			X	WATER DEPTH 81 FT, FINE GRAINED MATERIAL, GREEN/GRAY SEDIMENT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NWD8	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	12-Jul-07	Cd	1.27	ug/g			X	WATER DEPTH 81 FT, FINE GRAINED MATERIAL, GREEN/GRAY SEDIMENT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NWD2	PRD-GRANT SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Cd	8.12	ug/g			X	WATER DEPTH 30 FT, EXCELLENT FINE GRAIN SEDIMENT, COARSER GRAIN MATERIAL, FEW CLAM SHELLS.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NWD1	PRD-YAKIMA SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Cd	6.87	ug/g			X	WATER DEPTH 78.5 FT, FINE GRAIN MATERIAL, BROWN/GREEN SEDIMENT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NWC5	RICHLAND-RIVER	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	12-Jul-07	Cd	0.41	ug/g			X	MEDIUM SAND WITH LITTLE ORGANIC MATERIAL. COLLECTED AT RICHLAND BEACH NEAR SNYDER ST. RAMP, WADED WAIST DEEP.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NWC2	WHITE BLUFFS SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Cd	1.06	ug/g			X	WATER DEPTH 2.5 FT, MEDIUM BROWN SAND, WITH ROOTED VEGETATION.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NWC3	100 F SLOUGH	ONSITE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Cr	48.5	ug/g			X	WATER DEPTH 6.7 FT, COARSE BLACK/BROWN SEDIMENT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLM5	100-B SPRING 37-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	24-Sep-07	Cr	101	ug/g			X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLN8	100-F SPRING 207-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	22-Oct-07	Cr	64.5	ug/g			X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLX5	100-H SPRING 145-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	15-Oct-07	Cr	45.4	ug/g			X	SEDIMENT NOT AVAILABLE AT SAME LOCATION AS WATER SAMPLE. SEDIMENT COLLECTED APPROXIMATELY 60 METERS DOWN RIVER.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLN6	100-K SPRING 63-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	24-Sep-07	Cr	65.9	ug/g			X	COLLECTED AT 63-1.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLN3	300 AREA SPR DR 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	05-Dec-07	Cr	35.4	ug/g			X	COLLECTED 5 METERS UPSTREAM FROM NORMAL LOCATION.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLK4	300 AREA SPRING 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	05-Dec-07	Cr	47.3	ug/g			X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NWC4	HANFORD SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Cr	47	ug/g			X	WATER DEPTH 16 FT, MEDIUM COARSE SAND WITH BIO-PLANT MATERIAL, COARSE PEBBLES. COLLECTED UNDERNEATH POWERLINES.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLN0	HANFORD SPR DR 28-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	20-Sep-07	Cr	73.5	ug/g			X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLM7	HANFORD SPR UR 28-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	20-Sep-07	Cr	62.8	ug/g			X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NWD7	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	12-Jul-07	Cr	56.3	ug/g			X	WATER DEPTH 81 FT, FINE GRAINED MATERIAL, GREEN/GRAY SEDIMENT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NWD8	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	12-Jul-07	Cr	53.6	ug/g			X	WATER DEPTH 81 FT, FINE GRAINED MATERIAL, GREEN/GRAY SEDIMENT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NWD2	PRD-GRANT SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Cr	72.1	ug/g			X	WATER DEPTH 30 FT, EXCELLENT FINE GRAIN SEDIMENT, COARSER GRAIN MATERIAL, FEW CLAM SHELLS.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NWD1	PRD-YAKIMA SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Cr	88	ug/g			X	WATER DEPTH 78.5 FT, FINE GRAIN MATERIAL, BROWN/GREEN SEDIMENT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NWC5	RICHLAND-RIVER	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	12-Jul-07	Cr	37.9	ug/g			X	MEDIUM SAND WITH LITTLE ORGANIC MATERIAL. COLLECTED AT RICHLAND BEACH NEAR SNYDER ST. RAMP, WADED WAIST DEEP.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NWC2	WHITE BLUFFS SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Cr	50.5	ug/g			X	WATER DEPTH 2.5 FT, MEDIUM BROWN SAND, WITH ROOTED VEGETATION.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NWC3	100 F SLOUGH	ONSITE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Cu	27	ug/g			X	WATER DEPTH 6.7 FT, COARSE BLACK/BROWN SEDIMENT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLM5	100-B SPRING 37-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	24-Sep-07	Cu	13.8	ug/g			X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLN8	100-F SPRING 207-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	22-Oct-07	Cu	20	ug/g			X		RESULT NOT BLANK CORRECTED.

**ENVIRONMENTAL SURVEILLANCE DATA CY07**

**SEDIMENT**  
(Analyses Units in Dry Weight)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1PLX5	100-H SPRING 145-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	15-Oct-07	Cu	29.9	ug/g			X	SEDIMENT NOT AVAILABLE AT SAME LOCATION AS WATER SAMPLE. SEDIMENT COLLECTED APPROXIMATELY 60 METERS DOWN RIVER.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLN6	100-K SPRING 63-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	24-Sep-07	Cu	21.1	ug/g			X	COLLECTED AT 63-1.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLN3	300 AREA SPR DR 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	05-Dec-07	Cu	16.5	ug/g			X	COLLECTED 5 METERS UPSTREAM FROM NORMAL LOCATION.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLK4	300 AREA SPRING 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	05-Dec-07	Cu	16.3	ug/g			X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NWC4	HANFORD SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Cu	28.5	ug/g			X	WATER DEPTH 16 FT, MEDIUM COARSE SAND WITH BIO-PLANT MATERIAL, COARSE PEBBLES. COLLECTED UNDERNEATH POWERLINES.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLN0	HANFORD SPR DR 28-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	20-Sep-07	Cu	17.6	ug/g			X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLM7	HANFORD SPR UR 28-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	20-Sep-07	Cu	17.9	ug/g			X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NWD7	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	12-Jul-07	Cu	37.1	ug/g			X	WATER DEPTH 81 FT, FINE GRAINED MATERIAL, GREEN/GRAY SEDIMENT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NWD8	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	12-Jul-07	Cu	29.1	ug/g			X	WATER DEPTH 81 FT, FINE GRAINED MATERIAL, GREEN/GRAY SEDIMENT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NWD2	PRD-GRANT SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Cu	49.8	ug/g			X	WATER DEPTH 30 FT, EXCELLENT FINE GRAIN SEDIMENT, COARSER GRAIN MATERIAL, FEW CLAM SHELLS.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NWD1	PRD-YAKIMA SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Cu	58.2	ug/g			X	WATER DEPTH 78.5 FT, FINE GRAIN MATERIAL, BROWN/GREEN SEDIMENT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NWC5	RICHLAND-RIVER	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	12-Jul-07	Cu	16.6	ug/g			X	MEDIUM SAND WITH LITTLE ORGANIC MATERIAL. COLLECTED AT RICHLAND BEACH NEAR SNYDER ST. RAMP, WADED WAIST DEEP.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NWC2	WHITE BLUFFS SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Cu	24.6	ug/g			X	WATER DEPTH 2.5 FT, MEDIUM BROWN SAND, WITH ROOTED VEGETATION.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NWC3	100 F SLOUGH	ONSITE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Ni	18.6	ug/g			X	WATER DEPTH 6.7 FT, COARSE BLACK/BROWN SEDIMENT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLM5	100-B SPRING 37-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	24-Sep-07	Ni	16.2	ug/g			X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLN8	100-F SPRING 207-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	22-Oct-07	Ni	19.4	ug/g			X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLX5	100-H SPRING 145-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	15-Oct-07	Ni	18	ug/g			X	SEDIMENT NOT AVAILABLE AT SAME LOCATION AS WATER SAMPLE. SEDIMENT COLLECTED APPROXIMATELY 60 METERS DOWN RIVER.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLN6	100-K SPRING 63-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	24-Sep-07	Ni	16.9	ug/g			X	COLLECTED AT 63-1.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLN3	300 AREA SPR DR 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	05-Dec-07	Ni	14	ug/g			X	COLLECTED 5 METERS UPSTREAM FROM NORMAL LOCATION.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLK4	300 AREA SPRING 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	05-Dec-07	Ni	16.8	ug/g			X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NWC4	HANFORD SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Ni	18.4	ug/g			X	WATER DEPTH 16 FT, MEDIUM COARSE SAND WITH BIO-PLANT MATERIAL, COARSE PEBBLES. COLLECTED UNDERNEATH POWERLINES.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLN0	HANFORD SPR DR 28-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	20-Sep-07	Ni	20.4	ug/g			X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLM7	HANFORD SPR UR 28-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	20-Sep-07	Ni	17	ug/g			X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NWD7	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	12-Jul-07	Ni	28.9	ug/g			X	WATER DEPTH 81 FT, FINE GRAINED MATERIAL, GREEN/GRAY SEDIMENT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NWD8	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	12-Jul-07	Ni	26.7	ug/g			X	WATER DEPTH 81 FT, FINE GRAINED MATERIAL, GREEN/GRAY SEDIMENT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NWD2	PRD-GRANT SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Ni	38.7	ug/g			X	WATER DEPTH 30 FT, EXCELLENT FINE GRAIN SEDIMENT, COARSER GRAIN MATERIAL, FEW CLAM SHELLS.	RESULT NOT BLANK CORRECTED.

**ENVIRONMENTAL SURVEILLANCE DATA CY07**

**SEDIMENT**  
(Analyses Units in Dry Weight)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1NWD1	PRD-YAKIMA SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Ni	50.7	ug/g			X	WATER DEPTH 78.5 FT, FINE GRAIN MATERIAL, BROWN/GREEN SEDIMENT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NWC5	RICHLAND-RIVER	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	12-Jul-07	Ni	13.7	ug/g			X	MEDIUM SAND WITH LITTLE ORGANIC MATERIAL. COLLECTED AT RICHLAND BEACH NEAR SNYDER ST. RAMP, WADED WAIST DEEP.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NWC2	WHITE BLUFFS SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Ni	20.4	ug/g			X	WATER DEPTH 2.5 FT, MEDIUM BROWN SAND, WITH ROOTED VEGETATION.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NWC3	100 F SLOUGH	ONSITE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Pb	18.1	ug/g			X	WATER DEPTH 6.7 FT, COARSE BLACK/BROWN SEDIMENT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLM5	100-B SPRING 37-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	24-Sep-07	Pb	19.6	ug/g			X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLN8	100-F SPRING 207-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	22-Oct-07	Pb	29.6	ug/g			X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLX5	100-H SPRING 145-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	15-Oct-07	Pb	80.2	ug/g			X	SEDIMENT NOT AVAILABLE AT SAME LOCATION AS WATER SAMPLE. SEDIMENT COLLECTED APPROXIMATELY 60 METERS DOWN RIVER.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLN6	100-K SPRING 63-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	24-Sep-07	Pb	24.1	ug/g			X	COLLECTED AT 63-1.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLN3	300 AREA SPR DR 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	05-Dec-07	Pb	22	ug/g			X	COLLECTED 5 METERS UPSTREAM FROM NORMAL LOCATION.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLK4	300 AREA SPRING 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	05-Dec-07	Pb	18.2	ug/g			X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NWC4	HANFORD SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Pb	36	ug/g			X	WATER DEPTH 16 FT, MEDIUM COARSE SAND WITH BIO-PLANT MATERIAL, COARSE PEBBLES. COLLECTED UNDERNEATH POWERLINES.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLN0	HANFORD SPR DR 28-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	20-Sep-07	Pb	24.5	ug/g			X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLM7	HANFORD SPR UR 28-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	20-Sep-07	Pb	32.4	ug/g			X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NWD7	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	12-Jul-07	Pb	26.2	ug/g			X	WATER DEPTH 81 FT, FINE GRAINED MATERIAL, GREEN/GRAY SEDIMENT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NWD8	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	12-Jul-07	Pb	25	ug/g			X	WATER DEPTH 81 FT, FINE GRAINED MATERIAL, GREEN/GRAY SEDIMENT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NWD2	PRD-GRANT SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Pb	49.9	ug/g			X	WATER DEPTH 30 FT, EXCELLENT FINE GRAIN SEDIMENT, COARSER GRAIN MATERIAL, FEW CLAM SHELLS.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NWD1	PRD-YAKIMA SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Pb	63.6	ug/g			X	WATER DEPTH 78.5 FT, FINE GRAIN MATERIAL, BROWN/GREEN SEDIMENT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NWC5	RICHLAND-RIVER	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	12-Jul-07	Pb	40.6	ug/g			X	MEDIUM SAND WITH LITTLE ORGANIC MATERIAL. COLLECTED AT RICHLAND BEACH NEAR SNYDER ST. RAMP, WADED WAIST DEEP.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NWC2	WHITE BLUFFS SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Pb	48.4	ug/g			X	WATER DEPTH 2.5 FT, MEDIUM BROWN SAND, WITH ROOTED VEGETATION.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NWC3	100 F SLOUGH	ONSITE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Sb	0.394	ug/g			X	WATER DEPTH 6.7 FT, COARSE BLACK/BROWN SEDIMENT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLM5	100-B SPRING 37-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	24-Sep-07	Sb	0.492	ug/g			X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLN8	100-F SPRING 207-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	22-Oct-07	Sb	0.68	ug/g			X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLX5	100-H SPRING 145-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	15-Oct-07	Sb	1.13	ug/g			X	SEDIMENT NOT AVAILABLE AT SAME LOCATION AS WATER SAMPLE. SEDIMENT COLLECTED APPROXIMATELY 60 METERS DOWN RIVER.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLN6	100-K SPRING 63-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	24-Sep-07	Sb	0.612	ug/g			X	COLLECTED AT 63-1.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLN3	300 AREA SPR DR 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	05-Dec-07	Sb	0.49	ug/g			X	COLLECTED 5 METERS UPSTREAM FROM NORMAL LOCATION.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLK4	300 AREA SPRING 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	05-Dec-07	Sb	0.564	ug/g			X		RESULT NOT BLANK CORRECTED.

**ENVIRONMENTAL SURVEILLANCE DATA CY07**

**SEDIMENT**  
(Analyses Units in Dry Weight)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1NWC4	HANFORD SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Sb	0.607	ug/g			X	WATER DEPTH 16 FT, MEDIUM COARSE SAND WITH BIO-PLANT MATERIAL, COARSE PEBBLES. COLLECTED UNDERNEATH POWERLINES.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLN0	HANFORD SPR DR 28-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	20-Sep-07	Sb	0.675	ug/g			X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLM7	HANFORD SPR UR 28-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	20-Sep-07	Sb	0.59	ug/g			X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NWD7	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	12-Jul-07	Sb	0.801	ug/g			X	WATER DEPTH 81 FT, FINE GRAINED MATERIAL, GREEN/GRAY SEDIMENT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NWD8	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	12-Jul-07	Sb	0.698	ug/g			X	WATER DEPTH 81 FT, FINE GRAINED MATERIAL, GREEN/GRAY SEDIMENT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NWD2	PRD-GRANT SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Sb	0.824	ug/g			X	WATER DEPTH 30 FT, EXCELLENT FINE GRAIN SEDIMENT, COARSER GRAIN MATERIAL, FEW CLAM SHELLS.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NWD1	PRD-YAKIMA SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Sb	1.11	ug/g			X	WATER DEPTH 78.5 FT, FINE GRAIN MATERIAL, BROWN/GREEN SEDIMENT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NWC5	RICHLAND-RIVER	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	12-Jul-07	Sb	0.671	ug/g			X	MEDIUM SAND WITH LITTLE ORGANIC MATERIAL. COLLECTED AT RICHLAND BEACH NEAR SNYDER ST. RAMP, WADED WAIST DEEP.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NWC2	WHITE BLUFFS SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Sb	0.727	ug/g			X	WATER DEPTH 2.5 FT, MEDIUM BROWN SAND, WITH ROOTED VEGETATION.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NWC3	100 F SLOUGH	ONSITE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Se	0.24	ug/g			UX	WATER DEPTH 6.7 FT, COARSE BLACK/BROWN SEDIMENT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLM5	100-B SPRING 37-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	24-Sep-07	Se	0.275	ug/g			X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLN8	100-F SPRING 207-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	22-Oct-07	Se	0.294	ug/g			X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLX5	100-H SPRING 145-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	15-Oct-07	Se	0.235	ug/g			X	SEDIMENT NOT AVAILABLE AT SAME LOCATION AS WATER SAMPLE. SEDIMENT COLLECTED APPROXIMATELY 60 METERS DOWN RIVER.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLN6	100-K SPRING 63-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	24-Sep-07	Se	0.095	ug/g			X	COLLECTED AT 63-1.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLN3	300 AREA SPR DR 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	05-Dec-07	Se	0.329	ug/g			X	COLLECTED 5 METERS UPSTREAM FROM NORMAL LOCATION.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLK4	300 AREA SPRING 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	05-Dec-07	Se	0.319	ug/g			X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NWC4	HANFORD SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Se	0.24	ug/g			UX	WATER DEPTH 16 FT, MEDIUM COARSE SAND WITH BIO-PLANT MATERIAL, COARSE PEBBLES. COLLECTED UNDERNEATH POWERLINES.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLN0	HANFORD SPR DR 28-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	20-Sep-07	Se	0.102	ug/g			X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLM7	HANFORD SPR UR 28-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	20-Sep-07	Se	0.39	ug/g			X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NWD7	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	12-Jul-07	Se	0.355	ug/g			BX	WATER DEPTH 81 FT, FINE GRAINED MATERIAL, GREEN/GRAY SEDIMENT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NWD8	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	12-Jul-07	Se	0.24	ug/g			UX	WATER DEPTH 81 FT, FINE GRAINED MATERIAL, GREEN/GRAY SEDIMENT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NWD2	PRD-GRANT SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Se	0.272	ug/g			BX	WATER DEPTH 30 FT, EXCELLENT FINE GRAIN SEDIMENT, COARSER GRAIN MATERIAL, FEW CLAM SHELLS.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NWD1	PRD-YAKIMA SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Se	0.318	ug/g			BX	WATER DEPTH 78.5 FT, FINE GRAIN MATERIAL, BROWN/GREEN SEDIMENT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NWC5	RICHLAND-RIVER	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	12-Jul-07	Se	0.24	ug/g			UX	MEDIUM SAND WITH LITTLE ORGANIC MATERIAL. COLLECTED AT RICHLAND BEACH NEAR SNYDER ST. RAMP, WADED WAIST DEEP.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NWC2	WHITE BLUFFS SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Se	0.24	ug/g			UX	WATER DEPTH 2.5 FT, MEDIUM BROWN SAND, WITH ROOTED VEGETATION.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NWC3	100 F SLOUGH	ONSITE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	TI	0.623	ug/g			X	WATER DEPTH 6.7 FT, COARSE BLACK/BROWN SEDIMENT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLM5	100-B SPRING 37-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	24-Sep-07	TI	0.515	ug/g			X		RESULT NOT BLANK CORRECTED.

## ENVIRONMENTAL SURVEILLANCE DATA CY07

**SEDIMENT**  
(Analyses Units in Dry Weight)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1PLN8	100-F SPRING 207-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	22-Oct-07	TI	0.62	ug/g			X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLX5	100-H SPRING 145-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	15-Oct-07	TI	0.471	ug/g			X	SEDIMENT NOT AVAILABLE AT SAME LOCATION AS WATER SAMPLE. SEDIMENT COLLECTED APPROXIMATELY 60 METERS DOWN RIVER.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLN6	100-K SPRING 63-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	24-Sep-07	TI	0.452	ug/g			X	COLLECTED AT 63-1.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLN3	300 AREA SPR DR 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	05-Dec-07	TI	0.462	ug/g			X	COLLECTED 5 METERS UPSTREAM FROM NORMAL LOCATION.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLK4	300 AREA SPRING 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	05-Dec-07	TI	0.406	ug/g			X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NWC4	HANFORD SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	TI	1.93	ug/g			X	WATER DEPTH 16 FT, MEDIUM COARSE SAND WITH BIO-PLANT MATERIAL, COARSE PEBBLES. COLLECTED UNDERNEATH POWERLINES.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLN0	HANFORD SPR DR 28-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	20-Sep-07	TI	0.467	ug/g			X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLM7	HANFORD SPR UR 28-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	20-Sep-07	TI	0.476	ug/g			X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NWD7	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	12-Jul-07	TI	0.61	ug/g			X	WATER DEPTH 81 FT, FINE GRAINED MATERIAL, GREEN/GRAY SEDIMENT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NWD8	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	12-Jul-07	TI	0.581	ug/g			X	WATER DEPTH 81 FT, FINE GRAINED MATERIAL, GREEN/GRAY SEDIMENT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NWD2	PRD-GRANT SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	TI	1.27	ug/g			X	WATER DEPTH 30 FT, EXCELLENT FINE GRAIN SEDIMENT, COARSER GRAIN MATERIAL, FEW CLAM SHELLS.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NWD1	PRD-YAKIMA SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	TI	1.03	ug/g			X	WATER DEPTH 78.5 FT, FINE GRAIN MATERIAL, BROWN/GREEN SEDIMENT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NWC5	RICHLAND-RIVER	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	12-Jul-07	TI	0.534	ug/g			X	MEDIUM SAND WITH LITTLE ORGANIC MATERIAL. COLLECTED AT RICHLAND BEACH NEAR SNYDER ST. RAMP, WADED WAIST DEEP.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NWC2	WHITE BLUFFS SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	TI	0.659	ug/g			X	WATER DEPTH 2.5 FT, MEDIUM BROWN SAND, WITH ROOTED VEGETATION.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NWC3	100 F SLOUGH	ONSITE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Zn	188	ug/g			X	WATER DEPTH 6.7 FT, COARSE BLACK/BROWN SEDIMENT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLM5	100-B SPRING 37-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	24-Sep-07	Zn	136	ug/g			X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLN8	100-F SPRING 207-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	22-Oct-07	Zn	154	ug/g			X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLX5	100-H SPRING 145-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	15-Oct-07	Zn	291	ug/g			X	SEDIMENT NOT AVAILABLE AT SAME LOCATION AS WATER SAMPLE. SEDIMENT COLLECTED APPROXIMATELY 60 METERS DOWN RIVER.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLN6	100-K SPRING 63-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	24-Sep-07	Zn	161	ug/g			X	COLLECTED AT 63-1.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLN3	300 AREA SPR DR 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	05-Dec-07	Zn	124	ug/g			X	COLLECTED 5 METERS UPSTREAM FROM NORMAL LOCATION.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLK4	300 AREA SPRING 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	05-Dec-07	Zn	106	ug/g			X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NWC4	HANFORD SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Zn	382	ug/g			X	WATER DEPTH 16 FT, MEDIUM COARSE SAND WITH BIO-PLANT MATERIAL, COARSE PEBBLES. COLLECTED UNDERNEATH POWERLINES.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLN0	HANFORD SPR DR 28-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	20-Sep-07	Zn	123	ug/g			X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLM7	HANFORD SPR UR 28-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	20-Sep-07	Zn	169	ug/g			X		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NWD7	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	12-Jul-07	Zn	230	ug/g			X	WATER DEPTH 81 FT, FINE GRAINED MATERIAL, GREEN/GRAY SEDIMENT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NWD8	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	12-Jul-07	Zn	252	ug/g			X	WATER DEPTH 81 FT, FINE GRAINED MATERIAL, GREEN/GRAY SEDIMENT.	RESULT NOT BLANK CORRECTED.

**ENVIRONMENTAL SURVEILLANCE DATA CY07**

**SEDIMENT**  
(Analyses Units in Dry Weight)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1NWD2	PRD-GRANT SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Zn	587	ug/g			X	WATER DEPTH 30 FT, EXCELLENT FINE GRAIN SEDIMENT, COARSER GRAIN MATERIAL, FEW CLAM SHELLS.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NWD1	PRD-YAKIMA SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Zn	583	ug/g			X	WATER DEPTH 78.5 FT, FINE GRAIN MATERIAL, BROWN/GREEN SEDIMENT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NWC5	RICHLAND-RIVER	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	12-Jul-07	Zn	158	ug/g			X	MEDIUM SAND WITH LITTLE ORGANIC MATERIAL. COLLECTED AT RICHLAND BEACH NEAR SNYDER ST. RAMP, WADED WAIST DEEP.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NWC2	WHITE BLUFFS SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Zn	293	ug/g			X	WATER DEPTH 2.5 FT, MEDIUM BROWN SAND, WITH ROOTED VEGETATION.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NWC3	100 F SLOUGH	ONSITE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Hg	0.0283	ug/g			BX	WATER DEPTH 6.7 FT, COARSE BLACK/BROWN SEDIMENT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLM5	100-B SPRING 37-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	24-Sep-07	Hg	0.0147	ug/g			BX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLN8	100-F SPRING 207-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	22-Oct-07	Hg	0.0201	ug/g			BX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLX5	100-H SPRING 145-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	15-Oct-07	Hg	0.023	ug/g			BX	SEDIMENT NOT AVAILABLE AT SAME LOCATION AS WATER SAMPLE. SEDIMENT COLLECTED APPROXIMATELY 60 METERS DOWN RIVER.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLN6	100-K SPRING 63-1	ONSITE	SO	SUB_SURFACE	SEDIMENT	24-Sep-07	Hg	0.0195	ug/g			BX	COLLECTED AT 63-1.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLN3	300 AREA SPR DR 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	05-Dec-07	Hg	0.0153	ug/g			BX	COLLECTED 5 METERS UPSTREAM FROM NORMAL LOCATION.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLK4	300 AREA SPRING 42-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	05-Dec-07	Hg	0.0079	ug/g			BCX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NWC4	HANFORD SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Hg	0.0514	ug/g			X	WATER DEPTH 16 FT, MEDIUM COARSE SAND WITH BIO-PLANT MATERIAL, COARSE PEBBLES. COLLECTED UNDERNEATH POWERLINES.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLN0	HANFORD SPR DR 28-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	20-Sep-07	Hg	0.0158	ug/g			BX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1PLM7	HANFORD SPR UR 28-2	ONSITE	SO	SUB_SURFACE	SEDIMENT	20-Sep-07	Hg	0.0155	ug/g			BX		RESULT NOT BLANK CORRECTED.
SESPMNT	B1NWD7	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	12-Jul-07	Hg	0.0812	ug/g			X	WATER DEPTH 81 FT, FINE GRAINED MATERIAL, GREEN/GRAY SEDIMENT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NWD8	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	12-Jul-07	Hg	0.108	ug/g			X	WATER DEPTH 81 FT, FINE GRAINED MATERIAL, GREEN/GRAY SEDIMENT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NWD2	PRD-GRANT SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Hg	0.157	ug/g			X	WATER DEPTH 30 FT, EXCELLENT FINE GRAIN SEDIMENT, COARSER GRAIN MATERIAL, FEW CLAM SHELLS.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NWD1	PRD-YAKIMA SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Hg	0.184	ug/g			X	WATER DEPTH 78.5 FT, FINE GRAIN MATERIAL, BROWN/GREEN SEDIMENT.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NWC5	RICHLAND-RIVER	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	12-Jul-07	Hg	0.0102	ug/g			BCX	MEDIUM SAND WITH LITTLE ORGANIC MATERIAL. COLLECTED AT RICHLAND BEACH NEAR SNYDER ST. RAMP, WADED WAIST DEEP.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1NWC2	WHITE BLUFFS SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	Hg	0.0409	ug/g			BX	WATER DEPTH 2.5 FT, MEDIUM BROWN SAND, WITH ROOTED VEGETATION.	RESULT NOT BLANK CORRECTED.
SESPMNT	B1MVL3	MCNARY-OR.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	12-Jul-07	TOC	18900	mg/kg			D	WATER DEPTH 81 FT, FINE GRAINED MATERIAL, GREEN/GRAY SEDIMENT.	
SESPMNT	B1MVL5	MCNARY-WASH.SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	12-Jul-07	TOC	14000	mg/kg			D	WATER DEPTH 81 FT, FINE GRAINED MATERIAL, GREEN/GRAY SEDIMENT.	
SESPMNT	B1MVL7	PRD-GRANT SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	TOC	9620	mg/kg			D	WATER DEPTH 30 FT, EXCELLENT FINE GRAIN SEDIMENT, COARSER GRAIN MATERIAL, FEW CLAM SHELLS.	
SESPMNT	B1MVL9	PRD-YAKIMA SIDE NEAR DAM	OFFSITE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	TOC	12500	mg/kg			D	WATER DEPTH 78.5 FT, FINE GRAIN MATERIAL, BROWN/GREEN SEDIMENT.	
SESPMNT	B1MVM1	WHITE BLUFFS SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	TOC	7180	mg/kg			D	WATER DEPTH 2.5 FT, MEDIUM BROWN SAND, WITH ROOTED VEGETATION.	
SESPMNT	B1MVM3	100 F SLOUGH	ONSITE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	TOC	1340	mg/kg				WATER DEPTH 6.7 FT, COARSE BLACK/BROWN SEDIMENT.	

## ENVIRONMENTAL SURVEILLANCE DATA CY07

**SEDIMENT**  
(Analyses Units in Dry Weight)

OWNER ID	SAMP NUM	SAMP SITE NAME	DIST CLASS	MEDIA	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1MVM5	HANFORD SLOUGH	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	11-Jul-07	TOC	3940	mg/kg				WATER DEPTH 16 FT, MEDIUM COARSE SAND WITH BIO-PLANT MATERIAL, COARSE PEBBLES. COLLECTED UNDERNEATH POWERLINES.	COLLECTED UNDERNEATH POWERLINES.
SESPMNT	B1MVM7	RICHLAND-RIVER	RIVER_SHORELINE	SO	SUB_SURFACE	SEDIMENT	12-Jul-07	TOC	623	mg/kg				MEDIUM SAND WITH LITTLE ORGANIC MATERIAL. COLLECTED AT RICHLAND BEACH NEAR SNYDER ST. RAMP, WADED WAIST DEEP.	COLLECTED AT RICHLAND BEACH NEAR SNYDER ST. RAMP, WADED WAIST DEEP.



# **Quality Assurance**

**Table Q-1.** TestAmerica Laboratories, Inc., Richland, Washington, Performance Data on Blind-Spiked Samples for the Surface Environmental Surveillance Project (SESP), 2007

Samp Num	Media	Con Short Name	True Value	Units	Value RPTD	Units	Reported/True	Performance Evaluation <sup>(a)</sup>
B1P351	Air	Co-60	333	pCi/filter	488	pCi/filter	1.46	Not Acceptable
B1P351	Air	Cs-137	787	pCi/filter	1190	pCi/filter	1.51	Not Acceptable
B1P351	Air	Pu-238	3.10	pCi/filter	2.35	pCi/filter	0.76	Acceptable
B1P351	Air	Pu-239/240	5.57	pCi/filter	4.62	pCi/filter	0.83	Acceptable
B1P351	Air	Sr-90	134	pCi/filter	111.1	pCi/filter	0.83	Acceptable
B1P351	Air	U-234	6.16	pCi/filter	5.73	pCi/filter	0.93	Acceptable
B1P351	Air	U-238	6.2	pCi/filter	5.89	pCi/filter	0.95	Acceptable
B1PMC1	Air	Co-60	485	pCi/filter	617	pCi/filter	1.27	Acceptable
B1PMC1	Air	Cs-137	2415	pCi/filter	3193	pCi/filter	1.32	Not Acceptable
B1PMC1	Air	Pu-238	13.5	pCi/filter	10.0	pCi/filter	0.74	Acceptable
B1PMC1	Air	Pu-239/240	8.92	pCi/filter	6.65	pCi/filter	0.75	Acceptable
B1PMC1	Air	Sr-90	67.4	pCi/filter	50.8	pCi/filter	0.75	Acceptable
B1PMC1	Air	U-234	6.5	pCi/filter	8.72	pCi/filter	1.34	Not Acceptable
B1PMC1	Air	U-238	6.49	pCi/filter	8.80	pCi/filter	1.36	Not Acceptable
B1P355	Vegetation	Co-60	0.140	pCi/g	0.165	pCi/g	1.18	Acceptable
B1P355	Vegetation	Cs-137	7.28	pCi/g	8.37	pCi/g	1.15	Acceptable
B1P355	Vegetation	K-40	40.0	pCi/g	45.3	pCi/g	1.13	Acceptable
B1P355	Vegetation	Pu-239/240	0.0892	pCi/g	0.086	pCi/g	0.96	Acceptable
B1P355	Vegetation	Sr-90	11.47	pCi/g	12.6	pCi/g	1.10	Acceptable
B1PMC5	Vegetation	Co-60	0.175	pCi/g	0.234	pCi/g	1.33	Not Acceptable
B1PMC5	Vegetation	Cs-137	10.8	pCi/g	13.4	pCi/g	1.25	Acceptable
B1PMC5	Vegetation	K-40	30.3	pCi/g	35.7	pCi/g	1.18	Acceptable
B1PMC5	Vegetation	Pu-239/240	0.135	pCi/g	0.141	pCi/g	1.05	Acceptable
B1PMC5	Vegetation	Sr-90	15.7	pCi/g	14.8	pCi/g	0.95	Acceptable
B1P356	Soil	Cs-137	22.4	pCi/g	23.2	pCi/g	1.04	Acceptable
B1P356	Soil	K-40	17.2	pCi/g	20.1	pCi/g	1.17	Acceptable
B1P356	Soil	Pu-239/240	0.349	pCi/g	0.319	pCi/g	0.92	Acceptable
B1P356	Soil	Sr-90	0.991	pCi/g	1.51	pCi/g	1.52	Not Acceptable
B1P356	Soil	U-234	1.14	pCi/g	0.401	pCi/g	0.35	Not Acceptable
B1P356	Soil	U-238	1.21	pCi/g	0.478	pCi/g	0.39	Not Acceptable
B1PMC6	Soil	Cs-137	39.1	pCi/g	39.8	pCi/g	1.02	Acceptable
B1PMC6	Soil	K-40	17.2	pCi/g	18.7	pCi/g	1.09	Acceptable
B1PMC6	Soil	Pu-239/240	0.632	pCi/g	0.628	pCi/g	0.99	Acceptable
B1PMC6	Soil	Sr-90	1.55	pCi/g	1.36	pCi/g	0.88	Acceptable
B1PMC6	Soil	U-234	3.24	pCi/g	2.35	pCi/g	0.72	Acceptable
B1PMC6	Soil	U-238	3.38	pCi/g	2.49	pCi/g	0.74	Acceptable
B1P354	Water	Co-60	3894	pCi/L	3990	pCi/L	1.02	Acceptable
B1P354	Water	Cs-134	332	pCi/L	316	pCi/L	0.95	Acceptable
B1P354	Water	Cs-137	1973	pCi/L	2090	pCi/L	1.06	Acceptable
B1P354	Water	H-3	4706	pCi/L	4510	pCi/L	0.96	Acceptable
B1P354	Water	Pu-238	113	pCi/L	94.4	pCi/L	0.84	Acceptable
B1P354	Water	Pu-239/240	55.9	pCi/L	48.1	pCi/L	0.86	Acceptable
B1P354	Water	U-234	89.8	pCi/L	83.4	pCi/L	0.93	Acceptable
B1P354	Water	U-238	91.1	pCi/L	81.8	pCi/L	0.90	Acceptable
B1PMC4	Water	Co-60	3391	pCi/L	3630	pCi/L	1.07	Acceptable
B1PMC4	Water	Cs-134	168	pCi/L	197	pCi/L	1.17	Acceptable
B1PMC4	Water	Cs-137	1545	pCi/L	1680	pCi/L	1.09	Acceptable
B1PMC4	Water	H-3	8075	pCi/L	7770	pCi/L	0.96	Acceptable
B1PMC4	Water	U-234	55.4	pCi/L	61.3	pCi/L	1.11	Acceptable
B1PMC4	Water	U-238	58.4	pCi/L	61.5	pCi/L	1.05	Acceptable

(a) The performance evaluation criteria are:

Acceptable - TestAmerica value falls within the control limit  $\pm$  30%

Not Acceptable - TestAmerica value falls outside of the control limit.

**Table Q-2.** TestAmerica Laboratories Inc., Richland Washington, Performance Data on Performance Evaluation Program Water Samples (pCi/L)  
Provided by the Environmental Resource Associates (ERA) Proficiency Testing Program, 2007

Con Short Name	Evaluation Series	TestAmerica Value <sup>(a)</sup>	TestAmerica Experimental Deviation <sup>(a)</sup>	ERA Known <sup>(b)</sup>	Bias%	Performance Evaluation <sup>(c)</sup>	Report Issue Date	Comments
Ba-133	Rad68	78.1	3.30	90.5	-13.7	Acceptable	21-Mar-07	
Co-60	Rad68	88.3	1.4	101	-12.6	Not Acceptable	21-Mar-07	Corrective action dated 5/31/07
Cs-134	Rad68	72.5	0.80	88.9	-18	Acceptable	21-Mar-07	
Cs-137	Rad68	203.3	3.20	231	-12.0	Not Acceptable	21-Mar-07	Corrective action dated 5/31/07
Gross Alpha	Rad68	8.57	1.70	12.7	-33	Acceptable	21-Mar-07	
Gross Alpha	Rad68	8.22	0.95	12.7	-35	Acceptable	21-Mar-07	
Gross Beta	Rad68	31.5	4.8	36.2	-13	Acceptable	21-Mar-07	
Ra-226	Rad68	17.4	1.20	19.4	-10.3	Acceptable	21-Mar-07	
Ra-226	Rad68	22.9	0.70	19.4	18.0	Acceptable	21-Mar-07	
Ra-228	Rad68	9.74	1.00	13.5	-28	Acceptable	21-Mar-07	
Sr-89	Rad68	52.4	1.60	60.8	-13.8	Acceptable	21-Mar-07	
Sr-90	Rad68	26.4	0.30	28.1	-6.0	Acceptable	21-Mar-07	
U (Nat)(mass, ug/L)	Rad68	47.5	0.30	52.8	-10.0	Acceptable	21-Mar-07	
Zn-65	Rad68	323.7	6.7	350	-7.5	Acceptable	21-Mar-07	
Ba-133	Rad69	24.9	1.7	29.3	-15.0	Acceptable	12-Jun-07	
Co-60	Rad69	110	3	119	-7.6	Acceptable	12-Jun-07	
Cs-134	Rad69	45.8	2.3	54.3	-16	Acceptable	12-Jun-07	
Cs-137	Rad69	47	2.1	50	-6.6	Acceptable	12-Jun-07	
Gross Alpha	Rad69	42.1	3.8	56.50	-25	Acceptable	12-Jun-07	
Gross Alpha	Rad69	40.0	3.0	56.50	-29	Acceptable	12-Jun-07	
Gross Beta	Rad69	26.3	5.50	25.3	4	Acceptable	12-Jun-07	
H-3	Rad69	8073	117	8060	0.2	Acceptable	12-Jun-07	
I-131	Rad69	14.1	1.30	18.9	-25	Acceptable	12-Jun-07	
Ra-226	Rad69	11.8	1.00	13.4	-11.9	Acceptable	12-Jun-07	
Ra-226	Rad69	14.9	0.99	13.4	11.2	Acceptable	12-Jun-07	
Ra-228	Rad69	14.2	0.9	18.2	-22	Acceptable	12-Jun-07	
Sr-89	Rad69	27.9	2.70	35.4	-21.2	Acceptable	12-Jun-07	
Sr-90	Rad69	32.80	0.90	42.1	-22.1	Acceptable	12-Jun-07	Corrective action dated 6/16/07
U (Nat)(mass, ug/L)	Rad69	6.49	0.01	6.76	-4.0	Acceptable	12-Jun-07	
Zn-65	Rad69	82.2	1.80	88.6	-7.2	Acceptable	12-Jun-07	
Ba-133	Rad70	20.5	0.5	19.4	5.7	Acceptable	07-Sep-07	
Co-60	Rad70	36.4	1.90	33.5	8.7	Acceptable	07-Sep-07	
Cs-134	Rad70	67.5	2.86	68.9	-2	Acceptable	07-Sep-07	
Cs-137	Rad70	65.4	2.3	61.3	7	Acceptable	07-Sep-07	
Gross Alpha	Rad70	8.74	0.91	27.1	-68	Not Acceptable	07-Sep-07	Corrective action dated 9/28/07
Gross Alpha	Rad70	11.7	2.90	27.1	-57	Not Acceptable	07-Sep-07	Corrective action dated 9/28/07
Gross Beta	Rad70	10.5	2.14	11.5	-8.7	Acceptable	07-Sep-07	
Sr-89	Rad70	51.2	1.0	58.2	-12.0	Acceptable	07-Sep-07	
Sr-90	Rad70	17.5	0.4	19.00	-8	Acceptable	07-Sep-07	
Zn-65	Rad70	62.6	0.85	54.6	14.7	Acceptable	07-Sep-07	

(a) Three results are reported to ERA by TestAmerica this value represents the average of the three results  $\pm$  1 standard deviation of the mean.

(b) Known concentration determined by ERA as mean  $\pm$  1 standard deviation.

(c) The performance evaluation criteria are:

Acceptable - TestAmerica value falls within the control limits

Not Acceptable - TestAmerica value falls outside of the control limits.

The Control Limits are defined in the U.S. Environmental Protection Agency (EPA) *National Standards for Water Proficiency Testing Studies Criteria Document* (NERL-Ci-0045), December, 1998.

**Table Q-3.** TestAmerica Laboratories Inc., Richland, Washington, Performance Data on Performance Evaluation Program  
Samples Provided by the DOE Mixed Analyte Performance Evaluation Program (MAPEP), 2007

Con Short Name	Media	Sample ID	TestAmerica Value	Experimental Deviation	MAPEP Value	Units	Bias %	Number of Participants	Performance Evaluation	Comments
Am-241	Vegetation	MAPEP-07-RdV17	0.142	0.013	0.1806	Bq/sample	-21.4	35	Acceptable with Warning <sup>(a)</sup>	
Cs-134	Vegetation	MAPEP-07-RdV17	5.55	0.37	6.21	Bq/sample	-10.6	55	Acceptable <sup>(a)</sup>	
Cs-137	Vegetation	MAPEP-07-RdV17	6.54	0.43	6.9949	Bq/sample	-6.5	55	Acceptable <sup>(a)</sup>	
Co-57	Vegetation	MAPEP-07-RdV17	7.65	0.58	8.1878	Bq/sample	-6.6	55	Acceptable <sup>(a)</sup>	
Co-60	Vegetation	MAPEP-07-RdV17	5.41	0.34	5.8215	Bq/sample	-7.1	55	Acceptable <sup>(a)</sup>	
Mn-54	Vegetation	MAPEP-07-RdV17	8.03	0.52	8.4492	Bq/sample	-5.0	55	Acceptable <sup>(a)</sup>	
Pu-238	Vegetation	MAPEP-07-RdV17	0.119	0.011	0.1484	Bq/sample	-19.8	29	Acceptable <sup>(a)</sup>	
Pu-239/240	Vegetation	MAPEP-07-RdV17	0.155	0.0134	0.2135	Bq/sample	-27.4	29	Acceptable with Warning <sup>(a)</sup>	
Sr-90	Vegetation	MAPEP-07-RdV17	1.54	0.12	1.5351	Bq/sample	0.3	21	Acceptable <sup>(a)</sup>	
U-234/233	Vegetation	MAPEP-07-RdV17	0.194	0.016	0.2624	Bq/sample	-26.1	26	Acceptable with Warning <sup>(a)</sup>	
U-238	Vegetation	MAPEP-07-RdV17	0.189	0.016	0.2724	Bq/sample	-30.6	27	Not Acceptable <sup>(a)</sup>	Corrective action dated 7/9/07
Zn-65	Vegetation	MAPEP-07-RdV17	6.10	0.47	5.6991	Bq/sample	7.0	53	Acceptable <sup>(a)</sup>	
Gross Alpha	Air Filter	MAPEP-07-GrF17	0.298	0.0333	0.601	Bq/sample	-50.4	62	Acceptable <sup>(b)</sup>	
Gross Beta	Air Filter	MAPEP-07-GrF17	0.515	0.041	0.441	Bq/sample	16.8	63	Acceptable <sup>(c)</sup>	
Am-241	Air Filter	MAPEP-07-RdF17	0.0954	0.0141	0.0977	Bq/sample	-2.4	49	Acceptable <sup>(a)</sup>	Corrective action dated 7/10/07
Cs-134	Air Filter	MAPEP-07-RdF17	2.79	0.19	4.196	Bq/sample	-33.5	74	Not Acceptable <sup>(a)</sup>	
Cs-137	Air Filter	MAPEP-07-RdF17	2.06	0.136	2.5693	Bq/sample	-19.8	76	Acceptable <sup>(a)</sup>	
Co-57	Air Filter	MAPEP-07-RdF17	3.47	0.287	2.8876	Bq/sample	20.2	76	Acceptable with Warning <sup>(a)</sup>	
Co-60	Air Filter	MAPEP-07-RdF17	2.79	0.19	2.9054	Bq/sample	-4.0	76	Acceptable <sup>(a)</sup>	
Mn-54	Air Filter	MAPEP-07-RdF17	3.43	0.23	3.5185	Bq/sample	-2.5	75	Acceptable <sup>(a)</sup>	
Pu-238	Air Filter	MAPEP-07-RdF17	0.0612	0.00931	0.0669	Bq/sample	-8.5	41	Acceptable <sup>(a)</sup>	
Pu-239/240	Air Filter	MAPEP-07-RdF17	0.063	0.009	0.0839	Bq/sample	-25.5	41	Acceptable with Warning <sup>(a)</sup>	
Sr-90	Air Filter	MAPEP-07-RdF17	0.657	0.0558	0.6074	Bq/sample	8.2	36	Acceptable <sup>(a)</sup>	
U-234/233	Air Filter	MAPEP-07-RdF17	0.0840	0.0126	0.098	Bq/sample	-14.4	39	Acceptable <sup>(a)</sup>	
U-238	Air Filter	MAPEP-07-RdF17	0.0835	0.0126	0.1021	Bq/sample	-18.2	40	Acceptable <sup>(a)</sup>	
Zn-65	Air Filter	MAPEP-07-RdF17	2.04	0.19	2.6828	Bq/sample	-24.0	71	Acceptable with Warning <sup>(a)</sup>	
Gross Alpha	Water	MAPEP-07-GRW17	0.49	0.0464	0.327	Bq/L	48.6	60	Acceptable <sup>(b)</sup>	
Gross Beta	Water	MAPEP-07-GRW17	0.962	0.0714	0.851	Bq/L	13.0	59	Acceptable <sup>(c)</sup>	
Am-241	Water	MAPEP-07-MaW17	1.6	0.13	1.71	Bq/L	-6.4	53	Acceptable <sup>(a)</sup>	
Cs-134	Water	MAPEP-07-MaW17	81	5.29	83.5	Bq/L	-3.0	78	Acceptable <sup>(a)</sup>	
Cs-137	Water	MAPEP-07-MaW17	170	10.4	163	Bq/L	4.3	80	Acceptable <sup>(a)</sup>	
Co-57	Water	MAPEP-07-MaW17	159	10.4	143.7	Bq/L	10.6	80	Acceptable <sup>(a)</sup>	
Co-60	Water	MAPEP-07-MaW17	30	1.97	26.9	Bq/L	11.5	80	Acceptable <sup>(a)</sup>	
H-3	Water	MAPEP-07-MaW17	280	8.22	283	Bq/L	-1.1	59	Acceptable <sup>(a)</sup>	
Fe-55	Water	MAPEP-07-MaW17	119	4.28	129.3	Bq/L	-8.0	12	Acceptable <sup>(a)</sup>	
Mn-54	Water	MAPEP-07-MaW17	131	8.61	123.8	Bq/L	5.8	79	Acceptable <sup>(a)</sup>	
Ni-63	Water	MAPEP-07-MaW17	118	4.26	130.4	Bq/L	-9.5	18	Acceptable <sup>(a)</sup>	
Pu-238	Water	MAPEP-07-MaW17	2.17	0.16	2.25	Bq/L	-3.6	44	Acceptable <sup>(a)</sup>	
Pu-239/240	Water	MAPEP-07-MaW17	2.19	0.156	2.22	Bq/L	-1.4	44	Acceptable <sup>(a)</sup>	
Sr-90	Water	MAPEP-07-MaW17	9.63	0.71	8.87	Bq/L	8.6	44	Acceptable <sup>(a)</sup>	
Tc-99	Water	MAPEP-07-MaW17	10.7	0.632	10.5	Bq/L	1.9	26	Acceptable <sup>(a)</sup>	
U-234/233	Water	MAPEP-07-MaW17	2.46	0.19	2.49	Bq/L	-1.2	45	Acceptable <sup>(a)</sup>	
U-238	Water	MAPEP-07-MaW17	2.46	0.191	2.48	Bq/L	-0.8	47	Acceptable <sup>(a)</sup>	
Zn-65	Water	MAPEP-07-MaW17	126	7.93	114.8	Bq/L	9.8	79	Acceptable <sup>(a)</sup>	
Am-241	Soil	MAPEP-07-MaS17	31.7	2.57	34.8	Bq/kg	-8.9	53	Acceptable <sup>(a)</sup>	
Cs-134	Soil	MAPEP-07-MaS17	318	20.4	327.4	Bq/kg		69	Acceptable <sup>(a)</sup>	
Cs-137	Soil	MAPEP-07-MaS17	838	51.6	799.7	Bq/kg	4.8	71	Acceptable <sup>(a)</sup>	
Co-57	Soil	MAPEP-07-MaS17	505	32.8	471.2	Bq/kg	7.2	72	Acceptable <sup>(a)</sup>	
Co-60	Soil	MAPEP-07-MaS17	279	16.8	274.7	Bq/kg	1.6	72	Acceptable <sup>(a)</sup>	
Fe-55	Soil	MAPEP-07-MaS17	836	77	807.6	Bq/kg	3.5	9	Acceptable <sup>(a)</sup>	
Mn-54	Soil	MAPEP-07-MaS17	727	46.9	685.2	Bq/kg	6.1	71	Acceptable <sup>(a)</sup>	
Ni-63	Soil	MAPEP-07-MaS17	550	84.9	585	Bq/kg	-6.0	14	Acceptable <sup>(a)</sup>	
Pu-238	Soil	MAPEP-07-MaS17	34.7	2.81	31.3	Bq/kg	10.9	33	Acceptable <sup>(a)</sup>	
Pu-239/240	Soil	MAPEP-07-MaS17	45.8	3.6	44.5	Bq/kg	2.9	33	Acceptable <sup>(a)</sup>	
K-40	Soil	MAPEP-07-MaS17	610	37.8	602	Bq/kg	1.3	67	Acceptable <sup>(a)</sup>	
Sr-90	Soil	MAPEP-07-MaS17	277	20.8	319	Bq/kg	-13.2	33	Acceptable <sup>(a)</sup>	
Tc-99	Soil	MAPEP-07-MaS17	13.3	5.28		Bq/kg		21	Acceptable <sup>(a)</sup>	
U-234/233	Soil	MAPEP-07-MaS17	153	11.7	185	Bq/kg	-17.3	33	Acceptable <sup>(a)</sup>	
U-238	Soil	MAPEP-07-MaS17	157	12.1	192	Bq/kg	-18.2	42	Acceptable <sup>(a)</sup>	
Zn-65	Soil	MAPEP-07-MaS17	564	34.8	536.8	Bq/kg	5.1	68	Acceptable <sup>(a)</sup>	

(a) The performance evaluation criteria are:

Acceptable - Bias ≤ 20%

Acceptable with Warning - 20% < Bias ≤ 30%

Not Acceptable - Bias > 30%.

(b) The performance evaluation criteria are:

Gross Alpha, Acceptable - Bias ≤ ± 100%.

(c) The performance evaluation criteria are:

Gross Beta, Acceptable - Bias ≤ ± 50%.

**Table Q-4.** Battelle's Marine Sciences Laboratory, Sequim, Washington, Performance Data on NSI Solutions, Inc. Proficiency Testing Program Samples, 2007

Report	Sub-Report	Media	Analyte	Method	Value Rptd	Value Assigned	Units	Performance Evaluation <sup>(a)</sup>	Analysis Date
WP-123	Trace Metals in Water	Water	Aluminum	200.7/1638m	2059	1940	ug/L	Acceptable	14-Apr-07
WP-123	Trace Metals in Water	Water	Aluminum	200.8/1638m	1980	1940	ug/L	Acceptable	30-Mar-07
WP-123	Trace Metals in Water	Water	Antimony	200.7/1638m	668	640	ug/L	Acceptable	14-Apr-07
WP-123	Trace Metals in Water	Water	Antimony	200.8/1638m	640	640	ug/L	Acceptable	30-Mar-07
WP-123	Trace Metals in Water	Water	Arsenic	200.7/1638m	321	300	ug/L	Acceptable	14-Apr-07
WP-123	Trace Metals in Water	Water	Arsenic	200.8/1638m	312	300	ug/L	Acceptable	30-Mar-07
WP-123	Trace Metals in Water	Water	Barium	200.7/1638m	224	210	ug/L	Acceptable	14-Apr-07
WP-123	Trace Metals in Water	Water	Barium	200.8/1638m	213	210	ug/L	Acceptable	30-Mar-07
WP-123	Trace Metals in Water	Water	Beryllium	200.7/1638m	626	600	ug/L	Acceptable	14-Apr-07
WP-123	Trace Metals in Water	Water	Beryllium	200.8/1638m	609	600	ug/L	Acceptable	30-Mar-07
WP-123	Trace Metals in Water	Water	Cadmium	200.7/1638m	783	745	ug/L	Acceptable	14-Apr-07
WP-123	Trace Metals in Water	Water	Cadmium	200.8/1638m	765	745	ug/L	Acceptable	30-Mar-07
WP-123	Trace Metals in Water	Water	Chromium	200.8/1638m	892	865	ug/L	Acceptable	30-Mar-07
WP-123	Trace Metals in Water	Water	Cobalt	200.7/1638m	954	940	ug/L	Acceptable	14-Apr-07
WP-123	Trace Metals in Water	Water	Cobalt	200.8/1638m	975	940	ug/L	Acceptable	30-Mar-07
WP-123	Trace Metals in Water	Water	Copper	200.7/1638m	355	340	ug/L	Acceptable	14-Apr-07
WP-123	Trace Metals in Water	Water	Copper	200.8/1638m	351	340	ug/L	Acceptable	30-Mar-07
WP-123	Trace Metals in Water	Water	Iron	200.7/1638m	1045	995	ug/L	Acceptable	14-Apr-07
WP-123	Trace Metals in Water	Water	Lead	200.7/1638m	1470	1430	ug/L	Acceptable	14-Apr-07
WP-123	Trace Metals in Water	Water	Lead	200.8/1638m	1410	1430	ug/L	Acceptable	30-Mar-07
WP-123	Trace Metals in Water	Water	Manganese	200.7/1638m	1830	1820	ug/L	Acceptable	14-Apr-07
WP-123	Trace Metals in Water	Water	Manganese	200.8/1638m	1810	1820	ug/L	Acceptable	30-Mar-07
WP-123	Trace Metals in Water	Water	Molybdenum	200.7/1638m	251	235	ug/L	Acceptable	14-Apr-07
WP-123	Trace Metals in Water	Water	Molybdenum	200.8/1638m	250	235	ug/L	Acceptable	30-Mar-07
WP-123	Trace Metals in Water	Water	Nickel	200.7/1638m	1429	1400	ug/L	Acceptable	14-Apr-07
WP-123	Trace Metals in Water	Water	Nickel	200.8/1638m	1420	1400	ug/L	Acceptable	30-Mar-07
WP-123	Trace Metals in Water	Water	Selenium	200.7/1638m	955	890	ug/L	Acceptable	14-Apr-07
WP-123	Trace Metals in Water	Water	Selenium	200.8/1638m	930	890	ug/L	Acceptable	30-Mar-07
WP-123	Trace Metals in Water	Water	Silver	200.7/1638m	43	40	ug/L	Acceptable	14-Apr-07
WP-123	Trace Metals in Water	Water	Silver	200.8/1638m	41.5	40	ug/L	Acceptable	30-Mar-07
WP-123	Trace Metals in Water	Water	Strontium	200.7/1638m	50.3	48	ug/L	Acceptable	14-Apr-07
WP-123	Trace Metals in Water	Water	Strontium	200.8/1638m	50	48	ug/L	Acceptable	30-Mar-07
WP-123	Trace Metals in Water	Water	Thallium	200.7/1638m	194	190	ug/L	Acceptable	14-Apr-07
WP-123	Trace Metals in Water	Water	Thallium	200.8/1638m	190	190	ug/L	Acceptable	30-Mar-07
WP-123	Trace Metals in Water	Water	Vanadium	200.7/1638m	1527	1500	ug/L	Acceptable	14-Apr-07
WP-123	Trace Metals in Water	Water	Vanadium	200.8/1638m	1500	1500	ug/L	Acceptable	30-Mar-07
WP-123	Trace Metals in Water	Water	Zinc	200.7/1638m	1974	1900	ug/L	Acceptable	14-Apr-07
WP-123	Trace Metals in Water	Water	Zinc	200.8/1638m	1860	1900	ug/L	Acceptable	30-Mar-07
WP-123	Trace Metals in Water	Water	Tin	200.8/1638m	1220	1230	ug/L	Acceptable	30-Mar-07
WP-123	Trace Metals in Water	Water	Titanium	200.7/1638m	101	95	ug/L	Acceptable	13-Apr-07
WP-123	Trace Metals in Water	Water	Mercury	EPA1631e	12.7	12	ug/L	Acceptable	28-Mar-07
WP-123	Trace Metals in Water	Water	Potassium	200.7/1638m	16	17.3	mg/L	Acceptable	13-Apr-07
WP-123	Trace Metals in Water	Water	Sodium	200.7/1638m	54.4	57.5	mg/L	Acceptable	13-Apr-07
WP-123	Trace Metals in Water	Water	Calcium	200.7/1638m	55.4	54.1	mg/L	Acceptable	13-Apr-07
WP-123	Trace Metals in Water	Water	Magnesium	200.7/1638m	7.1	7.15	mg/L	Acceptable	13-Apr-07
WP-124	Trace Metals in Water	Water	Trace Level Mercury	EPA1631e	77.8	78.9	ng/L	Acceptable	10-May-07
WP-126	Trace Metals in Water	Water	Aluminum	200.7/1638m	3663	3580	ug/L	Acceptable	16-Jul-07
WP-126	Trace Metals in Water	Water	Antimony	200.7/1638m	768	770	ug/L	Acceptable	16-Jul-07
WP-126	Trace Metals in Water	Water	Arsenic	200.7/1638m	463	440	ug/L	Acceptable	16-Jul-07
WP-126	Trace Metals in Water	Water	Barium	200.7/1638m	2469	2430	ug/L	Acceptable	16-Jul-07
WP-126	Trace Metals in Water	Water	Beryllium	200.7/1638m	61.5	58	ug/L	Acceptable	16-Jul-07
WP-126	Trace Metals in Water	Water	Cadmium	200.7/1638m	454	453	ug/L	Acceptable	16-Jul-07
WP-126	Trace Metals in Water	Water	Chromium	200.7/1638m	484	463	ug/L	Acceptable	16-Jul-07
WP-126	Trace Metals in Water	Water	Cobalt	200.7/1638m	601	588	ug/L	Acceptable	16-Jul-07
WP-126	Trace Metals in Water	Water	Copper	200.7/1638m	164	155	ug/L	Acceptable	16-Jul-07
WP-126	Trace Metals in Water	Water	Iron	200.7/1638m	1635	1600	ug/L	Acceptable	16-Jul-07
WP-126	Trace Metals in Water	Water	Lead	200.7/1638m	1137	1130	ug/L	Acceptable	16-Jul-07
WP-126	Trace Metals in Water	Water	Manganese	200.7/1638m	1789	1750	ug/L	Acceptable	16-Jul-07
WP-126	Trace Metals in Water	Water	Molybdenum	200.7/1638m	68.6	65	ug/L	Acceptable	16-Jul-07
WP-126	Trace Metals in Water	Water	Nickel	200.7/1638m	977	938	ug/L	Acceptable	16-Jul-07
WP-126	Trace Metals in Water	Water	Selenium	200.7/1638m	1599	1520	ug/L	Acceptable	16-Jul-07
WP-126	Trace Metals in Water	Water	Silver	200.7/1638m	611	595	ug/L	Acceptable	16-Jul-07
WP-126	Trace Metals in Water	Water	Strontium	200.7/1638m	88.3	88	ug/L	Acceptable	16-Jul-07
WP-126	Trace Metals in Water	Water	Thallium	200.7/1638m	243	240	ug/L	Acceptable	16-Jul-07
WP-126	Trace Metals in Water	Water	Vanadium	200.7/1638m	77.1	75	ug/L	Acceptable	16-Jul-07
WP-126	Trace Metals in Water	Water	Zinc	200.7/1638m	1275	1260	ug/L	Acceptable	16-Jul-07
WP-126	Trace Metals in Water	Water	Titanium	200.7/1638m	241	238	ug/L	Acceptable	16-Jul-07
WP-126	Trace Metals in Water	Water	Mercury	EPA1631e	20.2	20	ug/L	Acceptable	13-Jul-07
WP-126	Trace Metals in Water	Water	Potassium	200.7/1638m	15.6	15.6	mg/L	Acceptable	16-Jul-07

Table Q-4. (contd)

Report	Sub-Report	Media	Analyte	Method	Value Rptd	Value Assigned	Units	Performance Evaluation <sup>(a)</sup>	Analysis Date
WP-126	Trace Metals in Water	Water	Sodium	200.7/1638m	53.4	52.4	mg/L	Acceptable	16-Jul-07
WP-127	Trace Metals in Water	Water	Calcium	200.7/1638m	73.6	71.8	mg/L	Acceptable	16-Jul-07
WP-127	Trace Metals in Water	Water	Magnesium	200.7/1638m	20.6	20.1	mg/L	Acceptable	16-Jul-07
WP-129	Trace Metals in Water	Water	Aluminum	200.8/1638m	959	885	ug/L	Acceptable	15-Oct-07
WP-129	Trace Metals in Water	Water	Antimony	200.8/1638m	337	335	ug/L	Acceptable	15-Oct-07
WP-129	Trace Metals in Water	Water	Arsenic	200.8/1638m	860	900	ug/L	Acceptable	15-Oct-07
WP-129	Trace Metals in Water	Water	Barium	200.8/1638m	1260	1270	ug/L	Acceptable	15-Oct-07
WP-129	Trace Metals in Water	Water	Beryllium	200.8/1638m	586	570	ug/L	Acceptable	15-Oct-07
WP-129	Trace Metals in Water	Water	Cadmium	200.8/1638m	622	620	ug/L	Acceptable	15-Oct-07
WP-129	Trace Metals in Water	Water	Chromium	200.8/1638m	891	890	ug/L	Acceptable	15-Oct-07
WP-129	Trace Metals in Water	Water	Cobalt	200.8/1638m	333	340	ug/L	Acceptable	15-Oct-07
WP-129	Trace Metals in Water	Water	Copper	200.8/1638m	677	690	ug/L	Acceptable	15-Oct-07
WP-129	Trace Metals in Water	Water	Lead	200.8/1638m	216	235	ug/L	Acceptable	15-Oct-07
WP-129	Trace Metals in Water	Water	Manganese	200.8/1638m	3320	3300	ug/L	Acceptable	15-Oct-07
WP-129	Trace Metals in Water	Water	Molybdenum	200.8/1638m	545	550	ug/L	Acceptable	15-Oct-07
WP-129	Trace Metals in Water	Water	Nickel	200.8/1638m	1480	1530	ug/L	Acceptable	15-Oct-07
WP-129	Trace Metals in Water	Water	Selenium	200.8/1638m	858	860	ug/L	Acceptable	15-Oct-07
WP-129	Trace Metals in Water	Water	Silver	200.8/1638m	228	235	ug/L	Acceptable	15-Oct-07
WP-129	Trace Metals in Water	Water	Strontium	200.8/1638m	233	235	ug/L	Acceptable	15-Oct-07
WP-129	Trace Metals in Water	Water	Thallium	200.8/1638m	243	245	ug/L	Acceptable	15-Oct-07
WP-129	Trace Metals in Water	Water	Vanadium	200.8/1638m	120	135	ug/L	Acceptable	15-Oct-07
WP-129	Trace Metals in Water	Water	Zinc	200.8/1638m	379	430	ug/L	Acceptable	15-Oct-07
WP-129	Trace Metals in Water	Water	Tin	200.8/1638m	1220	1290	ug/L	Acceptable	15-Oct-07
SM-073	Trace Metals in Soil	Soil	Aluminum	6010Bml/1638m	12915	12200	mg/kg	Acceptable	25-May-07
SM-073	Trace Metals in Soil	Soil	Aluminum	6020ml/1638m	13771	12200	mg/kg	Acceptable	05-Jun-07
SM-073	Trace Metals in Soil	Soil	Antimony	6010Bml/1638m	189	103	mg/kg	Acceptable	25-May-07
SM-073	Trace Metals in Soil	Soil	Antimony	6020ml/1638m	141	103	mg/kg	Acceptable	05-Jun-07
SM-073	Trace Metals in Soil	Soil	Arsenic	6010Bml/1638m	279	264	mg/kg	Acceptable	25-May-07
SM-073	Trace Metals in Soil	Soil	Arsenic	6020ml/1638m	264	264	mg/kg	Acceptable	05-Jun-07
SM-073	Trace Metals in Soil	Soil	Barium	6010Bml/1638m	797	782	mg/kg	Acceptable	25-May-07
SM-073	Trace Metals in Soil	Soil	Barium	6020ml/1638m	781	782	mg/kg	Acceptable	05-Jun-07
SM-073	Trace Metals in Soil	Soil	Beryllium	6010Bml/1638m	193	185	mg/kg	Acceptable	25-May-07
SM-073	Trace Metals in Soil	Soil	Beryllium	6020ml/1638m	195	185	mg/kg	Acceptable	05-Jun-07
SM-073	Trace Metals in Soil	Soil	Cadmium	6010Bml/1638m	74	72	mg/kg	Acceptable	25-May-07
SM-073	Trace Metals in Soil	Soil	Cadmium	6020ml/1638m	83	72	mg/kg	Acceptable	05-Jun-07
SM-073	Trace Metals in Soil	Soil	Calcium	6010Bml/1638m	4264	4160	mg/kg	Acceptable	25-May-07
SM-073	Trace Metals in Soil	Soil	Chromium	6010Bml/1638m	173	168	mg/kg	Acceptable	25-May-07
SM-073	Trace Metals in Soil	Soil	Chromium	6020ml/1638m	173	168	mg/kg	Acceptable	05-Jun-07
SM-073	Trace Metals in Soil	Soil	Cobalt	6010Bml/1638m	82.4	78.6	mg/kg	Acceptable	25-May-07
SM-073	Trace Metals in Soil	Soil	Cobalt	6020ml/1638m	93.1	78.6	mg/kg	Acceptable	05-Jun-07
SM-073	Trace Metals in Soil	Soil	Copper	6010Bml/1638m	150	137	mg/kg	Acceptable	25-May-07
SM-073	Trace Metals in Soil	Soil	Copper	6020ml/1638m	143	137	mg/kg	Acceptable	05-Jun-07
SM-073	Trace Metals in Soil	Soil	Iron	6010Bml/1638m	12026	11250	mg/kg	Acceptable	25-May-07
SM-073	Trace Metals in Soil	Soil	Lead	6010Bml/1638m	318	319	mg/kg	Acceptable	25-May-07
SM-073	Trace Metals in Soil	Soil	Lead	6020ml/1638m	317	319	mg/kg	Acceptable	05-Jun-07
SM-073	Trace Metals in Soil	Soil	Magnesium	6010Bml/1638m	1819	1670	mg/kg	Acceptable	25-May-07
SM-073	Trace Metals in Soil	Soil	Manganese	6010Bml/1638m	204	216	mg/kg	Acceptable	25-May-07
SM-073	Trace Metals in Soil	Soil	Manganese	6020ml/1638m	204	216	mg/kg	Acceptable	05-Jun-07
SM-073	Trace Metals in Soil	Soil	Mercury	EPA245.5m	13.3	13.2	mg/kg	Acceptable	05-Jun-07
SM-073	Trace Metals in Soil	Soil	Mercury	EPA7473	12.5	13.2	mg/kg	Acceptable	30-May-07
SM-073	Trace Metals in Soil	Soil	Molybdenum	6010Bml/1638m	71.2	62.1	mg/kg	Acceptable	25-May-07
SM-073	Trace Metals in Soil	Soil	Molybdenum	6020ml/1638m	68	62.1	mg/kg	Acceptable	05-Jun-07
SM-073	Trace Metals in Soil	Soil	Nickel	6010Bml/1638m	334	333	mg/kg	Acceptable	25-May-07
SM-073	Trace Metals in Soil	Soil	Nickel	6020ml/1638m	346	333	mg/kg	Acceptable	05-Jun-07
SM-073	Trace Metals in Soil	Soil	Potassium	6010Bml/1638m	2908	3070	mg/kg	Acceptable	25-May-07
SM-073	Trace Metals in Soil	Soil	Selenium	6010Bml/1638m	296	274	mg/kg	Acceptable	25-May-07
SM-073	Trace Metals in Soil	Soil	Selenium	6020ml/1638m	277	274	mg/kg	Acceptable	05-Jun-07
SM-073	Trace Metals in Soil	Soil	Silver	6010Bml/1638m	28	25.5	mg/kg	Acceptable	25-May-07
SM-073	Trace Metals in Soil	Soil	Silver	6020ml/1638m	28	25.5	mg/kg	Acceptable	05-Jun-07
SM-073	Trace Metals in Soil	Soil	Sodium	6010Bml/1638m	989	973	mg/kg	Acceptable	25-May-07
SM-073	Trace Metals in Soil	Soil	Strontium	6010Bml/1638m	226	217	mg/kg	Acceptable	25-May-07
SM-073	Trace Metals in Soil	Soil	Strontium	6020ml/1638m	223	217	mg/kg	Acceptable	05-Jun-07
SM-073	Trace Metals in Soil	Soil	Thallium	6010Bml/1638m	114	109	mg/kg	Acceptable	25-May-07
SM-073	Trace Metals in Soil	Soil	Thallium	6020ml/1638m	115	109	mg/kg	Acceptable	05-Jun-07
SM-073	Trace Metals in Soil	Soil	Tin	6020ml/1638m	208	190	mg/kg	Acceptable	05-Jun-07
SM-073	Trace Metals in Soil	Soil	Titanium	6010Bml/1638m	265	234	mg/kg	Acceptable	25-May-07
SM-073	Trace Metals in Soil	Soil	Vanadium	6010Bml/1638m	293	278	mg/kg	Acceptable	25-May-07
SM-073	Trace Metals in Soil	Soil	Vanadium	6020ml/1638m	283	278	mg/kg	Acceptable	05-Jun-07
SM-073	Trace Metals in Soil	Soil	Zinc	6010Bml/1638m	448	430	mg/kg	Acceptable	25-May-07
SM-073	Trace Metals in Soil	Soil	Zinc	6020ml/1638m	466	430	mg/kg	Acceptable	05-Jun-07

Table Q-4. (contd)

Report	Sub-Report	Media	Analyte	Method	Value Rptd	Value Assigned	Units	Performance Evaluation <sup>(a)</sup>	Analysis Date
SM-074	Trace Metals in Soil	Soil	Aluminum	6010Bm/1638m/MSL-I-033	9427	10400	mg/kg	Acceptable	10-Sep-07
SM-074	Trace Metals in Soil	Soil	Aluminum	6020m/1638m/MSL-I-022	8370	10400	mg/kg	Acceptable	07-Sep-07
SM-074	Trace Metals in Soil	Soil	Aluminum	6020m/1638m/MSL-I-022	8370	10400	mg/kg	Acceptable	07-Sep-07
SM-074	Trace Metals in Soil	Soil	Antimony	6010Bm/1638m/MSL-I-033	55.5	42.9	mg/kg	Acceptable	10-Sep-07
SM-074	Trace Metals in Soil	Soil	Antimony	6020m/1638m/MSL-I-022	62	42.9	mg/kg	Acceptable	07-Sep-07
SM-074	Trace Metals in Soil	Soil	Antimony	6020m/1638m/MSL-I-022	62	42.9	mg/kg	Acceptable	07-Sep-07
SM-074	Trace Metals in Soil	Soil	Arsenic	6010Bm/1638m/MSL-I-033	231	213	mg/kg	Acceptable	10-Sep-07
SM-074	Trace Metals in Soil	Soil	Arsenic	6020m/1638m/MSL-I-022	211	213	mg/kg	Acceptable	07-Sep-07
SM-074	Trace Metals in Soil	Soil	Arsenic	6020m/1638m/MSL-I-022	211	213	mg/kg	Acceptable	07-Sep-07
SM-074	Trace Metals in Soil	Soil	Barium	6010Bm/1638m/MSL-I-033	462	465	mg/kg	Acceptable	10-Sep-07
SM-074	Trace Metals in Soil	Soil	Barium	6020m/1638m/MSL-I-022	457	465	mg/kg	Acceptable	07-Sep-07
SM-074	Trace Metals in Soil	Soil	Barium	6020m/1638m/MSL-I-022	457	465	mg/kg	Acceptable	07-Sep-07
SM-074	Trace Metals in Soil	Soil	Beryllium	6010Bm/1638m/MSL-I-033	76.1	72.6	mg/kg	Acceptable	10-Sep-07
SM-074	Trace Metals in Soil	Soil	Beryllium	6020m/1638m/MSL-I-022	72.3	72.6	mg/kg	Acceptable	07-Sep-07
SM-074	Trace Metals in Soil	Soil	Beryllium	6020m/1638m/MSL-I-022	72.3	72.6	mg/kg	Acceptable	07-Sep-07
SM-074	Trace Metals in Soil	Soil	Cadmium	6010Bm/1638m/MSL-I-033	177	178	mg/kg	Acceptable	10-Sep-07
SM-074	Trace Metals in Soil	Soil	Cadmium	6020m/1638m/MSL-I-022	182	178	mg/kg	Acceptable	07-Sep-07
SM-074	Trace Metals in Soil	Soil	Cadmium	6020m/1638m/MSL-I-022	182	178	mg/kg	Acceptable	07-Sep-07
SM-074	Trace Metals in Soil	Soil	Calcium	6010Bm/1638m/MSL-I-033	5203	5220	mg/kg	Acceptable	10-Sep-07
SM-074	Trace Metals in Soil	Soil	Chromium	6010Bm/1638m/MSL-I-033	130	124	mg/kg	Acceptable	10-Sep-07
SM-074	Trace Metals in Soil	Soil	Chromium	6020m/1638m/MSL-I-022	123	124	mg/kg	Acceptable	07-Sep-07
SM-074	Trace Metals in Soil	Soil	Chromium	6020m/1638m/MSL-I-022	123	124	mg/kg	Acceptable	07-Sep-07
SM-074	Trace Metals in Soil	Soil	Cobalt	6010Bm/1638m/MSL-I-033	89.3	88.7	mg/kg	Acceptable	10-Sep-07
SM-074	Trace Metals in Soil	Soil	Cobalt	6020m/1638m/MSL-I-022	91.1	88.7	mg/kg	Acceptable	07-Sep-07
SM-074	Trace Metals in Soil	Soil	Cobalt	6020m/1638m/MSL-I-022	91.1	88.7	mg/kg	Acceptable	07-Sep-07
SM-074	Trace Metals in Soil	Soil	Copper	6010Bm/1638m/MSL-I-033	154	144	mg/kg	Acceptable	10-Sep-07
SM-074	Trace Metals in Soil	Soil	Copper	6020m/1638m/MSL-I-022	137	144	mg/kg	Acceptable	07-Sep-07
SM-074	Trace Metals in Soil	Soil	Copper	6020m/1638m/MSL-I-022	137	144	mg/kg	Acceptable	07-Sep-07
SM-074	Trace Metals in Soil	Soil	Iron	6010Bm/1638m/MSL-I-033	8526	8450	mg/kg	Acceptable	10-Sep-07
SM-074	Trace Metals in Soil	Soil	Lead	6010Bm/1638m/MSL-I-033	86.2	91.5	mg/kg	Acceptable	10-Sep-07
SM-074	Trace Metals in Soil	Soil	Lead	6020m/1638m/MSL-I-022	82.5	91.5	mg/kg	Acceptable	07-Sep-07
SM-074	Trace Metals in Soil	Soil	Lead	6020m/1638m/MSL-I-022	82.5	91.5	mg/kg	Acceptable	07-Sep-07
SM-074	Trace Metals in Soil	Soil	Magnesium	6010Bm/1638m/MSL-I-033	9295	9180	mg/kg	Acceptable	10-Sep-07
SM-074	Trace Metals in Soil	Soil	Manganese	6010Bm/1638m/MSL-I-033	759	778	mg/kg	Acceptable	10-Sep-07
SM-074	Trace Metals in Soil	Soil	Manganese	6020m/1638m/MSL-I-022	821	778	mg/kg	Acceptable	07-Sep-07
SM-074	Trace Metals in Soil	Soil	Manganese	6020m/1638m/MSL-I-022	821	778	mg/kg	Acceptable	07-Sep-07
SM-074	Trace Metals in Soil	Soil	Mercury	6010Bm/1638m/MSL-I-033	12	11.8	mg/kg	Acceptable	07-Sep-07
SM-074	Trace Metals in Soil	Soil	Molybdenum	6010Bm/1638m/MSL-I-033	110	95.6	mg/kg	Acceptable	10-Sep-07
SM-074	Trace Metals in Soil	Soil	Molybdenum	6020m/1638m/MSL-I-022	101	95.6	mg/kg	Acceptable	07-Sep-07
SM-074	Trace Metals in Soil	Soil	Molybdenum	6020m/1638m/MSL-I-022	101	95.6	mg/kg	Acceptable	07-Sep-07
SM-074	Trace Metals in Soil	Soil	Nickel	6010Bm/1638m/MSL-I-033	72.4	73.2	mg/kg	Acceptable	10-Sep-07
SM-074	Trace Metals in Soil	Soil	Nickel	6020m/1638m/MSL-I-022	72.8	73.2	mg/kg	Acceptable	07-Sep-07
SM-074	Trace Metals in Soil	Soil	Nickel	6020m/1638m/MSL-I-022	72.8	73.2	mg/kg	Acceptable	07-Sep-07
SM-074	Trace Metals in Soil	Soil	Potassium	6010Bm/1638m/MSL-I-033	8853	8880	mg/kg	Acceptable	10-Sep-07
SM-074	Trace Metals in Soil	Soil	Selenium	6010Bm/1638m/MSL-I-033	172	157	mg/kg	Acceptable	10-Sep-07
SM-074	Trace Metals in Soil	Soil	Selenium	6020m/1638m/MSL-I-022	154	157	mg/kg	Acceptable	07-Sep-07
SM-074	Trace Metals in Soil	Soil	Selenium	6020m/1638m/MSL-I-022	154	157	mg/kg	Acceptable	07-Sep-07
SM-074	Trace Metals in Soil	Soil	Silver	6010Bm/1638m/MSL-I-033	47.4	44.7	mg/kg	Acceptable	10-Sep-07
SM-074	Trace Metals in Soil	Soil	Silver	6020m/1638m/MSL-I-022	43.7	44.7	mg/kg	Acceptable	07-Sep-07
SM-074	Trace Metals in Soil	Soil	Silver	6020m/1638m/MSL-I-022	43.7	44.7	mg/kg	Acceptable	07-Sep-07
SM-074	Trace Metals in Soil	Soil	Sodium	6010Bm/1638m/MSL-I-033	6047	5860	mg/kg	Acceptable	10-Sep-07
SM-074	Trace Metals in Soil	Soil	Strontium	6010Bm/1638m/MSL-I-033	187	191	mg/kg	Acceptable	10-Sep-07
SM-074	Trace Metals in Soil	Soil	Strontium	6020m/1638m/MSL-I-022	184	191	mg/kg	Acceptable	07-Sep-07
SM-074	Trace Metals in Soil	Soil	Strontium	6020m/1638m/MSL-I-022	184	191	mg/kg	Acceptable	07-Sep-07
SM-074	Trace Metals in Soil	Soil	Thallium	6010Bm/1638m/MSL-I-033	143	142	mg/kg	Acceptable	10-Sep-07
SM-074	Trace Metals in Soil	Soil	Thallium	6020m/1638m/MSL-I-022	145	142	mg/kg	Acceptable	07-Sep-07
SM-074	Trace Metals in Soil	Soil	Thallium	6020m/1638m/MSL-I-022	145	142	mg/kg	Acceptable	07-Sep-07
SM-074	Trace Metals in Soil	Soil	Tin	6020m/1638m/MSL-I-022	192	190	mg/kg	Acceptable	07-Sep-07
SM-074	Trace Metals in Soil	Soil	Titanium	6010Bm/1638m/MSL-I-033	311	271	mg/kg	Acceptable	10-Sep-07
SM-074	Trace Metals in Soil	Soil	Vanadium	6010Bm/1638m/MSL-I-033	89.3	80.6	mg/kg	Acceptable	10-Sep-07
SM-074	Trace Metals in Soil	Soil	Vanadium	6020m/1638m/MSL-I-022	80.6	80.6	mg/kg	Acceptable	07-Sep-07
SM-074	Trace Metals in Soil	Soil	Vanadium	6020m/1638m/MSL-I-022	80.6	80.6	mg/kg	Acceptable	07-Sep-07
SM-074	Trace Metals in Soil	Soil	Zinc	6010Bm/1638m/MSL-I-033	149	141	mg/kg	Acceptable	10-Sep-07
SM-074	Trace Metals in Soil	Soil	Zinc	6020m/1638m/MSL-I-022	141	141	mg/kg	Acceptable	10-Sep-07
SM-074	Trace Metals in Soil	Soil	Zinc	6020m/1638m/MSL-I-022	141	141	mg/kg	Acceptable	10-Sep-07

(a) The Performance Evaluation criteria are:

Acceptable - Reported Value falls within the control limits

**Table Q-5.** Field Duplicate Biota Sample Results for Samples Submitted to TestAmericaLaboratories, Inc., Richland, Washington, for the Surface Environmental Surveillance Project (SESP), 2007

OWNER ID	SAMP NUM	SAMP SITE NAME	SAMP FROM	SAMP ITEM	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	MIN DETECTABLE ACTIVITY	REPLICATE ID	RELATIVE % DIFFERENCE	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1NH14	SAGEMOOR COMPOSITE	COW	MILK	17-May-07	Be-7	-15.2	pCi/L	19	19	U	32.1				
SESPSPEC	B1NH10	FRANKLIN FARM A	COW	MILK	17-May-07	Be-7	2.62	pCi/L	22	22	U	39.2	B1NH14	-283		
SESPSPEC	B1NH09	FRANKLIN FARM B	COW	MILK	17-May-07	Be-7	-9.73	pCi/L	22	22	U	37.1	B1NH14	-44		
SESPMNT	B1NH14	SAGEMOOR COMPOSITE	COW	MILK	17-May-07	Co-60	1.53	pCi/L	2.6	2.6	U	4.9				
SESPSPEC	B1NH10	FRANKLIN FARM A	COW	MILK	17-May-07	Co-60	1.58	pCi/L	3.1	3.1	U	5.78	B1NH14	3		
SESPSPEC	B1NH09	FRANKLIN FARM B	COW	MILK	17-May-07	Co-60	3.27	pCi/L	3.7	3.7	U	6.87	B1NH14	73		
SESPMNT	B1NH14	SAGEMOOR COMPOSITE	COW	MILK	17-May-07	Cs-134	0.291	pCi/L	2.5	2.5	U	4.35				
SESPSPEC	B1NH10	FRANKLIN FARM A	COW	MILK	17-May-07	Cs-134	0.26	pCi/L	3.3	3.3	U	5.69	B1NH14	11		
SESPSPEC	B1NH09	FRANKLIN FARM B	COW	MILK	17-May-07	Cs-134	0.541	pCi/L	3.5	3.5	U	6.21	B1NH14	60		
SESPMNT	B1NH14	SAGEMOOR COMPOSITE	COW	MILK	17-May-07	Cs-137	0.449	pCi/L	2.6	2.6	U	4.61				
SESPSPEC	B1NH10	FRANKLIN FARM A	COW	MILK	17-May-07	Cs-137	1.23	pCi/L	2.8	2.8	U	5.07	B1NH14	93		
SESPSPEC	B1NH09	FRANKLIN FARM B	COW	MILK	17-May-07	Cs-137	-0.718	pCi/L	3	3	U	5.1	B1NH14	-868		
SESPMNT	B1NH14	SAGEMOOR COMPOSITE	COW	MILK	17-May-07	Eu-152	6.86	pCi/L	6.4	6.4	U	11.4				
SESPSPEC	B1NH10	FRANKLIN FARM A	COW	MILK	17-May-07	Eu-152	2.35	pCi/L	7.1	7.1	U	12.4	B1NH14	98		
SESPSPEC	B1NH09	FRANKLIN FARM B	COW	MILK	17-May-07	Eu-152	2.68	pCi/L	7.1	7.1	U	12.4	B1NH14	88		
SESPMNT	B1NH14	SAGEMOOR COMPOSITE	COW	MILK	17-May-07	Eu-154	-0.782	pCi/L	8.4	8.4	U	14.6				
SESPSPEC	B1NH10	FRANKLIN FARM A	COW	MILK	17-May-07	Eu-154	-0.35	pCi/L	11	11	U	18.5	B1NH14	-76		
SESPSPEC	B1NH09	FRANKLIN FARM B	COW	MILK	17-May-07	Eu-154	3.87	pCi/L	11	11	U	19.2	B1NH14	301		
SESPMNT	B1NH14	SAGEMOOR COMPOSITE	COW	MILK	17-May-07	Eu-155	2.47	pCi/L	6.1	6.1	U	10.4				
SESPSPEC	B1NH10	FRANKLIN FARM A	COW	MILK	17-May-07	Eu-155	-0.184	pCi/L	7.9	7.9	U	13.4	B1NH14	232		
SESPSPEC	B1NH09	FRANKLIN FARM B	COW	MILK	17-May-07	Eu-155	4.37	pCi/L	6.3	6.3	U	11	B1NH14	56		
SESPMNT	B1NH14	SAGEMOOR COMPOSITE	COW	MILK	17-May-07	K-40	1330	pCi/L	190	190		41.5				
SESPSPEC	B1NH10	FRANKLIN FARM A	COW	MILK	17-May-07	K-40	1210	pCi/L	190	190		46.6	B1NH14	9		
SESPSPEC	B1NH09	FRANKLIN FARM B	COW	MILK	17-May-07	K-40	1190	pCi/L	190	190		52.6	B1NH14	11		
SESPMNT	B1NH14	SAGEMOOR COMPOSITE	COW	MILK	17-May-07	Ru-106	-1.45	pCi/L	22	22	U	38.2				
SESPSPEC	B1NH10	FRANKLIN FARM A	COW	MILK	17-May-07	Ru-106	7.46	pCi/L	26	26	U	45	B1NH14	297		
SESPSPEC	B1NH09	FRANKLIN FARM B	COW	MILK	17-May-07	Ru-106	-8.5	pCi/L	25	25	U	41.3	B1NH14	-142		
SESPMNT	B1NH14	SAGEMOOR COMPOSITE	COW	MILK	17-May-07	Sb-125	-0.631	pCi/L	6.1	6.1	U	10.4				
SESPSPEC	B1NH10	FRANKLIN FARM A	COW	MILK	17-May-07	Sb-125	-4.74	pCi/L	7	7	U	11.4	B1NH14	-153		
SESPSPEC	B1NH09	FRANKLIN FARM B	COW	MILK	17-May-07	Sb-125	0.615	pCi/L	6.8	6.8	U	11.8	B1NH14	-15575		
SESPMNT	B1NH14	SAGEMOOR COMPOSITE	COW	MILK	17-May-07	Sr-90	-0.13	pCi/L	0.16	0.35	U	0.342				
SESPSPEC	B1NH10	FRANKLIN FARM A	COW	MILK	17-May-07	Sr-90	0.336	pCi/L	0.33	0.45	U	0.569	B1NH14	452		
SESPSPEC	B1NH09	FRANKLIN FARM B	COW	MILK	17-May-07	Sr-90	0.0926	pCi/L	0.21	0.37	U	0.39	B1NH14	-1190		
SESPMNT	B1NH14	SAGEMOOR COMPOSITE	COW	MILK	17-May-07	Lo H-3	162	pCi/L	11	31		6.22				
SESPSPEC	B1NH10	FRANKLIN FARM A	COW	MILK	17-May-07	Lo H-3	153	pCi/L	11	29		6.22	B1NH14	6		
SESPSPEC	B1NH09	FRANKLIN FARM B	COW	MILK	17-May-07	Lo H-3	137	pCi/L	10	27		6.2	B1NH14	17		



**Table Q-6.** Field Duplicate Water Sample Results for Samples Submitted to TestAmerica Laboratories, Inc., Richland, Washington, for the Surface Environmental Surveillance Project (SESP), 2007

OWNER ID	SAMP NUM	SAMP SITE NAME	SAMP FROM	COLL MTHD	SAMP DATE	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	MIN DETECTABLE ACTIVITY	Relative % Difference	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1P734	100 N -1 HRM 9.5	RIVER	TRANSECT	27-Aug-07	Lo H-3	30.4	pCi/L	5.7	8.7		5.89		WATER DEPTH 4.5 FT.	
SESPSPEC	B1P724	100 N -1 HRM 9.5	RIVER	TRANSECT	27-Aug-07	Lo H-3	32.1	pCi/L	5.7	9		5.89	5.4	WATER DEPTH 4.5 FT.	
SESPMNT	B1P733	100 N -1 HRM 9.5	RIVER	TRANSECT	27-Aug-07	Sr-90	0.0833	pCi/L	0.023	0.037		0.0337		WATER DEPTH 4.5 FT.	
SESPSPEC	B1P723	100 N -1 HRM 9.5	RIVER	TRANSECT	27-Aug-07	Sr-90	0.0815	pCi/L	0.022	0.037		0.0328	2.2	WATER DEPTH 4.5 FT.	
SESPMNT	B1P733	100 N -1 HRM 9.5	RIVER	TRANSECT	27-Aug-07	U-234	0.213	pCi/L	0.034	0.089		0.00888		WATER DEPTH 4.5 FT.	
SESPSPEC	B1P723	100 N -1 HRM 9.5	RIVER	TRANSECT	27-Aug-07	U-234	0.168	pCi/L	0.031	0.086		0.00925	24	WATER DEPTH 4.5 FT.	
SESPMNT	B1P733	100 N -1 HRM 9.5	RIVER	TRANSECT	27-Aug-07	U-235	-0.00628	pCi/L	0.0068	0.043	U	0.00888		WATER DEPTH 4.5 FT.	
SESPSPEC	B1P723	100 N -1 HRM 9.5	RIVER	TRANSECT	27-Aug-07	U-235	-0.00216	pCi/L	0.0087	0.043	U	0.00925	-98	WATER DEPTH 4.5 FT.	
SESPMNT	B1P733	100 N -1 HRM 9.5	RIVER	TRANSECT	27-Aug-07	U-238	0.166	pCi/L	0.029	0.078		0.00888		WATER DEPTH 4.5 FT.	
SESPSPEC	B1P723	100 N -1 HRM 9.5	RIVER	TRANSECT	27-Aug-07	U-238	0.157	pCi/L	0.029	0.078		0.0117	5.6	WATER DEPTH 4.5 FT.	
SESPMNT	B1MMB1	RICH.PMPHS-1 HRM46.4	RIVER	TRANSECT	27-Mar-07	Lo H-3	28.2	pCi/L	5.8	8.6		5.99		WATER DEPTH 3 FT.	
SESPSPEC	B1MM91	RICH.PMPHS-1 HRM46.4	RIVER	TRANSECT	27-Mar-07	Lo H-3	23.6	pCi/L	5.4	7.9		5.99	18	WATER DEPTH 3 FT.	
SESPMNT	B1MMB0	RICH.PMPHS-1 HRM46.4	RIVER	TRANSECT	27-Mar-07	Sr-90	0.0488	pCi/L	0.031	0.043	U	0.0599		WATER DEPTH 3 FT.	
SESPSPEC	B1MM90	RICH.PMPHS-1 HRM46.4	RIVER	TRANSECT	27-Mar-07	Sr-90	0.0554	pCi/L	0.039	0.05	U	0.0758	13	WATER DEPTH 3 FT.	
SESPMNT	B1R8N1	RICH.PMPHS-1 HRM46.4	RIVER	TRANSECT	06-Dec-07	Sr-90	0.0505	pCi/L	0.023	0.036		0.0407		WATER DEPTH 4.6 FT.	
SESPSPEC	B1R8M1	RICH.PMPHS-1 HRM46.4	RIVER	TRANSECT	06-Dec-07	Sr-90	0.0448	pCi/L	0.023	0.035		0.039	12.0	WATER DEPTH 4.6 FT.	
SESPMNT	B1MMB0	RICH.PMPHS-1 HRM46.4	RIVER	TRANSECT	27-Mar-07	U-234	0.225	pCi/L	0.042	0.094		0.0151		WATER DEPTH 3 FT.	
SESPSPEC	B1MM90	RICH.PMPHS-1 HRM46.4	RIVER	TRANSECT	27-Mar-07	U-234	0.227	pCi/L	0.041	0.094		0.0124	0.9	WATER DEPTH 3 FT.	
SESPMNT	B1R8N1	RICH.PMPHS-1 HRM46.4	RIVER	TRANSECT	06-Dec-07	U-234	0.415	pCi/L	0.048	0.11		0.0138		WATER DEPTH 4.6 FT.	
SESPSPEC	B1R8M1	RICH.PMPHS-1 HRM46.4	RIVER	TRANSECT	06-Dec-07	U-234	0.397	pCi/L	0.047	0.11		0.0138	4.4	WATER DEPTH 4.6 FT.	
SESPMNT	B1MMB0	RICH.PMPHS-1 HRM46.4	RIVER	TRANSECT	27-Mar-07	U-235	-0.00485	pCi/L	0.0087	0.043	U	0.00992		WATER DEPTH 3 FT.	
SESPSPEC	B1MM90	RICH.PMPHS-1 HRM46.4	RIVER	TRANSECT	27-Mar-07	U-235	-0.008	pCi/L	0.0082	0.043	U	0.0124	-49.0	WATER DEPTH 3 FT.	
SESPMNT	B1R8N1	RICH.PMPHS-1 HRM46.4	RIVER	TRANSECT	06-Dec-07	U-235	-0.00446	pCi/L	0.0089	0.043	U	0.0119		WATER DEPTH 4.6 FT.	
SESPSPEC	B1R8M1	RICH.PMPHS-1 HRM46.4	RIVER	TRANSECT	06-Dec-07	U-235	0.00189	pCi/L	0.011	0.044	U	0.0119	-494	WATER DEPTH 4.6 FT.	
SESPMNT	B1MMB0	RICH.PMPHS-1 HRM46.4	RIVER	TRANSECT	27-Mar-07	U-238	0.2	pCi/L	0.038	0.084		0.00992		WATER DEPTH 3 FT.	
SESPSPEC	B1MM90	RICH.PMPHS-1 HRM46.4	RIVER	TRANSECT	27-Mar-07	U-238	0.15	pCi/L	0.033	0.079		0.0124	28.6	WATER DEPTH 3 FT.	
SESPMNT	B1R8N1	RICH.PMPHS-1 HRM46.4	RIVER	TRANSECT	06-Dec-07	U-238	0.323	pCi/L	0.042	0.094		0.0138		WATER DEPTH 4.6 FT.	
SESPSPEC	B1R8M1	RICH.PMPHS-1 HRM46.4	RIVER	TRANSECT	06-Dec-07	U-238	0.342	pCi/L	0.043	0.095		0.0138	5.7	WATER DEPTH 4.6 FT.	
SESPMNT	B1MVK4	FFTF POND	SURFACE	UNFILTERED	29-Mar-07	ALPHA	0.106	pCi/L	0.71	0.75	U	1.75			
SESPSPEC	B1MVK9	FFTF POND	SURFACE	UNFILTERED	29-Mar-07	ALPHA	0.458	pCi/L	0.87	0.91	U	1.74	125		
SESPMNT	B1MVK4	FFTF POND	SURFACE	UNFILTERED	29-Mar-07	Be-7	-8.4	pCi/L	23	23	U	39.2			
SESPSPEC	B1MVK9	FFTF POND	SURFACE	UNFILTERED	29-Mar-07	Be-7	2.56	pCi/L	19	19	U	34.6	-375		
SESPMNT	B1MVK4	FFTF POND	SURFACE	UNFILTERED	29-Mar-07	BETA	7.34	pCi/L	1.9	2.4		2.98			
SESPSPEC	B1MVK9	FFTF POND	SURFACE	UNFILTERED	29-Mar-07	BETA	5.36	pCi/L	1.7	2.3		2.78	31		
SESPMNT	B1MVK4	FFTF POND	SURFACE	UNFILTERED	29-Mar-07	Co-60	2.98	pCi/L	2.4	2.4	U	5.75			
SESPSPEC	B1MVK9	FFTF POND	SURFACE	UNFILTERED	29-Mar-07	Co-60	-0.755	pCi/L	2.4	2.4	U	4.37	336		
SESPMNT	B1MVK4	FFTF POND	SURFACE	UNFILTERED	29-Mar-07	Cs-134	1.93	pCi/L	2.3	2.3	U	4.95			
SESPSPEC	B1MVK9	FFTF POND	SURFACE	UNFILTERED	29-Mar-07	Cs-134	3.37	pCi/L	2.8	2.8	U	5.89	54		
SESPMNT	B1MVK4	FFTF POND	SURFACE	UNFILTERED	29-Mar-07	Cs-137	0.639	pCi/L	2.5	2.5	U	4.79			
SESPSPEC	B1MVK9	FFTF POND	SURFACE	UNFILTERED	29-Mar-07	Cs-137	0.374	pCi/L	2.1	2.1	U	4.04	52		
SESPMNT	B1MVK4	FFTF POND	SURFACE	UNFILTERED	29-Mar-07	Eu-152	-4.35	pCi/L	6	6	U	10			
SESPSPEC	B1MVK9	FFTF POND	SURFACE	UNFILTERED	29-Mar-07	Eu-152	0.67	pCi/L	5	5	U	9.26	-273		
SESPMNT	B1MVK4	FFTF POND	SURFACE	UNFILTERED	29-Mar-07	Eu-154	0.646	pCi/L	4.6	4.6	U	10.1			
SESPSPEC	B1MVK9	FFTF POND	SURFACE	UNFILTERED	29-Mar-07	Eu-154	-6.19	pCi/L	7.8	7.8	U	12.4	-247		
SESPMNT	B1MVK4	FFTF POND	SURFACE	UNFILTERED	29-Mar-07	Eu-155	1.96	pCi/L	4.1	4.1	U	7.56			
SESPSPEC	B1MVK9	FFTF POND	SURFACE	UNFILTERED	29-Mar-07	Eu-155	0.18	pCi/L	3.6	3.6	U	6.62	166		
SESPMNT	B1MVK5	FFTF POND	SURFACE	UNFILTERED	29-Mar-07	H-3	2610	pCi/L	130	170		163			
SESPSPEC	B1MVL0	FFTF POND	SURFACE	UNFILTERED	29-Mar-07	H-3	2650	pCi/L	130	170		162	1.5		
SESPMNT	B1MVK4	FFTF POND	SURFACE	UNFILTERED	29-Mar-07	K-40	19.4	pCi/L	51	51	U	42			
SESPSPEC	B1MVK9	FFTF POND	SURFACE	UNFILTERED	29-Mar-07	K-40	-17.6	pCi/L	51	51	U	110	4111		
SESPMNT	B1MVK4	FFTF POND	SURFACE	UNFILTERED	29-Mar-07	Ru-106	2.72	pCi/L	18	18	U	35.2			
SESPSPEC	B1MVK9	FFTF POND	SURFACE	UNFILTERED	29-Mar-07	Ru-106	-11.7	pCi/L	21	21	U	35.3	-321		
SESPMNT	B1MVK4	FFTF POND	SURFACE	UNFILTERED	29-Mar-07	Sb-125	-4.91	pCi/L	5.5	5.5	U	8.85			
SESPSPEC	B1MVK9	FFTF POND	SURFACE	UNFILTERED	29-Mar-07	Sb-125	1.13	pCi/L	5.1	5.1	U	9.61	-320		

**Table Q-7.** Duplicate Air (H-3) Sample Results for Samples Submitted to TestAmerica Laboratories, Inc., Richland, Washington, for the Surface Environmental Surveillance Project (SESP), 2007

OWNER ID	SAMP NUM	SAMP SITE NAME	SAMP DATE TIME	CON SHORT NAME	VALUE RPTD	ANAL UNITS RPTD	COUNTING ERROR	TOTAL ANAL ERROR	LAB QUALIFIER	MIN DETECTABLE ACTIVITY	RELATIVE % DIFFERENCE	SAMP COMMENT	RESULT COMMENT
SESPMNT	B1M570	300 SOUTH GATE	17-Jan-07	H-3	20.7	pCi/m3	1.4	3		0.854			
SESPMNT	B1M576	300 SOUTH GATE	17-Jan-07	H-3	17.4	pCi/m3	1	2.4		0.571	17		
SESPMNT	B1MC77	300 SOUTH GATE	14-Feb-07	H-3	5.44	pCi/m3	0.6	0.98		0.611			The matrix blank is failed due to a high result.
SESPMNT	B1MC83	300 SOUTH GATE	14-Feb-07	H-3	8.43	pCi/m3	0.93	1.5		0.949	43		The matrix blank is failed due to a high result.
SESPMNT	B1MPC7	300 SOUTH GATE	14-Mar-07	H-3	11	pCi/m3	0.96	1.7		0.795			The matrix blank is failed due to a high result.
SESPMNT	B1MPD3	300 SOUTH GATE	14-Mar-07	H-3	7.4	pCi/m3	0.84	1.3		0.813	39		The matrix blank is failed due to a high result.
SESPMNT	B1N498	300 SOUTH GATE	11-Apr-07	H-3	3.98	pCi/m3	0.66	0.9		0.799			
SESPMNT	B1N4B4	300 SOUTH GATE	11-Apr-07	H-3	9.86	pCi/m3	0.95	1.6		0.828	85		
SESPMNT	B1NFY8	300 SOUTH GATE	09-May-07	H-3	17.7	pCi/m3	1.8	3		1.63			The matrix blank is failed due to a high blank.
SESPMNT	B1NH04	300 SOUTH GATE	09-May-07	H-3	5.79	pCi/m3	0.75	1.1		0.765	101		The matrix blank is failed due to a high blank.
SESPMNT	B1NRN1	300 SOUTH GATE	07-Jun-07	H-3	8.67	pCi/m3	0.95	1.5		0.894			
SESPMNT	B1NRN7	300 SOUTH GATE	07-Jun-07	H-3	13.6	pCi/m3	1.4	2.3		1.29	44		
SESPMNT	B1P329	300 SOUTH GATE	06-Jul-07	H-3	5.2	pCi/m3	0.85	1.2		1.07			
SESPMNT	B1P335	300 SOUTH GATE	06-Jul-07	H-3	6.32	pCi/m3	0.92	1.3		1.06	19		
SESPMNT	B1P7Y4	300 SOUTH GATE	07-Aug-07	H-3	11.8	pCi/m3	1.4	2.1		1.34			
SESPMNT	B1P800	300 SOUTH GATE	07-Aug-07	H-3	9.43	pCi/m3	1.2	1.8		1.23	22		
SESPMNT	B1PK14	300 SOUTH GATE	30-Aug-07	H-3	0.0809	pCi/m3	0.11	0.14	U	0.234			
SESPMNT	B1PK20	300 SOUTH GATE	30-Aug-07	H-3	8.94	pCi/m3	1.1	1.7		1.19	196		
SESPMNT	B1PMB0	300 SOUTH GATE	26-Sep-07	H-3	10.2	pCi/m3	1.7	2.3		2.1			
SESPMNT	B1PMB6	300 SOUTH GATE	26-Sep-07	H-3	6.65	pCi/m3	0.97	1.4		1.18	42		
SESPMNT	B1R113	300 SOUTH GATE	25-Oct-07	H-3	8.86	pCi/m3	1.2	1.8		1.3			
SESPMNT	B1R120	300 SOUTH GATE	25-Oct-07	H-3	5.12	pCi/m3	0.85	1.2		1.04	54		
SESPMNT	B1R936	300 SOUTH GATE	20-Nov-07	H-3	2.08	pCi/m3	0.73	0.91		1.25			
SESPMNT	B1R942	300 SOUTH GATE	20-Nov-07	H-3	12.8	pCi/m3	1.9	2.8		2.37	144		
SESPMNT	B1RPV5	300 SOUTH GATE	19-Dec-07	H-3	3.71	pCi/m3	0.55	0.79		0.655			
SESPMNT	B1RPT9	300 SOUTH GATE	19-Dec-07	H-3	2.41	pCi/m3	0.46	0.62		0.639	42		

**Table Q-8.** Washington State Department of Health (DOH) and PNNL Gross Beta Results for Air Filters Collocated at Battelle Complex, 2007

DOH Data

DOH ID	SAMP DATE	VALUE RPTD	ANAL UNITS RPTD	TOTAL ANAL ERROR
38345	2-Jan-07	0.024	pCi/m3	0.002
38397	8-Jan-07	0.0095	pCi/m3	0.0012
38398	16-Jan-07	0.035	pCi/m3	0.002
38396	22-Jan-07	0.073	pCi/m3	0.004
38401	5-Feb-07	0.066	pCi/m3	0.003
38402	12-Feb-07	0.035	pCi/m3	0.002
38403	20-Feb-07	0.011	pCi/m3	0.001
38404	26-Feb-07	0.0096	pCi/m3	0.0012
38405	5-Mar-07	0.015	pCi/m3	0.001
38406	12-Mar-07	0.02	pCi/m3	0.002
38407	19-Mar-07	0.015	pCi/m3	0.001
38408	26-Mar-07	0.011	pCi/m3	0.001
38409	2-Apr-07	0.016	pCi/m3	0.001
38410	9-Apr-07	0.019	pCi/m3	0.002
38411	16-Apr-07	0.012	pCi/m3	0.001
38412	23-Apr-07	0.011	pCi/m3	0.001
38355	30-Apr-07	0.015	pCi/m3	0.001
38356	7-May-07	0.015	pCi/m3	0.001
38357	14-May-07	0.021	pCi/m3	0.002
38358	21-May-07	0.016	pCi/m3	0.001
38359	29-May-07	0.012	pCi/m3	0.001
38360	4-Jun-07	0.027	pCi/m3	0.002
38361	11-Jun-07	0.011	pCi/m3	0.001
38362	18-Jun-07	0.011	pCi/m3	0.001
38363	25-Jun-07	0.013	pCi/m3	0.001
38364	2-Jul-07	0.0084	pCi/m3	0.0011
38365	9-Jul-07	0.015	pCi/m3	0.001
38366	16-Jul-07	0.023	pCi/m3	0.002
38369	6-Aug-07	0.018	pCi/m3	0.001
38370	13-Aug-07	0.016	pCi/m3	0.001
38371	20-Aug-07	0.023	pCi/m3	0.002
38372	28-Aug-07	0.019	pCi/m3	0.002
38373	4-Sep-07	0.02	pCi/m3	0.001
38374	10-Sep-07	0.017	pCi/m3	0.002
38375	17-Sep-07	0.029	pCi/m3	0.002
38376	24-Sep-07	0.011	pCi/m3	0.001
38377	1-Oct-07	0.013	pCi/m3	0.001
38378	8-Oct-07	0.0069	pCi/m3	0.0009
38379	15-Oct-07	0.02	pCi/m3	0.002
38382	5-Nov-07	0.038	pCi/m3	0.002
38383	13-Nov-07	0.026	pCi/m3	0.002
38384	19-Nov-07	0.016	pCi/m3	0.001
38385	26-Nov-07	0.053	pCi/m3	0.003
38386	3-Dec-07	0.024	pCi/m3	0.002
38387	10-Dec-07	0.02	pCi/m3	0.002

PNNL Data

SAMP NUM	SAMP DATE	VALUE RPTD	ANAL UNITS RPTD	TOTAL ANAL ERROR
B1KN07	03-Jan-07	0.0232	pCi/m3	0.0041
B1LV71	17-Jan-07	0.0224	pCi/m3	0.004
B1LV72	31-Jan-07	0.0461	pCi/m3	0.0077
B1LV73	14-Feb-07	0.0359	pCi/m3	0.0062
B1LV74	01-Mar-07	0.00492	pCi/m3	0.0013
B1LV75	14-Mar-07	0.0154	pCi/m3	0.0031
B1LV76	29-Mar-07	0.00937	pCi/m3	0.0021
B1MXW2	11-Apr-07	0.0133	pCi/m3	0.0027
B1MXW3	24-Apr-07	0.00581	pCi/m3	0.0015
B1MXW4	09-May-07	0.0115	pCi/m3	0.0023
B1MXW5	23-May-07	0.0141	pCi/m3	0.0027
B1MXW6	07-Jun-07	0.0148	pCi/m3	0.0028
B1MXW7	20-Jun-07	0.00797	pCi/m3	0.0019
B1MXW8	06-Jul-07	0.0103	pCi/m3	0.0021
B1P1R0	18-Jul-07	0.0128	pCi/m3	0.0027
B1P1R1	07-Aug-07	0.011	pCi/m3	0.0021
B1P1R2	14-Aug-07	0.0119	pCi/m3	0.003
B1P1R3	30-Aug-07	0.0125	pCi/m3	0.0025
B1P1R4	12-Sep-07	0.0149	pCi/m3	0.0029
B1P1R5	26-Sep-07	0.0126	pCi/m3	0.0025
B1PR32	10-Oct-07	0.0102	pCi/m3	0.0022
B1PR33	25-Oct-07	0.0136	pCi/m3	0.0026
B1PR34	06-Nov-07	0.0293	pCi/m3	0.0052
B1PR35	20-Nov-07	0.024	pCi/m3	0.0043
B1PR36	04-Dec-07	0.0305	pCi/m3	0.0053
B1PR37	19-Dec-07	0.0287	pCi/m3	0.0051

**Table Q-9.** Washington State Department of Health (DOH) and PNNL Gross Beta Results for Air Filters Collocated at Wye Barricade, 2007

DOH Data

DOH ID	SAMP DATE	VALUE RPTD	ANAL UNITS RPTD	TOTAL ANAL ERROR
37771	3-Jan-07	0.03	pCi/m3	0.002
37776	10-Jan-07	0.0071	pCi/m3	0.001
37782	17-Jan-07	0.046	pCi/m3	0.003
37931	24-Jan-07	0.07	pCi/m3	0.003
37932	31-Jan-07	0.047	pCi/m3	0.003
37933	7-Feb-07	0.071	pCi/m3	0.003
37934	14-Feb-07	0.023	pCi/m3	0.002
37935	21-Feb-07	0.011	pCi/m3	0.001
37936	28-Feb-07	0.0091	pCi/m3	0.0011
37937	7-Mar-07	0.022	pCi/m3	0.002
37938	14-Mar-07	0.016	pCi/m3	0.001
37939	21-Mar-07	0.016	pCi/m3	0.001
37940	28-Mar-07	0.011	pCi/m3	0.001
37941	4-Apr-07	0.021	pCi/m3	0.002
37942	11-Apr-07	0.021	pCi/m3	0.002
37943	18-Apr-07	0.0095	pCi/m3	0.0011
37944	25-Apr-07	0.012	pCi/m3	0.001
37945	2-May-07	0.019	pCi/m3	0.002
37946	9-May-07	0.014	pCi/m3	0.001
37947	16-May-07	0.026	pCi/m3	0.002
37948	23-May-07	0.013	pCi/m3	0.001
37949	30-May-07	0.013	pCi/m3	0.001
37950	6-Jun-07	0.026	pCi/m3	0.002
37951	13-Jun-07	0.0081	pCi/m3	0.001
37952	20-Jun-07	0.011	pCi/m3	0.001
37953	27-Jun-07	0.012	pCi/m3	0.001
37954	5-Jul-07	0.011	pCi/m3	0.001
37955	11-Jul-07	0.015	pCi/m3	0.002
37956	18-Jul-07	0.021	pCi/m3	0.002
37959	8-Aug-07	0.015	pCi/m3	0.001
37960	15-Aug-07	0.017	pCi/m3	0.001
37961	22-Aug-07	0.016	pCi/m3	0.001
37963	5-Sep-07	0.019	pCi/m3	0.001
37964	12-Sep-07	0.021	pCi/m3	0.002
37966	26-Sep-07	0.009	pCi/m3	0.001
37967	3-Oct-07	0.009	pCi/m3	0.001
37968	10-Oct-07	0.0085	pCi/m3	0.001
37969	17-Oct-07	0.015	pCi/m3	0.001
37972	7-Nov-07	0.03	pCi/m3	0.002
37973	14-Nov-07	0.029	pCi/m3	0.002
37974	21-Nov-07	0.014	pCi/m3	0.001
37975	28-Nov-07	0.05	pCi/m3	0.003
37976	5-Dec-07	0.018	pCi/m3	0.001
37977	12-Dec-07	0.033	pCi/m3	0.002
37978	19-Dec-07	0.024	pCi/m3	0.002

PNNL Data

SAMP NUM	SAMP DATE	VALUE RPTD	ANAL UNITS RPTD	TOTAL ANAL ERROR
B1KNP3	02-Jan-07	0.0204	pCi/m3	0.0036
B1LVY4	15-Jan-07	0.015	pCi/m3	0.0028
B1LVY5	30-Jan-07	0.0459	pCi/m3	0.0077
B1LVY6	13-Feb-07	0.039	pCi/m3	0.0066
B1LVY7	26-Feb-07	0.0053	pCi/m3	0.0014
B1LVY8	12-Mar-07	0.00982	pCi/m3	0.002
B1LVY9	28-Mar-07	0.00745	pCi/m3	0.0016
B1MYK5	10-Apr-07	0.0131	pCi/m3	0.0026
B1MYK6	20-Apr-07	0.00458	pCi/m3	0.0016
B1MYK7	08-May-07	0.00855	pCi/m3	0.0017
B1MYK8	22-May-07	0.0112	pCi/m3	0.0022
B1MYK9	06-Jun-07	0.0131	pCi/m3	0.0025
B1MYL1	02-Jul-07	0.00733	pCi/m3	0.0016
B1P2C0	17-Jul-07	0.0104	pCi/m3	0.002
B1P2C1	27-Jul-07	0.00954	pCi/m3	0.0021
B1P2C2	13-Aug-07	0.00845	pCi/m3	0.0017
B1P2C3	24-Aug-07	0.0106	pCi/m3	0.0022
B1P2C4	10-Sep-07	0.00731	pCi/m3	0.0015
B1P2C5	25-Sep-07	0.0103	pCi/m3	0.002
B1PRR8	09-Oct-07	0.00861	pCi/m3	0.0018
B1PRR9	24-Oct-07	0.0122	pCi/m3	0.0024
B1PRT0	05-Nov-07	0.0252	pCi/m3	0.0046
B1PRT1	19-Nov-07	0.0218	pCi/m3	0.0041
B1PRT2	03-Dec-07	0.0264	pCi/m3	0.0047
B1PRT3	20-Dec-07	0.0194	pCi/m3	0.0034

**Table Q-10.** Washington State Department of Health (DOH) and PNNL Gross Beta Results for Air Filters Collocated at Prosser Barricade, 2007

DOH Data

DOH ID	SAMP DATE	VALUE RPTD	ANAL UNITS RPTD	TOTAL ANAL ERROR
37778	2-Jan-07	0.03	pCi/m3	0.002
38168	8-Jan-07	0.01	pCi/m3	0.001
37784	16-Jan-07	0.043	pCi/m3	0.002
38111	22-Jan-07	0.095	pCi/m3	0.004
38114	29-Jan-07	0.051	pCi/m3	0.003
38115	5-Feb-07	0.085	pCi/m3	0.004
38116	12-Feb-07	0.047	pCi/m3	0.003
38113	20-Feb-07	0.014	pCi/m3	0.001
38117	5-Mar-07	0.015	pCi/m3	0.001
38118	12-Mar-07	0.02	pCi/m3	0.002
38119	19-Mar-07	0.015	pCi/m3	0.001
38123	26-Mar-07	0.01	pCi/m3	0.001
38124	2-Apr-07	0.015	pCi/m3	0.001
38125	9-Apr-07	0.02	pCi/m3	0.002
38126	16-Apr-07	0.0087	pCi/m3	0.0011
38127	23-Apr-07	0.012	pCi/m3	0.001
38130	30-Apr-07	0.016	pCi/m3	0.001
38131	7-May-07	0.015	pCi/m3	0.001
38132	14-May-07	0.023	pCi/m3	0.002
38135	21-May-07	0.018	pCi/m3	0.002
38136	29-May-07	0.014	pCi/m3	0.001
38137	4-Jun-07	0.03	pCi/m3	0.002
38138	11-Jun-07	0.011	pCi/m3	0.001
38120	18-Jun-07	0.011	pCi/m3	0.001
38139	25-Jun-07	0.012	pCi/m3	0.001
38140	2-Jul-07	0.0096	pCi/m3	0.0011
38141	9-Jul-07	0.017	pCi/m3	0.001
38091	16-Jul-07	0.021	pCi/m3	0.002
38093	6-Aug-07	0.016	pCi/m3	0.001
38133	13-Aug-07	0.016	pCi/m3	0.001
38094	20-Aug-07	0.022	pCi/m3	0.002
38096	4-Sep-07	0.02	pCi/m3	0.001
38097	10-Sep-07	0.017	pCi/m3	0.002
38121	17-Sep-07	0.028	pCi/m3	0.002
38098	24-Sep-07	0.0094	pCi/m3	0.0011
38099	1-Oct-07	0.013	pCi/m3	0.001
38100	8-Oct-07	0.0063	pCi/m3	0.0009
38101	15-Oct-07	0.019	pCi/m3	0.001
38103	5-Nov-07	0.032	pCi/m3	0.002
38134	13-Nov-07	0.03	pCi/m3	0.002
38105	19-Nov-07	0.012	pCi/m3	0.001
38106	26-Nov-07	0.05	pCi/m3	0.003
38107	3-Dec-07	0.02	pCi/m3	0.002
38108	10-Dec-07	0.02	pCi/m3	0.002
38122	17-Dec-07	0.043	pCi/m3	0.002

PNNL Data

SAMP NUM	SAMP DATE	VALUE RPTD	ANAL UNITS RPTD	TOTAL ANAL ERROR
B1KNW6	04-Jan-07	0.0211	pCi/m3	0.0039
B1LW39	18-Jan-07	0.0239	pCi/m3	0.0042
B1LW40	02-Feb-07	0.0451	pCi/m3	0.0076
B1LW41	16-Feb-07	0.0301	pCi/m3	0.0053
B1LW42	02-Mar-07	0.00683	pCi/m3	0.0017
B1LW43	16-Mar-07	0.0145	pCi/m3	0.0028
B1LW44	03-Apr-07	0.00855	pCi/m3	0.0018
B1MYP8	12-Apr-07	0.0126	pCi/m3	0.0027
B1MYP9	27-Apr-07	0.00611	pCi/m3	0.0015
B1MYR0	11-May-07	0.0109	pCi/m3	0.0022
B1MYR1	24-May-07	0.0111	pCi/m3	0.0023
B1MYR2	08-Jun-07	0.013	pCi/m3	0.0026
B1MYR3	21-Jun-07	0.00836	pCi/m3	0.0019
B1MYR4	03-Jul-07	0.00917	pCi/m3	0.0021
B1P2J5	19-Jul-07	0.0122	pCi/m3	0.0024
B1P2J6	06-Aug-07	0.0107	pCi/m3	0.0021
B1P2J7	16-Aug-07	0.014	pCi/m3	0.0031
B1P2J8	31-Aug-07	0.0132	pCi/m3	0.0026
B1P2J9	13-Sep-07	0.0117	pCi/m3	0.0024
B1P2K0	27-Sep-07	0.0124	pCi/m3	0.0024
B1PRY5	11-Oct-07	0.0097	pCi/m3	0.0021
B1PRY6	26-Oct-07	0.0142	pCi/m3	0.0027
B1PRY7	07-Nov-07	0.0271	pCi/m3	0.0048
B1PRY8	21-Nov-07	0.0209	pCi/m3	0.0038
B1PRY9	07-Dec-07	0.0304	pCi/m3	0.0053
B1PT00	21-Dec-07	0.0285	pCi/m3	0.005

**Table Q-11.** Washington State Department of Health (DOH) and PNNL Gross Beta Results for Air Filters Collocated at Yakima Barricade, 2007

DOH Data

DOH ID	SAMP DATE	VALUE RPTD	ANAL UNITS RPTD	TOTAL ANAL ERROR
37772	2-Jan-07	0.025	pCi/m3	0.002
37777	8-Jan-07	0.0073	pCi/m3	0.0011
37783	16-Jan-07	0.032	pCi/m3	0.002
38112	22-Jan-07	0.07	pCi/m3	0.003
37979	29-Jan-07	0.038	pCi/m3	0.002
37980	5-Feb-07	0.064	pCi/m3	0.003
37981	12-Feb-07	0.045	pCi/m3	0.002
37982	20-Feb-07	0.01	pCi/m3	0.001
37983	26-Feb-07	0.0092	pCi/m3	0.0012
37984	5-Mar-07	0.015	pCi/m3	0.001
37985	12-Mar-07	0.019	pCi/m3	0.002
37986	19-Mar-07	0.013	pCi/m3	0.001
37987	26-Mar-07	0.0085	pCi/m3	0.0011
37988	2-Apr-07	0.016	pCi/m3	0.001
37989	9-Apr-07	0.023	pCi/m3	0.002
37990	16-Apr-07	0.0095	pCi/m3	0.0011
38146	23-Apr-07	0.011	pCi/m3	0.001
37991	30-Apr-07	0.015	pCi/m3	0.001
37992	7-May-07	0.013	pCi/m3	0.001
37993	14-May-07	0.023	pCi/m3	0.002
37994	21-May-07	0.025	pCi/m3	0.002
37995	29-May-07	0.013	pCi/m3	0.001
37996	4-Jun-07	0.031	pCi/m3	0.002
37997	11-Jun-07	0.0089	pCi/m3	0.0011
37999	25-Jun-07	0.012	pCi/m3	0.001
38000	2-Jul-07	0.0081	pCi/m3	0.0011
38001	9-Jul-07	0.015	pCi/m3	0.001
38002	16-Jul-07	0.019	pCi/m3	0.002
38005	6-Aug-07	0.015	pCi/m3	0.001
38006	13-Aug-07	0.015	pCi/m3	0.001
38007	20-Aug-07	0.018	pCi/m3	0.001
38009	4-Sep-07	0.017	pCi/m3	0.001
38010	10-Sep-07	0.015	pCi/m3	0.001
38011	17-Sep-07	0.023	pCi/m3	0.002
38012	24-Sep-07	0.0078	pCi/m3	0.001
38013	1-Oct-07	0.01	pCi/m3	0.001
38014	8-Oct-07	0.0085	pCi/m3	0.001
38015	15-Oct-07	0.016	pCi/m3	0.001
38018	5-Nov-07	0.029	pCi/m3	0.002
38019	13-Nov-07	0.028	pCi/m3	0.002
38020	19-Nov-07	0.014	pCi/m3	0.001
38021	26-Nov-07	0.049	pCi/m3	0.003
38022	3-Dec-07	0.018	pCi/m3	0.001
38023	10-Dec-07	0.017	pCi/m3	0.001
38024	17-Dec-07	0.039	pCi/m3	0.002

PNNL Data

SAMP NUM	SAMP DATE	VALUE RPTD	ANAL UNITS RPTD	TOTAL ANAL ERROR
B1KNX4	04-Jan-07	0.0199	pCi/m3	0.0038
B1LW46	18-Jan-07	0.026	pCi/m3	0.0046
B1LW47	02-Feb-07	0.0358	pCi/m3	0.0061
B1LW48	16-Feb-07	0.0328	pCi/m3	0.0057
B1LW49	02-Mar-07	0.0055	pCi/m3	0.0015
B1LW50	16-Mar-07	0.0122	pCi/m3	0.0025
B1LW51	03-Apr-07	0.0092	pCi/m3	0.0019
B1MYR6	12-Apr-07	0.0135	pCi/m3	0.003
B1MYR7	27-Apr-07	0.00583	pCi/m3	0.0015
B1MYR8	11-May-07	0.0108	pCi/m3	0.0022
B1MYR9	24-May-07	0.0136	pCi/m3	0.0029
B1MYT0	08-Jun-07	0.013	pCi/m3	0.0025
B1MYT1	21-Jun-07	0.00643	pCi/m3	0.0016
B1MYT2	03-Jul-07	0.00775	pCi/m3	0.0018
B1P2K2	19-Jul-07	0.0118	pCi/m3	0.0023
B1P2K3	06-Aug-07	0.0102	pCi/m3	0.002
B1P2K4	16-Aug-07	0.0133	pCi/m3	0.0028
B1P2K6	13-Sep-07	0.0126	pCi/m3	0.0025
B1P2K7	27-Sep-07	0.0118	pCi/m3	0.0023
B1PT03	11-Oct-07	0.00865	pCi/m3	0.0018
B1PT04	26-Oct-07	0.012	pCi/m3	0.0023
B1PT05	07-Nov-07	0.0245	pCi/m3	0.0045
B1PT06	21-Nov-07	0.0179	pCi/m3	0.0033
B1PT07	07-Dec-07	0.0271	pCi/m3	0.0047
B1PT08	21-Dec-07	0.0264	pCi/m3	0.0047

## Distribution

### **No. of Copies**

### **No. of Copies**

#### **OFFSITE**

Basin City Branch of Mid-Columbia Library  
50-A N. Canal Boulevard  
Basin City, WA 99343

Knight Library  
University of Oregon  
1501 Kincaid  
Eugene, OR 97403-1299

Benton City Branch of the Mid-Columbia  
Library  
810 Horne Drive  
Benton City, WA 99320

Merrill's Corner Branch of the  
Mid-Columbia Library  
5240 Eltopia West  
Eltopia, WA 99330

Burbank Community Library  
130 Lake Road  
Burbank, WA 99323

Othello Branch of the Mid-Columbia Library  
101 East Main  
Othello, WA 99344

Connell Branch of the Mid-Columbia Library  
118 N. Columbia Ave.  
Connell, WA 99326

Pasco Branch of the Mid-Columbia Library  
1320 W. Hopkins  
Pasco, WA 99301

Energy Northwest Library  
P.O. Box 968  
Richland, WA 99352

Prosser Branch of the Mid-Columbia Library  
902 7th Street  
Prosser, WA 99350

Kahlotus Branch of the Mid-Columbia  
Library  
E. 255 Weston  
Kahlotus, WA 99335

Richland Public Library  
1270 Lee Boulevard  
Richland, WA 99352

Keewaydin Park Branch of the  
Mid-Columbia Library  
405 S. Dayton  
Kennewick, WA 99336

University of Washington  
Government Publications  
Suzzallo Library  
Box 352900  
Seattle, WA 98195-2900

Kennewick Branch of the Mid-Columbia  
Library  
1620 S. Union Street  
Kennewick, WA 99338

U.S. Geological Survey Library  
950 National Center, Room 1D100  
12201 Sunrise Valley Drive  
Reston, VA 20192

**No. of  
Copies**

Walla Walla College  
Peterson Memorial Library  
104 S. College Avenue  
College Place, WA 99324

Washington State Department of Ecology  
Library  
P.O. Box 47600  
Olympia, WA 98504-7600

Washington State Department of Health  
Environmental Section Library  
Division of Radiation Protection  
P.O. Box 47827  
Olympia, WA 98504-7827

West Richland Branch of the Mid-Columbia  
Library  
3803 W. Van Giesen  
West Richland, WA 99353

**ONSITE****3 DOE Richland Operations Office**

D. C. Ward	A5-15
DOE Public Reading Room (2)	H2-53

**No. of  
Copies****2 Lockheed Martin Services**

Hanford Site Administrative Record (2)	H6-08
---	-------

**Washington Closure Hanford**

L. C. Hulstrom	H4-22
----------------	-------

**31 Pacific Northwest National Laboratory**

E. J. Antonio	K3-54
L. E. Bisping (15)	K6-75
J. M. Brandenberger	Sequim
J. K. Deverman (2)	K3-70
R. L. Dirkes	K6-75
J. P. Duncan (2)	K6-85
B. K. Lasorsa	Sequim
E. A. Lepel	P8-01
B. A. Napier	K3-54
G. W. Patton	K6-75
T. M. Poston	K6-75
J. A. Stegen	K3-66
Hanford Technical Library (2)	P8-55
Historical File – Ted Poston	K6-75